

EAST BOUNDARY (Front of School)

Grp 2

T3

T2



No	Species	Tree Works Recommended
T2 D grade	English Yew <i>Taxus baccata</i>	<u>Basal Area:</u> • The basal area could not be sounded because of a dense growth of Ivy covering same. <u>Trunk:</u> • Ivy smothering so unable to verify the health and safety of this tree. <u>Crown:</u> • Further severe dieback has taken place over the past three years and the southern half of the crown has all but died off. Conclusions: • In a state of terminal decline. Recommendations: • <i>Advise the early removal of this tree on health grounds.</i>

No	Species	Tree Works Recommended
T3 B grade	Dawn Redwood <i>Metasequoia glyptostroboides</i>	<u>Basal Area:</u> - The basal area was sounded and no evidence of internal decay and hollowing was recorded. <u>Trunk:</u> - Found to be sound and healthy. <u>Crown:</u> - Broken and hanging limbs in the lower crown and also the upper reaches. - Low crown density overall. Conclusions: - In reasonably good order at the present time. Recommendations: - No works are required at this time.

No	Species	Tree Works Recommended
Grp 2 C grade	Leyland Cypress Yew Laurel Cherry False Acacia	<u>Basal Areas:</u> - Found to be sound and healthy. <u>Trunks:</u> - Found to be sound and healthy. <u>Crowns:</u> - Have in the past been topped out and reshaped. Conclusions: - There is a dead False Acacia 'hat stand' to the south side of T2. Recommendations: <i>Attach a rope to the top of the dead Acacia tree and conduct a 'pull' test to make sure it is stable for safety reasons.</i>

T6

T5 (site of)

T4



No	Species	Tree Works Recommended
T4 C grade	English Yew <i>Taxus baccata</i>	<u>Basal Area:</u> - The basal area was sounded and no evidence of internal decay and hollowing was recorded. <u>Trunk:</u> - Found to be sound and healthy. <u>Crown:</u> - Low branching habit. - Generally in good order. Conclusions: - This tree is now benefitting from the removal of T5. Recommendations: - No works required at this time.

No	Species	Tree Works Recommended
T5	False Acacia <i>Robinia pseudoacacia</i>	This tree has been removed and the stump ground out.
5a	Young Tree	It was noted that a replacement tree has been planted at this location.
-		

No	Species	Tree Works Recommended
T6	English Yew <i>Taxus baccata</i>	<u>Basal Area:</u> The basal area was sounded and no evidence of internal decay and hollowing was recorded.
C grade		<u>Trunk:</u> Found to be sound and healthy.
		<u>Crown:</u> - Low branching habit. - Straggly with minor dieback noted but is slowly recovering.
		Conclusions: This tree is now benefitting from the removal of T5 & T7.
		Recommendations: No works required at this time.

No	Species	Tree Works Recommended
T7	False Acacia <i>Robinia pseudoacacia</i>	This tree has been removed and the stump ground out.
-		