



Urban Tree Experts

BS5837 – Tree Surveys – Ecological Consulting

ECOLOGICAL SURVEY REPORT (BATS) AT 20 CHAZEY ROAD CAVERSHAM



**Prepared for:
Mr C Parekh
20 Chazey Road
Caversham
Reading
RG4 7DS**

3 July 2023

Ref: SPH/ESR-23/25.06



Urban Tree Experts

BBS5837 – Tree Surveys – Ecological Consulting

Bramley House
Newnham Bridge
Tenbury Wells
Worcestershire
WR15 8NX
Tel: 0118 976 2902
Mobile: 07557 982091
Email: info@batsurveys-uk.com

CONTENTS

EXECUTIVE SUMMARY	3
1 Introduction	5
1.1 Instruction	5
1.2 Aims and Objectives	5
1.3 Proposed Works	5
1.4 Surveyor Background and Experience	5
2 Survey Methodology	5
2.1 Constructions/Limitations	5
2.2 Dusk & Dawn Surveys	6
3 Survey Findings	7
3.1 Dusk & Dawn Surveys	7
4 Conclusions/Interpretation	9
5 Method Statement for Planning	10
6 References	11
7 Queries	12

Appendix 1

©2023 Urban Tree Experts

All rights in this report are reserved. No part of it may be reproduced, edited or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in any retrieval system of any nature, without our written permission. Its content and format are for the exclusive use of Mr C Parekh and his agents in dealing with this site. It may not be sold, lent, hired out or divulged to any third party not directly involved in this site without the written consent of Urban Tree Experts. It may be reproduced as part of a planning application.

The validity of this report ceases at the prescribed time limit or after one year from the survey, or if the site conditions change due to unspecified works that affect the site whichever is the sooner.



Urban Tree Experts

BS5837 – Tree Surveys – Ecological Consulting

EXECUTIVE SUMMARY

Urban Tree Experts was commissioned by Mr C Parekh to carry out two dusk emergence surveys and a dawn return to roost survey at 20 Chazey Road, Caversham, Reading RG4 7DS. This report is prepared to support a forthcoming planning application to Reading Borough Council that will seek to construct a two-storey rear extension.

The application site comprises a detached, brick-built property with an integral garage. The remainder of the site comprises a paved driveway/front garden and a large rear garden, which mainly comprises lawn with a couple of mature trees and hedgerows around the boundaries. The site itself offers limited foraging or commuting habitat for bats.

A desk top study was conducted prior to the survey to review existing information about the site and its surroundings and to inform the design of subsequent bat surveys, if required. The desk top study was conducted based upon a 2km search radius and it revealed that the Chilterns Area of Outstanding Natural Beauty (AONB) is situated within, and one current European Protected Species Licences (EPSLs) for bats has been granted within 2km of the proposed development site.

A search of Berkshire and South Buckinghamshire bat group records confirmed 11 different species within the 2-kilometer search radius, including *Myotis* sp. A summary of these records is included at Appendix 1.

The preliminary ecological appraisal (bats) comprised a detailed search of the interior and exterior of the building for bats, signs of bats and features suitable for use by roosting bats. This includes droppings, internally or externally, scratch marks, rubbing and staining at exit holes, live or dead bats and other features such as missing tiles, this list is not exhaustive.

The initial site visit was carried out by Beth Ellison-Perrett of Arbtech Consulting Ltd on the 30 August 2022 at 12.30pm. An internal and external inspection of the property took place to look for signs of bats.

The property is in a good condition internally and externally. There are, however, a small number of raised roof tiles/gaps in the roof and between the roof tiles and soffit of the dormer externally which could provide potential roosting opportunities or access into the building for bats. A small number of droppings, of a similar size and consistency to those of brown long-eared (BLE) bats were recorded in the loft space, under the central ridge, indicating that bats may have used the buildings for roosting. DNA analysis of the droppings was not carried out.

Full access to the site for the survey was made possible by the client.

In line with best practice guidelines, three activity surveys (two dusk emergence and one dawn re-entry) were recommended to provide additional evidence in support of the preliminary survey result and the effort is considered proportionate to the building and risk associated with any proposed works.

The dusk emergence surveys were conducted on Tuesday 23 May and Wednesday 7 June 2023 and the dawn return to roost survey was conducted on Sunday 25 June 2023. A number of bats were heard and seen foraging in and around the site throughout the surveys and none were seen emerging from or re-entering the building to roost.



Urban Tree Experts

BBS5837 – Tree Surveys – Ecological Consulting

The evidence observed during the preliminary survey (bat droppings), indicates historical use by a low number (<5) bats, and that the property has been used as a day/summer roost on an opportunistic basis and that an EPSL from Natural England (NE) is not required. However, a site-specific method statement is provided to comply with EU Article 12 and 16 which help guide works that affect a bat resting place when the species is not present in order to avoid a licence/derogation, it will be necessary, to ensure following development the “favourable conservation status” of bats is maintained and an appropriately worded ecological method statement must be conditioned to any planning consent.

With careful timing and close supervision no offence should occur, and the FCS will remain unaffected. If bats are encountered during the work, all work must stop and the project ecologist informed, and an EPSL will be required.

An ecological method statement has been included to enable the Local Planning Authority to have regards to the requirements of the Habitats Directive... *“in the exercise of their functions in considering the planning application”*.



Urban Tree Experts

BS5837 – Tree Surveys – Ecological Consulting

1. Introduction

1.1 Instruction

Urban Tree Experts were commissioned by Mr C Parekh to carry out two dusk emergence surveys and a dawn return to roost survey at 20 Chazey Road, Caversham, Reading RG4 7DS.

1.2 Aims and Objectives

The dusk emergence surveys, and dawn return to roost survey are designed to:

- Identify the presence/likely absence of bats using the building to roost.
- Estimate the size and status of any existing bat roosts within the building.
- Establish where the bats are accessing the building.
- Determine the potential impacts on any bat roost from the proposed development.
- Determine if an EPSL is required.

The survey was carried out in accordance with Bat Surveys for Professional Ecologists: Good Practice Guidelines (3rd edition).

1.3 Proposed Works

The surveys were commissioned to support forthcoming planning application to Wokingham Borough Council that will seek to convert the rear section of the loft space into habitable accommodation, with the addition of a new side roof.

1.4 Surveyor Background and Experience

The activity surveys were conducted by Robert (Bob) Brittain, Nick Powell, Katie Holmes and a remote camera/batlogger and the report was compiled by Simon Holmes MSc. CEnv. a Natural England licensed bat ecologist.

Simon Holmes MSc. CEnv. Simon holds Class 3 (CL19) and 4 Bat (CL20) Licenses (Nos. 17637 and 17638) and Science and Education license (SCI-64844). He has 34 years' experience of carrying out bat surveys and bat conservation work.

Katie Holmes. Katie holds a Class 2 Bat License (CLS-35124) and has been surveying bats for 11 years with various ecological consultancies and has received training in surveying techniques, bat detector use, bat biology, identification, acoustic monitoring, echolocation analysis and netting.

Bob has been surveying bats for 11 years with various ecological consultancies and has received training in surveying techniques, bat detector use, bat biology, identification, acoustic monitoring, echolocation analysis and netting.

Nick Powell commenced surveying bats in 2022 and has received training in bat surveying techniques, bat detector use, bat biology, bat identification, acoustic monitoring, and echolocation analysis.

2. Survey Methodology

2.1 Constraints/Limitations

An assessment of the building exterior was conducted on 23 May 2023, prior to the first survey being undertaken and there were no constraints or limitations to the surveys. Weather conditions were suitable for the surveys, being conducted during warm weather, and bats were observed foraging and in transit during the surveys.



Urban Tree Experts


BS5837 – Tree Surveys – Ecological Consulting

2.2 Dusk and Dawn Surveys

The dusk emergence surveys were conducted on the evenings of Tuesday 23 May and Wednesday 7 June 2023 and the dawn return to roost survey was conducted on Sunday 25 June 2023. The surveyors were stationed (as shown in Figure 1 below), to ensure the features identified in the preliminary bat report could be observed.

During the survey bat activity was monitored using three BatLogger M bat detectors together with three Sony Handycam night shot video cameras with high intensity IR lamps. The detectors and cameras were fitted with SD cards for recording bat activity, allowing for later analysis with Kaleidoscope Pro 3 software, VLC media player and DVR Scan.

Figure 1 – 20 Chazey Road, Caversham, surveyor/remote camera/batlogger locations and common pipistrelle bat flight paths.



During the surveys no bats were seen emerging from and/or returning to the building to roost. In total five different species were recorded and identified foraging and commuting around the site. A simple summary of the bats recorded can be seen in Table 2 commencing on page 7. The most frequently used flight paths of common pipistrelle bats are shown in Figure 1 above.



Urban Tree Experts

BS5837 – Tree Surveys – Ecological Consulting

3. Survey Findings

3.1 Dusk and Dawn Surveys

The weather conditions and surveyor details from the surveys can be found in Table 1 below.

Table 1 – Surveyor/remote camera/batlogger details and weather conditions for bat activity survey conducted at 20 Chazey Road, Caversham.

Date:	23 May 2023	7 June 2023	25 June 2023
Survey Type	Emergence survey	Emergence survey	Dawn re-entry survey
Surveyor and location	(A) Nick Powell (B) Bob Brittain (C) Remote camera/batlogger	(A) Nick Powell (B) Bob Brittain (C) Remote camera/batlogger	(A) Nick Powell (B) Katie Holmes (C) Remote camera/batlogger
Weather Conditions (Start)	Temperature 14.3°C, Cloud cover 0% Humidity 75.5% Dry Wind Beaufort 0	Temperature 13.6°C, Cloud cover 0% Humidity 78.1% Dry Wind Beaufort 1-2	Temperature 14°C, Cloud cover 10% Humidity 86.7% Dry Wind Beaufort 0
Sunset/Sunrise	21:00	21:17	04:48
Start time	20:45	21:00	03:05
Finish Time	22:30	22:50	05:05
Duration	01:45	01:50	02:00
Weather Conditions (Finish)	Temperature 11.7°C Cloud cover 0% Humidity 92.8% Dry Wind Beaufort 0	Temperature 10.3°C Cloud cover 0% Humidity 91.4% Dry Wind Beaufort 2	Temperature 12.5°C Cloud cover >5% Humidity 95.6% Dry Wind Beaufort 0

Table 2. Summary of bat calls recorded in the vicinity of 20 Chazey Road, Caversham.

Date	Surveyor Position	Time	Seen	Heard	Species	Comments
23/05/23	A	20:45 – 22:30	Y	Y	Common and soprano pipistrelle	Despite good foraging conditions with insects flying, bat activity during this survey was extremely limited with only 5 calls from a common pipistrelle being heard between 21.37 and 22.22, with the bat being seen at 21.37 foraging behind the surveyor. 7 calls from soprano pipistrelle bats were heard between 21.45 and 21.55, the bat was not seen.
23/05/23	B	20:45 – 22:30	Y	Y	Common and soprano pipistrelle and daubentons	As with the surveyor at position A, bat activity during this survey was extremely limited with only 7 calls from a common pipistrelle being heard between 21.30 and 22.19, the bat was not seen. 5 calls from soprano pipistrelle bats were heard between 21.19 when the bat was seen in transit down the right-hand side of the property, and 21.54, the bat was not seen again. The daubentons was heard at 22.06 only.
23/05/23	C	20:45 – 22:30	Y	Y	Common and soprano pipistrelle and daubentons	Analysis of the data recorded revealed 13 calls from common pipistrelles, 4 calls from soprano pipistrelles and 1 call from a daubentons between 21.20 and 22.15, being the last call recorded. No bats were recorded by the night vision camera indicating that the bats were foraging behind or out of view of the camera.



Urban Tree Experts

BS5837 – Tree Surveys – Ecological Consulting

Table 2 continued.

Date	Surveyor Position	Time	Seen	Heard	Species	Comments
07/06/23	A	21:00 – 22:50	N	Y	Common and soprano pipistrelle, noctule and daubentons	Foraging and transit activity during this survey at this location was very limited with, at 21.49 (32 minutes after sunset) a call from a soprano pipistrelle bat being heard. The bat was then heard another 8 times only until 22.24. Common pipistrelle foraging and transit activity was more limited with only 8 calls being heard and recorded between 22.19 and 22.45. The noctule was heard once at 22.22. Analysis of the data recorded revealed a call from a daubentons bat.
07/06/23	B	21:00 – 22:50	Y	Y	Common and soprano pipistrelle, noctule and daubentons	At 21.46 (29 minutes after sunset) a call from a soprano pipistrelle was heard followed by a call from a common pipistrelle at 21.48. A soprano pipistrelle bat was seen in transit up the right-hand side of the property and a common pipistrelle was seen at 22.06 foraging over the lawn behind the surveyor. The noctule was heard at 22.05 only and the daubentons was both seen and heard, at 21.58, in transit over the property heading in a westerly direction.
07/06/23	C	21:00 – 22:50	Y	Y	Common and soprano pipistrelle, noctule, daubentons and BLE	Analysis of the data recorded revealed 26 calls from common pipistrelles, 20 calls from soprano pipistrelles, 1 call from a noctule, 1 call from a BLE and 1 call from a daubentons between 21.28 and 22.12, being the last call recorded. Once again, no bats were recorded by the night vision camera as they were recorded foraging to the rear and opposite side of the building.
25/06/23	A	03:05 – 05:05	Y	Y	Common and soprano pipistrelle and noctule	At 03.15 a faint call from a common pipistrelle was heard with the bat being seen at 03.18 foraging briefly in the front garden. A soprano pipistrelle was both heard and seen at 03.20 foraging in the neighbours garden to the left of the surveyor. Thereafter intermittent foraging calls were heard from both species of bat until 04.02. The noctule was heard on 4 occasions between 03.32 (when it was seen foraging above the street trees behind the surveyor) and 04.08, being the last bat call heard and recorded during the survey.
25/06/23	B	03:05 – 05:05	Y	Y	Common and soprano pipistrelle, noctule and daubentons	Both common and soprano pipistrelle foraging and transit calls were heard from survey beginning until 04.06, with the activity being dominated by soprano pipistrelles with a bat being seen on a couple of occasions foraging to the right of and behind the surveyor. The noctule was heard on a number of occasions between 03.34 and 04.08, being the last bat call heard during the survey, the noctule was never seen. The daubentons bat was heard only once, at 03.22.
25/06/23	C	03:05 – 05:05	Y	Y	Common and soprano pipistrelle and noctule	Analysis of the data recorded revealed 24 calls from common pipistrelles, 14 calls from soprano pipistrelles and 13 calls from a noctule from survey beginning until 03.36 being the last call recorded. No bats were recorded by the night vision camera.



4. Conclusions/Interpretation

- 4.1 The visual observance of the droppings observed during the preliminary survey are those of the BLE bat, a common (widespread in the UK and Berkshire) species and there was no evidence to indicate maternity use or hibernation. The evidence indicates that the roost is historic, as there were no fresh droppings, or bats and no bats emerged or re-entered the property to roost therefore an EPSL from Natural England is not required.
- 4.2 The property has crevice-like features suitable for bats to roost, but no bats were seen entering or leaving them. The surrounding area provides good habitat for bats in which to forage and roost however, there were very few observations, and most bats were in transit over the site. The surveyor observations and recordings provide a high level of confidence in the species detected during the surveys at 20 Chazey Road. The roost is considered to be of low conservation significance that is important at a site level only.
- 4.3 The location and number of droppings indicate that the loft space was most probably occupied opportunistically by a solitary BLE bat as a day roost. There is no evidence to support current bat roosting. Furthermore, there is no evidence to suggest that it has been used this season (2023), therefore a method statement is included within this report in accordance with EU Article 12 and 16 which help guide works that affect a resting place when the species is not present in order to avoid a licence/derogation.
- 4.4 The building has a low number of crevice like features, and bats may return to roost at the building following the surveys, an ecological method statement must be conditioned with any planning consent. This will provide suitable ecological safeguards should bats be discovered and enable the Local Planning Authority to have regards to the requirements of the Habitats Directive... *in the exercise of their functions in considering the planning application.*
- 4.5 The calls detected and recorded from the survey provided identification of common pipistrelle, *Pipistrellus pipistrellus*, soprano pipistrelle, *Pipistrellus pygmaeus*, noctule, *Nyctalus noctula*, daubentons, *Myotis daubentonii*, and BLE, *Plecotus auritus*, all foraging and/or transiting across the site. The longest and most frequently recorded calls were from common pipistrelle bats.
- 4.6 The first common pipistrelle first bats heard during the emergence surveys was at 30 minutes after sunset, indicating that the bats are roosting in the vicinity, but they did not emerge from the property. The bat calls and field observations provide a high level of confidence in support of the opinions as set out in this report. Bat activity was dominated by the common pipistrelles, with the number of calls and visual observations indicating a low number (<3) individual bats foraging in the vicinity.
- 4.7 Whilst a limited number of calls from BLE bats were heard, this is not unusual as the BLE bat is commonly referred to as the 'silent' bat as the calls are very quiet and difficult to detect as they prefer to hunt using their hearing and sight.
- 4.8 All bats and their roosts are protected under the Conservation of Habitats and Species Regulations 2017, and the Wildlife and Countryside Act 1981 (as amended). The provisions set out in the ecological method statement must be implemented in order for the works to be legally undertaken and must form part of any planning conditions.



- 4.9 To ensure that any planned development is in full compliance with European and national legislation, and national and local biodiversity planning policy an appropriate and proportionate program of mitigation and enhancement must be agreed to ensure protection and enhancements for bats.

5. Method Statement for Planning

This site-specific method statement is provided to comply with EU Article 12 and 16 which help guide works that affect a bat resting place when the species is not present in order to avoid a licence/derogation, it will be necessary, to ensure following development the “favourable conservation status” of bats is maintained.

This watching brief aims to address:

- Timing and methods of activities
- Provision of new bat roosting
- Impact on and replacement of existing roosts
- Lighting and habitat provisions as applicable

5.1 Pre-commencement

- 5.1.1 A project ecologist or their agent must be engaged prior to commencement to provide advice should it be required and supervision for the duration of the proposed works. A record of all site visits must be made, with photographs taken as required. This ecological method statement must be adhered to, it provides project supervision and will ensure that best practice and compliance is adhered to. If there is a delay of greater than one year from the date of this report, further survey effort will be required. Bats are highly mobile wild animals and may be encountered within a building following negative activity survey results.

- 5.1.2 One general purpose woodcrete bat box, for example a Schwegler 1FF bat box (see www.NHBS.com) or similar design must be suitably sited on the site, it may be affixed to a mature tree at a height of 4 to 5 metres above ground level or a mature tree on the site, or beneath a gable end apex, the exact siting to be agreed with the project ecologist. The bat box will provide alternative roosting habitat for the species (BLE) that have roosted at the site, should it be required. The box should remain in situ even if it is unused as this will provide an overall increase in ecological features and provide a biodiversity net gain.

5.2 Method

- 5.2.1 A toolbox talk must be given to the contractors prior to commencement of works, which will include: background legislation in relation to bats; the most likely areas to expect bats (based on the survey results), good working practice and, details of what to do if a bat or additional evidence of bats is discovered. In the unlikely event that bats, or evidence of other roost locations are found, works must stop immediately and Natural England or the project ecologist contacted immediately, and any requisite license obtained.

5.3 Timing of work

- 5.3.1 Any works that have the potential to disturb bats during the bat activity period (1 May to 31 August) for example, removing the roof tiles, and must be conducted outside this period. If the works cannot be undertaken during the period 1 September to 1 May and should bats be encountered during this period or at any time during the work, then all work must stop and an EPSL will be required.



Urban Tree Experts

BS5837 – Tree Surveys – Ecological Consulting

- 5.3.2 All work must be undertaken in normal working, daylight, hours, which is in accordance with best working practice and allows the project ecologist or their agent to address any issues if bat(s) are found during the demolition work.

5.4 Ecological supervision

- 5.4.1 Prior to any works being undertaken on the building (internally or external), the building must be inspected for any new evidence of bats and the project ecologist, or their agent must be available (on-call) to provide advice should it be required.
- 5.4.2 If, during the work, when the licenced bat worker is not on-site, and a bat is discovered that appears to be injured or distressed, then the animal should be carefully placed in a small box (e.g. shoe box) by either handling the bat with thick gloved hands or covering the bat with the box and sliding a thin piece of cardboard under to create a floor to the box. A clean piece of cloth loosely crumpled will be placed in one corner of the box (to allow the bat to crawl under and hide), a few small air holes will be put into the lid of the box, and a very shallow container (e.g. foil milk bottle top) of water will be placed in one corner of the box. The licensed bat worker must then be called without delay and all work must stop until the licensed bat worker has been consulted.

5.5 Incorporation of bat roosting

- 5.5.1 There are existing features that provide possible bat access, e.g. a small number of gaps in the roof tiles. Access to suitable roosting provision must be compensated for in the proposed new extension. The new extension roof must provide at least two suitable crevice like features, for example integral bat boxes set between the joists or soffits at eaves level where possible and must be positioned on south, east or west facing elevations but not directly above a window. Suitable alternatives would include bat access tiles and where they provide access to the roof, they must incorporate a bitumen felt roof lining, non-breathable roofing membranes must not be used as they entangle and kill bats.

5.6 Lighting proposals

- 5.6.1 Lighting: The exact lighting proposals are not known at this stage but where new external lighting is provided the Institute of Lighting Professionals (ILP) guide must be followed.

For example; all external lighting must be Light Emitting Diode (LED) and directed downward or be located at a low level. LED bulbs produce the least amount of heat and no UV light minimising the “attraction” effect of impact on insects and foraging bats. By carefully directing light downwards and using a PIR with short illumination sensor the impact of external lighting on any foraging bats will be minimal.

5.7 Post construction work

- 5.7.1 There is no requirement for post-construction monitoring of this scheme.

6. References

Bat Surveys for Professional Ecologists: Good Practice Guidelines (3rd edition).

Bat Workers Manual – Mitchell-Jones & McLeish 2004.

Bat Mitigation Guidelines – Natural England 2006.

The Conservation and Habitat Regulations – 2017.



Urban Tree Experts

BS5837 – Tree Surveys – Ecological Consulting

7. Queries

Any queries regarding this report should be addressed, in the first instance, to Urban Tree Experts:

Telephone: 01189 762902
Email: info@batsurveys-uk.com

Urban Tree Experts
Bramley House
Newnham Bridge
Tenbury Wells
Worcestershire WR15 8NX

Simon Holmes, MSc. CEnv.
Consultant, Urban Tree Experts
Bat License CLS-CLS- 17637 & 17638



Urban Tree Experts

BS5837 – Tree Surveys – Ecological Consulting

APPENDIX 1



Client for whom search carried out: Urban Tree Experts
Client Purchase Order Number: N/A – Regular customer
Client Reference: 20 Chazey Rd Upper Cav RG4 7DS

Person requesting search: Katie Holmes
Date of search: 28/05/2023

Search of Group Bat Records 2km radius centred on SU 70073 75448 (BSBBG Reference 1176UTE)

I have found the following records within your requested search area:

Grid reference	Species	Location	Date / Year	Additional information	Numbers if known	Km from centre	TVERC record count
SU69157516	Pipistrellus sp.	Tithe barn at Chazey Farm, The Warren, Caversham RG4 7TQ	19 May 2020	Preliminary survey - Droppings Internally on floor		1.0	
SU69157516	Plecotus auritus	Tithe barn at Chazey Farm, The Warren, Caversham RG4 7TQ	19 May 2020	Preliminary survey - Droppings found externally on scaffolding on the building		1.0	
SU69447408	Nyctalus noctula	Eden Reading, 38-40 Portman Road RG30 1JG	31 Aug 2017	Injured / Care Bat Record - PTS - Grounded, soaking wet, crush fracture to humerus X-ray diagnosis	1	1.5	
SU694755	Pipistrellus pipistrellus	RG7 4DX, Reading	21 Jul 2015	Roost visit		0.6	
SU69527359	Chiroptera sp.	19 Richmond Road, Reading	16 May 2016	Swooping over garden for 30 minutes approx.	1	1.9	
SU6961975312	Nyctalus noctula	Warren Court Upper Warren Ave Caversham RG4 7EB	19 Jul 2017	Aural bat detector		0.5	
SU6961975312	Pipistrellus pipistrellus	Warren Court Upper Warren Ave Caversham RG4 7EB	19 Jul 2017	Aural bat detector		0.5	
SU6961975312	Myotis nattereri	Warren Court Upper Warren Ave Caversham RG4 7EB	19 Jul 2017	Calls identified by sonogram analysis		0.5	
SU6961975312	Pipistrellus pygmaeus	Warren Court Upper Warren Ave Caversham RG4 7EB	19 Jul 2017	Aural bat detector		0.5	
SU6961975312	Plecotus auritus	Warren Court Upper Warren Ave Caversham RG4 7EB	19 Jul 2017	Calls identified by sonogram analysis		0.5	
SU6961975312	Chiroptera	Warren Court Upper Warren Ave Caversham RG4 7EB	19 Jul 2017	Seen to emerge(not calling) from eaves @ the east end of the main house - Visual observation		0.5	
SU6961975312	Pipistrellus pipistrellus	Warren Court Upper Warren Ave Caversham RG4 7EB	03 Jul 2017	Considerable activity was heard throughout survey - Aural bat detector		0.5	
SU6961975312	Nyctalus noctula	Warren Court Upper Warren Ave Caversham RG4 7EB	03 Jul 2017	Aural bat detector		0.5	
SU6961975312	Pipistrellus pygmaeus	Warren Court Upper Warren Ave Caversham RG4 7EB	03 Jul 2017	Entering to the left of the central gable end window - Visual & Aural Bat Detector		0.5	
SU6961975312	Pipistrellus pygmaeus	Warren Court Upper Warren Ave Caversham RG4 7EB	03 Jul 2017	Considerable activity was heard throughout survey - Aural bat detector		0.5	
SU6961975312	Nyctalus noctula	Warren Court Upper Warren Ave Caversham RG4 7EB	13 Jun 2017	Passed over property from river heading northward - Aural bat detector		0.5	
SU6961975312	Pipistrellus pygmaeus	Warren Court Upper Warren Ave Caversham RG4 7EB	13 Jun 2017	Emerged from eaves adjacement to the chimney @western end of house - Visual & Aural Bat Detector		0.5	
SU6961975312	Pipistrellus pygmaeus	Warren Court Upper Warren Ave Caversham RG4 7EB	13 Jun 2017	Emerging from right hand side of middle gable roof verge - Visual & Aural Bat Detector	2	0.5	
SU6961975312	Pipistrellus pipistrellus	Warren Court Upper Warren Ave Caversham RG4 7EB	13 Jun 2017	Social calls from 21:20 - Aural bat detector		0.5	
SU6961975312	Pipistrellus pygmaeus	Warren Court Upper Warren Ave Caversham RG4 7EB	13 Jun 2017	Activity throughout survey - Aural bat detector		0.5	
SU6961975312	Pipistrellus pipistrellus	Warren Court Upper Warren Ave Caversham RG4 7EB	13 Jun 2017	Foraging across the front of house - Visual & Aural Bat Detector		0.5	
SU6971875916	Pipistrellus pipistrellus	Marsden Blagrove Lane Caversham Reading RG4 7DZ	04 Jun 2017	Sporadic activity throughout survey. - Aural bat detector		0.6	
SU6971875916	Pipistrellus pygmaeus	Marsden Blagrove Lane Caversham Reading RG4 7DZ	04 Jun 2017	Foraging around mature trees in garden - Visual observation and Aural bat detector	1	0.6	
SU6971875916	Myotis sp.	Marsden Blagrove Lane Caversham Reading RG4 7DZ	04 Jun 2017	Heard but not seen - Aural bat detector		0.6	
SU6971875916	Pipistrellus pipistrellus	Marsden Blagrove Lane Caversham Reading RG4 7DZ	04 Jun 2017	In transit across the right hand side roof of the house. - Visual observation and Aural bat detector	1	0.6	
SU6971875916	Pipistrellus pygmaeus	Marsden Blagrove Lane Caversham Reading RG4 7DZ	24 May 2017	Foraging around mature trees in garden - Visual observation and Aural bat detector		0.6	
SU6971875916	Nyctalus noctula	Marsden Blagrove Lane Caversham Reading RG4 7DZ	24 May 2017	Heard in transit - Visual observation and Aural bat detector		0.6	

SU6971875916	Pipistrellus pipistrellus	Marsden Blagrove Lane Caversham Reading RG4 7DZ	24 May 2017	Constant feeding and transit activity - Visual observation and Aural bat detector		0.6	
SU6971875916	Pipistrellus pipistrellus	Marsden Blagrove Lane Caversham Reading RG4 7DZ	24 May 2017	Seen foraging in the road at the front of the property - Visual observation and Aural bat detector	1	0.6	
SU6971875916	Pipistrellus pygmaeus	Marsden Blagrove Lane Caversham Reading RG4 7DZ	04 May 2017	Foraging around mature trees in garden - Visual observation and Aural bat detector		0.6	
SU6971875916	Pipistrellus pipistrellus	Marsden Blagrove Lane Caversham Reading RG4 7DZ	04 May 2017	Foraging around mature trees in garden - Visual observation and Aural bat detector		0.6	
SU6972475988	Nyctalus noctula	Upper Woodcote Road, Caversham	22 May 2014	Aural bat detector - In flight		0.6	
SU6972475988	Plecotus sp.	Upper Woodcote Road, Caversham	22 May 2014	Aural bat detector - In flight		0.6	
SU6972475988	Pipistrellus pipistrellus	Upper Woodcote Road, Caversham	22 May 2014	Non-breeding roost. 1 emergence observed		0.6	
SU6972475988	Pipistrellus pygmaeus	Upper Woodcote Road, Caversham	22 May 2014	Aural bat detector - In flight		0.6	
SU6972475988	Pipistrellus pygmaeus	Upper Woodcote Road, Caversham	30 Apr 2014	Aural bat detector - In flight		0.6	
SU6972475988	Plecotus sp.	Upper Woodcote Road, Caversham	30 Apr 2014	Aural bat detector - In flight		0.6	
SU6972475988	Pipistrellus sp.	Upper Woodcote Road, Caversham	30 Apr 2014	Non-breeding roost. 1 emergence observed - Aural bat detector		0.6	
SU6972475988	Nyctalus noctula	Upper Woodcote Road, Caversham	30 Apr 2014	Aural bat detector - In flight		0.6	
SU69747586	Chiroptera sp.	Hewett Avenue RG4 7EA	Aug 2018	Sighting - In the last 10 days bats type not known flying around the garden every evening at dusk	2	0.5	
SU69767607	Pipistrellus sp.	174 Upper Woodcote Road, Caversham RG4 7JU	29 Sep 2022	Preliminary survey - Droppings on hanging tiles extetrnally only		0.7	
SU6989975947	Plecotus sp.	Upper Woodcote Road, Reading	30 Apr 2014	2 droppings found in hipped section of a roof		0.5	
SU69907625	Pipistrellus pipistrellus	58 Woodcote Way, Caversham RG4 7HL	18 Sep 2019	Injured / Care Bat - Released - Weight: 3.8, Brought in by cat. No apparent injuries. In shock	1	0.8	
SU6991975208	Pipistrellus pipistrellus	Upper Warren Avenue, Caversham RG4 7ED	20 Oct 2015	Injured Bat Record	1	0.3	
SU6994173413	Pipistrellus pipistrellus	Connaught Road, Reading RG30 2UP	18 Aug 2015	Injured Bat Record	1	2.0	
SU6996876612	Plecotus sp.	33 Shepherds Lane, Caversham	04 Sep 2017	Occasional day roost used by an individual long-eared bat - 9 droppings in roof space		1.2	
SU700754	Plecotus sp.	Chazey Road, Caversham	12 Dec 2013	Non-breeding roost - Droppings found	1	0.0	
SU700754	Plecotus auritus	Chazey Road, Caversham	23 Mar 2009	c.30-40 droppings		0.0	
SU700755	Pipistrellus pipistrellus	Mapledurham Playing Field	18 May 2012	Aural bat detector - Sighting during bat walk	3	0.1	
SU700759	Plecotus auritus	Unknown	26 Jul 2005	Injured / Care Bat	1	0.5	
SU70117663	Pipistrellus pipistrellus	51 Silverthorne Drive, Caversham, RG4 7NR	28 May 2021	Activity survey - Emegences from rear elevation of property	8	1.2	
SU70117663	Chiroptera sp.	51 Silverthorne Drive, Caversham, RG4 7NR	26 Jan 2021	Preliminary survey - DNA analysis of droppings inconclusive		1.2	
SU70197386	Plecotus auritus	Milk & More depot, Portman Road, Reading RG30 1EA	17 Aug 2021	Injured / Care Bat - PTS - Found in warehouse at night.	1	1.6	
SU70237550	Pipistrellus sp.	Dwelling, Reading	02 Apr 2017	NE Roost visit. Roost type: Unknown/other		0.2	
SU70357533	Plecotus auritus	29 Woodcote Road, Caversham, Reading RG4 7BB	11 Feb 2021	Injured / Care Bat - Released - Weight: 7.95, Disturbed from hibernation in garage	1	0.3	
SU7056075633	Pipistrellus pygmaeus	13 Buxton Avenue, Caversham	17 May 2016	Aural bat detector - In flight		0.5	
SU7056075633	Pipistrellus pipistrellus	13 Buxton Avenue, Caversham	17 May 2016	Aural bat detector - In flight		0.5	
SU7056075633	Nyctalus noctula	13 Buxton Avenue, Caversham	17 May 2016	Aural bat detector - In flight		0.5	
SU7056075633	Pipistrellus sp.	13 Buxton Avenue, Caversham	26 Oct 2015	Ten small-sized droppings scattered in the roof space		0.5	
SU7058175218	Pipistrellus pygmaeus	Woodcote Avenue, Caversham	25 Sep 2014	Aural bat detector - In flight		0.6	
SU7058175218	Pipistrellus pygmaeus	Woodcote Avenue, Caversham	25 Sep 2014	Three emergences observed - Aural bat detector		0.6	
SU7058175218	Pipistrellus pipistrellus	Woodcote Avenue, Caversham	25 Sep 2014	Aural bat detector - In flight		0.6	
SU7058175218	Nyctalus noctula	Woodcote Avenue, Caversham	25 Sep 2014	Aural bat detector - In flight		0.6	
SU7058175218	Pipistrellus pygmaeus	Woodcote Avenue, Caversham	09 Sep 2014	Aural bat detector - In flight		0.6	
SU7058175218	Pipistrellus pipistrellus	Woodcote Avenue, Caversham	09 Sep 2014	Aural bat detector - In flight		0.6	
SU7058175218	Nyctalus noctula	Woodcote Avenue, Caversham	25 Aug 2014	Aural bat detector - In flight		0.6	
SU7058175218	Pipistrellus pipistrellus	Woodcote Avenue, Caversham	25 Aug 2014	Aural bat detector - In flight		0.6	
SU7058175218	Pipistrellus pygmaeus	Woodcote Avenue, Caversham	25 Aug 2014	Five emergences, four from the chimney and one from the ridge - Aural bat detector		0.6	
SU7058175218	Pipistrellus pygmaeus	Woodcote Avenue, Caversham	25 Aug 2014	Aural bat detector - In flight		0.6	
SU7062275389	Pipistrellus pipistrellus	11 Darell Road Caversham Reading RG4 7AY	31 Aug 2017	Foraging around garden throughout survey. - Visual observation and Aural bat detector		0.6	
SU7062275389	Plecotus auritus	11 Darell Road Caversham Reading RG4 7AY	31 Aug 2017	Aural bat detector - although not heard by surveyors analysis of recording confirmed present		0.6	
SU7062275389	Eptesicus serotinus	11 Darell Road Caversham Reading RG4 7AY	31 Aug 2017	Aural bat detector		0.6	
SU7062275389	Nyctalus noctula	11 Darell Road Caversham Reading RG4 7AY	31 Aug 2017	Aural bat detector		0.6	
SU7062275389	Pipistrellus pygmaeus	11 Darell Road Caversham Reading RG4 7AY	31 Aug 2017	Foraging around garden and mature trees at the front of the property throughout survey.		0.6	
SU7062275389	Nyctalus noctula	11 Darell Road Caversham Reading RG4 7AY	02 Jul 2015	In transit & frequent passes foraging - Aural bat detector		0.6	

SU7062275389	Pipistrellus pipistrellus	11 Darell Road Caversham Reading RG4 7AY	02 Jul 2015	Seen flying between house & neighbour foraging - Visual observation and Aural bat detector	1	0.6	
SU7062275389	Pipistrellus pygmaeus	11 Darell Road Caversham Reading RG4 7AY	02 Jul 2015	Seen flying between house & neighbour foraging - Visual observation and Aural bat detector	1	0.6	
SU706752	Plecotus auritus	Woodcote Road, Caversham	25 Nov 2013	One at the ridge but no droppings present	1	0.6	
SU7075775927	Nyctalus leisleri	79 Kidmore Road, Caversham	31 Jul 2017	Aural bat detector - In flight		0.8	
SU7075775927	Pipistrellus pygmaeus	79 Kidmore Road, Caversham	31 Jul 2017	Day roost - Two bats emerged from western side of the house - Aural bat detector		0.8	
SU7075775927	Pipistrellus pipistrellus	79 Kidmore Road, Caversham	31 Jul 2017	Day roost - One bat emerged from western side of the house - Aural bat detector		0.8	
SU7075775927	Pipistrellus nathusii	79 Kidmore Road, Caversham	21 Jul 2017	Aural bat detector - In flight		0.8	
SU708747	Myotis daubentonii	Caversham (Site key 110528)	23 Aug 2021	NBMP Waterway Survey - 71 passes	71	1.0	
SU708747	Myotis daubentonii	Caversham (Site key 110528)	01 Aug 2021	NBMP Waterway Survey - 42 passes	42	1.0	
SU708747	Myotis daubentonii	Caversham (Site key 110528)	18 Aug 2019	NBMP Waterway Survey. 73 passes		1.0	
SU708747	Myotis daubentonii	Caversham (Site key 110528)	11 Aug 2019	NBMP Waterway Survey. 25 passes		1.0	
SU708747	Myotis daubentonii	Caversham	31 Aug 2018	NBMP Waterway Survey - 22 passes		1.0	
SU708747	Myotis daubentonii	Caversham	14 Aug 2018	NBMP Waterway Survey - 10 passes		1.0	
SU708747	Myotis daubentonii	Caversham	15 Aug 2017	NBMP Waterways Survey - 32 passes		1.0	
SU708747	Myotis daubentonii	Caversham	01 Aug 2017	NBMP Waterways Survey - 43 passes		1.0	
SU708747	Myotis daubentonii	Caversham	18 Aug 2016	NBMP Waterways Survey - 31 passes		1.0	
SU708747	Myotis daubentonii	Caversham	04 Aug 2016	NBMP Waterways Survey - 44 passes		1.0	
SU708747	Myotis daubentonii	Caversham	18 Aug 2015	NBMP Waterways Survey - 70 passes		1.0	
SU708747	Myotis daubentonii	Caversham	03 Aug 2015	NBMP Waterways Survey - 69 passes		1.0	
SU708747	Myotis daubentonii	Caversham	18 Aug 2014	NBMP Waterways Survey - 87 passes		1.0	
SU708747	Myotis daubentonii	Caversham	04 Aug 2014	NBMP Waterways Survey - 25 passes		1.0	
SU708747	Myotis daubentonii	Caversham	16 Aug 2013	NBMP Waterways Survey - 93 passes		1.0	
SU708747	Myotis daubentonii	Caversham	01 Aug 2013	NBMP Waterways Survey - 101 passes		1.0	
SU708747	Myotis daubentonii	Caversham	30 Aug 2012	NBMP Waterways Survey - 15 passes		1.0	
SU708747	Myotis daubentonii	Caversham	05 Aug 2012	NBMP Waterways Survey - 14 passes		1.0	
SU708747	Myotis daubentonii	Caversham	22 Aug 2011	NBMP Waterways Survey - 91 passes		1.0	
SU708747	Myotis daubentonii	Caversham	01 Aug 2011	NBMP Waterways Survey - 53 passes		1.0	
SU708747	Myotis daubentonii	Caversham	23 Aug 2010	NBMP Waterways Survey - 62 passes		1.0	
SU708747	Myotis daubentonii	Caversham	05 Aug 2010	NBMP Waterways Survey - 49 passes		1.0	
SU708747	Myotis daubentonii	Caversham	18 Aug 2009	NBMP Waterways Survey - 110 passes		1.0	
SU708747	Myotis daubentonii	Caversham	07 Aug 2009	NBMP Waterways Survey - 70 passes		1.0	
SU708747	Myotis daubentonii	Caversham	26 Aug 2008	NBMP Waterways Survey - 79 passes		1.0	
SU708747	Myotis daubentonii	Caversham	07 Aug 2008	NBMP Waterways Survey - 86 passes		1.0	
SU708747	Myotis daubentonii	Caversham	20 Aug 2007	NBMP Waterways Survey - 28 passes		1.0	
SU708747	Myotis daubentonii	Caversham	05 Aug 2007	NBMP Waterways Survey - 148 passes		1.0	
SU708747	Myotis daubentonii	Caversham	17 Aug 2006	NBMP Waterways Survey - 76 passes		1.0	
SU708747	Myotis daubentonii	Caversham	03 Aug 2006	NBMP Waterways Survey - 99 passes		1.0	
SU708747	Myotis daubentonii	Caversham	16 Aug 2005	NBMP Waterways Survey - 227 passes		1.0	
SU708747	Myotis daubentonii	Caversham	01 Aug 2005	NBMP Waterways Survey - 99 passes		1.0	
SU70877513	Myotis sp.	Arthur Clark Home, Albert Road, Reading RG4 7PE	10 Sep 2015	Commuting during dusk survey - Aural bat detector		0.9	
SU70877513	Nyctalus noctula	Arthur Clark Home, Albert Road, Reading RG4 7PE	10 Sep 2015	Commuting during dusk survey - Aural bat detector		0.9	
SU70877513	Plecotus sp.	Arthur Clark Home, Albert Road, Reading RG4 7PE	10 Sep 2015	Commuting during dusk survey - Aural bat detector		0.9	
SU70877513	Plecotus auritus	Arthur Clark Home, Albert Road, Reading RG4 7PE	10 Sep 2015	Recorded emerging from beneath a ridge tile of the Albert Road Day Centre - Aural bat detector	1	0.9	
SU70877513	Pipistrellus pygmaeus	Arthur Clark Home, Albert Road, Reading RG4 7PE	10 Sep 2015	Foraging and commuting during dusk survey - Aural bat detector		0.9	
SU70877513	Pipistrellus pipistrellus	Arthur Clark Home, Albert Road, Reading RG4 7PE	10 Sep 2015	Foraging and commuting during dusk survey - Aural bat detector		0.9	
SU70877513	Pipistrellus pipistrellus	Arthur Clark Home, Albert Road, Reading RG4 7PE	10 Sep 2015	Recorded emerging from gable end on western elevation of Albert Road Day Centre - Aural bat detector	1	0.9	
SU70877513	Pipistrellus pipistrellus	Arthur Clark Home, Albert Road, Reading RG4 7PE	13 Aug 2015	Foraging and commuting during pre-dawn survey - Aural bat detector		0.9	
SU70877513	Pipistrellus pygmaeus	Arthur Clark Home, Albert Road, Reading RG4 7PE	13 Aug 2015	Foraging and commuting during pre-dawn survey - Aural bat detector		0.9	
SU7093675350	Pipistrellus pygmaeus	15 Kidmore Road Caversham RG4 7LR	16 Jul 2014	Bat seen foraging over front & rear Garden - Visual observation and Aural bat detector		0.9	
SU7093675350	Nyctalus noctula	15 Kidmore Road Caversham RG4 7LR	16 Jul 2014	Bat seen foraging over front & rear Garden - Visual observation and Aural bat detector		0.9	
SU7093675350	Pipistrellus pipistrellus	15 Kidmore Road Caversham RG4 7LR	16 Jul 2014	Bat seen foraging - Visual observation and Aural bat detector		0.9	

SU7093675350	Pipistrellus pygmaeus	15 Kidmore Road Caversham RG4 7LR	26 Jun 2014	Foraging over Garden - Aural bat detector		0.9	
SU7093675350	Plecotus auritus	15 Kidmore Road Caversham RG4 7LR	26 Jun 2014	Foraging nearby - Foraging nearby		0.9	
SU7093675350	Nyctalus noctula	15 Kidmore Road Caversham RG4 7LR	26 Jun 2014	Foraging over Garden Hedge & Trees - Aural bat detector		0.9	
SU7093675350	Pipistrellus pipistrellus	15 Kidmore Road Caversham RG4 7LR	26 Jun 2014	Bats Foraging - Aural bat detector		0.9	
SU7093675350	Pipistrellus pipistrellus	15 Kidmore Road Caversham RG4 7LR	26 May 2014	Bats seen and heard foraging nearby - Visual observation and Aural bat detector		0.9	
SU7093675350	Pipistrellus pygmaeus	15 Kidmore Road Caversham RG4 7LR	26 May 2014	Bats heard Foraging nearby - Aural bat detector		0.9	
SU7093675350	Nyctalus noctula	15 Kidmore Road Caversham RG4 7LR	26 May 2014	Bats heard in transit foraging - Aural bat detector		0.9	
SU70937544	Chiroptera sp.	31 Kidmore Road, Caversham RG4 7LR	13 Dec 2022	Preliminary survey - Droppings		0.9	
SU709751	Pipistrellus sp.	The Mount, Caversham RG4 7RE/7RU	27 Jun 2018	Injured / Care Bat - Soft release (Overton) - FA: 27, Weight: 3.44, Found indoors. Unable to fly	1	0.9	
SU709759	Plecotus auritus	Unknown	24 Apr 2006	Rescued - Adult male	1	1.0	
SU7105575668	Pipistrellus pipistrellus	52 Oakley Road Caversham Reading RG4 7RN	16 May 2016	Foraging over garden & hedges - Visual observation and Aural bat detector		1.0	
SU7105575668	Pipistrellus pygmaeus	52 Oakley Road Caversham Reading RG4 7RN	16 May 2016	Continuous foraging - Visual observation and Aural bat detector		1.0	
SU7105575668	Plecotus auritus	52 Oakley Road Caversham Reading RG4 7RN	16 May 2016	Foraging over garden & hedges - Visual observation and Aural bat detector		1.0	
SU710739	Myotis daubentonii	Walkway between Reading Station and GWR depot	27 Nov 2019	Injured / Care Bat - Released - Weight: 7.5, On wall for more than half a day. No apparent injuries,	1	1.8	
SU7110976809	Plecotus auritus	27 Gravel Hill, Emmer Green RG4 8QN	14 Sep 2020	Dawn return to roost surey - Bat seen re-entering the property to roost	1	1.7	
SU7110976809	Plecotus auritus	27 Gravel Hill, Emmer Green RG4 8QN	12 Aug 2020	Preliminary survey - Droppings		1.7	
SU7112776920	Plecotus sp.	15 Highdown Avenue, Emmer Green	27 May 2015	Aural bat detector - In flight		1.8	
SU7112776920	Pipistrellus pipistrellus	15 Highdown Avenue, Emmer Green	27 May 2015	Aural bat detector - In flight		1.8	
SU7115674759	Myotis daubentonii	6 Church Road, Caversham RG4 7AE	17 Sep 2018	Injured / care bat - found on pavement in front of bank mid morning. Forearm: 39mm. Weight: 8.9g.	1	1.3	
SU71277691	Plecotus auritus	29 Highdown Hill Road, Emmer Green, Reading, RG4 8QR	21 May 2021	Preliminary survey - Old droppings in loft, activity surveys not done, planning granted RBC no conds		1.9	
SU7128475727	Nyctalus noctula	239 Hemdean Road Caversham Reading RG4 7QX	08 Sep 2015	Faint call in transit - Aural bat detector		1.2	
SU7128475727	Pipistrellus pipistrellus	239 Hemdean Road Caversham Reading RG4 7QX	08 Sep 2015	Foraging over fruit trees - Visual observation and Aural bat detector		1.2	
SU7128475727	Pipistrellus pygmaeus	239 Hemdean Road Caversham Reading RG4 7QX	08 Sep 2015	Foraging over fruit trees - Visual observation and Aural bat detector		1.2	
SU7128475727	Pipistrellus pipistrellus	239 Hemdean Road Caversham Reading RG4 7QX	08 Sep 2015	Came over site from Balmore Park - Visual observation and Aural bat detector		1.2	
SU7129076797	Nyctalus noctula	15 Highdown Hill Road Emmer Green Reading RG4 8QP	30 Jun 2017	Flew over site - Aural bat detector		1.8	
SU7129076797	Pipistrellus pipistrellus	15 Highdown Hill Road Emmer Green Reading RG4 8QP	30 Jun 2017	Feeding over back garden and heard throughout survey - Visual observation and Aural bat detector		1.8	
SU7129076797	Nyctalus noctula	15 Highdown Hill Road Emmer Green Reading RG4 8QP	15 Jun 2017	Commuting over the site - Visual observation and Aural bat detector		1.8	
SU7129076797	Myotis sp.	15 Highdown Hill Road Emmer Green Reading RG4 8QP	15 Jun 2017	A number calls were recorded but not indentified. - Aural bat detector		1.8	
SU7129076797	Pipistrellus pipistrellus	15 Highdown Hill Road Emmer Green Reading RG4 8QP	15 Jun 2017	Seen circling over the house and feeding over garden - Visual observation and Aural bat detector		1.8	
SU7129076797	Pipistrellus pygmaeus	15 Highdown Hill Road Emmer Green Reading RG4 8QP	07 Jun 2017	emerged half way down roof rear left side - Visual observation and Aural bat detector		1.8	
SU7129076797	Nyctalus noctula	15 Highdown Hill Road Emmer Green Reading RG4 8QP	07 Jun 2017	Seen not heard		1.8	
SU7129076797	Pipistrellus pipistrellus	15 Highdown Hill Road Emmer Green Reading RG4 8QP	07 Jun 2017	sporadically heard survey called off due to heavy rain - Visual observation and Aural bat detector		1.8	
SU7129076797	Pipistrellus pipistrellus	15 Highdown Hill Road Emmer Green Reading RG4 8QP	22 May 2017	A lot of foraging between property & lefthand side of neighbours - Visual obs and Aural bat detector		1.8	
SU7129076797	Pipistrellus pygmaeus	15 Highdown Hill Road Emmer Green Reading RG4 8QP	22 May 2017	Foraging behind and over the top of the house. - Visual observation and Aural bat detector		1.8	
SU71357657	Pipistrellus sp.	126 Surley Row, Reading, RG4 8QD	06 May 2021	Preliminary survey - Droppings in loft, 2nd Pre lim done by AE Ecology 21.5.21 found no droppings		1.7	
SU713755	Pipistrellus pygmaeus	191-197 Hemdean Rd, Caversham	24 Jul 2012	Foraging together through the gardens, often seen in this area especially on warm nights	2	1.3	
SU71467496	Pipistrellus sp.	Reading, RG4 8HN	21 Feb 2014	Dwelling By droppings	1	1.5	
SU71647551	Pipistrellus sp.	76 Balmore Drive, Caversham RG4 8NN	05 Jul 2013	Injured / care bat - Stage D pup.	1	1.6	
SU716759	Plecotus auritus	Sheep Walk, Emmer Green, Reading RG4 8NE	18 Dec 2021	Injured / Care Bat - DOA - Found dead inside during boiler service	1	1.7	
SU7177476483	Nyctalus noctula	47 Grove Road, Reading	10 Jul 2018	Aural bat detector - In flight		2.0	
SU7177476483	Pipistrellus pygmaeus	47 Grove Road, Reading	25 Jun 2018	1 emergence from behind hanging tiles - Aural bat detector	1	2.0	
SU7177476483	Pipistrellus pipistrellus	47 Grove Road, Reading	11 Jun 2018	1 emerged from chimney - Aural bat detector	1	2.0	

SU7177476483	Plecotus sp.	47 Grove Road, Reading	15 Jan 2018	3 old droppings		2.0	
SU717755	Pipistrellus pipistrellus	Caversham	10 Jul 2012	Bat rescued	1	1.7	
SU717755	Pipistrellus sp.	Caversham	21 Aug 2011	Rescued - Immediate release	1	1.7	
SU718753	Pipistrellus pipistrellus	8 Derby Road, Caversham	15 Jul 2005	Rescued - Juvenile bat	1	1.8	
SU718754	Pipistrellus pipistrellus	Chiltern College, Reading RG4 8JZ	06 Aug 2018	Emergence survey - in flight		1.8	
SU718754	Nyctalus noctula	Chiltern College, Reading RG4 8JZ	06 Aug 2018	Emergence survey - in flight		1.8	
SU718754	Nyctalus noctula	Chiltern College, Reading RG4 8JZ	09 Jul 2018	Emergence survey - in flight		1.8	
SU718754	Pipistrellus pygmaeus	Chiltern College, Reading RG4 8JZ	09 Jul 2018	Emergence survey - in flight		1.8	
SU718754	Pipistrellus pipistrellus	Chiltern College, Reading RG4 8JZ	09 Jul 2018	Emergence survey - in flight		1.8	
SU7197074601	Pipistrellus sp.	255 Gosbrook Road, Caversham, Reading RG4 8DX	23 Jun 2020	Injured / care bat - found swimming.	1	2.1	
SU7199975916	Plecotus sp.	123 Peppard Road, Emmer Green	29 Apr 2015	C. 30 medium-sized bat droppings were found scattered below the ridge		2.0	
SU7210675716	Nyctalus noctula	Chiltern Road, Caversham	08 May 2014	Aural bat detector - In flight		2.1	
SU7210675716	Pipistrellus pipistrellus	Chiltern Road, Caversham	08 May 2014	Aural bat detector - In flight		2.1	
SU7210675716	Pipistrellus pygmaeus	Chiltern Road, Caversham	08 May 2014	Aural bat detector - In flight		2.1	
SU698754	Pipistrellus pipistrellus	Reading	20 Jul 1999	NBMP - Roost. RO: Roost - other/unknown roost type	53	0.2	
SU708747	Myotis daubentonii	Caversham	16 Aug 2004	NBMP Waterways Survey - 163 passes		1.0	
SU708747	Myotis daubentonii	Caversham	04 Aug 2004	NBMP Waterways Survey - 251 passes		1.0	
SU708747	Myotis daubentonii	Caversham	18 Aug 2003	NBMP Waterways Survey - 135 passes		1.0	
SU708747	Myotis daubentonii	Caversham	07 Aug 2003	NBMP Waterways Survey - 157 passes		1.0	
SU708747	Myotis daubentonii	Caversham	17 Aug 2002	NBMP Waterways Survey - 100 passes		1.0	
SU708747	Myotis daubentonii	Caversham	10 Aug 2002	NBMP Waterways Survey - 109 passes		1.0	
SU708747	Chiroptera	Caversham / River Thames	19 Aug 2001	Waterway transect survey - Detector - heterodyne	1	1.0	
SU708747	Myotis daubentonii	Caversham	19 Aug 2001	NBMP Waterways Survey - 76 passes		1.0	
SU708747	Chiroptera sp.	Caversham	19 Aug 2001	NBMP Waterways Survey - 1 pass		1.0	
SU708747	Chiroptera	Caversham / River Thames	04 Aug 2001	Waterway transect survey - Detector - heterodyne	7	1.0	
SU708747	Myotis daubentonii	Caversham	04 Aug 2001	NBMP Waterways Survey - 53 passes		1.0	
SU708747	Chiroptera sp.	Caversham	04 Aug 2001	NBMP Waterways Survey - 7 passes		1.0	
SU708747	Myotis daubentonii	Caversham	21 Aug 2000	NBMP Waterways Survey - 59 passes		1.0	
SU708747	Myotis daubentonii	Caversham	12 Aug 2000	NBMP Waterways Survey - 67 passes		1.0	
SU708747	Chiroptera	Caversham / River Thames	26 Aug 1999	Waterway transect survey - Detector - heterodyne	59	1.0	
SU708747	Myotis daubentonii	Caversham	26 Aug 1999	NBMP Waterways Survey - 68 passes		1.0	
SU708747	Chiroptera sp.	Caversham	26 Aug 1999	NBMP Waterways Survey - 59 passes		1.0	
SU708747	Myotis daubentonii	Caversham	13 Aug 1999	NBMP Waterways Survey - 30 passes		1.0	
SU708747	Chiroptera	Caversham / River Thames	30 Aug 1998	Waterway transect survey - Detector - heterodyne	13	1.0	
SU708747	Chiroptera sp.	Caversham	30 Aug 1998	NBMP Waterways Survey - 13 passes		1.0	
SU708747	Myotis daubentonii	Caversham	30 Aug 1998	NBMP Waterways Survey - 116 passes		1.0	
SU708747	Chiroptera sp.	Caversham	24 Aug 1998	NBMP Waterways Survey - 5 passes		1.0	
SU708747	Chiroptera	Caversham / River Thames	24 Aug 1998	Waterway transect survey - Detector - heterodyne	5	1.0	
SU708747	Myotis daubentonii	Caversham	24 Aug 1998	NBMP Waterways Survey - 84 passes		1.0	
SU710758	Pipistrellus sp.	Unknown	2002	Breeding roost		1.1	
SU713746	Nyctalus noctula	River Thames, Caversham, Reading	1999	River, woodland, meadow, (2-3), In flight	2	1.5	
SU715755	Pipistrellus nathusii	Caversham, Reading	1997	Probable breeding roost in house, juvenile bat	1	1.5	
SU715765	Plecotus auritus	Emmer Green, Reading.	1999	Flew into kitchen	1	1.8	
SU7176	Plecotus auritus	Highdown School, Emmer Green	1995	Hibernation check - Hibernating in cellar	1	1.6	
SU6973	Chiroptera	*TVERC	Sep 2016	Aural bat detector - 2 Flying (TVERC Source: EC)	2	1.8	1
SU6973	Pipistrellus pipistrellus	*TVERC	Sep 2016	Aural bat detector - 1 Flying (TVERC Source: EC)	1	1.8	1
SU6975	Chiroptera	*TVERC	Aug 2013	Emerging from roost - 2 Individuals (TVERC Source: EC)	2	0.3	1
SU6975	Eptesicus serotinus	*TVERC	Sep 2013	Aural bat detector - (TVERC Source: EC)		0.3	1
SU6975	Myotis sp.	*TVERC	May 2021	Aural bat detector - Flying. Emergence Survey. TVERC Source: EC		0.4	1
SU6975	Myotis sp.	*TVERC	Jun 1996	Building - (TVERC Source: NE)		0.9	1
SU6975	Nyctalus noctula	*TVERC	Jun 2021	Aural bat detector - Flying. Re-entry Survey. TVERC Source: EC		0.4	1
SU6975	Nyctalus noctula	*TVERC	Jul 2015	Aural bat detector - foraging and commuting (TVERC Source: EC)		0.4	1
SU6975	Nyctalus noctula	*TVERC	Sep 2013	Aural bat detector - (TVERC Source: EC)		0.3	1
SU6975	Pipistrellus pipistrellus	*TVERC	May 2021	Emerging from / entering roost - 3 Individuals. Emergence Survey. TVERC Source: EC	3	0.4	1
SU6975	Pipistrellus pipistrellus	*TVERC	May 2021	Aural bat detector - Flying. Emergence Survey. TVERC Source: EC		0.4	2
SU6975	Pipistrellus pipistrellus	*TVERC	Jun 2021	Aural bat detector - Flying. Re-entry Survey. TVERC Source: EC		0.4	1
SU6975	Pipistrellus pipistrellus	*TVERC	Jul 2015	Aural bat detector - foraging and commuting (TVERC Source: EC)		0.4	1
SU6975	Pipistrellus pipistrellus	*TVERC	Jun 2013	3 droppings, confirmed sp. by DNA Analysis. On outside wall at SW corner of extension. (TVERC: EC)		0.6	1

SU6975	Pipistrellus pipistrellus	*TVERC	Jun 2013	2 droppings, confirmed sp. by DNA Analysis. At SE corner of extension below soffit boxes. (TVERC:EC)		0.6	1
SU6975	Pipistrellus pipistrellus	*TVERC	Aug 2013	Droppings - DNA Analysis (TVERC Source: EC)		0.3	1
SU6975	Pipistrellus pygmaeus	*TVERC	Jun 2021	Aural bat detector - Flying. Re-entry Survey. TVERC Source: EC		0.4	1
SU6975	Pipistrellus pygmaeus	*TVERC	May 2021	Aural bat detector - Flying. Emergence Survey. TVERC Source: EC		0.4	2
SU6975	Pipistrellus pygmaeus	*TVERC	May 2021	Emerging from / entering roost - 2 Individuals. Emergence Survey. TVERC Source: EC	2	0.4	1
SU6975	Pipistrellus pygmaeus	*TVERC	May 2016	Emerged from under hanging tiles at SW gable. Determined to be a maternity roost (TVERC Source: EC)	23	0.2	1
SU6975	Pipistrellus pygmaeus	*TVERC	Jul 2015	Aural bat detector - foraging and commuting (TVERC Source: EC)		0.4	1
SU6975	Pipistrellus pygmaeus	*TVERC	Jun 2013	Droppings - Confirmed by DNA Analysis. Along end wall of main loft and behind rafter. (TVERC: EC)		0.6	1
SU6975	Pipistrellus pygmaeus	*TVERC	Jun 2013	Emerging from roost - Species confirmed roosting in dwelling by DNA and emergence survey (TVERC: LN)	1	0.6	1
SU6975	Pipistrellus pygmaeus	*TVERC	Aug 2013	re-entered loft space at 05:44 via gap below lead flashing surrounding chimney. (TVERC Source: EC)	1	0.6	1
SU6975	Pipistrellus pygmaeus	*TVERC	Jul 2013	Re-entered loft space at 04:32 via gap below lead flashing surrounding chimney. (TVERC Source: EC)	1	0.6	1
SU6975	Pipistrellus pygmaeus	*TVERC	Sep 2013	Aural bat detector - (TVERC Source: EC)		0.3	1
SU6975	Pipistrellus pygmaeus	*TVERC	Jun 2013	c30 droppings, confirmed sp. by DNA Analysis. At W end of main loft beneath a hole. (TVERC: EC)		0.6	1
SU6975	Pipistrellus sp.	*TVERC	May 2021	Aural bat detector - Flying. Emergence Survey. TVERC Source: EC		0.4	1
SU6975	Pipistrellus sp.	*TVERC	May 2021	Emerging from / entering roost - 3 Individuals. Emergence Survey. TVERC Source: EC	3	0.4	1
SU6975	Pipistrellus sp.	*TVERC	Dec 2020	Droppings / other signs - Droppings. PRA. TVERC Source: EC		0.4	1
SU6975	Pipistrellus sp.	*TVERC	Sep 2013	Aural bat detector - (TVERC Source: EC)		0.3	1
SU6975	Pipistrellus sp.	*TVERC	Aug 2013	Aural bat detector - (TVERC Source: EC)		0.3	1
SU6975	Pipistrellus sp.	*TVERC	Jun 1986	House visit - (TVERC Source: NE)		0.4	1
SU6975	Plecotus auritus	*TVERC	Jun 2021	Aural bat detector - Flying. Re-entry Survey. TVERC Source: EC		0.4	1
SU6975	Plecotus auritus	*TVERC	Jan 2017	Droppings - Species confirmed by DNA testing (TVERC Source: EC)		0.6	1
SU6975	Plecotus auritus	*TVERC	Sep 2013	Aural bat detector - (TVERC Source: EC)		0.3	1
SU6976	Myotis sp.	*TVERC	May 2015	Aural bat detector - (TVERC Source: EC)		0.8	1
SU6976	Pipistrellus pipistrellus	*TVERC	Jun 2020	Emerging from roost - 1 Individual. Dusk survey. (TVERC Source:EC)	1	0.8	1
SU6976	Pipistrellus pipistrellus	*TVERC	May 2020	Emerging from roost - 1 Individual. Dusk survey. (TVERC Source:EC)	1	0.8	1
SU6976	Pipistrellus pipistrellus	*TVERC	May 2015	Aural bat detector - (TVERC Source: EC)		0.8	1
SU6976	Pipistrellus pygmaeus	*TVERC	May 2015	Emerging from roost - 1 Individual (TVERC Source: EC)	1	0.8	1
SU6976	Plecotus sp.	*TVERC	Jan 2015	Probable small roost, possibly no longer in use as droppings appear old (TVERC Source: EC)		0.8	1
SU7074	Nyctalus noctula	*TVERC	Sep 2020	Aural bat detector - 1 Flying. Emergence Survey. TVERC Source: EC	1	1.4	1
SU7074	Pipistrellus pipistrellus	*TVERC	Sep 2020	Aural bat detector - Flying. Emergence Survey. TVERC Source: EC		1.4	1
SU7075	Chiroptera	*TVERC	Aug 2014	Aural bat detector - Passing, not emerging (TVERC Source: EC)		0.4	1
SU7075	Myotis sp.	*TVERC	Jul 1991	House visit - (TVERC Source: NE)		0.6	1
SU7075	Nyctalus noctula	*TVERC	May 2015	Aural bat detector - (TVERC Source: EC)		0.9	1
SU7075	Nyctalus noctula	*TVERC	Jun 2015	Aural bat detector - (TVERC Source: EC)		0.9	1
SU7075	Nyctalus noctula	*TVERC	Aug 2015	Aural bat detector - Passed in the distance. (TVERC Source: EC)	1	0.5	1
SU7075	Nyctalus noctula	*TVERC	Jul 2015	Aural bat detector - (TVERC Source: EC)		0.9	1
SU7075	Nyctalus noctula	*TVERC	Apr 2014	Aural bat detector - Passing through the site (TVERC Source: EC)		0.6	1
SU7075	Pipistrellus pipistrellus	*TVERC	May 2017	Aural bat detector - (TVERC Source: EC)		0.7	2
SU7075	Pipistrellus pipistrellus	*TVERC	Jul 2015	Aural bat detector - (TVERC Source: EC)		0.9	1
SU7075	Pipistrellus pipistrellus	*TVERC	Jun 2015	Aural bat detector - (TVERC Source: EC)		0.9	1
SU7075	Pipistrellus pipistrellus	*TVERC	Aug 2015	Aural bat detector - Regular passes + feeding. (TVERC Source: EC)		0.5	1
SU7075	Pipistrellus pipistrellus	*TVERC	May 2015	Aural bat detector - (TVERC Source: EC)		0.9	1
SU7075	Pipistrellus pipistrellus	*TVERC	Aug 2014	Aural bat detector - Passing, not emerging (TVERC Source: EC)		0.4	1
SU7075	Pipistrellus pipistrellus	*TVERC	Apr 2014	Aural bat detector - High activity around the site (TVERC Source: EC)		0.6	1
SU7075	Pipistrellus pipistrellus	*TVERC	Aug 2012	Aural bat detector - 2 hunting (TVERC Source: EC)	2	0.8	1
SU7075	Pipistrellus pipistrellus	*TVERC	Sep 2012	Aural bat detector - 1 hunting (TVERC Source: EC)	1	0.8	1
SU7075	Pipistrellus pygmaeus	*TVERC	Aug 2015	Aural bat detector - Regular passes + feeding. (TVERC Source: EC)		0.5	1
SU7075	Pipistrellus pygmaeus	*TVERC	Jul 2015	Aural bat detector - (TVERC Source: EC)		0.9	1
SU7075	Pipistrellus pygmaeus	*TVERC	May 2015	Aural bat detector - (TVERC Source: EC)		0.9	1
SU7075	Pipistrellus pygmaeus	*TVERC	Jun 2015	Aural bat detector - (TVERC Source: EC)		0.9	1
SU7075	Pipistrellus pygmaeus	*TVERC	Apr 2014	Aural bat detector - High activity around the site (TVERC Source: EC)		0.6	1

SU7075	Pipistrellus pygmaeus	*TVERC	Aug 2014	Emerging from roost - 5 Individuals (TVERC Source: EC)	5	0.6	1
SU7075	Pipistrellus sp.	*TVERC	Jul 1987	House visit - (TVERC Source: NE)	180	0.3	1
SU7075	Plecotus auritus	*TVERC	Aug 2015	Aural bat detector - Passed north to south. (TVERC Source: EC)	1	0.5	1
SU7075	Plecotus auritus	*TVERC	Jun 2015	Aural bat detector - (TVERC Source: EC)		0.9	1
SU7075	Plecotus auritus	*TVERC	Dec 2014	20 Droppings (TVERC Source: EC)		0.9	1
SU7075	Plecotus auritus	*TVERC	Dec 2013	Found in roof, daylight survey. No droppings - recent autumn transitional roost? (TVERC Source: EC)	1	0.6	1
SU7075	Plecotus auritus	*TVERC	Apr 2009	Reported to recorder - (TVERC Source: RBC)		0.0	1
SU7076	Nyctalus noctula	*TVERC	Sep 2021	Aural bat detector - Flying. TVERC Source: EC		0.7	1
SU7076	Pipistrellus pipistrellus	*TVERC	Aug 2021	Aural bat detector - Flying. Emergence Survey. TVERC Source: EC		1.2	1
SU7076	Pipistrellus pipistrellus	*TVERC	Sep 2021	Aural bat detector - Flying. TVERC Source: EC		0.7	1
SU7076	Pipistrellus pygmaeus	*TVERC	Aug 2021	Aural bat detector - Flying. Emergence Survey. TVERC Source: EC		1.2	1
SU7076	Pipistrellus pygmaeus	*TVERC	Sep 2021	Aural bat detector - Flying. TVERC Source: EC		0.7	1
SU7076	Plecotus auritus	*TVERC	Sep 2021	Aural bat detector - Flying. TVERC Source: EC		0.7	1
SU7076	Plecotus sp.	*TVERC	Jun 1992	House visit - (TVERC Source: NE)		1.2	1
SU7174	Chiroptera	*TVERC	Apr 2019-Oct 2019	Roost - 0 Individuals; Flying. Dawn & Dusk Surveys. TVERC Source: EC		2.0	1
SU7174	Chiroptera	*TVERC	Jul 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		2.0	1
SU7174	Myotis daubentonii	*TVERC	Apr 2019	Aural bat detector - 1 Flying. Dusk. TVERC Source: EC	1	1.7	1
SU7174	Myotis daubentonii	*TVERC	May 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		1.7	1
SU7174	Myotis daubentonii	*TVERC	Aug 2019	Aural bat detector - Flying. Dawn. TVERC Source: EC		2.0	1
SU7174	Myotis daubentonii	*TVERC	May 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9	1
SU7174	Myotis sp.	*TVERC	Jun 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Myotis sp.	*TVERC	Oct 2019	Aural bat detector - Flying. Dawn. TVERC Source: EC		2.0	1
SU7174	Myotis sp.	*TVERC	Aug 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9	1
SU7174	Myotis sp.	*TVERC	May 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Myotis sp.	*TVERC	Sep 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Myotis sp.	*TVERC	May 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	3
SU7174	Myotis sp.	*TVERC	Jun 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9	1
SU7174	Myotis sp.	*TVERC	Jul 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Myotis sp.	*TVERC	Jul 2019	Aural bat detector - Flying. Dawn. TVERC Source: EC		2.0	1
SU7174	Myotis sp.	*TVERC	Aug 2019	Aural bat detector - Flying. Dawn. TVERC Source: EC		2.0	1
SU7174	Myotis sp.	*TVERC	Apr 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Myotis sp.	*TVERC	Jul 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9	1
SU7174	Nyctalus noctula	*TVERC	Aug 2019	Aural bat detector - Flying. Dawn. TVERC Source: EC		2.0	1
SU7174	Nyctalus noctula	*TVERC	Apr 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	3
SU7174	Nyctalus noctula	*TVERC	Apr 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Nyctalus noctula	*TVERC	Jul 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Nyctalus noctula	*TVERC	Jul 2019	Aural bat detector - Flying. Dawn. TVERC Source: EC		2.0	1
SU7174	Nyctalus noctula	*TVERC	Jul 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Nyctalus noctula	*TVERC	Jun 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Nyctalus noctula	*TVERC	Jun 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Nyctalus noctula	*TVERC	May 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	4
SU7174	Nyctalus noctula	*TVERC	May 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Nyctalus noctula	*TVERC	Oct 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Nyctalus noctula	*TVERC	Sep 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	3
SU7174	Nyctalus noctula	*TVERC	Aug 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Nyctalus noctula	*TVERC	May 1999	field record	3	1.6	1
SU7174	Pipistrellus nathusii	*TVERC	Apr 2019-Apr 2021	Aural bat detector - Flying. Automated detector. TVERC Source: EC		2.0	1
SU7174	Pipistrellus nathusii	*TVERC	Sep 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	3
SU7174	Pipistrellus nathusii	*TVERC	May 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		1.7	1
SU7174	Pipistrellus nathusii	*TVERC	Jun 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9	1
SU7174	Pipistrellus nathusii	*TVERC	Aug 2019-Sep 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9	1
SU7174	Pipistrellus nathusii	*TVERC	Apr 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	3
SU7174	Pipistrellus nathusii	*TVERC	Jul 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Pipistrellus pipistrellus	*TVERC	Jun 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Pipistrellus pipistrellus	*TVERC	May 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Pipistrellus pipistrellus	*TVERC	Sep 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Pipistrellus pipistrellus	*TVERC	Sep 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Pipistrellus pipistrellus	*TVERC	Oct 2019	Aural bat detector - Flying. Dawn. TVERC Source: EC		2.0	1
SU7174	Pipistrellus pipistrellus	*TVERC	Oct 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	3
SU7174	Pipistrellus pipistrellus	*TVERC	May 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1

SU7174	Pipistrellus pipistrellus	*TVERC	Jun 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Pipistrellus pipistrellus	*TVERC	Aug 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Pipistrellus pipistrellus	*TVERC	Jul 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Pipistrellus pipistrellus	*TVERC	Apr 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Pipistrellus pipistrellus	*TVERC	Aug 2019	Aural bat detector - Flying. Dawn. TVERC Source: EC		2.0	1
SU7174	Pipistrellus pipistrellus	*TVERC	Jul 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Pipistrellus pipistrellus	*TVERC	Apr 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Pipistrellus pipistrellus	*TVERC	Jul 2019	Aural bat detector - Flying. Dawn. TVERC Source: EC		2.0	1
SU7174	Pipistrellus pipistrellus	*TVERC	May 2017	Aural bat detector - (TVERC Source: EC)		1.6	1
SU7174	Pipistrellus pipistrellus	*TVERC	Feb 2014	Droppings (TVERC Source: NE)		1.5	1
SU7174	Pipistrellus pygmaeus	*TVERC	Sep 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Pipistrellus pygmaeus	*TVERC	Jul 2019	Aural bat detector - Flying. Dawn. TVERC Source: EC		2.0	1
SU7174	Pipistrellus pygmaeus	*TVERC	Oct 2019	Aural bat detector - Flying. Dawn. TVERC Source: EC		2.0	1
SU7174	Pipistrellus pygmaeus	*TVERC	Oct 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	3
SU7174	Pipistrellus pygmaeus	*TVERC	May 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Pipistrellus pygmaeus	*TVERC	May 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Pipistrellus pygmaeus	*TVERC	Jun 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Pipistrellus pygmaeus	*TVERC	Sep 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Pipistrellus pygmaeus	*TVERC	Jul 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Pipistrellus pygmaeus	*TVERC	Jul 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Pipistrellus pygmaeus	*TVERC	Aug 2019	Aural bat detector - Flying. Dawn. TVERC Source: EC		2.0	1
SU7174	Pipistrellus pygmaeus	*TVERC	Aug 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Pipistrellus pygmaeus	*TVERC	Apr 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Pipistrellus pygmaeus	*TVERC	Apr 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Pipistrellus pygmaeus	*TVERC	Jun 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Pipistrellus sp.	*TVERC	Jun 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	3
SU7174	Pipistrellus sp.	*TVERC	Sep 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9	1
SU7174	Pipistrellus sp.	*TVERC	Oct 2019	Aural bat detector - Flying. Dawn. TVERC Source: EC		2.0	1
SU7174	Pipistrellus sp.	*TVERC	Apr 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Pipistrellus sp.	*TVERC	Oct 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Pipistrellus sp.	*TVERC	May 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	3
SU7174	Pipistrellus sp.	*TVERC	Jun 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Pipistrellus sp.	*TVERC	Jul 2019	Aural bat detector - Flying. Dawn. TVERC Source: EC		2.0	1
SU7174	Pipistrellus sp.	*TVERC	Jul 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	2
SU7174	Pipistrellus sp.	*TVERC	Aug 2019	Aural bat detector - Flying. Dawn. TVERC Source: EC		2.0	1
SU7174	Pipistrellus sp.	*TVERC	Apr 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7174	Pipistrellus sp.	*TVERC	Aug 2019	Aural bat detector - Flying. Automated detector. TVERC Source: EC		1.9 - 2.0	3
SU7174	Pipistrellus sp.	*TVERC	Jul 2019	Aural bat detector - Flying. Dusk. TVERC Source: EC		2.0	1
SU7175	Nyctalus noctula	*TVERC	Jun 2020	Aural bat detector - Flying. (TVERC Source:EC)		1.2	1
SU7175	Nyctalus noctula	*TVERC	May 2020	Aural bat detector - Flying. (TVERC Source:EC)		1.2	1
SU7175	Pipistrellus nathusii	*TVERC	May 2020	Aural bat detector - 1 Flying. (TVERC Source:EC)	1	1.2	1
SU7175	Pipistrellus pipistrellus	*TVERC	2021	Roost - 1 roosting. Annual Survey. TVERC Source: EC	1	1.6	2
SU7175	Pipistrellus pipistrellus	*TVERC	Jun 2020	Aural bat detector - Flying. (TVERC Source:EC)		1.2	1
SU7175	Pipistrellus pipistrellus	*TVERC	May 2020	Aural bat detector - Flying. (TVERC Source:EC)		1.2	1
SU7175	Pipistrellus pipistrellus	*TVERC	Jul 2011	Reported to recorder - (TVERC Source: RBC)		1.8	1
SU7175	Pipistrellus pygmaeus	*TVERC	2021	Roost - 1 roosting. Annual Survey. TVERC Source: EC	1	1.5	1
SU7175	Pipistrellus sp.	*TVERC	Jan 1994-Dec 2000	Roost - (TVERC Source: LN)		1.1	1
SU7175	Pipistrellus sp.	*TVERC	Jun 1987	House visit - (TVERC Source: NE)	100	1.2	1
SU7175	Plecotus auritus	*TVERC	Jul 2011	Reported to recorder - (TVERC Source: RBC)		1.8	1
SU7175	Plecotus auritus	*TVERC	1998	Field record	1	1.2	1
SU7176	Eptesicus serotinus	*TVERC	Apr 2019-Sep 2019	Aural bat detector - Flying. Passes recorded with EMT Pro and on bat loggers. (TVERC Source:EC)		2.0	1
SU7176	Myotis daubentonii	*TVERC	Jul 2011	Aural bat detector - unconfirmed. bats foraging amongst trees in school grounds. (TVERC Source: EC)		1.4	1
SU7176	Myotis daubentonii	*TVERC	Jul 2011	Observed commuting along woodland corridor during surveys (TVERC Source: RBC)		1.3	1
SU7176	Myotis mystacinus	*TVERC	Jul 2011	Aural bat detector	1	1.4	1
SU7176	Myotis mystacinus	*TVERC	Jul 2011	Aural bat detector - or Brandt's. bats foraging amongst trees in school grounds (TVERC Source: EC)		1.4	1
SU7176	Myotis nattereri	*TVERC	Jul 2011	Aural bat detector - bats foraging amongst trees in school grounds (TVERC Source: EC)		1.4	1

SU7176	Myotis nattereri	*TVERC	Jul 2011	Observed commuting along woodland corridor during surveys (TVERC Source: RBC)		1.3	1
SU7176	Myotis sp.	*TVERC	Apr 2019-Sep 2019	Aural bat detector - Flying. Passes recorded with EMT Pro and on bat loggers. (TVERC Source:EC)		2.0	1
SU7176	Myotis sp.	*TVERC	Jul 2011	Observed commuting along woodland corridor. Identified as Whiskered/Brandt's (TVERC Source: RBC)		1.3	1
SU7176	Nyctalus noctula	*TVERC	Apr 2019-Sep 2019	Aural bat detector - Flying. Passes recorded with EMT Pro and on bat loggers. (TVERC Source:EC)		2.0	1
SU7176	Nyctalus noctula	*TVERC	Jul 2011	Aural bat detector - bats foraging amongst trees in school grounds (TVERC Source: EC)		1.4	1
SU7176	Nyctalus noctula	*TVERC	Jul 2011	Observed commuting along woodland corridor during surveys (TVERC Source: RBC)		1.3	1
SU7176	Pipistrellus pipistrellus	*TVERC	May 2019	Aural bat detector - 1 Flying (TVERC Source: EC)	1	2.0	1
SU7176	Pipistrellus pipistrellus	*TVERC	Apr 2019-Sep 2019	Aural bat detector - Flying. Passes recorded with EMT Pro and on bat loggers. (TVERC Source:EC)		2.0	1
SU7176	Pipistrellus pipistrellus	*TVERC	Apr 2017	Droppings confirmed by lab testing. Day/summer roost by Common Pips (5 max). (TVERC Source: EC)		1.8	1
SU7176	Pipistrellus pipistrellus	*TVERC	Jul 2011	Aural bat detector - bats foraging amongst trees in school grounds (TVERC Source: EC)		1.4	1
SU7176	Pipistrellus pipistrellus	*TVERC	Jul 2011	Observed commuting along woodland corridor during surveys (TVERC Source: RBC)		1.3	1
SU7176	Pipistrellus pygmaeus	*TVERC	Apr 2019-Sep 2019	Aural bat detector - Flying. Passes recorded with EMT Pro and on bat loggers. (TVERC Source:EC)		2.0	1
SU7176	Pipistrellus pygmaeus	*TVERC	May 2019	Aural bat detector - 1 Flying (TVERC Source: EC)	1	2.0	1
SU7176	Pipistrellus pygmaeus	*TVERC	Jul 2011	Aural bat detector - bats foraging amongst trees in school grounds (TVERC Source: EC)		1.4	1
SU7176	Pipistrellus pygmaeus	*TVERC	Jul 2011	Observed commuting along woodland corridor during surveys (TVERC Source: RBC)		1.3	1
SU7176	Plecotus auritus	*TVERC	Apr 2019-Sep 2019	Aural bat detector - Flying. Passes recorded with EMT Pro and on bat loggers. (TVERC Source:EC)		2.0	1
SU7176	Plecotus auritus	*TVERC	Jul 2011	Aural bat detector	1	1.4	1
SU7176	Plecotus auritus	*TVERC	Jul 2011	Aural bat detector - bats foraging amongst trees in school grounds (TVERC Source: EC)		1.4	1
SU7176	Plecotus auritus	*TVERC	May 1999	Field record.	1	1.8	1
SU7176	Plecotus sp.	*TVERC	Jul 2011	Observed commuting along woodland corridor during surveys (TVERC Source: RBC)		1.3	1
SU7275	Pipistrellus sp.	*TVERC	Jun 1997	House visit - (TVERC Source: NE)	122	2.1	1

BSBBG has agreed an exchange of data with TVERC which enables us to provide records belonging to them with the grid reference given to 1 km precision. Such records are indicated by *TVERC under location. Enquirers are recommended to contact TVERC direct to obtain full locations details. Please note that TVERC provides BSBBG with an annual update of their records, so they may hold records for your search area that BSBBG does not yet have access to. Requests for information may be submitted via the TVERC website www.tverc.org.uk

However I must, as usual, point out that our records should not be considered a complete record of bats in the area since we only record sites where we, as a Bat Group, have been called to assist members of the public or Natural England (what was English Nature) to deal with ‘bat problems’, recorded bats whilst undertaking bat group events and walks or taken part in National Monitoring of bats for the Bat Conservation Trust. Records from the general public and bat group members submitted to the records officer are also kept in the database. To be certain what bats may or may not be present it would be necessary to undertake a detailed bat survey at various times throughout the year.

All payment details will be contained within the invoice.

We are always striving to improve the quality and quantity of our records and therefore we welcome any records that you may obtain during any planned surveys in our area. Please submit records to records@berksbats.org.uk.