

EAST BOUNDARY (Side of School)

T52



No	Species	Tree Works Recommended
T52 A grade	Walnut <i>Juglans regia</i>	<u>Basal Area:</u> • The basal area was sounded and no evidence of internal decay and hollowing was recorded. <u>Trunk:</u> • Found to be sound and healthy albeit leaning. <u>Crown:</u> • Low branching habit to south side over building. • Small twiggy dieback over the building roof. Conclusions: • No works required at this time. Recommendations: • No works required at this time.

Grp 20



Abundance of fallen dead branches under crowns



No	Species	Tree Works Recommended
Grp 20 B grade	London Planes <i>Platanus acerifolia</i>	<u>Basal Areas:</u> • Are hemmed in up to their trunks by bound gravel and tarmac surfacing <u>Trunks:</u> • Found to be sound and healthy overall. <u>Crowns:</u> • Crown shapes dictated by group pressures. • Deadwood and dieback throughout and an abundance of dead branches on the ground below the trees. Conclusions: • I would attribute the deadwood, dieback and reduced vigour in the upper reaches to the construction work around these trees. Recommendations: • Remove ALL dead wood and dieback. • Three years ago I requested that whilst climbing the tree to do the dead wooding the Tree Surgeons inspected the top sides of branches for any signs of Massaria which can cause sudden branch failure of what appear to be healthy branches. I have not been appraised of the outcome of this operation?

No	Species	Tree Works Recommended
T53	Cherry	This tree has been removed and the stump ground out.
-		

No	Species	Tree Works Recommended
Grp 21	Lawson Cypresses x 5 of	These trees have been removed and the stumps ground out.
-		

T54



T55



No	Species	Tree Works Recommended
T54 C grade	Red Chestnut <i>Aesculus x carnea</i>	<u>Basal Area:</u> - The basal area was sounded and no evidence of internal decay and hollowing was recorded. <u>Trunk:</u> - Multi stemmed at 2m and cankered throughout with splits in bark noted and Bleeding Canker weep. <u>Crown:</u> - Unable to verify the health and safety of the crown as the tree is not in leaf. Conclusions: - No works required at this time. Recommendations: - No works required at this time <i>but monitor in view of the Canker.</i>

No	Species	Tree Works Recommended
T55 B grade	Sycamore <i>Acer pseudoplatanus</i>	<u>Basal Area:</u> - The basal area was sounded and no evidence of internal decay and hollowing was recorded. <u>Trunk:</u> - Multi stemmed at 1m with tight forks and included bark. <u>Crown:</u> - A few broken and lodged limbs in the crown. - Deadwood and stubs noted, Conclusions: - Advise removal of hangers and deadwood. Recommendations: <i>Remove broken and lodged limbs along with any deadwood.</i>

No	Species	Tree Works Recommended
Grp 22 C grade	Sycamores <i>Acer pseudoplatanus</i> x 3 of	<u>Basal Area:</u> - The basal areas could not be sounded as they are behind security fencing and smothered in Ivy. <u>Trunk:</u> - Multi stemmed at ground level with tight forks and included bark. <u>Crown:</u> - The Ivy has been severed. Conclusions: - Advise removal of dead Ivy for safety reasons. Recommendations: <i>Clear Ivy from around bases up to 1m from ground.</i>

T56

Grp23

Grp 22

Grp 24

T57



No	Species	Tree Works Recommended
Grp 23 C grade	Sycamores <i>Acer pseudoplatanus</i>	<u>Basal Area:</u> - The basal areas could not be sounded as they are smothered in Ivy. <u>Trunk:</u> - Multi stemmed at ground level with tight forks and included bark. <u>Crown:</u> - The Ivy has been severed. Conclusions: - Advise removal of dead Ivy for safety reasons. Recommendations: <i>Clear Ivy from around bases up to 1m from ground.</i>

No	Species	Tree Works Recommended
T56 B grade	English Yew <i>Taxus baccata</i>	<u>Basal Area:</u> - The basal area was sounded and no evidence of internal decay and hollowing was recorded. <u>Trunk:</u> - Sound and healthy. <u>Crown:</u> - Its low crown density should now improve as trees around it have been removed. Conclusions: - No works required at this time. Recommendations: - No works required at this time.

No	Species	Tree Works Recommended
Grp 24 C grade	Sycamores <i>Hollies</i> <i>Hawthorns</i> <i>Yew</i> <i>Evergreen shrubs</i>	<u>Basal Area:</u> - The basal areas are all sound. <u>Trunk:</u> - Multi stemmed at ground level with tight forks and included bark. <u>Crown:</u> - Crown shapes merged as dictated by group pressures. Conclusions: - Have been thinned out to leave just the younger trees to grow on (as advised in 2015 report). Recommendations: - No works required at this time.

No	Species	Tree Works Recommended
T57 -	Monkey Puzzle	This tree has been removed and the stump left in situ.

No	Species	Tree Works Recommended
T58 -	False Acacia	Dead tree which has been removed and stump ground.