

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Lafarge Aggregates Limited Licence Number: 28/39/23/0011 Permit Version: 102 Location: Deans Farm, Caversham, - Gravel Wet Pit, Point 'B' Authority: Environment Agency, Thames Region Abstraction: Mineral Products: General Use (Medium Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Deans Farm, Caversham Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 13th November 2003 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(SE)	1688	2	473830 174970
	Water Abstractions Operator: Lafarge Aggregates Limited Licence Number: 28/39/23/0011 Permit Version: 102 Location: Deans Farm, Caversham, - Gravel Wet Pit, Point 'B' Authority: Environment Agency, Thames Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Deans Farm, Caversham Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 13th November 2003 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(SE)	1688	2	473830 174970
	Water Abstractions Operator: Lafarge Aggregates Limited Licence Number: 28/39/23/0011 Permit Version: 101 Location: Deans Farm, Caversham, - Gravel Wet Pit, Point 'B' Authority: Environment Agency, Thames Region Abstraction: Mineral Products: General Use (Medium Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Deans Farm, Caversham Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st January 2001 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(SE)	1688	2	473830 174970
	Water Abstractions Operator: Lafarge Aggregates Limited Licence Number: 28/39/23/0011 Permit Version: 101 Location: Deans Farm, Caversham, - Gravel Wet Pit, Point 'B' Authority: Environment Agency, Thames Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Deans Farm, Caversham Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st January 2001 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(SE)	1688	2	473830 174970

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Lafarge Redland Aggregates Limited Licence Number: 28/39/23/0011 Permit Version: 100 Location: Deans Farm, Caversham, - Gravel Wet Pit, Point 'B' Authority: Environment Agency, Thames Region Abstraction: Mineral Products: General Use (Medium Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): 2450 Yearly Rate (m3): 9000 Details: Deans Farm, Caversham Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st June 1998 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(SE)	1688	2	473830 174970
	Water Abstractions Operator: Lafarge Redland Aggregates Limited Licence Number: 28/39/23/0011 Permit Version: 100 Location: Deans Farm, Caversham, - Gravel Wet Pit, Point 'B' Authority: Environment Agency, Thames Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Deans Farm, Caversham Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st June 1998 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(SE)	1688	2	473830 174970
	Water Abstractions Operator: Reading Borough Council Licence Number: 28/39/23/0199/Tr Permit Version: 1 Location: River Thames - Christchurch Meadows Authority: Environment Agency, Thames Region Abstraction: Environmental: Non-remedial River/Wetland Support: Transfer between sources Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Christchurch Meadows, Caversham Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 10th September 2008 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(SW)	1747	2	471440 174450
	Water Abstractions Operator: Reading Borough Council Licence Number: 28/39/23/0196 Permit Version: 1 Location: Thames At Christchurch Meadow Authority: Environment Agency, Thames Region Abstraction: Environmental: Non-remedial River/Wetland Support: Lake & Pond Throughflow Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: At Christchurch Meadows Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(SW)	1747	2	471440 174450

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Lafarge Redland Aggregates Limited Licence Number: 28/39/23/0018 Permit Version: 100 Location: Sonning Eye - Well 'A' Authority: Environment Agency, Thames Region Abstraction: Mineral Products: General Use (Medium Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): 1227 Yearly Rate (m3): 1 Details: Sonning Eye Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st June 1998 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	(E)	1748	2	474500 176100
	Water Abstractions Operator: Lafarge Redland Aggregates Limited Licence Number: 28/39/23/0018 Permit Version: 100 Location: Sonning Eye - Well 'A' Authority: Environment Agency, Thames Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Sonning Eye Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st June 1998 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(E)	1748	2	474500 176100
	Water Abstractions Operator: Trustees Of Phillimore Farms Licence Number: 28/39/23/0038 Permit Version: 100 Location: Sonning Eye - Flooded Gravel Pit, Point 'S' Authority: Environment Agency, Thames Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Sonning Eye Authorised Start: 01 April Authorised End: 30 September Permit Start Date: 5th April 1992 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(E)	1784	2	474500 175900
	Water Abstractions Operator: Lafarge Aggregates Limited Licence Number: 28/39/23/0018 Permit Version: 103 Location: Sonning Eye - Well Authority: Environment Agency, Thames Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Sonning Eye Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 30th November 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(E)	1801	2	474550 176080

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Lafarge Aggregates Limited Licence Number: 28/39/23/0018 Permit Version: 103 Location: Sonning Eye - Well Authority: Environment Agency, Thames Region Abstraction: Mineral Products: General Use (Medium Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Sonning Eye Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 30th November 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(E)	1801	2	474550 176080
	Water Abstractions Operator: Lafarge Aggregates Limited Licence Number: 28/39/23/0018 Permit Version: 102 Location: Sonning Eye - Well Authority: Environment Agency, Thames Region Abstraction: Mineral Products: General Use (Medium Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Sonning Eye Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 13th November 2003 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(E)	1801	2	474550 176080
	Water Abstractions Operator: Lafarge Aggregates Limited Licence Number: 28/39/23/0018 Permit Version: 102 Location: Sonning Eye - Well Authority: Environment Agency, Thames Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Sonning Eye Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 13th November 2003 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(E)	1801	2	474550 176080
	Water Abstractions Operator: Lafarge Aggregates Limited Licence Number: 28/39/23/0018 Permit Version: 101 Location: Sonning Eye - Well Authority: Environment Agency, Thames Region Abstraction: Mineral Products: General Use (Medium Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Sonning Eye Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st January 2001 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(E)	1801	2	474550 176080

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Lafarge Aggregates Limited Licence Number: 28/39/23/0018 Permit Version: 101 Location: Sonning Eye - Well Authority: Environment Agency, Thames Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Sonning Eye Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st January 2001 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(E)	1801	2	474550 176080
	Water Abstractions Operator: The Reading Sustainability Centre Cic Licence Number: Th/039/0023/022 Permit Version: 3 Location: River Thames At Caversham Weir Authority: Environment Agency, Thames Region Abstraction: Other Environmental Improvements: Transfer between sources Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 19th February 2020 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(S)	1810	2	472072 174185
	Water Abstractions Operator: The Reading Sustainability Centre Cic Licence Number: Th/039/0023/022 Permit Version: 2 Location: River Thames At Caversham Weir Authority: Environment Agency, Thames Region Abstraction: Other Environmental Improvements: Transfer between sources Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 19th February 2019 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(S)	1810	2	472072 174185
	Water Abstractions Operator: The Reading Sustainability Centre Cic Licence Number: Th/039/0023/022 Permit Version: 1 Location: River Thames At Caversham Weir Authority: Environment Agency, Thames Region Abstraction: Other Environmental Improvements: Transfer between sources Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 19th February 2016 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(S)	1810	2	472072 174185

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Trustees Of Phillimore Farms Licence Number: 28/39/23/0038 Permit Version: 100 Location: Sonning Eye, - Eye Marsh Ditch, Points 'P' To 'Q' Authority: Environment Agency, Thames Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Sonning Eye Authorised Start: 01 April Authorised End: 30 September Permit Start Date: 5th April 1992 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(E)	1825	2	474400 175500
	Water Abstractions Operator: Caversham Lakes Trust Limited Licence Number: 28/39/23/0198 Permit Version: 1 Location: Caversham Lakes - Caversham - Pipe Authority: Environment Agency, Thames Region Abstraction: Sports Grounds/Facilities: General Washing/Process Washing Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Caversham Lakes - Caversham Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 6th August 2004 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(SE)	1840	2	474070 175000
	Water Abstractions Operator: Tarmac Aggregates Limited Licence Number: 28/39/23/0018 Permit Version: 106 Location: Point 'A' - Wet Pit At Sonning Eye Authority: Environment Agency, Thames Region Abstraction: Mineral Products: General Use (Medium Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Sonning Eye, Oxfordshire Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 26th October 2015 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(E)	1907	2	474650 176030
	Water Abstractions Operator: Tarmac Aggregates Limited Licence Number: 28/39/23/0018 Permit Version: 106 Location: Point 'A' - Wet Pit At Sonning Eye Authority: Environment Agency, Thames Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Sonning Eye Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 26th October 2015 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(E)	1907	2	474650 176030

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Lafarge Aggregates Limited Licence Number: 28/39/23/0018 Permit Version: 105 Location: Point 'A' - Wet Pit At Sonning Eye Authority: Environment Agency, Thames Region Abstraction: Mineral Products: General Use (Medium Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Sonning Eye, Oxfordshire Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 26th September 2013 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(E)	1907	2	474650 176030
	Water Abstractions Operator: Lafarge Aggregates Limited Licence Number: 28/39/23/0018 Permit Version: 105 Location: Point 'A' - Wet Pit At Sonning Eye Authority: Environment Agency, Thames Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Sonning Eye Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 26th September 2013 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(E)	1907	2	474650 176030
	Water Abstractions Operator: Lafarge Aggregates Limited Licence Number: 28/39/23/0018 Permit Version: 104 Location: Point 'A' - Wet Pit At Sonning Eye Authority: Environment Agency, Thames Region Abstraction: Mineral Products: Mineral Washing Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Sonning Eye Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 5th June 2008 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(E)	1907	2	474650 176030
	Water Abstractions Operator: Lafarge Aggregates Limited Licence Number: 28/39/23/0018 Permit Version: 104 Location: Point 'A' - Wet Pit At Sonning Eye Authority: Environment Agency, Thames Region Abstraction: Mineral Products: General Use (Medium Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Sonning Eye, Oxfordshire Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 5th June 2008 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	(E)	1907	2	474650 176030

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: F E Doble And Son Licence Number: 28/39/23/0058 Permit Version: 101 Location: Berry Brook At Shiplake, Oxon Between Points A And B Authority: Environment Agency, Thames Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Shiplake Authorised Start: 01 May Authorised End: 30 September Permit Start Date: 4th October 2010 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	(E)	1968	2	474700 176700
	Water Abstractions Operator: Trustees Of Phillimore Farms Licence Number: 28/39/23/0058 Permit Version: 100 Location: Berry Brook At Shiplake, Oxon Between Points A And B Authority: Environment Agency, Thames Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): 818 Yearly Rate (m3): 31367 Details: Shiplake Authorised Start: 01 May Authorised End: 30 September Permit Start Date: 5th April 1992 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	(E)	1968	2	474700 176700
	Groundwater Vulnerability Map Combined Classification: Secondary Superficial Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, Productive Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A6NE (SE)	0	4	472420 176267
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial Patchiness: <90% Superficial Thickness: <3m Superficial Recharge: No Data	A6NE (SW)	0	4	472275 176000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Groundwater Vulnerability Map Combined Classification: Secondary Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial: <90% Patchiness: <3m Superficial Thickness: No Data Superficial Recharge:	A7NW (S)	0	4	472434 176229
	Groundwater Vulnerability Map Combined Classification: Principle Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial: <90% Patchiness: <3m Superficial Thickness: No Data Superficial Recharge:	A6NE (S)	0	4	472420 176000
	Groundwater Vulnerability Map Combined Classification: Principle Bedrock Aquifer - High Vulnerability Combined Vulnerability: High Combined Aquifer: Productive Bedrock Aquifer, No Superficial Aquifer Pollutant Speed: Intermediate Bedrock Flow: Well Connected Fractures Dilution: <300 mm/year Baseflow Index: >70% Superficial: <90% Patchiness: <3m Superficial Thickness: No Data Superficial Recharge:	A7NW (S)	0	4	472475 176126
	Groundwater Vulnerability - Soluble Rock Risk Classification: Very Significant Risk - High Possibility	A6NE (SE)	0	4	472420 176267
	Groundwater Vulnerability - Soluble Rock Risk Classification: Very Significant Risk - Moderate Possibility	A6NE (S)	0	4	472420 176000
	Bedrock Aquifer Designations Aquifer Designation: Principal Aquifer	A7NW (S)	0	4	472475 176126
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A6NE (SE)	0	4	472420 176267
	Superficial Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A6NE (SE)	0	4	472420 176267
12	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone III (Total Catchment): The total area needed to support the discharge from the protected groundwater source.	A6NE (SE)	0	2	472420 176267
13	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone II (Outer Protection Zone): Either 25% of the source area or a 400 day travel time whichever is greater.	A11SW (E)	0	2	472478 176281

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
14	Source Protection Zones Name: Not Supplied Source: Environment Agency, Head Office Reference: Not Supplied Type: Zone I (Inner Protection Zone): Travel time of 50 days or less to the groundwater source.	A8NE (E)	704	2	473447 176138
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 199.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NW (SE)	0	5	472493 176098
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 91.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A11SW (NE)	0	5	472554 176363
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 131.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A11SW (NE)	0	5	472639 176408
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 204.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NW (E)	0	5	472662 176195
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NW (SE)	41	5	472535 176041
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 92.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A10SW (W)	190	5	471970 176386
21	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 745.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12NE (E)	941	5	473668 176609

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 733.4 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12SE (E)	967	5	473714 176526

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Reading Unitary Council - Has supplied landfill data		0	6	472420 176267
	Local Authority Landfill Coverage Name: Oxfordshire County Council - Has supplied landfill data		557	8	472927 176976
	Local Authority Landfill Coverage Name: South Oxfordshire District Council - Landfill data has been supplied by another authority		557	7	472927 176976
23	Potentially Infilled Land (Non-Water) Bearing Ref: SW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1991	A6NW (SW)	124	-	472008 176046
24	Potentially Infilled Land (Non-Water) Bearing Ref: W Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1991	A6NW (W)	239	-	471869 176209
25	Potentially Infilled Land (Non-Water) Bearing Ref: W Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1991	A6NW (W)	248	-	471869 176249
26	Potentially Infilled Land (Non-Water) Bearing Ref: N Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1991	A10NE (N)	331	-	472275 176863
27	Potentially Infilled Land (Non-Water) Bearing Ref: W Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1991	A5NE (W)	513	-	471624 175943
28	Potentially Infilled Land (Non-Water) Bearing Ref: W Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1991	A5NE (W)	516	-	471587 176070
29	Potentially Infilled Land (Non-Water) Bearing Ref: SW Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1991	A5SE (SW)	597	-	471664 175728
30	Potentially Infilled Land (Non-Water) Bearing Ref: N Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1991	A14SE (N)	698	-	472366 177254
31	Potentially Infilled Land (Non-Water) Bearing Ref: SE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1991	A3NE (SE)	742	-	472851 175399
32	Potentially Infilled Land (Non-Water) Bearing Ref: S Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1991	A2SE (S)	774	-	472350 175213
33	Potentially Infilled Land (Non-Water) Bearing Ref: SE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1991	A3SE (SE)	948	-	472920 175202
34	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A10SE (NW)	85	-	472251 176527
35	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A10SE (NW)	171	-	472124 176522
36	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A11NW (N)	207	-	472516 176749
37	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1932	A10SW (NW)	214	-	472022 176496

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
38	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A11NE (NE)	464	-	473021 176756
39	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A3NW (S)	520	-	472585 175537
40	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1932	A5NE (W)	522	-	471591 176264
41	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1914	A9SW (W)	751	-	471384 176383
42	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1932	A5NW (W)	753	-	471367 175955
43	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1932	A14SW (NW)	785	-	471988 177225
44	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1900	A2SW (S)	807	-	472011 175221
45	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1932	A9NW (W)	835	-	471369 176621
46	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1932	A9NW (W)	890	-	471316 176636
47	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A14NE (N)	897	-	472256 177442
48	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1961	A14NE (N)	969	-	472112 177482

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Lambeth Group	A6NE (SE)	0	1	472420 176267
	BGS 1:625,000 Solid Geology Description: White Chalk Subgroup	A7NW (S)	0	1	472463 176132
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A7NW (S)	0	1	472475 176126
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A6NE (SE)	0	1	472420 176267
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A7SW (S)	320	1	472554 175735
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A8NW (E)	576	1	473341 176270
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: 15 - 25 mg/kg Cadmium Concentration: <1.8 mg/kg Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	A5SW (SW)	893	1	471295 175748