



GENERAL MAINTENANCE

Sedum Patching

Extensive green roof systems.


Repairing Patches in Your Sedum Blanket

Assess the areas that require repairs.

You will need approx. one 20kg bag of substrate per m² of bare roof



Make sure blankets are butted up tight and joints are as neat as possible. Fill all gaps with substrate.



Harvest sedum cuttings from around the pebble margin of the roof that can be pulled out completely. In areas of very lush growth, gently tear off the top growth of the sedum plants (do not try and pull out the roots).

UK OFFICE

Bauder Limited

70 Landseer Road, Ipswich, Suffolk IP3 0DH, England
T: +44 (0)1473 257671 F: +44 (0)1473 230761 E: technical@bauder.co.uk
Bauder.co.uk

IRELAND OFFICE

Bauder Limited

O'Duffy Centre, Carrickmacross, Co Monaghan, Ireland
T: +353 (0)42 9692 333 F: +353 (0)42 9692 839
E: info@bauder.ie



Either spread these directly on to the area or add to a bucket of substrate and mix in the cuttings.



Spread the cuttings/substrate mix as a thin layer over the bare areas.



Fertilise the whole roof using Bauder Slow Release Organic Fertiliser.

Water regularly with a gentle spray for 6-8 weeks to keep the blanket moist. Refer to "Bauder One Page watering guide".

When complete, avoid walking on the green roof.

Please note: Patching should not take place between November and February or in very hot dry conditions in mid-summer.

UK OFFICE**Bauder Limited**

70 Landseer Road, Ipswich, Suffolk IP3 0DH, England
T: +44 (0)1473 257671 F: +44 (0)1473 230761 E: technical@bauder.co.uk
Bauder.co.uk

IRELAND OFFICE**Bauder Limited**

O'Duffy Centre, Carrickmacross, Co Monaghan, Ireland
T: +353 (0)42 9692 333 F: +353 (0)42 9692 839
E: info@bauder.ie