

**Saunders
Boston
Architects**

Palmer Park Sports Stadium


Planning Application Ref: 201735

Condition 03 – External Materials


For details and location of materials, please refer to following drawings:

- 1789-SBA-PP-ZZ-DR-A-2004 – South-West & North-West Elevations
- 1789-SBA-PP-ZZ-DR-A-2005 – North-East & South-East Elevations
- 1789-SBA-PP-ZZ-DR-A-5003 – Proposed Site Plan

THE BUILDING – MATERIAL INTENT			
NO	ELEMENT / FINISH	DESCRIPTION	IMAGES
01	Corium Facing Brick to Cladding This will be used on the ground floor of the building up to first floor slab level, mainly to north-west and north-east elevations of the main building, and the separate bin store.	Material: Clay Facing Brick Bond: Half lap stretcher. Manufacturer: Corium brickwork on Kingspan panels Finish/ Colour: Corium Slate blue / grey Manufacturer: Weinberger or equivalent	
02	Composite Cladding Panels Copper coloured finish panels to new extension, and over-cladding of existing building in key locations on south-west elevation.	Type: Composite cladding panel Finish: Embossed / matt Sizes: 1000mm wide x 6000mm notional height, vertical pattern Colour: Copper Beech RAL 040 40 40 Manufacturer: Kingspan QuadCore or equivalent Reference: QuadCore AWP panels	
03	High Level Soffit Cladding Timber	Type: Timber plank cladding Colour: Natural Supplier: Latham Timber Products or equivalent	

04	Brise Soleil Timber	Type: Vertical Timber Brise Soleil Colour: Natural Supplier: Latham Timber Products or equivalent	
05	Single Ply Roof	Type: Single Ply Membrane adhered to PIR insulation on new building, and on insulated panels to existing stadium roof Material: PVC multi layer Finish/ Colour: Dark Grey (Sika colour no. 9500) Manufacturer: Sika Sarnafil or equivalent	
06	Doors Entrance Doors Doors to Curtain Walling	Windows & Doors - PPC 30% gloss, RAL 7022 (Umber grey) to match curtain wall.	 
07	Aluminium Curtain walls Windows Louvres Soffit Trim	PPC Aluminium to match windows - 30% gloss, RAL 7022 (Umber Grey)	

HARD LANDSCAPING – MATERIAL INTENT

NO	ELEMENT / FINISH	DESCRIPTION	IMAGES
HL01	External Paving Paving to Pedestrian Areas	Type: Concrete / aggregate blended paving slabs. Finish: Textured Sizes: Mixture based around 600 x 600 mm module Colour: Buff	
HL02	External Feature Paving Feature Paving to Pedestrian Areas	Type: Concrete / aggregate blended paving slabs. Finish: Textured Sizes: Mixture based around 600 x 600 mm module Colour: Charcoal	
HL03	Permeable Tarmac Permeable Tarmac to Roads, Parking Bays and External Maintenance Path	Type: Permeable tarmac. Finish: Porous for SUDs Colour: Dark grey Manufacturer: TBC	
HL04	Tactile Paving Directional Tactile Paving to Visually Impaired Path	Type: Tactile paving. Finish: Bar faced Manufacturer: TBC	

QA

Revision:	Purpose:	Prepared by:	Date:	Checked by:	Date:
A	Issued As Draft	CW	27.05.21	CW	27.05.21
B	Issued for Approval	CW	13.10.21	CW	13.10.21
C	Issued for Planning	CW	18.11.21	CW	18.11.21

