







CONCRETE SURROUND TO HAVE 1:1 SLOPE AT EVERY PIPE JOINT

TRANSITION JOINT DETAIL TO CONCRETE BED & SURROUND



GRANULAR MATERIALS FOR PIPE BEDDING

TO BE EITHER

Nominal single size aggregate compli-
table 4, or BS 882:1992 as follows:

DN 100 10mm size
DN 150 10mm or 14mm size

OR

Graded aggregate complying with Table
BS 882:1992 as follows:

DN 100 14mm to 5mm
DN 150 20mm to 5mm or 14mm to 5mm

TO CROWN OF PIPE:-

TO CROWN OF FILE:-
600mm OR MORE-LANDSCAPED
900mm OR MORE - PARKING AREA

1.2111 ON FLOOR ACCESS ROAD

PRELIMINARY



DETAIL WHERE DRAIN PASSES THROUGH WALL



NOTES

- Design Surveys Inspections CAD Drawings**
239 College Road College Town Sandhurst Berkshire GU4 0L
T 01226 38353 **F** 01226 38317 **E** mail@krcpconsulting.co.uk
www.krcpconsulting.co.uk

Rev	Date	Amendment	
Issue			
Client			
WEST BERKSHIRE COUNCIL			
Job title			
2 STOREY EXTENSION TO BERKSHIRE RECORDS OFFICE 9 COLEY AVE READING, BERKS RG1 6AF			
Drawing title			
DRAINAGE CONSTRUCTION DETAILS			
Scale	Date	Drawn by	Rev.
N.T.S.	Feb 2020	Checked by	
Drawn by		Rev.	
Dwg No.		19189/21	