

Appendix C Environment Agency's Data and Information

Product 4 (Detailed Flood Risk) for 20 Coldicutt Street, Caversham

Our Ref: THM_170745

Product 4 is designed for developers where Flood Risk Standing Advice FRA (Flood Risk Assessment) Guidance Note 3 Applies. This is:

- i) "all applications in Flood Zone 3, other than non-domestic extensions less than 250 sq metres; and all domestic extensions", and
- ii) "all applications with a site area greater than 1 ha" in Flood Zone 2.

Product 4 includes the following information:

Ordnance Survey 1:25k colour raster base mapping;
Flood Zone 2 and Flood Zone 3;
Relevant model node locations and unique identifiers (for cross referencing to the water levels, depths and flows table);
Model extents showing *defended* scenarios;
FRA site boundary (where a suitable GIS layer is supplied);
Flood defence locations (where available/relevant) and unique identifiers; (supplied separately)
Flood Map areas benefiting from defences (where available/relevant);
Flood Map flood storage areas (where available/relevant);
Historic flood events outlines (where available/relevant, not the Historic Flood Map) and unique identifiers;
Statutory (Sealed) Main River (where available within map extents);

A table showing:

- i) Model node X/Y coordinate locations, unique identifiers, and levels and flows for *defended* scenarios.
- ii) Flood defence locations unique identifiers and attributes; (supplied separately)
- iii) Historic flood events outlines unique identifiers and attributes; and
- iv) Local flood history data (where available/relevant).

Please note:

If you will be carrying out computer modelling as part of your Flood Risk Assessment, please request our guidance which sets out the requirements and best practice for computer river modelling.

This information is based on that currently available as of the date of this letter. You may feel it is appropriate to contact our office at regular intervals, to check whether any amendments/ improvements have been made. Should you re-contact us after a period of time, please quote the above reference in order to help us deal with your query.

This information is provided subject to the enclosed notice which you should read.

This letter is not a Flood Risk Assessment. The information supplied can be used to form part of your Flood Risk Assessment. Further advice and guidance regarding Flood Risk Assessments can be found on our website at:



<https://www.gov.uk/guidance/flood-risk-assessment-local-planning-authorities>

If you would like advice from us regarding your development proposals you can complete our pre application enquiry form which can be found at:

<https://www.gov.uk/government/publications/pre-planning-application-enquiry-form-preliminary-opinion>

Flood Map for Planning centred on 20 Coldicutt Street, Caversham

Created on 13/05/2020 REF:THM_170745



Legend

- Main River
- Flooding from rivers or sea (FZ3)
- Extent of extreme flood (FZ2)

Flooding from rivers or sea without defences (Flood Zone 3) shows the area that could be affected by flooding:

- from the sea with a 1 in 200 or greater chance of happening each year
- or from a river with a 1 in 100 or greater chance of happening each year.

The Extent of an extreme flood (Flood Zone 2) shows the extent of an extreme flood from rivers or the sea with up to a 1 in 1000 chance of occurring each year.

Defence information

THM_170745

Defence Location:

No defences on Main River

Description:

This location is not currently protected by any formal defences and we do not currently have any flood alleviation works planned for the area. However we continue to maintain certain watercourses and the schedule of these can be found on our internet pages.

Model information

THM_170745

Model: Thames (Mapledurham to Sonning) 2011

Description: The information provided is taken from the Thames (Reading Complex Change) Flood Alleviation Study completed in June 2011. The study was carried out using 2D modelling software (ISIS-Tuflow).

Model design runs:

1 in 5 / 20% Annual Exceedance Probability (AEP); 1 in 20 / 5% AEP; 1 in 50 / 2% AEP; 1 in 100 / 1% AEP; 1 in 1000 / 0.1% AEP and 1 in 100+20% / 1% AEP plus 20% increase in flows

Mapped Outputs:



1 in 5 / 20% AEP; 1 in 20 / 5% AEP; 1 in 50 / 2% AEP; 1 in 100 / 1% AEP and 1 in 1000 / 0.1% AEP

Model accuracy:

Levels $\pm$ 250mm

FRA Map centred on 20 Coldicutt Street, Caversham

Created on 13/05/2020 REF:THM_170745



Legend

- Thames Model Node Data
- Main River
- 20% AEP Flood Outline
- 5% AEP Flood Outline
- 1% AEP Flood Outline
- 1%+20% AEP Flood Outline
- 0.1% AEP Flood Outline

AEP = Annual Exceedance Probability
The probability of a flood of a particular magnitude, or greater, occurring in any given year

Where available climate change extents have been calculated with an additional flow added to an AEP event. An example of how this is written is 1%+20% AEP.

Modelled in-channel flood flows and levels

THM 170745

The modelled flood levels and flows for the closest most appropriate model node points for your site that are within the river channel are provided below:

[illegible][illegible]

Note:

Due to changes in guidance on the allowances for climate change, the 20% increase in river flows should no longer be used for development design purposes. The data included in this Product can be used for interpolation of levels as part of an intermediate level assessment.

For further advice on the new allowances please visit

<https://www.gov.uk/guidance/flood-risk-assessments-climate-change-allowances>

Modelled floodplain flood levels

THM_170745

The modelled flood levels for the closest most appropriate model grid cells for your site are provided below:

2D grid cell reference	Model	Easting	Northing	flood levels (mAOD)				
				20% AEP	5% AEP	1% AEP	1% AEP (+20% increase in flows)	0.1% AEP
Flood Point 1	Thames (Mapledurham to Sonning) 2011	472,127	174,401	No Data	37.43	37.75	37.94	38.22
Flood Point 2	Thames (Mapledurham to Sonning) 2011	472,175	174,487	No Data	No Data	37.73	37.90	38.18

This flood model has represented the floodplain as a grid.
The flood water levels have been calculated for each grid cell.

Note:



Due to changes in guidance on the allowances for climate change, the 20% increase in river flows should no longer to be used for development design purposes. The data included in this Product can be used for interpolation of levels as part of an intermediate level assessment.

For further advice on the new allowances please visit

<https://www.gov.uk/guidance/flood-risk-assessments-climate-change-allowances>

Historic Map centred on 20 Coldicutt Street, Caversham

Created on 13/05/2020 REF:THM_170745



Legend

- Main River
- Flood Event Outline


Historic flood data

THM_170745

Our records show that the area of your site has been affected by flooding.
Information on the floods that have affected your site is provided in the table below:

Flood Event Name	Start Date	End Date	Source of Flooding	Cause of Flooding
06MarchSpring1947	01/01/1947	12/12/1947	main river	channel capacity exceeded

Risk of flooding from Surface Water



1: 10,000

0 Metres 250



Likelihood of flooding from Surface Water

- High ($\geq 3.3\%$)
- Medium (3.3% - 1%)
- Low (1% - 0.1%)
- Very Low

Likelihood of flooding from Surface Water

- High: Greater than or equal to 3.3% (1 in 30) chance in any given year
- Medium: Less than 3.3% (1 in 30) but greater than or equal to 1% (1 in 100) chance in any given year
- Low: Less than 1% (1 in 100) but greater than or equal to 0.1% (1 in 1,000) chance in any given year
- Very Low: Less than 0.1% (1 in 1,000) chance in any given year

This information is shown on the Risk of Flooding from Surface Water map on GOV.UK.