

EnviroSmart



Phase 1 Contaminated Land Assessment

Site address

Bennet Court
Bennet Road
Reading
RG2 0QX

Date issued

January 2021

Report status

Final

Grid Reference

471440, 170130

Site Area


0.74 ha

Report prepared for

Ultima Properties Limited
Gainsborough House
Manor Park
Reading
RG2 0RX

Report reference

74151R2



Risk – Moderate/Low

Given the nature of the historical land use and therefore the potential for contamination to be present at the Site, it is recommended that a proportionate programme of site investigation and monitoring works be undertaken in order to establish the presence or absence of contamination and to enable a quantitative assessment of the associated environmental risks.

Report author

Jessica Bayliff
Senior Project Consultant

Report check & review

Alan White
Principal Consultant

GeoSmart Information Ltd
Suite 9-11, 1st Floor
Old Bank Buildings
Bellstone, Shrewsbury
SY1 1HU
+44(0)1743 298 100
info@geosmartinfo.co.uk
www.geosmartinfo.co.uk

Executive Summary



The purpose of this EnviroSmart report is to provide clear and pragmatic advice regarding the nature and potential significance of contaminated land hazards which may be present at the study site. GeoSmart are providing consultancy and professional opinion based upon our collation, interpretation and assessment of information contained within an Envirocheck report, and other sources where expressly stated (i.e. site visits, photographs, and anecdotal evidence). It is acknowledged that the risk assessment findings are based on documentary sources of information alone.

Site analysis

		On-Site	Off-Site
1. Probability/likelihood of a contaminant hazard at the Site	High likelihood		
	Likely		
	Low likelihood		
	Unlikely		
2. Potential severity/consequence of any impacts	Severe		
	Medium		
	Mild		
	Minor		
3. Overall land quality risks posed by the Site	Very high		
	High		
	Moderate		
	Moderate/low		
	Low		
	Very low		

Summary of existing and proposed development

The Site is currently used within a commercial capacity as offices with 4 tenants (one unit remains vacant). The proposed development is change of use from office accommodation to residential (No additional garden or soft landscaping areas are proposed, other than which is already present).

Environmental Setting

British Geological Survey mapping indicates the absence of any superficial deposits beneath the Site. The bedrock geology beneath the majority (99%) of the Site consists of Lambeth Group which is classified as a Secondary (A) Aquifer. The remaining 1% of the Site in the south eastern corner is underlain by London Clay Formation which is classified as Unproductive Strata.

The nearest water feature is a drain, located c. 160 m south of the Site boundary.

There are no environmentally sensitive land uses within 500 m of the Site.

Site History

The Site had a road through the north of the Site between 1879 and 1959. The Site was developed as a bus depot in 1958. The Site was labelled just as a depot in 1960, before being labelled as a gas depot in 1973. The on-Site buildings were demolished in 1987 and redeveloped with units resembling two L shaped buildings matching the current Site layout. Off-Site there has been large scale and long term industrial and commercial development in close proximity to the Site from 1958 to present. There are also multiple landfills within the vicinity of the Site. The closest is Manor Farm Landfill c. 240 m north (the dates of operation are unknown).

Radon

The Site lies in an area where <1% of homes are at or above the UK radon action level (200 Bq/m3).

Coal Mining

The Site does not lie within an identified coal mining area and is therefore unlikely to be affected by related ground stability or mine gas issues.

Summary of Conceptual Site Model (CSM)

Source of Contamination

Potential for inorganic, organic contaminants and asbestos containing materials to be present within the subsurface soils associated with the long term industrial use of the Site and immediate surrounding area.

Receptors

Human Health, Controlled Water (Groundwater within the underlying bedrock Secondary (A) Aquifer).

Human Health (pathway)

Dermal contact, ingestion & inhalation of soils & soil dust, consumption of home grown produce, ingress into water supply pipework and subsequent water ingestion, migration of vapours to surface; inhalation indoors and liberation of sub surface ACMs and inhalation of asbestos fibres.

Controlled Waters (pathway)

Dissolution into pore water/shallow groundwater and subsequent migration, dissolution into aqueous phase and preferential migration via drainage structures and lateral and vertical groundwater movement via natural or artificial flow paths.

Preliminary Risk Assessment

Overall, the preliminary risk classification of the Site in relation to the proposed redevelopment is considered to be Moderate/Low.

Recommendations / Next Steps

Phase 2 intrusive investigation

Given the nature of the historical land use and therefore the potential for contamination to be present at the Site, coupled with the proposed change to a more sensitive residential use, it is recommended that a proportionate programme of site investigation and monitoring works be undertaken in order to establish the presence or absence of contamination and to enable a quantitative assessment of the associated environmental risks.

Based on the Phase 1 survey undertaken the Site is appropriate for residential use, subject to the completion of a Phase 2 investigation and implementation of appropriate mitigation measures, which are typically provided to satisfy conditions, once planning permission has been granted.

1. Introduction



1.1 Background

The study site (from herein known as 'the Site') is situated at Bennet Court in Bennet Road, Reading. A location plan of the Site is shown in Section 1.5.

GeoSmart was commissioned by Ultima Properties Limited in December 2020 to undertake a Phase 1 Land Quality Assessment for the Site. The report has been requested in order to support a proposed planning application for the Site.

The proposed development is change of use of office accommodation to residential (No additional garden or soft landscaping areas are proposed, other than which is already present).

The EnviroSmart report has been undertaken by firstly compiling information concerning the Site and the surrounding area, including current and historical land uses, geological records and registered pollution incidents. The information which is gathered is then used to construct a 'conceptual site model', including an understanding of likely contaminant sources, pathways and receptors. Finally, a preliminary assessment of risks posed to identified receptors (i.e., people, buildings or the natural environment) from the anticipated land quality at the Site is performed. The risk assessment methodology is consistent with CIRIA C552 (2001); see Section 3.4 for details.

1.2 Purpose of this report

The purpose of this EnviroSmart report is to provide clear and pragmatic advice regarding the nature and potential significance of contamination hazards which may be present at the Site.

1.3 Report contents

This report is divided into two sections, as described below:


Section	Content	Purpose
Section 2: LAND QUALITY ASSESSMENT	A summary of the site history and environmental setting, the findings of the preliminary risk assessment and associated recommendations	To present a clear and concise overview of the land quality issues facing the Site, including recommendations of how to manage any land contamination which may be present
Section 3: SUPPORTING INFORMATION	A collection of site specific information on which the land quality assessment is based	To provide detailed information in support of the risk assessment; this section also represents a source of reference data for use in any subsequent site works/assessments

1.4 Report limitations

It is noted that the findings presented in this report are largely based on information supplied by third parties. Whilst we assume that all information is representative of past and present conditions we can offer no guarantee as to its validity.

This report excludes consideration of potential hazards arising from any activities at the Site other than normal use and occupancy for the intended land uses. Hazards associated with any other activities have not been assessed and must be subject to a specific risk assessment by the parties responsible for those activities.

1.5 Site location plan



Contains Ordnance Survey data © Crown copyright and database right 2021



Contains Ordnance Survey data © Crown copyright and database right 2021
BlueSky copyright and database rights 2021

2. Land quality assessment



2.1 Site details

Site name:	Bennet Court	Current land cover:	Building cover (30%), hardstanding car parking (60%) and vegetation along Site perimeters (10%)
Current use:	Active commercial development (4 units currently in use, 1 unit is vacant)		
Proposed use:	Residential flats	Site area:	0.74 ha

2.2 Conceptual understanding (potential sources of contamination)

 Site history <i>(historical land use taken within 250m radius of the Site boundary)</i>	Date	Description of land use		POTENTIAL SOURCES OF CONTAMINATION	Source description	LIKELY PROBABILITY OF CONTAMINATION
		On-Site	Off-Site			
	1879	The Site is developed with a road that encroaches into the north of the Site, trending north east - south west.	There is limited development in the surrounding area, with no developments within 100 m of the Site.		The land use history suggests that there is the potential for contamination to have occurred <u>on-Site</u> relating to the following: Bus Depot / Gas Depot - Miscellaneous fuel or chemical spills/leaks (i.e. fuels used for refilling and storage in UST's, oils, lubricants, greases, antifreeze residues ,etc.) associated with the Site's use as a bus depot. - Potential for underground tanks or other buried infrastructure including former waste oil pits, inspection pits, grease pits, drainage interceptors, etc. - Made Ground associated with former development/demolition activities. - Asbestos containing materials (ACM) may have been incorporated within the built structures in the past; the disturbance of any such materials may have resulted in asbestos being present within the sub surface surrounding the buildings.	
	1883 - 1913	No apparent change			The land use history suggests that there is the potential for contamination to have occurred both <u>on-Site</u> and <u>off-Site</u> relating to the following: Industrial Land Use (Works, Warehouse, Depots, Timber Yard, Sewage Works, Tanks) - Potential for bulk storage of fuels and/or miscellaneous chemicals. Note: given the land use history there is potential for underground storage tanks or pipelines containing chemical and fuel residues to be present. - Miscellaneous fuel and chemical spills (i.e., fuels used for heating & powering machinery/vehicles, oils and lubricants, paints/thinners, degreasers, etc.). - Potential for localised deposition of industrial wastes and by-products. - Made Ground associated with former development/demolition activities. - Asbestos containing materials (ACM) may have been incorporated within the built structures in the past; the disturbance of any such materials may have resulted in asbestos being present within the sub surface surrounding the buildings.	
	1936 - 1938	No apparent change	There is a pump house and tanks present c. 25 m north east. There is a sewage farm present to the north west, with sprinkler beds present c. 165 m from the Site.		The land use history suggests that there is the potential for contamination to have occurred <u>off-Site</u> relating to the following: Electricity Sub Station Potential for Polychlorinated Biphenyls (PCB) contamination to have occurred.	
	1958 - 1959	The road in the north of the Site is no longer present and the Site has been developed as a bus depot.	The pump house and tanks are no longer present. There have been works, warehouses and depots developed to the north, north east and east of the Site, the nearest c. 20 m north of the Site.			
	1960	The building is now just labelled as a depot. There appears to have been further construction/extensions to the depot building.	There has been further industrial development in the surrounding area, with further works/warehouses/depots constructed to the north west, west, south west and south of the Site. A tank is labelled c. 55 m north west and there is a timber yard c. 125 m north east.			
	1967	No apparent change	The development adjacent to the west is labelled as a depot.			
1973 - 1974	The Site is now labelled as a gas depot.	The sewage farm has moved and is now located c. 260 m north west of the Site. There has been further industrial development to the west and north west of the Site. The depot immediately to the west is a Corporation Transport Repair Depot and a tank is shown within 5m of the Site boundary. An electricity sub station is located adjacent to the east.				

2.2 Conceptual understanding (potential sources of contamination)

 Site history (historical land use taken within 250m radius of the Site boundary)	Date	Description of land use		POTENTIAL SOURCES OF CONTAMINATION	Source description	LIKELY PROBABILITY OF CONTAMINATION
	On-Site	Off-Site				
	1979	No apparent change				
	1987	The depot building is no longer present and the Site has been redeveloped with adjoining units resembling two L shapes.	No apparent change			
	1990	No apparent change				
	1993 - 1999	The Site is labelled as Bennet Court.	No apparent change			
	2003 - 2018	Aerial imagery shows no apparent change.				
	Other Information	The following on-Site inactive trade directory entries are included within the Envirocheck report: Velosi Europe (inactive) oil & gas exploration supplies & services St Distrionics (inactive) electronic component manufacturers & distributors S T Electronics (inactive) electronic component manufacturers & distributors Asbestos surveys have been undertaken for units 2,3 and 5. The report for unit 2 was a refurbishment and demolition survey undertaken by Vital property solutions in January 2017. The report concluded that gaskets within the pipework in the roof plant room potentially contained crocidolite and it was recommended to be removed. The report for unit 2 was a refurbishment asbestos survey report undertaken by Search Environmental Limited in March 2014. The report concluded that from the 9 samples that were taken no asbestos containing materials were found, however no access was possible to the flat roof area or the ground floor rooms and no samples were taken from live electrical equipment for health and safety reasons and it was concluded that it should be presumed to contain asbestos materials. The report for unit 5 was a refurbishment asbestos survey report undertaken by Search Environmental Limited in April 2013. The report concluded that from the 8 samples that were taken no asbestos containing materials were found, however no samples were taken from live electrical equipment for health and safety reasons and it was concluded that it should be presumed to contain asbestos materials.				

2.2 Conceptual understanding (potential sources of contamination)

 Current land use	The Site is currently used within commercial capacity as offices with four different tenants (Reflex Limited, Black Box Networking, Press to Pint & Safestyle UK). One unit is currently empty. The Envirocheck report has three active trade directory entries on-Site: Select Environmental Services (active) waste disposal services, Press To Print Reading Ltd (active) printers & Fenn Motor Works (active) garage services. There are no known buried storage tanks at the Site. There is no known bulk fuel or chemical storage on Site.			POTENTIAL SOURCES OF CONTAMINATION	The Site's current use is unlikely to have given rise to significant land contamination.	UNLIKELY																																																				
 Neighbouring industrial land uses (see environmental data report in Section 3.3 for full listing)	There are one or more potentially contaminative land uses are located within 250 m of the Site: <table><thead><tr><th>Distance from Site</th><th>Number of active industrial land uses</th><th>Number of inactive industrial land uses</th></tr></thead><tbody><tr><td>1 - 50 m</td><td>4</td><td>2</td></tr><tr><td>51 - 100m</td><td>1</td><td>2</td></tr><tr><td>101 - 250 m</td><td>13</td><td>51</td></tr></tbody></table> <table><thead><tr><th>Nr</th><th>Nearest distance</th><th>Land use / permitted activity / authorisation</th></tr></thead><tbody><tr><td>0</td><td>NA</td><td>Fuel station entries</td></tr><tr><td>0</td><td>NA</td><td>Gas pipelines</td></tr><tr><td>0</td><td>NA</td><td>Underground electrical cables</td></tr><tr><td>0</td><td>NA</td><td>Control of major accident hazards sites (COMAH)</td></tr><tr><td>0</td><td>NA</td><td>Notification of installations handling hazardous substances (NIHHS)</td></tr><tr><td>0</td><td>NA</td><td>Explosives sites</td></tr><tr><td>0</td><td>NA</td><td>Planning hazardous substance consents</td></tr><tr><td>0</td><td>NA</td><td>Planning hazardous substance enforcements</td></tr><tr><td>0</td><td>NA</td><td>Sites determined as Contaminated Land under Part IIA of the Environmental Protection Act 1990</td></tr><tr><td>1</td><td>c. 210 m</td><td>Records of Licensed Discharge Consents.</td></tr><tr><td>7</td><td>c. 35 m</td><td>Local Authority pollution prevention and control sites</td></tr><tr><td>0</td><td>NA</td><td>Local Authority pollution prevention and control enforcements</td></tr><tr><td>0</td><td>NA</td><td>Records of Category 3 or 4 Radioactive Substance Licences</td></tr></tbody></table>	Distance from Site	Number of active industrial land uses		Number of inactive industrial land uses	1 - 50 m	4	2	51 - 100m	1	2	101 - 250 m	13	51	Nr	Nearest distance	Land use / permitted activity / authorisation	0	NA	Fuel station entries	0	NA	Gas pipelines	0	NA	Underground electrical cables	0	NA	Control of major accident hazards sites (COMAH)	0	NA	Notification of installations handling hazardous substances (NIHHS)	0	NA	Explosives sites	0	NA	Planning hazardous substance consents	0	NA	Planning hazardous substance enforcements	0	NA	Sites determined as Contaminated Land under Part IIA of the Environmental Protection Act 1990	1	c. 210 m	Records of Licensed Discharge Consents.	7	c. 35 m	Local Authority pollution prevention and control sites	0	NA	Local Authority pollution prevention and control enforcements	0	NA	Records of Category 3 or 4 Radioactive Substance Licences	The potentially contaminative land uses/activities identified in close vicinity of the Site may pose a contamination hazard to the Site should relevant contaminant pathways exist. Contemporary trade directory entries include: Unova (active) paint manufacturers c. 25 m north east. Waylands Reading (active) car dealers c. 35 m north west Renault Trucks South (active) commercial vehicle dealers c. 35 m west. Junk Collectors (inactive) waste disposal services c. 35 m north west. Select Environmental Services (active) recycling services c. 40 m north west Sharpsmart (active) medical waste disposal c. 85 m north west Lancaster Volvo Reading (inactive) car customisation & conversion specialists c. 90 m west Kuehne & Nagel (inactive) distribution services c. 125 m west Hallmark Vehicle Distribution Centre (inactive) car dealers c. 125 m west Discharge Consents Thames Water Utilities Ltd c. 210 m west. Discharge Type: Sewage Discharges - Pumping Station - Water Company. Issued: 2nd November 1989. Status: Revoked. Local Authority Pollution Prevention and Controls 1. Renault Trucks Commercials Ltd c. 35 m west. Description: PG6/34 Respraying of road vehicles. Dated: 25th January 1996. Status: Permitted. 2. National Car Rental c. 90 m north west. Description: PG1/14 Petrol filling station. Dated: Not Supplied. Status: Permitted. 3. Reading Accident Repair Centre c. 120 m north. Description: PG6/34 Respraying of road vehicles. Dated: 22nd August 2000. Status: Permitted. 4. Clydebridge Chemicals Ltd c. 130 m north west. Description: PG6/42 Bitumen and tar processes and PG6/44 Manufacture of coating materials. Dated: 3rd March 1993. Status: Permitted. 5. Jewson Ltd c. 160 m north east. Description: PG6/2 Manufacture of timber and wood-based products. Dated: 27th November 1992. Status: Revoked. 6. Callulair c. 195 m west. Description: PG6/32 Adhesive coating. Dated: 4th January 1996. Status: Revoked.	LOW LIKELIHOOD
Distance from Site	Number of active industrial land uses	Number of inactive industrial land uses																																																								
1 - 50 m	4	2																																																								
51 - 100m	1	2																																																								
101 - 250 m	13	51																																																								
Nr	Nearest distance	Land use / permitted activity / authorisation																																																								
0	NA	Fuel station entries																																																								
0	NA	Gas pipelines																																																								
0	NA	Underground electrical cables																																																								
0	NA	Control of major accident hazards sites (COMAH)																																																								
0	NA	Notification of installations handling hazardous substances (NIHHS)																																																								
0	NA	Explosives sites																																																								
0	NA	Planning hazardous substance consents																																																								
0	NA	Planning hazardous substance enforcements																																																								
0	NA	Sites determined as Contaminated Land under Part IIA of the Environmental Protection Act 1990																																																								
1	c. 210 m	Records of Licensed Discharge Consents.																																																								
7	c. 35 m	Local Authority pollution prevention and control sites																																																								
0	NA	Local Authority pollution prevention and control enforcements																																																								
0	NA	Records of Category 3 or 4 Radioactive Substance Licences																																																								

2.2 Conceptual understanding (potential sources of contamination)

 EA recorded pollution incidents <i>(see environmental data report in Section 3.3 for full listing)</i>	One or more Environment Agency pollution incidents have been recorded within 250 m of the Site. These include: An incident occurred in 1999 c. 110 m north of the Site. The pollutant was storm sewage and the incident was categorised as minor.	POTENTIAL SOURCES OF CONTAMINATION	Given the scale, timing, location and nature of the recorded incidents these past events do not appear to pose a significant contamination hazard to the Site.	UNLIKELY	PROBABILITY OF CONTAMINATION
 Radon <i>(see environmental data report in Section 3.3 for full listing)</i>	According to current UK radon mapping the Site lies in an area where <1% of homes are at or above the UK radon action level (200 Bq/m3).		<1% of homes are at or above the UK radon action level (200 Bq/m3).	UNLIKELY	

2.2 Conceptual understanding (potential sources of contamination)

 Landfills / waste sites <i>(taken within 500m radius of the Site boundary, see environmental data report in Section 3.3 for full listing)</i>	There are one or more BGS Recorded landfills located within 500 m of the Site. These include: Smallmead Tip is located c. 405 m west. No further information has been provided. There are one or more Environment Agency listed historical landfills located within 500 m of the Site. These include: Manor Farm Landfill is located c. 240 m north of the Site; the landfill received inert waste. The dates of operation are unknown. Smallmead Tip is located c. 435 m west of the Site; the landfill received inert, industrial, commercial, household, special waste and liquid sludge between 1972 and 1981. Smallmead Stadium Landfill is located c. 460 m north west of the Site; the landfill received inert waste. The dates of operation are unknown. There are no registered landfills located within 500 m of the Site. There are one or more Local Authority listed historical landfills located within 500 m of the Site. These include: A refuse tip is located c. 410 m west of the Site. No further information has been provided. The following other waste sites are registered within 500 m of the Site: 4 Records of registered waste transfer sites. 0 Records of registered waste treatment or disposal sites. 7 Records of licenced waste management facilities.	POTENTIAL SOURCES OF CONTAMINATION	The potentially contaminative land uses/activities identified in close vicinity of the Site may pose a contamination hazard to the Site should relevant contaminant pathways exist. Any landfills greater than 250 m from the Site are not considered to pose a significant risk and will therefore not be considered as part of the risk assessment. The nearby waste management sites may pose a potential risk to the prevailing land quality at the Site should relevant contaminant pathways exist. Registered Waste Transfer Sites 1. Reading Borough Council c. 210 m north west. Site Category: Transfer. Max Input Rate: Very Low. Dated: 19th October 1998. Licence Status: Suspended. 2. Reading Borough Council c. 250 m west. Site Category: Transfer. Max Input Rate: medium. Dated: 28th September 2001. Licence Status: Operational. There is a second licence recorded at this location which was superseded. 3. Site Wastecare Ltd c. 460 m west. Site Category: Civic Amenity - with transfer. Max Input Rate: Medium. Dated: 28th April 1993. Licence Status: Surrendered. Licenced waste management facilities 1. Select Environmental Services Ltd c. 40 m north. Site Category: Clinical Waste Transfer Station. Issued: 21st May 2009. Licence Status: Issued. 2. The Daniels Corporation International Limited c. 90 m north west. Site Category: Clinical Waste Transfer Station. Issued: 10th January 2003. Last Modified: 16th November 2018. Licence Status: Modified. 3. Reading Borough Council c. 110 m north west. Site Category: Household, Commercial and Industrial Transfer Stations. Issued: 29th June 1992. Last Modified: 28th September 2001. Licence Status: Modified. 4. Reading Borough Council c. 245 m north west. Site Category: Clinical Waste Transfer Stations. Issued: 19th October 1998. Last Modified: 30th August 2005. Licence Status: Issued. 5. Clements Austin Leslie c. 325 m north west. Site Category: Household, Commercial and Industrial Transfer Stations. Issued: 15th December 2006. Licence Status: Revoked. 6. SITA c. 210 m west. Site Category: Household, Commercial and Industrial Transfer Stations. Issued: 28th April 1993. Surrendered: 19th October 1999. Licence Status: Surrendered. 7. Reading Football Club c. 425 m west. Site Category: Household, Commercial and Industrial landfills. Issued: 3rd June 1997. Licence Status: Closed.	LOW LIKELIHOOD PROBABILITY OF CONTAMINATION
---	--	--	--	---

2.3 Conceptual understanding (environmental sensitivity / potential severity of impacts)


 Geology and Groundwater <i>(see the environmental data report in Section 3.3 for full details)</i>	British Geological Survey mapping indicates the absence of any superficial deposits beneath the Site. British Geological Survey mapping indicates that the bedrock geology beneath the majority (99%) consists of Lambeth Group (LMBE) which comprises of clay, silt and sand and is classified as a Secondary (A) Aquifer. The remaining 1% in the south eastern corner of the Site is underlain by London Clay Formation (LC) which comprises of clay, silt and sand and is classified as Unproductive Strata. According to the GeoSmart Groundwater Flood Risk (GW5) Map (GeoSmart, 2021). The risk of groundwater flooding at the Site is 'negligible'. The Site does not lie within a groundwater Source Protection Zone (SPZ). The following groundwater abstraction licences are held within 1 km of the Site: Clean Linen Services Ltd Industrial; Commercial And Public Services: Laundry Use water abstraction located c. 225 m north and c. 240 m north west of the Site. Heineken Uk Ltd/Scottish & Newcastle Uk Limited process water abstraction located c. 530 m south west of the Site. Reading Football Club Plc Environmental: Pump & Treat: General Use (Low Loss) water abstraction located c. 700 m and c. 915 m west of the Site.	POTENTIAL RECEPTORS	A Secondary (A) Aquifer comprises permeable layers capable of supporting water supply at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. Unproductive Strata typically have low permeability and offer negligible water supply or river base flow potential. Based on the susceptibility of the Site to groundwater flooding, a groundwater flood risk assessment is not considered necessary for the Site. The depth to groundwater beneath the Site is unknown. The presence of one or more groundwater abstraction licences within close proximity of the Site indicates a reasonable groundwater resource potential.	MEDIUM	POTENTIAL SEVERITY OF IMPACT
 Geohazards <i>(see the environmental data report in Section 3.3 for full details)</i>	The Site does not lie within a 'Coal Mining Reporting Area'. There are no brine affected areas within 75 m of the Site. No or limited artificial ground / Made Ground is anticipated on Site. The following natural hazards are present at or within 50 m of the Site: Shrinking or swelling clay		The Site does not lie within an identified coal mining area and is therefore unlikely to be affected by related ground stability or mine gas issues. The Site does not lie within an area of former brine working and is therefore unlikely to be affected by related ground stability issues. BGS GeoIndex Onshore mapping does not have any artificial deposits recorded at the Site. The Site has ground stability hazards that should be considered further as part of the redevelopment plans.	MILD	

Superficial Geology (BGS, 2021)



Contains Ordnance Survey data © Crown copyright and database right 2021
Contains British Geological Survey materials © NERC 2021

Bedrock Geology (BGS, 2021)



Contains Ordnance Survey data © Crown copyright and database right 2021
Contains British Geological Survey materials © NERC 2021

2.3 Conceptual understanding (environmental sensitivity / potential severity of impacts)

 Surface water <i>(see the environmental data report in Section 3.3 for full details)</i>	The nearest water feature is a drain, located c. 160 m south of the Site boundary. The Site lies within a Flood Zone 1. There are no surface water abstraction licences within 1 km of the Site.	POTENTIAL RECEPTORS	Given the distance from the Site, the sensitivity of local surface waters is judged to be low.	MILD	POTENTIAL SEVERITY OF IMPACT
 Environmental designations <i>(see the environmental data report in Section 3.3 for full details)</i>	There are no environmentally sensitive land uses within 500 m of the Site.		No relevant environmentally designated sites/receptors have been identified.	NEGLIGIBLE	
 Human receptors	Proposed residents/users of the Site plus neighbouring residences.		Human receptors are proposed to be present on Site.	SEVERE	

2.4 Regulator perspective

Consultation date	25th January 2021	Reading Borough Council
GeoSmart consultant	Jessica Bayliff	Ross Jarvis
Consultation outcome	An Environmental Information Request was obtained from Reading Borough Council, which gave the following information (full response can be found in Section 3.6): 1. The site has been identified by Reading Borough Council as being potentially contaminated due to its former use as a Bus Depot (Start Date: 1936-1959. End Date: 1959-1974). 2. The site has been identified for future investigation under the Council's Part IIA inspection strategy. In its current commercial use the site is classified as a low risk. There is currently no schedule set for the investigation of the site. 3. The Council has no records of site investigations or remediation work at the site or surrounding area. 4. There are the no records of any landfill sites within 250m of the site. 5. The Council do not hold any records of historic pollution incidents. Should you require information on pollution incidents please direct your enquiries to the Environment Agency 6. There are no Environmental Permits issued to the site or those adjacent to it. 7. The Council does not hold any records of private water supplies within 2km of the site.	

2.5 Preliminary Risk Assessment

Nr	Sources	Pathways	TYPE	Receptors	Consequence	Probability	Risk classification	Comments
On-Site and off-Site sources - Long term industrial land use								
1	Potential for inorganic and low volatility organic contaminants to be present within the subsurface soils	Dermal contact, ingestion & inhalation of soils & soil dust	HH	Future Site occupants	MEDIUM	LOW LIKELIHOOD	MODERATE/LOW RISK	Given the long term industrial history of the Site and surrounding area, it is considered possible that contamination will be present within the surrounding subsoils. Given the proposed sensitive residential use of the Site, there is potential that future Site users could be impacted, particularly in the existing softstanding/landscaped areas along the Site perimeters.
2		Consumption of home grown produce	HH		MEDIUM	LOW LIKELIHOOD	MODERATE/LOW RISK	
3		Ingress into water supply pipework and subsequent water ingestion	HH		MEDIUM	LOW LIKELIHOOD	MODERATE/LOW RISK	
4		Building materials in direct contact with aggressive ground	PROP	Future Site buildings	MILD	LOW LIKELIHOOD	LOW RISK	Aggressive ground conditions are not anticipated to be present.
5		Dissolution into pore water/shallow groundwater and subsequent migration	CW	Lambeth Group (99% of the Site) (a Secondary (A) Aquifer)	MEDIUM	LOW LIKELIHOOD	MODERATE/LOW RISK	The potential presence of contaminants could impact groundwater quality within the underlying Secondary (A) Aquifer.
6		Dissolution into pore water/shallow groundwater and subsequent migration	CW	London Clay Formation (1% of the Site in the south eastern corner) (Unproductive Strata)	MILD	LOW LIKELIHOOD	LOW RISK	The risk classification reflects the likely low permeability of the underlying bedrock in the south eastern corner of the Site.
7		Dissolution into pore water/shallow groundwater and subsequent lateral migration	CW	Drain (c. 160 m south)	MEDIUM	UNLIKELY	LOW RISK	The risk classification reflects the reasonable distance to the nearest surface water feature.
8		Dissolution into aqueous phase and preferential migration via drainage structures	CW		MEDIUM	UNLIKELY	LOW RISK	

2.5 Preliminary Risk Assessment

Nr	Sources	Pathways	TYPE	Receptors	Consequence	Probability	Risk classification	Comments
9	Potential for volatile organic contaminants to be present within the subsurface soils	Dermal contact, ingestion & inhalation of soils & soil dust	HH	Future Site occupants	MEDIUM	LOW LIKELIHOOD	MODERATE/LOW RISK	Given the long term industrial history of the Site and surrounding area, it is considered possible that contamination will be present within the surrounding subsoils. Given the proposed sensitive residential use of the Site, there is potential that future Site users could be impacted, particularly in the existing softstanding/landscaped areas along the Site perimeters.
10		Consumption of home grown produce	HH		MEDIUM	LOW LIKELIHOOD	MODERATE/LOW RISK	
11		Ingress into water supply pipework and subsequent water ingestion	HH		MEDIUM	LOW LIKELIHOOD	MODERATE/LOW RISK	
12		Migration of vapours to surface; inhalation indoors	HH		MEDIUM	LOW LIKELIHOOD	MODERATE/LOW RISK	It would be prudent to ensure any new water supply was installed in clean fill trenches utilising barrier pipework as a precaution.
13		Migration of vapours to surface; inhalation outdoors	HH		MEDIUM	UNLIKELY	LOW RISK	
14		Building materials in direct contact with aggressive ground	PROP	Future Site buildings	MILD	LOW LIKELIHOOD	LOW RISK	Aggressive ground conditions are not anticipated to be present.
15		Dissolution into pore water/shallow groundwater and subsequent migration	CW	Lambeth Group (99% of the Site) (a Secondary (A) Aquifer)	MEDIUM	LOW LIKELIHOOD	MODERATE/LOW RISK	The potential presence of contaminants could impact groundwater quality within the underlying Secondary (A) Aquifer.
16		Dissolution into pore water/shallow groundwater and subsequent migration	CW	London Clay Formation (1% of the Site in the south eastern corner) (Unproductive Strata)	MILD	LOW LIKELIHOOD	LOW RISK	The risk classification reflects the likely low permeability of the underlying bedrock in the south eastern corner of the Site.
17		Dissolution into pore water/shallow groundwater and subsequent migration	CW	Drain (c. 160 m south)	MEDIUM	UNLIKELY	LOW RISK	The risk classification reflects the reasonable distance to the nearest surface water feature.
18		Dissolution into aqueous phase and preferential migration via drainage structures	CW		MEDIUM	UNLIKELY	LOW RISK	

2.5 Preliminary Risk Assessment

Nr	Sources	Pathways	TYPE	Receptors	Consequence	Probability	Risk classification	Comments
19	Potential for asbestos containing materials within the subsurface soils	Liberation of sub surface ACMs and inhalation of asbestos fibres	HH	Future Site occupants	MEDIUM	LOW LIKELIHOOD	MODERATE/LOW RISK	ACM was found during the refurbishment/demolition survey for unit 2 in January 2017. Given this and the age of the two units which have not been surveyed, plus the historical depot, asbestos-containing material could be present within these units and surrounding subsoils.
20	Potential for dissolved phase contaminants to be present within shallow groundwater	Lateral and vertical groundwater movement via natural or artificial flow paths	CW	Lambeth Group (99% of the Site) (a Secondary (A) Aquifer)	MEDIUM	LOW LIKELIHOOD	MODERATE/LOW RISK	The potential presence of contaminants could impact groundwater quality within the underlying Secondary (A) Aquifer.
21		Lateral and vertical groundwater movement via natural or artificial flow paths	CW	London Clay Formation (1% of the Site in the south eastern corner) (Unproductive Strata)	MEDIUM	UNLIKELY	LOW RISK	The risk classification reflects the likely low permeability of the underlying bedrock in the south eastern corner of the Site.
22		Lateral and vertical groundwater movement via natural or artificial flow paths	CW	Drain (c. 160 m south)	MEDIUM	UNLIKELY	LOW RISK	The risk classification reflects the reasonable distance to the nearest surface water feature.
23	Potential for elevated methane to be present within the sub-surface soils	Lateral and vertical migration into on-Site buildings; potential to cause an explosion	HH	On-Site properties and their occupants	SEVERE	UNLIKELY	MODERATE/LOW RISK	Based on the prevailing conceptual understanding an appreciable gas source is considered unlikely. The risk classification is a reflection of the severity of consequences rather than the likelihood of occurrence.
24		Lateral migration towards off-Site buildings; potential to cause an explosion	HH	Off-Site properties and their occupants	SEVERE	UNLIKELY	MODERATE/LOW RISK	
25	Potential for elevated carbon dioxide to be present within the subsurface soils	Lateral and vertical migration into on-Site buildings; potential to cause asphyxiation	HH	Occupants of on-Site buildings	SEVERE	UNLIKELY	MODERATE/LOW RISK	
26		Lateral migration towards off-Site buildings; potential to cause asphyxiation	HH	Occupants of off-Site buildings	SEVERE	UNLIKELY	MODERATE/LOW RISK	
27	Potential for radon within the subsurface	Lateral migration towards on-Site buildings; potential to cause long term health effects	HH	Occupants of on-Site buildings	MEDIUM	UNLIKELY	LOW RISK	The Site lies in an area where <1% of homes are at or above the UK radon action level (200 Bq/m3).
OVERALL RISK RATING							MODERATE/LOW RISK	

2.5 Preliminary Risk Assessment

Nr	Sources	Pathways	TYPE	Receptors	Consequence	Probability	Risk classification	Comments
Off-Site sources - Manor Farm Landfill c. 240 m north; the landfill received inert waste. The dates of operation are unknown.								
28	Potential for elevated methane to be present within the sub-surface soils	Lateral and vertical migration into on-Site buildings; potential to cause an explosion	III	On-Site properties and their occupants	SEVERE	UNLIKELY	MODERATE/LOW RISK	Although the landfill is located within 250 m of the Site it is considered unlikely that any associated landfill gases would migrate to and impact the Site and its occupants because the landfill, and area between the Site and the landfill, are underlain by low permeability London Clay which reduces the likelihood of gas migration towards the Site. Additionally, taking the Site setting into consideration, there is a vast amount of infrastructure (services and buildings) between the landfill and the Site which are likely to intercept any migrating gases before they can have any direct impact on the Site itself. The risk classification is a reflection of the severity of consequences rather than the likelihood of occurrence.
29	Potential for elevated carbon dioxide to be present within the subsurface soils	Lateral and vertical migration into on-Site buildings; potential to cause asphyxiation	III	Occupants of on-Site buildings	SEVERE	UNLIKELY	MODERATE/LOW RISK	

2.5 Preliminary Risk Assessment

Nr	Sources	Pathways	TYPE	Receptors	Consequence	Probability	Risk classification	Comments
Off-Site sources - Electricity Sub Station adjacent to the east of the Site (1973 - present)								
30	Potential contaminant: polychlorinated biphenyls (PCBs)	Dermal contact, ingestion & inhalation of soils & soil dust	HH	Future Site occupants	MEDIUM	UNLIKELY	LOW RISK	Given the relatively low mobility of PCB contaminants, it is unlikely that future Site occupants would be impacted.
31		Consumption of home grown produce	HH		MEDIUM	UNLIKELY	LOW RISK	
32		Ingress into water supply pipework and subsequent water ingestion	HH		MEDIUM	UNLIKELY	LOW RISK	
33		Migration of vapours to surface; inhalation indoors	HH		MEDIUM	UNLIKELY	LOW RISK	
34		Migration of vapours to surface; inhalation outdoors	HH		MEDIUM	UNLIKELY	LOW RISK	
35		Dissolution into pore water/shallow groundwater and subsequent migration	CW	Lambeth Group (99% of the Site) (a Secondary (A) Aquifer)	MEDIUM	UNLIKELY	LOW RISK	Although permeable deposits exist, PCBs are not readily soluble.
	OVERALL RISK RATING						MODERATE/LOW RISK	

2.6 Next Steps

✓	Phase 2 intrusive investigation		Given the nature of the historical land use and therefore the potential for contamination to be present at the Site, coupled with the proposed change to a more sensitive residential use, it is recommended that a proportionate programme of site investigation and monitoring works be undertaken in order to establish the presence or absence of contamination and to enable a quantitative assessment of the associated environmental risks. Based on the Phase 1 survey undertaken the Site is appropriate for residential use, subject to the completion of a Phase 2 investigation and implementation of appropriate mitigation measures, which are typically provided to satisfy conditions, once planning permission has been granted. Further advice: Please contact info@geosmartinfo.co.uk for further information regarding the need for a Phase 2 investigation. For information on reputable site investigation companies, enquiries can be made directly to your local authority or via www.endsdirectory.com
---	--	---	---

3. Supporting Information



The following supporting information is contained in this section:

Section	Content
3.1	Referenced materials used in the EnviroSmart reporting
3.2	Site photographs
3.3	Published environmental data records (Landmark Envirocheck report Bennet Court, Bennet Road, Reading, RG2 0QX. REF: 270265102_1_1) including: • Aerial photographs and site map • Environmental permits, incidents and registers • Landfill and other waste sites • Current land use information • Geology • Hydrogeology and hydrology • Flooding • Designated environmentally sensitive sites • Other environmental factors
3.4	Risk assessment methodology
3.5	Historical land use maps
3.6	Data supplied by Reading Borough Council

Disclaimer

This report has been prepared by GeoSmart in its professional capacity as soil and water specialists, with reasonable skill, care and diligence within the agreed scope and terms of contract and taking account of the manpower and resources devoted to it by agreement with its client, and is provided by GeoSmart solely for the internal use of its client.

The advice and opinions in this report should be read and relied on only in the context of the report as a whole, taking account of the terms of reference agreed with the client. The findings are based on the information made available to GeoSmart at the date of the report (and will have been assumed to be correct) and on current UK standards, codes, technology and practices as at that time. They do not purport to include any manner of legal advice or opinion. New information or changes in conditions and regulatory requirements may occur in future, which will change the conclusions presented here.

This report is confidential to the client. The client may submit the report to regulatory bodies, where appropriate. Should the client wish to release this report to any other third party for that party's reliance, GeoSmart may, by prior written agreement, agree to such release, provided that it is acknowledged that GeoSmart accepts no responsibility of any nature to any third party to whom this report or any part thereof is made known. GeoSmart accepts no responsibility for any loss or damage incurred as a result, and the third party does not acquire any rights whatsoever, contractual or otherwise, against GeoSmart except as expressly agreed with GeoSmart in writing.

For full T&Cs see <http://geosmartinfo.co.uk/terms-conditions/>

Important consumer protection information

This search has been produced by GeoSmart Information Limited, Suite 9-11, 1st Floor, Old Bank Buildings, Bellstone, Shrewsbury, SY1 1HU.

Tel: 01743 298100

Email: info@geosmartinfo.co.uk

GeoSmart Information Ltd is registered with the Property Codes Compliance Board (PCCB) as a subscriber to the Search Code. The PCCB independently monitors how registered search firms maintain compliance with the Code.

The Search Code

- provides protection for homebuyers, sellers, estate agents, conveyancers and mortgage lenders who rely on the information included in property search reports undertaken by subscribers on residential and commercial property within the United Kingdom
- sets out minimum standards which firms compiling and selling search reports have to meet
- promotes the best practice and quality standards within the industry for the benefit of consumers and property professionals
- enables consumers and property professionals to have confidence in firms which subscribe to the code, their products and services.

By giving you this information, the search firm is confirming that they keep to the principles of the Code. This provides important protection for you.

The Code's core principles

Firms which subscribe to the Search Code will:

- display the Search Code logo prominently on their search reports
- act with integrity and carry out work with due skill, care and diligence
- at all times maintain adequate and appropriate insurance to protect consumers
- conduct business in an honest, fair and professional manner
- handle complaints speedily and fairly
- ensure that products and services comply with industry registration rules and standards and relevant laws
- monitor their compliance with the Code

Complaints

If you have a query or complaint about your search, you should raise it directly with the search firm, and if appropriate ask for any complaint to be considered under their formal internal complaints procedure. If you remain dissatisfied with the firm's final response, after your complaint has been formally considered, or if the firm has exceeded the response timescales, you may refer your complaint for consideration under The Property Ombudsman scheme (TPOs). The Ombudsman can award compensation of up to £5,000 to you if he finds that you have suffered actual loss as a result of your search provider failing to keep to the Code.

Please note that all queries or complaints regarding your search should be directed to your search provider in the first instance, not to TPOs or to the PCCB.

TPOs contact details:

The Property Ombudsman scheme

Milford House

43-55 Milford Street

Salisbury

Wiltshire SP1 2BP

Tel: 01722 333306

Fax: 01722 332296

Email: admin@tpos.co.uk

You can get more information about the PCCB from www.propertycodes.org.uk

Please ask your search provider if you would like a copy of the search code

Complaints procedure

GeoSmart Information Limited is registered with the Property Codes Compliance Board as a subscriber to the Search Code. A key commitment under the Code is that firms will handle any complaints both speedily and fairly. If you want to make a complaint, we will:

- Acknowledge it within 5 working days of receipt.
- Normally deal with it fully and provide a final response, in writing, within 20 working days of receipt.
- Keep you informed by letter, telephone or e-mail, as you prefer, if we need more time.
- Provide a final response, in writing, at the latest within 40 working days of receipt.
- Liaise, at your request, with anyone acting formally on your behalf.

If you are not satisfied with our final response, or if we exceed the response timescales, you may refer the complaint to The Property Ombudsman scheme (TPOs): Tel: 01722 333306, E-mail: admin@tpos.co.uk.

We will co-operate fully with the Ombudsman during an investigation and comply with his final decision. Complaints should be sent to:

Alan White
Operations Manager
GeoSmart Information Limited
Suite 9-11, 1st Floor
Old Bank Buildings, Bellstone
Shrewsbury
SY1 1HU

Tel: 01743 298100
alanwhite@geosmartinfo.co.uk

3.1 References

The following references were used to inform the conceptual site model and preliminary risk assessment:

British Geological Survey, 2021a. Geology of Britain viewer (<http://www.bgs.ac.uk/discoveringGeology/geologyOfBritain/viewer.html>)

British Geological Survey, 2021b. GeoIndex Onshore (<http://mapapps2.bgs.ac.uk/geoindex/home.html>)

British Standards Institute, 2011. Investigation of potentially contaminated sites – code of practice. BS10175:2011+A1:2013.

CIRIA, 2001. Contaminated land risk assessment. A guide to good practice. Publication C552. CIRIA London. ISBN 0-86017-552 9

Environment Agency, 2020. Land Contamination Risk Management (LCRM)

GeoSmart Information Limited, 2021. National Groundwater Flood Risk Map (GW5)

Health Protection Agency, 2000. Spring 2000 Newsletter featuring: Radon: Guidance on Protective Measures for New Dwellings (BR 211).

Landmark, 2021. Landmark Envirocheck report Bennet Court, Bennet Road, Reading, RG2 0QX. REF: 270265102_1_1

Vital Property Solutions, 2017. Refurbishment & Demolition Asbestos Survey. Unit 2 Bennet Court. Ref: AVPC-01-509

Search Environmental Limited, 2014. Refurbishment Asbestos Survey. Unit 3 Bennet Court. Ref: 20/140221/1R

Search Environmental Limited, 2013. Refurbishment Asbestos Survey. Unit 5 Bennet Court. Ref: 20/130404/1R

3.2 Site photographs



Existing Site Location Plan



Existing Site Layout Plan



Existing Site Photos

Existing Site Photos

3.3 Environmental data report

Readily available environmental information relating to the Site and its surrounding area has been provided by Landmark.

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

270265102_1_1

Customer Reference:

74151

National Grid Reference:

471440, 170130

Slice:

A

Site Area (Ha):

0.74

Search Buffer (m):

1000

Site Details:

Bennet Court
Bennet Road
Reading
RG2 0QX

Client Details:

Ms J Bayliff
Geo Smart Information Limited
Suite 9-11, 1st Floor
Old Bank Buildings
Bellstone
Shrewsbury
Shropshire
SY1 1HU

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	49
Hazardous Substances	59
Geological	62
Industrial Land Use	64
Sensitive Land Use	82
Data Currency	83
Data Suppliers	88
Useful Contacts	89

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2020. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2020. © Natural Resources Wales & United Kingdom Research and Innovation 2020.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2020. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1		Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 1		1	5	29
Prosecutions Relating to Controlled Waters			n/a	n/a	n/a
Enforcement and Prohibition Notices					
Integrated Pollution Controls	pg 10				4
Integrated Pollution Prevention And Control	pg 10			6	17
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls	pg 16		7	1	4
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature	pg 17		Yes		
Pollution Incidents to Controlled Waters	pg 17		1	16	7
Prosecutions Relating to Authorised Processes	pg 21		1		
Registered Radioactive Substances	pg 22			1	8
River Quality	pg 23			1	2
River Quality Biology Sampling Points					
River Quality Chemistry Sampling Points					
Substantiated Pollution Incident Register	pg 23			1	
Water Abstractions	pg 24		2		4 (*43)
Water Industry Act Referrals					
Groundwater Vulnerability Map	pg 36	Yes	n/a	n/a	n/a
Groundwater Vulnerability - Soluble Rock Risk			n/a	n/a	n/a
Bedrock Aquifer Designations	pg 36	Yes	n/a	n/a	n/a
Superficial Aquifer Designations			n/a	n/a	n/a
Source Protection Zones					
Extreme Flooding from Rivers or Sea without Defences				n/a	n/a
Flooding from Rivers or Sea without Defences				n/a	n/a
Areas Benefiting from Flood Defences				n/a	n/a
Flood Water Storage Areas				n/a	n/a
Flood Defences				n/a	n/a
OS Water Network Lines	pg 37		3	22	78

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Waste					
BGS Recorded Landfill Sites	pg 49			1	1
Historical Landfill Sites	pg 49		1	2	5
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)	pg 51				2
Licensed Waste Management Facilities (Locations)	pg 51		4	3	3
Local Authority Landfill Coverage	pg 53	1	n/a	n/a	n/a
Local Authority Recorded Landfill Sites	pg 53			1	2
Registered Landfill Sites	pg 54				5
Registered Waste Transfer Sites	pg 56		3	1	
Registered Waste Treatment or Disposal Sites	pg 58				1
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)	pg 59			1	1
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)	pg 59			2	
Planning Hazardous Substance Consents	pg 59			5	6
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 62	Yes	n/a	n/a	n/a
BGS Recorded Mineral Sites	pg 62				1
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas			n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain	pg 62	Yes	Yes	n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 62	Yes	Yes	n/a	n/a
Potential for Compressible Ground Stability Hazards	pg 62		Yes	n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 62	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 63	Yes	Yes	n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 63	Yes	Yes	n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Industrial Land Use					
Contemporary Trade Directory Entries	pg 64	6	73	39	81
Fuel Station Entries	pg 80				3
Gas Pipelines					
Underground Electrical Cables					
Sensitive Land Use					
Ancient Woodland					
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Areas of Outstanding Natural Beauty					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones	pg 82	1			
Ramsar Sites					
Sites of Special Scientific Interest					
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A13SW (W)	166	1	471250 170100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A13SW (SW)	231	1	471200 170000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A13NE (N)	259	1	471444 170450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	A18SW (N)	330	1	471300 170500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	A18SE (N)	458	1	471444 170650
1	Discharge Consents Operator: Thames Water Utilities Ltd Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Reading, Lower Whiteleyreadinglower Whitley Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Temp.1774 Permit Version: 1 Effective Date: 2nd November 1989 Issued Date: 2nd November 1989 Revocation Date: 27th January 1997 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foundry Brook Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A13NW (W)	208	2	471200 170200
2	Discharge Consents Operator: Thames Water Utilities Ltd Property Type: CONSTRUCTION OF BUILDINGS Location: Land Between Circuit Lane Ps, & Manor Farm Stw, Reading Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Cntm.0374 Permit Version: 1 Effective Date: 24th June 1992 Issued Date: 24th June 1992 Revocation Date: 29th October 1992 Discharge Type: Miscellaneous Discharges - Mine / Groundwater As Raised Discharge: Freshwater Stream/River Environment: Receiving Water: Holy Brook Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A18SW (NW)	375	2	471200 170500
3	Discharge Consents Operator: Agmet Limited Property Type: REAL ESTATE ACTIVITIES/BUYING/SELLING/RENTING Location: Agmet Limited 8 Commercial Road Reading Berkshire Rg2 0qz Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Npswqd009614 Permit Version: 2 Effective Date: 3rd June 2013 Issued Date: 12th March 2010 Revocation Date: 18th December 2018 Discharge Type: Trade Discharges - Cooling Water Discharge: Freshwater Stream/River Environment: Receiving Water: Tributary Of Foudry Brook Status: Surrendered under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A12SE (W)	430	2	470982 170122

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	Discharge Consents Operator: Agmet Limited Property Type: REAL ESTATE ACTIVITIES/BUYING/SELLING/RENTING Location: Agmet Limited 8 Commercial Road Reading Berkshire Rg2 0qz Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Npswqd009614 Permit Version: 1 Effective Date: 12th March 2010 Issued Date: 12th March 2010 Revocation Date: 2nd June 2013 Discharge Type: Trade Discharges - Cooling Water Discharge: Freshwater Stream/River Environment: Receiving Water: Tributary Of Foudry Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A12SE (W)	430	2	470982 170122
4	Discharge Consents Operator: Reading Bc (Thames Water (S+W)) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Manor Farm Stw, Reading, Berks Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Ctrr.1327 Permit Version: 1 Effective Date: 31st January 1985 Issued Date: 12th February 1973 Revocation Date: 16th August 1990 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A18SW (NW)	462	2	471200 170600
4	Discharge Consents Operator: Reading Corp, Reading, Berks, (Thames Water (S+W)) Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Stw, Manor Farm Road, Reading, Berkshire Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Ctrr.0326 Permit Version: 1 Effective Date: 31st January 1985 Issued Date: 12th June 1958 Revocation Date: 15th February 1991 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: Authorisation revoked Positional Accuracy: Manually corrected supplier location	A18SW (NW)	462	2	471200 170600
5	Discharge Consents Operator: Heineken Uk Limited Property Type: MAKING OF BEVERAGES/BREWERIES/SOFT DRINKS Location: Scottish Courage Ltd The Berkshire Brewery Imperial Way Reading Rg2 0pn Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Cawm.0867 Permit Version: 1 Effective Date: 26th August 2004 Issued Date: 15th November 2004 Revocation Date: 10th January 2011 Discharge Type: Trade Effluent Discharge-Site Drainage Discharge: Freshwater Stream/River Environment: Receiving Water: The Smallmead Ditch Status: Revoked under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	561	2	471050 169650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	Discharge Consents Operator: Geoffrey Osborne Ltd. Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Green Park Outlet B, Green Park, Reading, Berkshire Authority: Environment Agency, Thames Region Catchment Area: Not Given Reference: Catm.3310 Permit Version: 1 Effective Date: 15th July 1998 Issued Date: 15th July 1998 Revocation Date: 8th April 1999 Discharge Type: Miscellaneous Discharges - Mine / Groundwater As Raised Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: Consent revoked: Discharge ceased (Section 37(1)) Positional Accuracy: Located by supplier to within 100m	A12NE (W)	561	2	470850 170250
7	Discharge Consents Operator: Thames Water Utilities Limited. Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Stw, Manor Farm Road, Reading, Berkshire Authority: Environment Agency, Thames Region Catchment Area: Not Given Reference: CNTW.0661 Permit Version: 3 Effective Date: 18th December 1998 Issued Date: 17th August 1990 Revocation Date: 8th April 2005 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A18SW (NW)	573	2	471150 170700
7	Discharge Consents Operator: Thames Water Utilities Limited. Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Stw, Manor Farm Road, Reading, Berkshire Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Cntw.0661 Permit Version: 1 Effective Date: 17th August 1990 Issued Date: 17th August 1990 Revocation Date: 29th September 1994 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: Transferred from Water Act 1989 Positional Accuracy: Located by supplier to within 10m	A18SW (NW)	573	2	471150 170700
7	Discharge Consents Operator: Thames Water Utilities Limited. Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Stw, Manor Farm Road, Reading, Berkshire Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Cntw.0661 Permit Version: 2 Effective Date: 30th September 1994 Issued Date: 17th August 1990 Revocation Date: 17th December 1998 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: Varied by Application - (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A18SW (NW)	573	2	471150 170700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	Discharge Consents Operator: Thames Water Utilities Ltd Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Sewage Treatment Works Island Road Reading Berkshire Rg2 0rp Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Cawm.0942 Permit Version: 5 Effective Date: 17th July 2018 Issued Date: 17th July 2018 Revocation Date: 16th January 2019 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 100m	A17SE (NW)	598	2	471100 170700
7	Discharge Consents Operator: Thames Water Utilities Ltd Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Sewage Treatment Works Island Road Reading Berkshire Rg2 0rp Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Cawm.0942 Permit Version: 5 Effective Date: 17th July 2018 Issued Date: 17th July 2018 Revocation Date: 16th January 2019 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 100m	A17SE (NW)	598	2	471100 170700
7	Discharge Consents Operator: Thames Water Utilities Ltd Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Sewage Treatment Works Island Road Reading Berkshire Rg2 0rp Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Cawm.0942 Permit Version: 4 Effective Date: 1st April 2009 Issued Date: 28th January 2009 Revocation Date: 16th July 2018 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A17SE (NW)	598	2	471100 170700
7	Discharge Consents Operator: Thames Water Utilities Ltd Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Sewage Treatment Works Island Road Reading Berkshire Rg2 0rp Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Cawm.0942 Permit Version: 4 Effective Date: 1st April 2009 Issued Date: 28th January 2009 Revocation Date: 16th July 2018 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A17SE (NW)	598	2	471100 170700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	Discharge Consents Operator: Thames Water Utilities Ltd. Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Sewage Treatment Works Island Road Reading Berkshire Rg2 0rp Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Cawm.0942 Permit Version: 4 Effective Date: 1st April 2009 Issued Date: 28th January 2009 Revocation Date: 16th July 2018 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A17SE (NW)	598	2	471100 170700
7	Discharge Consents Operator: Thames Water Utilities Ltd. Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Sewage Treatment Works Island Road Reading Berkshire Rg2 0rp Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Cawm.0942 Permit Version: 4 Effective Date: 1st April 2009 Issued Date: 28th January 2009 Revocation Date: 16th July 2018 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A17SE (NW)	598	2	471100 170700
7	Discharge Consents Operator: Thames Water Utilities Ltd. Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Sewage Treatment Works Island Road Reading Berkshire Rg2 0rp Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Cawm.0942 Permit Version: 3 Effective Date: 29th June 2007 Issued Date: 29th June 2007 Revocation Date: 31st March 2009 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A17SE (NW)	598	2	471100 170700
7	Discharge Consents Operator: Thames Water Utilities Ltd. Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Sewage Treatment Works Island Road Reading Berkshire Rg2 0rp Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Cawm.0942 Permit Version: 3 Effective Date: 29th June 2007 Issued Date: 29th June 2007 Revocation Date: 31st March 2009 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A17SE (NW)	598	2	471100 170700

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	Discharge Consents Operator: Thames Water Utilities Ltd. Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Sewage Treatment Works Island Road Reading Berkshire Rg2 0rp Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Cawm.0942 Permit Version: 2 Effective Date: 13th February 2006 Issued Date: 13th February 2006 Revocation Date: 28th June 2007 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A17SE (NW)	598	2	471100 170700
7	Discharge Consents Operator: Thames Water Utilities Ltd. Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Sewage Treatment Works Island Road Reading Berkshire Rg2 0rp Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Cawm.0942 Permit Version: 2 Effective Date: 13th February 2006 Issued Date: 13th February 2006 Revocation Date: 28th June 2007 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A17SE (NW)	598	2	471100 170700
7	Discharge Consents Operator: Thames Water Utilities Ltd. Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Sewage Treatment Works Island Road Reading Berkshire Rg2 0rp Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Cawm.0942 Permit Version: 1 Effective Date: 31st March 2005 Issued Date: 26th May 2005 Revocation Date: 12th February 2006 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A17SE (NW)	598	2	471100 170700
7	Discharge Consents Operator: Thames Water Utilities Ltd. Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Sewage Treatment Works Island Road Reading Berkshire Rg2 0rp Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Cawm.0942 Permit Version: 6 Effective Date: 17th January 2019 Issued Date: 17th January 2019 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A18SW (NW)	600	2	471130 170720

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
7	Discharge Consents Operator: Thames Water Utilities Ltd Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Sewage Treatment Works Island Road Reading Berkshire Rg2 0rp Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Cawm.0942 Permit Version: 6 Effective Date: 17th January 2019 Issued Date: 17th January 2019 Revocation Date: Not Supplied Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: Varied under EPR 2010 Positional Accuracy: Located by supplier to within 10m	A18SW (NW)	600	2	471130 170720
8	Discharge Consents Operator: Thames Water Utilities Limited. Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Stw, Manor Farm Road, Reading, Berkshire Authority: Environment Agency, Thames Region Catchment Area: Not Given Reference: CTCR.0327 Permit Version: 1 Effective Date: 31st January 1985 Issued Date: 12th June 1958 Revocation Date: 8th April 2005 Discharge Type: Sewage Discharges - Stw Storm Overflow/Storm Tank - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A17SE (NW)	685	2	471100 170800
9	Discharge Consents Operator: Scottish Courage Brewing Ltd Property Type: MAKING OF BEVERAGES/BREWERIES/SOFT DRINKS Location: The Berkshire Brewery, Imperialway, Reading, Berks Authority: Environment Agency, Thames Region Catchment Area: Not Given Reference: Ctwc.1558 Permit Version: 1 Effective Date: 27th March 1987 Issued Date: 27th March 1987 Revocation Date: 1st October 1996 Discharge Type: Sewage Discharges - Final/Treated Effluent - Not Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Smallmead Ditch Status: Lapsed (under Environment Act 1995, Schedule 23) Positional Accuracy: Located by supplier to within 100m	A7NE (SW)	702	2	470900 169600
10	Discharge Consents Operator: Thames Water Utilities Limited. Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Stw, Manor Farm Road, Reading, Berkshire Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Ctrc.1965 Permit Version: 3 Effective Date: 21st December 2000 Issued Date: 21st December 2000 Revocation Date: 8th April 2005 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: Revoked (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A17NE (NW)	776	2	471100 170900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
10	Discharge Consents Operator: Thames Water Utilities Limited. Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Stw, Manor Farm Road, Reading, Berkshire Authority: Environment Agency, Thames Region Catchment Area: Not Given Reference: CTCR.1965 Permit Version: 1 Effective Date: 31st January 1985 Issued Date: 28th February 1983 Revocation Date: 17th December 1998 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: Varied by Application - (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A17NE (NW)	776	2	471100 170900
10	Discharge Consents Operator: Thames Water Utilities Limited. Property Type: WWTW/SEWAGE TREATMENT WORKS (WATER COMPANY) Location: Reading Stw, Manor Farm Road, Reading, Berkshire Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Ctr.1965 Permit Version: 2 Effective Date: 18th December 1998 Issued Date: 28th February 1983 Revocation Date: 20th December 2000 Discharge Type: Sewage Discharges - Final/Treated Effluent - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Brook Status: Modified (Water Resources Act 1991, Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 100m	A17NE (NW)	776	2	471100 170900
11	Discharge Consents Operator: Thames Water Utilities Ltd Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Reading, Upper Whitleyreadingupper Whitley Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Temp.1778 Permit Version: 2 Effective Date: 3rd September 2010 Issued Date: 3rd September 2010 Revocation Date: 13th October 2015 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Kennet Status: Surrendered under EPR 2010 Positional Accuracy: Located by supplier to within 100m	A18NE (N)	808	2	471500 171000
11	Discharge Consents Operator: Thames Water Utilities Ltd Property Type: PUMPING STATION ON SEWERAGE NETWORK (WATER COMPANY) Location: Reading, Upper Whitleyreadingupper Whitley Authority: Environment Agency, Thames Region Catchment Area: Not Supplied Reference: Temp.1778 Permit Version: 1 Effective Date: 2nd November 1989 Issued Date: 2nd November 1989 Revocation Date: 2nd September 2010 Discharge Type: Sewage Discharges - Pumping Station - Water Company Discharge: Freshwater Stream/River Environment: Receiving Water: Kennet Status: Temporary Consents (Water Act 1989, Section 113) Positional Accuracy: Located by supplier to within 100m	A18NE (N)	808	2	471500 171000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
12	Discharge Consents Operator: Reading Borough Council Property Type: WASTE COLLECTION/TREATMENT/DISPOSAL/MATERIALS RECOVERY Location: Smallmead Recycling Plant, Island Road, Reading, Berkshire Authority: Environment Agency, Thames Region Catchment Area: Not Given Reference: CATM.2926 Permit Version: 1 Effective Date: 24th June 1997 Issued Date: 24th June 1997 Revocation Date: Not Supplied Discharge Type: Trade Effluent Discharge-Site Drainage Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Br. Flood Relief Ch'Nel Status: New Consent, by Application (Water Resources Act 1991, Section 88) Positional Accuracy: Located by supplier to within 100m	A17SW (NW)	909	2	470710 170770
12	Discharge Consents Operator: Clugston Ltd Property Type: WASTE COLLECTION/TREATMENT/DISPOSAL/MATERIALS RECOVERY Location: New Civic Amenity Site Island Road Reading Berkshire Rg2 0rp Authority: Environment Agency, Thames Region Catchment Area: Kennet Reference: Cawm.1451 Permit Version: 1 Effective Date: 9th February 2007 Issued Date: 9th February 2007 Revocation Date: 4th March 2009 Discharge Type: Trade Effluent Discharge-Site Drainage Discharge: Freshwater Stream/River Environment: Receiving Water: Tributary Of River Kennet Status: New Consent (Water Resources Act 1991, Section 88 & Schedule 10 as amended by Environment Act 1995) Positional Accuracy: Located by supplier to within 10m	A17SW (NW)	948	2	470670 170783
13	Discharge Consents Operator: Hasmead Ltd. Property Type: SPORT, AMUSEMENT+RECREATION/GOLF CLUB/GYM/THEME PK/SPA Location: Business Park, Smallmead Farm, Smallmead Road, Pingewood, Reading, Berks Authority: Environment Agency, Thames Region Catchment Area: Not Given Reference: CATM.3041 Permit Version: 1 Effective Date: 2nd October 1997 Issued Date: 2nd October 1997 Revocation Date: 31st December 1998 Discharge Type: Miscellaneous Discharges - Mine / Groundwater As Raised Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Br. Flood Relief Ch'Nel Status: Authorisation revoked Positional Accuracy: Located by supplier to within 100m	A12NW (W)	915	2	470500 170300
13	Discharge Consents Operator: Geoffrey Osborne Ltd. Property Type: STORM TANK/CSO ON SEWERAGE NETWORK (WATER COMPANY) Location: Green Park Outlet A, Green Park, Reading, Berkshire Authority: Environment Agency, Thames Region Catchment Area: Not Given Reference: Catm.3309 Permit Version: 1 Effective Date: 15th July 1998 Issued Date: 15th July 1998 Revocation Date: 2nd October 1999 Discharge Type: Miscellaneous Discharges - Mine / Groundwater As Raised Discharge: Freshwater Stream/River Environment: Receiving Water: Foudry Br. Flood Relief Ch'Nel Status: Consent revoked: Discharge ceased (Section 37(1)) Positional Accuracy: Located by supplier to within 100m	A12NW (W)	921	2	470500 170340
14	Prosecutions Relating to Controlled Waters Location: Gainsborough House, Manor Farm Road, READING, Berkshire, RG2 0JH Prosecution Text: EA Data 02/09/1999 (Ref 141/99), Knowingly polluting the Sor Brook and River Bure with silt on three occasions in February 1998. Prosecution Act: WRA91 s85(1) Hearing Date: 22nd July 1999 Verdict: Guilty Fine: 15000 Cost: 2974.35 Positional Accuracy: Manually positioned to the road within the address or location	A18SE (N)	498	2	471646 170659

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
15	Integrated Pollution Controls Name: Scottish And Newcastle Uk Ltd Location: Berkshire Brewery, Imperial Way, READING, Berkshire, RG2 0PN Authority: Environment Agency, Thames Region Permit Reference: BD5194 Dated: 24th November 1998 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry Status: Revoked - Now IPPC Positional Accuracy: Automatically positioned in the proximity of the address	A8SW (S)	788	2	471300 169294
15	Integrated Pollution Controls Name: Courage Ltd Location: Berkshire Brewery, Imperial Way, READING, RG2 0PN Authority: Environment Agency, Thames Region Permit Reference: AG1441 Dated: 3rd August 1992 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry Status: Application received by HMIP but is not yet authorised Positional Accuracy: Automatically positioned in the proximity of the address	A8SW (S)	788	2	471300 169294
15	Integrated Pollution Controls Name: Scottish And Newcastle Uk Ltd Location: Berkshire Brewery, Imperial Way, READING, Berkshire, RG2 0PN Authority: Environment Agency, Thames Region Permit Reference: AU9608 Dated: 6th March 1996 Process Type: IPC minor (non-substantial) variation to previous variation Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned in the proximity of the address	A8SW (S)	792	2	471305 169289
15	Integrated Pollution Controls Name: Scottish And Newcastle Uk Ltd Location: Berkshire Brewery, Imperial Way, READING, Berkshire, RG2 0PN Authority: Environment Agency, Thames Region Permit Reference: AA8508 Dated: 29th May 1992 Process Type: IPC new application Description: 1.3 A (A) Combustion processes within the Fuel & Power Industry Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned in the proximity of the address	A8SW (S)	793	2	471300 169289
16	Integrated Pollution Prevention And Control Name: Gillette Uk Limited Location: Soap Manufacture Gillette Reading - Epr/Lp3238ls, 452, Basingstoke Road,Whitley,, Reading, Berkshire, RG2 0QE Authority: Environment Agency - South East Region, West Thames Area Permit Reference: EP3732NR Original Permit Ref: Lp3238ls Effective Date: 20th August 2013 Status: Effective Application Type: Variation App. Sub Type: Simple Standard Variation Positional Accuracy: Automatically positioned to the address Activity Code: 4.1 A(1) (A) (XI) Activity Description: Organic Chemicals; Surface-Active Agents Primary Activity: Y	A18SE (N)	305	2	471546 170488
16	Integrated Pollution Prevention And Control Name: Gillette Uk Limited Location: Soap Manufacture Gillette Reading, 452, Basingstoke Road,Whitley,, Reading, Berkshire, RG2 0QE Authority: Environment Agency - South East Region, West Thames Area Permit Reference: GP3234CM Original Permit Ref: Lp3238ls Effective Date: 13th July 2012 Status: Superseded By Variation Application Type: Variation App. Sub Type: Standard Positional Accuracy: Automatically positioned to the address Activity Code: 4.1 A(1) (A) (XI) Activity Description: Organic Chemicals; Surface-Active Agents Primary Activity: Y	A18SE (N)	305	2	471546 170488

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
16	Integrated Pollution Prevention And Control Name: Gillette Uk Limited Location: Soap Manufacture Gillette Reading, 452, Basingstoke Road,Whitley,, Reading, Berkshire, RG2 0QE Authority: Environment Agency - South East Region, West Thames Area Permit Reference: NP3739KE Original Permit Ref: Lp3238ls Effective Date: 19th January 2010 Status: Superseded By Variation Application Type: Variation App. Sub Type: Standard Positional Accuracy: Automatically positioned to the address Activity Code: 4.1 A(1) (A) (XI) Activity Description: Organic Chemicals; Surface-Active Agents Primary Activity: Y	A18SE (N)	305	2	471546 170488
16	Integrated Pollution Prevention And Control Name: Gillette Uk Limited Location: Soap Manufacture Gillette Reading, 452, Basingstoke Road,Whitley,, Reading, Berkshire, RG2 0QE Authority: Environment Agency, Thames Region Permit Reference: NP3739KE Original Permit Ref: Lp3238ls Effective Date: 19th January 2010 Status: Effective Application Type: Variation App. Sub Type: Standard Positional Accuracy: Automatically positioned to the address Activity Code: 4.1 A(1) (A) (XI) Activity Description: Organic Chemicals; Surface-Active Agents Primary Activity: Y	A18SE (N)	305	2	471546 170488
16	Integrated Pollution Prevention And Control Name: Gillette Uk Limited Location: Soap Manufacture Gillette Reading, 452, Basingstoke Road,Whitley,, Reading, Berkshire, RG2 0QE Authority: Environment Agency - South East Region, West Thames Area Permit Reference: LP3238LS Original Permit Ref: Lp3238ls Effective Date: 15th June 2007 Status: Superseded By Variation Application Type: Application App. Sub Type: New Positional Accuracy: Automatically positioned to the address Activity Code: 4.1 A(1) (A) (XI) Activity Description: Organic Chemicals; Surface-Active Agents Primary Activity: Y	A18SE (N)	305	2	471546 170488
16	Integrated Pollution Prevention And Control Name: Gillette Uk Limited Location: 452, Basingstoke Road, Reading, RG2 0QE Authority: Environment Agency, Thames Region Permit Reference: LP3238LS Original Permit Ref: Lp3238ls Effective Date: 15th June 2007 Status: Superseded By Variation Application Type: Application App. Sub Type: New Positional Accuracy: Automatically positioned to the address Activity Code: 4.1 A(1) (A) (XI) Activity Description: Organic Chemicals; Surface-Active Agents Primary Activity: Y	A18SE (N)	305	2	471546 170488
17	Integrated Pollution Prevention And Control Name: Thames Water Utilities Ltd Location: Reading C H P, Reading Stw, Island Road,,, READING, Berkshire, RG2 0RP Authority: Environment Agency - South East Region, West Thames Area Permit Reference: MP3338LU Original Permit Ref: Mp3338lu Effective Date: 19th December 2006 Status: Superseded By Variation Application Type: Application App. Sub Type: New Positional Accuracy: Located by supplier to within 100m Activity Code: 1.1 A(1) (B) (III) Activity Description: Combustion; Waste Derived Fuel Greater Or Equal To 3Mw But Less Than 50Mw Primary Activity: Y	A17SE (NW)	729	2	470800 170590

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
17	Integrated Pollution Prevention And Control Name: Thames Water Utilities Ltd Location: Reading Combined Heat And Power Plant, Reading Stw, Island Road,, READING, Berkshire, RG2 0RP Authority: Environment Agency - South East Region, West Thames Area Permit Reference: VP3134ZV Original Permit Ref: Mp3338lu Effective Date: Not Supplied Status: Valid Application Type: Variation App. Sub Type: Minor Positional Accuracy: Located by supplier to within 100m Activity Code: 0.0 Associated Process Activity Description: Associated Process Primary Activity: Y	A17SE (NW)	729	2	470800 170590
18	Integrated Pollution Prevention And Control Name: Heineken Uk Ltd Location: Berkshire Brewery, Reading, Imperial Way, Basingstoke Road,, Reading, Berkshire, RG2 0PN Authority: Environment Agency - South East Region, West Thames Area Permit Reference: NP3339FS Original Permit Ref: Bp5344ih Effective Date: 25th July 2011 Status: Surrender Effective Application Type: Surrender App. Sub Type: Whole Positional Accuracy: Automatically positioned to the address Activity Code: 6.8 A(1) (D) (II) Activity Description: Animal, Vegetable & Food; Treating Etc. Vegetable Raw Materials For Food Greater Than 300T/Day Primary Activity: Y Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: N Activity Code: 6.8 A(1) (D) (II) Activity Description: Animal, Vegetable & Food; Treating Etc. Vegetable Raw Materials For Food Greater Than 300T/Day Primary Activity: N	A8SW (S)	763	2	471212 169338
18	Integrated Pollution Prevention And Control Name: Heineken Uk Ltd Location: Berkshire Brewery, Reading, Imperial Way, Basingstoke Road,, Reading, Berkshire, RG2 0PN Authority: Environment Agency - South East Region, West Thames Area Permit Reference: NP3539FX Original Permit Ref: Tp3834tj Effective Date: 25th July 2011 Status: Surrender Effective Application Type: Surrender App. Sub Type: Whole Positional Accuracy: Automatically positioned to the address Activity Code: 6.8 A(1) (D) (II) Activity Description: Animal, Vegetable & Food; Treating Etc. Vegetable Raw Materials For Food Greater Than 300T/Day Primary Activity: Y Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: N	A8SW (S)	763	2	471212 169338
18	Integrated Pollution Prevention And Control Name: Heineken Uk Ltd Location: Berkshire Brewery, Reading, Imperial Way, Basingstoke Road,, Reading, Berkshire, RG2 0PN Authority: Environment Agency - South East Region, West Thames Area Permit Reference: TP3834TJ Original Permit Ref: Tp3834tj Effective Date: 15th June 2010 Status: Superseded By Variation Application Type: Transfer App. Sub Type: Whole limited change in management Positional Accuracy: Automatically positioned to the address Activity Code: 6.8 A(1) (D) (II) Activity Description: Animal, Vegetable & Food; Treating Etc. Vegetable Raw Materials For Food Greater Than 300T/Day Primary Activity: Y Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: N	A8SW (S)	763	2	471212 169338

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
18	Integrated Pollution Prevention And Control Name: Heineken Uk Ltd Location: Berkshire Brewery, Reading, Imperial Way, Basingstoke Road,,, Reading, Berkshire, RG2 0PN Authority: Environment Agency, Thames Region Permit Reference: TP3834TJ Original Permit Ref: Tp3834tj Effective Date: 15th June 2010 Status: Superseded By Variation Application Type: Transfer App. Sub Type: Whole limited change in management Positional Accuracy: Automatically positioned to the address Activity Code: 6.8 A(1) (D) (II) Activity Description: Animal, Vegetable & Food; Treating Etc. Vegetable Raw Materials For Food Greater Than 300T/Day Primary Activity: Y Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: N	A8SW (S)	763	2	471212 169338
18	Integrated Pollution Prevention And Control Name: Dalkia Utilities Services Plc Location: Berkshire Brewery, Reading, Imperial Way, Basingstoke Road,,, Reading, Berkshire, RG2 0PN Authority: Environment Agency - South East Region, West Thames Area Permit Reference: ZP3339XK Original Permit Ref: Zp3635sb Effective Date: 20th December 2007 Status: Superseded By Variation Application Type: Variation App. Sub Type: Minor Positional Accuracy: Automatically positioned to the address Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: N Activity Code: 6.8 A(1) (D) (II) Activity Description: Animal, Vegetable & Food; Treating Etc. Vegetable Raw Materials For Food Greater Than 300T/Day Primary Activity: Y	A8SW (S)	763	2	471212 169338
18	Integrated Pollution Prevention And Control Name: Dalkia Utilities Services Plc Location: Berkshire Brewery, Reading, Imperial Way, Reading, RG2 0PN Authority: Environment Agency, Thames Region Permit Reference: ZP3339XK Original Permit Ref: Zp3635sb Effective Date: 20th December 2007 Status: Superseded By Variation Application Type: Variation App. Sub Type: Minor Positional Accuracy: Automatically positioned to the address Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: N Activity Code: 6.8 A(1) (D) (II) Activity Description: Animal, Vegetable & Food; Treating Etc. Vegetable Raw Materials For Food Greater Than 300T/Day Primary Activity: Y	A8SW (S)	763	2	471212 169338
18	Integrated Pollution Prevention And Control Name: Scottish & Newcastle Uk Limited Location: Berkshire Brewery, Reading, Imperial Way, Basingstoke Road,,, Reading, Berkshire, RG2 0PN Authority: Environment Agency - South East Region, West Thames Area Permit Reference: BP5344IH Original Permit Ref: Bp5344ih Effective Date: 20th February 2006 Status: Superseded By Variation Application Type: Application App. Sub Type: New Positional Accuracy: Automatically positioned to the address Activity Code: 6.8 A(1) (D) (II) Activity Description: Animal, Vegetable & Food; Treating Etc. Vegetable Raw Materials For Food Greater Than 300T/Day Primary Activity: Y Activity Code: 6.8 A(1) (D) (II) Activity Description: Animal, Vegetable & Food; Treating Etc. Vegetable Raw Materials For Food Greater Than 300T/Day Primary Activity: N Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: N	A8SW (S)	763	2	471212 169338

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
18	Integrated Pollution Prevention And Control Name: Dalkia Utilities Services Plc Location: Berkshire Brewery, Reading, Imperial Way, Basingstoke Road,,, Reading, Berkshire, RG2 0PN Authority: Environment Agency - South East Region, West Thames Area Permit Reference: ZP3635SB Original Permit Ref: Zp3635sb Effective Date: 20th February 2006 Status: Superseded By Variation Application Type: Application App. Sub Type: New Positional Accuracy: Automatically positioned to the address Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: Y	A8SW (S)	763	2	471212 169338
18	Integrated Pollution Prevention And Control Name: Scottish & Newcastle Uk Limited Location: Berkshire Brewery, Reading, Imperial Way, Basingstoke Road,,, Reading, Berkshire, RG2 0PN Authority: Environment Agency, Thames Region Permit Reference: Bp5344ih Original Permit Ref: Bp5344ih Effective Date: 20th February 2006 Status: Superseded By Variation Application Type: Application App. Sub Type: New Positional Accuracy: Automatically positioned to the address Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: N Activity Code: 6.8 A(1) (D) (II) Activity Description: Animal, Vegetable & Food; Treating Etc. Vegetable Raw Materials For Food Greater Than 300T/Day Primary Activity: N Activity Code: 6.8 A(1) (D) (II) Activity Description: Animal, Vegetable & Food; Treating Etc. Vegetable Raw Materials For Food Greater Than 300T/Day Primary Activity: Y	A8SW (S)	763	2	471212 169338
18	Integrated Pollution Prevention And Control Name: Dalkia Utilities Services Plc Location: Berkshire Brewery, Reading, Imperial Way, Basingstoke Road,,, Reading, Berkshire, RG2 0PN Authority: Environment Agency, Thames Region Permit Reference: Zp3635sb Original Permit Ref: Zp3635sb Effective Date: 20th February 2006 Status: Superseded By Variation Application Type: Application App. Sub Type: New Positional Accuracy: Automatically positioned to the address Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: Y	A8SW (S)	763	2	471212 169338
19	Integrated Pollution Prevention And Control Name: Thames Water Utilities Ltd Location: Reading C H P, Reading Stw, Island Road, Reading, Berkshire, RG2 0RP Authority: Environment Agency, Thames Region Permit Reference: MP3338LU Original Permit Ref: Mp3338lu Effective Date: 19th December 2006 Status: Effective Application Type: Application App. Sub Type: New Positional Accuracy: Manually positioned to the road within the address or location Activity Code: 1.1 A(1) (B) (III) Activity Description: Combustion; Waste Derived Fuel Greater Or Equal To 3Mw But Less Than 50Mw Primary Activity: Y	A17SE (NW)	841	2	470829 170798

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
20	Integrated Pollution Prevention And Control Name: Heineken Uk Ltd Location: Berkshire Brewery, Reading, Imperial Way, Basingstoke Road,,, Reading, Berkshire, RG2 0PN Authority: Environment Agency, Thames Region Permit Reference: NP3539FX Original Permit Ref: Tp3834tj Effective Date: 25th July 2011 Status: Surrender Effective Application Type: Surrender App. Sub Type: Whole Positional Accuracy: Located by supplier to within 100m Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: N Activity Code: 6.8 A(1) (D) (II) Activity Description: Animal, Vegetable & Food; Treating Etc. Vegetable Raw Materials For Food Greater Than 300T/Day Primary Activity: Y	A7SE (SW)	853	2	471000 169330
20	Integrated Pollution Prevention And Control Name: Heineken Uk Ltd Location: Berkshire Brewery, Reading, Imperial Way, Basingstoke Road,,, Reading, Berkshire, RG2 0PN Authority: Environment Agency, Thames Region Permit Reference: NP3339FS Original Permit Ref: Bp5344ih Effective Date: 25th July 2011 Status: Surrender Effective Application Type: Surrender App. Sub Type: Whole Positional Accuracy: Located by supplier to within 100m Activity Code: 6.8 A(1) (D) (II) Activity Description: Animal, Vegetable & Food; Treating Etc. Vegetable Raw Materials For Food Greater Than 300T/Day Primary Activity: Y Activity Code: 1.1 A(1) (A) Activity Description: Combustion; Any Fuel Greater Or Equal To 50Mw Primary Activity: N Activity Code: 6.8 A(1) (D) (II) Activity Description: Animal, Vegetable & Food; Treating Etc. Vegetable Raw Materials For Food Greater Than 300T/Day Primary Activity: N	A7SE (SW)	853	2	471000 169330
21	Integrated Pollution Prevention And Control Name: Novera Energy Generation No 1 Limited Location: Burghfield Landfill Gas Utilisation Site, Burghfield Landfill Site, Island Road,,, READING, Berkshire, RG2 0RP Authority: Environment Agency, Thames Region Permit Reference: EP3038GH Original Permit Ref: Ep3038gh Effective Date: 6th July 2009 Status: Superseded By Variation Application Type: Application App. Sub Type: New Positional Accuracy: Manually positioned to the road within the address or location Activity Code: 1.1 A(1) (B) (III) Activity Description: Combustion; Waste Derived Fuel Greater Or Equal To 3Mw But Less Than 50Mw Primary Activity: Y	A17NW (NW)	947	2	470703 170821
21	Integrated Pollution Prevention And Control Name: Biffa Waste Services Ltd Location: Burghfield Landfill, Burghfield Lfs, Island Road,,, READING, Berkshire, RG2 0RR Authority: Environment Agency, Thames Region Permit Reference: PP3935GT Original Permit Ref: Bu7910iq Effective Date: Not Supplied Status: Application refused Application Type: Transfer App. Sub Type: Whole with Fit and Proper Person Positional Accuracy: Manually positioned to the road within the address or location Activity Code: 5.2 A(1) (A) Activity Description: Waste Landfilling; Greater Than 10 T/D With Capacity Greater Than 25,000T Excluding Inert Waste Primary Activity: Y	A17NW (NW)	980	2	470664 170826

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
22	Local Authority Pollution Prevention and Controls Name: Renault Trucks Commercials Ltd Location: Bennet Road, Reading, Berkshire, RG2 0QX Authority: Reading Borough Council, Environmental Health Department Permit Reference: EPA/PA.R.B/20/95/P1 Dated: 25th January 1996 Process Type: Local Authority Pollution Prevention and Control Description: PG6/34 Respraying of road vehicles Status: Permitted Positional Accuracy: Manually positioned to the address or location	A13NW (W)	34	3	471378 170142
23	Local Authority Pollution Prevention and Controls Name: National Car Rental Location: 6-8 Commercial Road, Reading, Berkshire, RG2 0QZ Authority: Reading Borough Council, Environmental Health Department Permit Reference: EPA/PA.R.B/51/03/P1 Dated: Not Supplied Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Permitted Positional Accuracy: Manually positioned to the address or location	A13NW (NW)	92	3	471374 170273
24	Local Authority Pollution Prevention and Controls Name: Reading Accident Repair Centre Location: 10 Commercial Road, READING, Berkshire, RG2 0QZ Authority: Reading Borough Council, Environmental Health Department Permit Reference: EPA/PA.R.B/49/00/P1 Dated: 22nd August 2000 Process Type: Local Authority Pollution Prevention and Control Description: PG6/34 Respraying of road vehicles Status: Permitted Positional Accuracy: Manually positioned to the address or location	A13NW (N)	122	3	471411 170310
25	Local Authority Pollution Prevention and Controls Name: Clydebridge Chemicals Ltd Location: 7 Darwin Close, READING, Berkshire, RG2 0TB Authority: Reading Borough Council, Environmental Health Department Permit Reference: EPA/PA.R.B/7/92/P1 Dated: 3rd March 1993 Process Type: Local Authority Pollution Prevention and Control Description: PG6/42 Bitumen and tar processes Status: Permitted Positional Accuracy: Manually positioned to the address or location	A13NW (NW)	128	3	471319 170280
25	Local Authority Pollution Prevention and Controls Name: Clydebridge Chemicals Ltd Location: 7 Darwin Close, Reading, Berkshire, RG2 0TB Authority: Reading Borough Council, Environmental Health Department Permit Reference: EPA/PA.R.B/7/92/P2 Dated: 3rd March 1993 Process Type: Local Authority Pollution Prevention and Control Description: PG6/44 Manufacture of coating materials Status: Permitted Positional Accuracy: Manually positioned to the address or location	A13NW (NW)	128	3	471319 170280
26	Local Authority Pollution Prevention and Controls Name: Jewson Ltd Location: 468 Basingstoke Road, READING, Berkshire, RG2 0QQ Authority: Reading Borough Council, Environmental Health Department Permit Reference: EPA/PA.R.B/a/91 Dated: 27th November 1992 Process Type: Local Authority Air Pollution Control Description: PG6/2 Manufacture of timber and wood-based products Status: Authorisation revoked Positional Accuracy: Automatically positioned to the address	A13NE (NE)	159	3	471617 170256
27	Local Authority Pollution Prevention and Controls Name: Cellulair Location: Bennet Road, READING, Berkshire, RG2 0QT Authority: Reading Borough Council, Environmental Health Department Permit Reference: Epa/Par.B/8/92 Dated: 4th January 1996 Process Type: Local Authority Air Pollution Control Description: PG6/32 Adhesive coating Status: Authorisation revoked Positional Accuracy: Manually positioned to the road within the address or location	A13NW (W)	194	3	471214 170176

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
28	Local Authority Pollution Prevention and Controls Name: Fraikin Ltd Location: 34 Bennet Road, READING, Berkshire, RG2 0QX Authority: Reading Borough Council, Environmental Health Department Permit Reference: EPA/PA.R.B/15/93 Dated: 16th November 1992 Process Type: Local Authority Air Pollution Control Description: PG1/1Waste oil burners, less than 0.4MW net rated thermal input Status: Authorisation revoked Positional Accuracy: Manually positioned to the address or location	A13SW (W)	283	3	471131 170114
29	Local Authority Pollution Prevention and Controls Name: Shell Fairfield Location: 585 Basingstoke Road, READING, Berkshire, RG2 0HZ Authority: Reading Borough Council, Environmental Health Department Permit Reference: EPA/PA.R.B/37/98/P2 Dated: 19th July 1999 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Permitted Positional Accuracy: Manually positioned to the address or location	A9NW (SE)	558	3	471792 169617
30	Local Authority Pollution Prevention and Controls Name: Hanson Recycling And Demolition Ltd Location: Island Road, Reading, Berkshire, RG2 0RP Authority: Reading Borough Council, Environmental Health Department Permit Reference: EPA/PA.R.B/12/92/6/P2 Dated: 19th October 1994 Process Type: Local Authority Pollution Prevention and Control Description: PG3/16 Mobile screening and crushing processes Status: Authorisation revoked Positional Accuracy: Manually positioned to the road within the address or location	A17SE (NW)	843	3	470831 170803
31	Local Authority Pollution Prevention and Controls Name: Wm Morrison Supermarkets Plc Location: Rose Kiln Lane, READING, Berkshire, RG2 0HB Authority: Reading Borough Council, Environmental Health Department Permit Reference: EPA/PA.R.B/24/97/P2 Dated: 18th May 1999 Process Type: Local Authority Pollution Prevention and Control Description: PG1/14 Petrol filling station Status: Permitted Positional Accuracy: Automatically positioned to the address	A18NE (N)	899	3	471661 171071
31	Local Authority Pollution Prevention and Controls Name: Wm Morrison Supermarkets Plc Location: Rose Kiln Lane, Reading, Rg2 0hb Authority: Reading Borough Council, Environmental Health Department Permit Reference: EPA/PA.R.B/DC18/P1 Dated: 1st September 2007 Process Type: Local Authority Air Pollution Control Description: PG6/46 Dry cleaning Status: Permitted Positional Accuracy: Manually positioned to the address or location	A18NE (N)	932	3	471683 171100
	Nearest Surface Water Feature	A13SE (S)	159	-	471490 169920
32	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: Storm Sewage Note: Confirmed incident Incident Date: 2nd March 1999 Incident Reference: THWE1999042221 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m	A13NW (N)	112	2	471400 170300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
33	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: Unknown Sewage Note: Confirmed As A Pollution Incident Incident Date: 30th November 1995 Incident Reference: WE950455 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A13NW (NW)	297	2	471200 170400
34	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: Unknown Sewage Note: Confirmed As A Pollution Incident Incident Date: 3rd December 1992 Incident Reference: WE920641 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12SE (W)	315	2	471100 170100
35	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: Unknown Sewage Note: Confirmed As A Pollution Incident Incident Date: 16th October 1991 Incident Reference: WE910565 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12NE (NW)	374	2	471100 170400
36	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: Oils - Unknown Note: Confirmed As A Pollution Incident Incident Date: 12th May 1990 Incident Reference: WE900352 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8NE (S)	397	2	471600 169700
36	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: Oils - Unknown Note: Confirmed As A Pollution Incident Incident Date: 8th October 1990 Incident Reference: WE900584 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8NE (S)	402	2	471600 169695
36	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: Oils - Unknown Note: Confirmed As A Pollution Incident Incident Date: 11th January 1991 Incident Reference: WE910023 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8NE (S)	404	2	471605 169695

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
37	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: Oils - Unknown Note: Confirmed As A Pollution Incident Incident Date: 3rd August 1990 Incident Reference: WE900493 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12SE (SW)	420	2	471100 169800
38	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: Oils - Unknown Note: Not Supplied Incident Date: 1st June 1998 Incident Reference: 38903 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8NE (SE)	438	2	471700 169700
38	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Alongside Lower, READING Authority: Environment Agency, Thames Region Pollutant: Oils - Unknown Note: Not Supplied Incident Date: 12th April 1998 Incident Reference: 38271 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8NE (SE)	443	2	471700 169695
39	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Stadium Bridge, READING Authority: Environment Agency, Thames Region Pollutant: Oils - Unknown Note: Confirmed As A Pollution Incident Incident Date: 29th October 1991 Incident Reference: WE910588 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12NE (W)	439	2	470970 170210
39	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: Storm Sewage Note: Not Supplied Incident Date: 18th November 1998 Incident Reference: THWE1998041134 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12NE (W)	461	2	470950 170240
40	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: Oils - Unknown Note: Confirmed As A Pollution Incident Incident Date: 26th October 1993 Incident Reference: WE930363 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12SE (SW)	453	2	471000 169900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
41	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: Oils - Unknown Note: Confirmed As A Pollution Incident Incident Date: 2nd June 1994 Incident Reference: WE940179 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8NE (SE)	461	2	471650 169650
42	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: Unknown Sewage Note: Confirmed As A Pollution Incident Incident Date: Not Supplied Incident Reference: WE920071 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A18SW (NW)	462	2	471200 170600
43	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: Chemicals - Unknown Note: Confirmed As A Pollution Incident Incident Date: 9th May 1992 Incident Reference: WE920278 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8NE (S)	494	2	471600 169600
43	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: Oils - Unknown Note: Confirmed As A Pollution Incident Incident Date: 28th May 1992 Incident Reference: WE920324 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A8NE (S)	498	2	471600 169595
44	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Reading Area Authority: Environment Agency, Thames Region Pollutant: Miscellaneous - Unknown Note: Confirmed As A Pollution Incident Incident Date: 10th August 1990 Incident Reference: WE900491 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12NE (W)	508	2	470900 170200
45	Pollution Incidents to Controlled Waters Property Type: Not Given Location: Smallmead Reading Authority: Environment Agency, Thames Region Pollutant: Oils - Unknown Note: Confirmed As A Pollution Incident Incident Date: 17th February 1992 Incident Reference: WE920120 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 2 - Significant Incident Positional Accuracy: Located by supplier to within 100m	A12SE (W)	514	2	470900 170100

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
46	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: Miscellaneous - Unknown Note: Confirmed As A Pollution Incident Incident Date: Not Supplied Incident Reference: WE900320 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A12NE (W)	520	2	470900 170300
47	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: Miscellaneous - Unknown Note: Confirmed As A Pollution Incident Incident Date: 18th September 1995 Incident Reference: WE950381 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A7NE (SW)	529	2	471000 169750
48	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: Storm Sewage Note: Confirmed incident Incident Date: 3rd April 1999 Incident Reference: THWE1999042453 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m	A18SW (NW)	569	2	471150 170695
49	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: General Note: Confirmed incident Incident Date: 15th April 1999 Incident Reference: THWE1999042638 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 10m	A18NW (N)	711	2	471150 170850
50	Pollution Incidents to Controlled Waters Property Type: Not Given Location: READING Authority: Environment Agency, Thames Region Pollutant: Miscellaneous - Unknown Note: Confirmed As A Pollution Incident Incident Date: 14th October 1993 Incident Reference: WE930350 Catchment Area: Not Given Receiving Water: Not Given Cause of Incident: Not Given Incident Severity: Category 3 - Minor Incident Positional Accuracy: Located by supplier to within 100m	A7SE (SW)	990	2	470800 169300
51	Prosecutions Relating to Authorised Processes Location: Commercial Road, Reading, Berkshire, Rg2 Prosecution Text: Failing to store clinical waste correctly Prosecution Act: Epa90 S33 Hearing Date: 13th February 2007 Verdict: Guilty Fine: 8000 Costs: 1204 Positional Accuracy: Manually positioned to the road within the address or location	A13NW (N)	119	2	471431 170309

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
52	Registered Radioactive Substances Name: Thames Water Utilities Ltd Location: Gainsborough House, Manor Farm Road, READING, Berkshire, RG2 0JN Authority: Environment Agency, Thames Region Permit Reference: BH6427 Dated: 17th May 2000 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Substantial variation to authorisation under RSA Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Manually positioned to the address or location	A18SE (N)	473	2	471465 170665
53	Registered Radioactive Substances Name: Thames Water Utilities Ltd Location: Spencer House Laboratories, Manor Farm Complex, Manor Farm Road, READING, Berkshire, RG2 0JN Authority: Environment Agency, Thames Region Permit Reference: CD0987 Dated: 12th January 2009 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Authorisation under RSA Status: Authorisation either revoked or cancelled Positional Accuracy: Automatically positioned to the address	A18SE (NE)	555	2	471703 170697
53	Registered Radioactive Substances Name: Thames Water Utilities Ltd Location: Spencer House Laboratories, Manor Farm Complex, Manor Farm Road, READING, Berkshire, RG2 0JN Authority: Environment Agency, Thames Region Permit Reference: CD1002 Dated: 12th January 2009 Process Type: Registration under S7 RSA for the keeping and use of Radioactive materials (was RSA60 S1) Description: Registration under the Act of an open source which is also the subject of an authorisation Status: Authorisation either revoked or cancelled Positional Accuracy: Automatically positioned to the address	A18SE (NE)	555	2	471703 170697
53	Registered Radioactive Substances Name: Thames Water Utilities Ltd Location: Blake House, Manor Farm Road, Reading, Berkshire, RG2 0JN Authority: Environment Agency, Thames Region Permit Reference: Bt1274 Dated: 10th January 2003 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Substantial variation to authorisation under RSA Status: Authorisation either revoked or cancelled Positional Accuracy: Automatically positioned to the address	A18SE (NE)	555	2	471703 170697
53	Registered Radioactive Substances Name: Thames Water Utilities Ltd Location: Blake House, Manor Farm Road, Reading, Berkshire, RG2 0JN Authority: Environment Agency, Thames Region Permit Reference: Bt1304 Dated: 9th January 2003 Process Type: Registration under S7 RSA for the keeping and use of Radioactive materials (was RSA60 S1) Description: Substantial variation to a registration under the Act of an open source which is also the subject of an authorisation Status: Authorisation either revoked or cancelled Positional Accuracy: Automatically positioned to the address	A18SE (NE)	555	2	471703 170697
53	Registered Radioactive Substances Name: Thames Water Utilities Ltd Location: Blake House, Manor Farm Road, Reading, Berkshire, RG2 0JN Authority: Environment Agency, Thames Region Permit Reference: BF4253 Dated: 24th April 1999 Process Type: Registration under S7 RSA for the keeping and use of Radioactive materials (was RSA60 S1) Description: Substantial variation to a registration under the Act of an open source which is also the subject of an authorisation Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	A18SE (NE)	555	2	471703 170697

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
53	Registered Radioactive Substances Name: Thames Water Utilities Ltd Location: Blake House, Manor Farm Road, Reading, Berkshire, RG2 0JN Authority: Environment Agency, Thames Region Permit Reference: AS8490 Dated: 22nd November 1995 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Substantial variation to authorisation under RSA Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	A18SE (NE)	555	2	471703 170697
53	Registered Radioactive Substances Name: Thames Water Utilities Ltd Location: Blake House, Manor Farm Road, Reading, Berkshire, RG2 0JN Authority: Environment Agency, Thames Region Permit Reference: AM8172 Dated: 9th May 1994 Process Type: Authorisation under S13 RSA for the disposal of Radioactive waste (was RSA60 S7) Description: Authorisation under RSA Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	A18SE (NE)	555	2	471703 170697
53	Registered Radioactive Substances Name: Thames Water Utilities Ltd Location: Blake House, Manor Farm Road, Reading, Berkshire, RG2 0JN Authority: Environment Agency, Thames Region Permit Reference: AM1097 Dated: 19th April 1994 Process Type: Registration under S7 RSA for the keeping and use of Radioactive materials (was RSA60 S1) Description: Registration under the Act of an open source which is also the subject of an authorisation Status: Authorisation superseded by a substantial or non substantial variation Positional Accuracy: Automatically positioned to the address	A18SE (NE)	555	2	471703 170697
	River Quality Name: Foudry Bk GQA Grade: River Quality B Reach: Stratfield Mortimer Stw - Kennet Estimated Distance (km): 10.5 Flow Rate: Flow less than 0.31 cumecs Flow Type: River Year: 2000	A12NE (NW)	462	2	471005 170417
	River Quality Name: Kennet GQA Grade: River Quality A Reach: Foudry Bk - Holy Bk Estimated Distance (km): 2.8 Flow Rate: Flow less than 20 cumecs Flow Type: River Year: 2000	A18NW (N)	975	2	471165 171132
	River Quality Name: Kennet GQA Grade: River Quality B Reach: Sulhamstead Strm - Foudry Bk Estimated Distance (km): 8.3 Flow Rate: Flow less than 20 cumecs Flow Type: River Year: 2000	A18NW (N)	977	2	471159 171132
54	Substantiated Pollution Incident Register Authority: Environment Agency - Thames Region, West Area Incident Date: 21st April 2013 Incident Reference: 1104823 Water Impact: Category 2 - Significant Incident Air Impact: Category 4 - No Impact Land Impact: Category 4 - No Impact Positional Accuracy: Located by supplier to within 10m Pollutant: Oils And Fuel: Gas And Fuel Oils	A12NE (W)	440	2	470970 170143

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
55	Water Abstractions Operator: Clean Linen Services Ltd Licence Number: 28/39/22/0612 Permit Version: 1 Location: Darwin Close, Whitley, Reading, Berkshire Authority: Environment Agency, Thames Region Abstraction: Industrial; Commercial And Public Services: Laundry Use Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Darwin Close Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st January 2002 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A13NW (N)	227	2	471360 170410
56	Water Abstractions Operator: Clean Linen Services Ltd Licence Number: 28/39/22/0525 Permit Version: 101 Location: Darwin Close, Whitley, Reading Authority: Environment Agency, Thames Region Abstraction: Industrial; Commercial And Public Services: Laundry Use Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): 655 Yearly Rate (m3): 181840 Details: Darwin Close, Whitley Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A13NW (NW)	238	2	471300 170400
57	Water Abstractions Operator: Heineken Uk Ltd Licence Number: 28/39/22/0614 Permit Version: 4 Location: Berkshire Brewery - Point 'E' Authority: Environment Agency, Thames Region Abstraction: Breweries/Wine: Process Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Berkshire Brewery Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 23rd November 2009 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	529	2	471100 169650
57	Water Abstractions Operator: Scottish & Newcastle Uk Limited Licence Number: 28/39/22/0614 Permit Version: 3 Location: Berkshire Brewery - Point 'E' Authority: Environment Agency, Thames Region Abstraction: Breweries/Wine: Process Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Berkshire Brewery Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 18th August 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A7NE (SW)	529	2	471100 169650

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
58	Water Abstractions Operator: Reading Football Club Plc Licence Number: 28/39/22/0644 Permit Version: 1 Location: Madejski Stadium Complex - 424 Wellpoints Authority: Environment Agency, Thames Region Abstraction: Environmental: Pump & Treat: General Use (Low Loss) Abstraction Type: Water may be abstracted from any point within an area Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 28th July 2008 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12SW (W)	701	2	470720 170020
59	Water Abstractions Operator: Reading Football Club Plc Licence Number: 28/39/22/0578 Permit Version: 100 Location: Madejski Stadium Wellpoints Authority: Environment Agency, Thames Region Abstraction: Environmental: Pump & Treat: General Use (Low Loss) Abstraction Type: Water may be abstracted from any point within an area Source: Groundwater Daily Rate (m3): 518 Yearly Rate (m3): 189734 Details: Madejski Stadium, Reading Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 8th June 1998 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A12SW (W)	915	2	470520 169900
	Water Abstractions Operator: Wyncote Developments Plc Licence Number: 28/39/22/0555 Permit Version: Not Supplied Location: Rose Kiln Lane, READING, Berkshire Authority: Environment Agency, Thames Region Abstraction: General Industrial Abstraction Type: Not Supplied Source: Groundwater Daily Rate (m3): 864 Yearly Rate (m3): 315360 Details: Chalk (Undifferentiated) Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A23SW (N)	1010	2	471400 171200
	Water Abstractions Operator: Thames Water Utilities Ltd Licence Number: 28/39/22/0132 Permit Version: 101 Location: Fobney Pumping Station 'Bh D' Authority: Environment Agency, Thames Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 1st January 2013 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A22SE (NW)	1066	2	470970 171160

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Thames Water Utilities Ltd Licence Number: 28/39/22/0132 Permit Version: 100 Location: Fobney Pumping Station Bh 'D' Authority: Environment Agency, Thames Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 11th June 1998 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A22SE (NW)	1066	2	470970 171160
	Water Abstractions Operator: Heineken Uk Ltd Licence Number: 28/39/22/0614 Permit Version: 4 Location: Berkshire Brewery Point 'D' Authority: Environment Agency, Thames Region Abstraction: Breweries/Wine: Process Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Berkshire Brewery Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 23rd November 2009 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	1090	2	470740 169220
	Water Abstractions Operator: Scottish & Newcastle Uk Limited Licence Number: 28/39/22/0614 Permit Version: 3 Location: Berkshire Brewery Point 'D' Authority: Environment Agency, Thames Region Abstraction: Breweries/Wine: Process Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Berkshire Brewery Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 18th August 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	1090	2	470740 169220
	Water Abstractions Operator: Scottish & Newcastle Uk Limited Licence Number: 28/39/22/0614 Permit Version: 2 Location: Berkshire Brewery Point 'D' Authority: Environment Agency, Thames Region Abstraction: Breweries/Wine: Process Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Berkshire Brewery Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 31st January 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	1090	2	470740 169220

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Scottish Courage Brewing Ltd Licence Number: 28/39/22/0614 Permit Version: 1 Location: Berkshire Brewery Point 'D' Authority: Environment Agency, Thames Region Abstraction: Breweries/Wine: Process Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Berkshire Brewery Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st January 2002 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	1090	2	470740 169220
	Water Abstractions Operator: Heineken Uk Ltd Licence Number: 28/39/22/0614 Permit Version: 4 Location: Berkshire Brewery - Point 'C' Authority: Environment Agency, Thames Region Abstraction: Breweries/Wine: Process Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Berkshire Brewery Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 23rd November 2009 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A2NE (SW)	1107	2	470890 169100
	Water Abstractions Operator: Scottish & Newcastle Uk Limited Licence Number: 28/39/22/0614 Permit Version: 3 Location: Berkshire Brewery - Point 'C' Authority: Environment Agency, Thames Region Abstraction: Breweries/Wine: Process Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Berkshire Brewery Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 18th August 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A2NE (SW)	1107	2	470890 169100
	Water Abstractions Operator: Scottish & Newcastle Uk Limited Licence Number: 28/39/22/0614 Permit Version: 2 Location: Berkshire Brewery - Point 'C' Authority: Environment Agency, Thames Region Abstraction: Breweries/Wine: Process Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Berkshire Brewery Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 31st January 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A2NE (SW)	1107	2	470890 169100

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Scottish Courage Brewing Ltd Licence Number: 28/39/22/0614 Permit Version: 1 Location: Berkshire Brewery - Point 'C' Authority: Environment Agency, Thames Region Abstraction: Breweries/Wine: Process Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Berkshire Brewery Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st January 2002 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A2NE (SW)	1107	2	470890 169100
	Water Abstractions Operator: Courage Ltd Licence Number: 28/39/22/0483 Permit Version: Not Supplied Location: Berkshire Brewery, READING Authority: Environment Agency, Thames Region Abstraction: Brewery Abstraction Type: Not Supplied Source: Groundwater Daily Rate (m3): 9550 Yearly Rate (m3): 3000000 Details: Also Process (2186500) Assessment Of Water (1). Chalk (Undifferentiated); Status: Expired Authorised Start: Not Supplied Authorised End: Not Supplied Permit Start Date: Not Supplied Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A2NE (S)	1119	2	471100 169000
	Water Abstractions Operator: Heineken Uk Ltd Licence Number: 28/39/22/0614 Permit Version: 4 Location: Berkshire Brewery - Point 'A' Authority: Environment Agency, Thames Region Abstraction: Breweries/Wine: Process Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Berkshire Brewery Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 23rd November 2009 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A3NW (S)	1121	2	471130 168990
	Water Abstractions Operator: Scottish & Newcastle Uk Limited Licence Number: 28/39/22/0614 Permit Version: 3 Location: Berkshire Brewery - Point 'A' Authority: Environment Agency, Thames Region Abstraction: Breweries/Wine: Process Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Berkshire Brewery Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 18th August 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A3NW (S)	1121	2	471130 168990

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Scottish & Newcastle Uk Limited Licence Number: 28/39/22/0614 Permit Version: 2 Location: Berkshire Brewery - Point 'A' Authority: Environment Agency, Thames Region Abstraction: Breweries/Wine: Process Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Berkshire Brewery Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 31st January 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A3NW (S)	1121	2	471130 168990
	Water Abstractions Operator: Scottish Courage Brewing Ltd Licence Number: 28/39/22/0614 Permit Version: 1 Location: Berkshire Brewery - Point 'A' Authority: Environment Agency, Thames Region Abstraction: Breweries/Wine: Process Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Land At Berkshire Brewery Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st January 2002 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A3NW (S)	1121	2	471130 168990
	Water Abstractions Operator: Scottish Courage Brewing Ltd Licence Number: 28/39/22/0556 Permit Version: 100 Location: Berkshire Brewery Point 'D' Authority: Environment Agency, Thames Region Abstraction: Breweries/Wine: General Use (Medium Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Berkshire Brewery Imperial Way Reading Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 9th May 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A7SW (SW)	1131	2	470700 169200
	Water Abstractions Operator: Thames Water Utilities Ltd Licence Number: 28/39/22/0132 Permit Version: 101 Location: Fobney Pumping Station 'Bh A' Authority: Environment Agency, Thames Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 1st January 2013 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A22SE (NW)	1143	2	470840 171180

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Scottish Courage Brewing Ltd Licence Number: 28/39/22/0556 Permit Version: 100 Location: Berkshire Brewery Point 'C' Authority: Environment Agency, Thames Region Abstraction: Breweries/Wine: General Use (Medium Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Berkshire Brewery Imperial Way Reading Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 9th May 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A2NE (SW)	1153	2	470800 169100
	Water Abstractions Operator: Thames Water Utilities Ltd Licence Number: 28/39/22/0132 Permit Version: 100 Location: Fobney Pumping Station Bh 'A' Authority: Environment Agency, Thames Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): 30000 Yearly Rate (m3): 1500000 Details: Annual Abstraction Total Aggregated To Another Licence For Quantity Purposes. Chalk (Undifferentiate) Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 11th June 1998 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A22SE (NW)	1156	2	470850 171200
	Water Abstractions Operator: Thames Water Utilities Ltd Licence Number: 28/39/22/0132 Permit Version: 101 Location: Fobney Pumping Station 'Bh B' Authority: Environment Agency, Thames Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 1st January 2013 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A22SE (NW)	1179	2	470770 171180
	Water Abstractions Operator: Thames Water Utilities Ltd Licence Number: 28/39/22/0132 Permit Version: 100 Location: Fobney Pumping Station Bh 'B' Authority: Environment Agency, Thames Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 11th June 1998 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A22SE (NW)	1196	2	470770 171200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Thames Water Utilities Ltd Licence Number: 28/39/22/0132 Permit Version: 101 Location: Fobney Pumping Station 'Bh H' Authority: Environment Agency, Thames Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 1st January 2013 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	1203	2	470660 171130
	Water Abstractions Operator: Thames Water Utilities Ltd Licence Number: 28/39/22/0132 Permit Version: 100 Location: Fobney Pumping Station Bh 'H' Authority: Environment Agency, Thames Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 11th June 1998 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	1203	2	470660 171130
	Water Abstractions Operator: Scottish Courage Brewing Ltd Licence Number: 28/39/22/0556 Permit Version: 100 Location: Berkshire Brewery Point 'A' Authority: Environment Agency, Thames Region Abstraction: Breweries/Wine: General Use (Medium Loss) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): 9550 Yearly Rate (m3): 3000000 Details: Berkshire Brewery Imperial Way Reading Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 9th May 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A2NE (S)	1215	2	471100 168900
	Water Abstractions Operator: Akeler Developments Ltd Licence Number: 28/39/22/0601 Permit Version: 1 Location: Reading International Business Park Authority: Environment Agency, Thames Region Abstraction: Business Parks: Make-Up or Top Up Water Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Reading International Business Park Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 10th November 2000 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A3NW (S)	1237	2	471320 168840

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Thames Water Utilities Ltd Licence Number: 28/39/22/0132 Permit Version: 101 Location: Fobney Pumping Station 'Bh C' Authority: Environment Agency, Thames Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 1st January 2013 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A22SW (NW)	1271	2	470680 171230
	Water Abstractions Operator: Thames Water Utilities Ltd Licence Number: 28/39/22/0132 Permit Version: 100 Location: Fobney Pumping Station Bh 'C' Authority: Environment Agency, Thames Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 11th June 1998 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A22SW (NW)	1271	2	470680 171230
	Water Abstractions Operator: Thames Water Utilities Ltd Licence Number: 28/39/22/0132 Permit Version: 101 Location: Fobney Pumping Station 'Bh G' Authority: Environment Agency, Thames Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 1st January 2013 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A22SW (NW)	1312	2	470610 171230
	Water Abstractions Operator: Thames Water Utilities Ltd Licence Number: 28/39/22/0132 Permit Version: 100 Location: Fobney Pumping Station Bh 'G' Authority: Environment Agency, Thames Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 11th June 1998 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A22SW (NW)	1312	2	470610 171230

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Environment Agency Licence Number: 28/39/22/0527 Permit Version: 101 Location: Kennet And Avon Canal At Fobney Fish Farm Intakes Authority: Environment Agency, Thames Region Abstraction: Aquaculture: Fish Farm/Cress Pond Throughflow Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Fobney Mead, Reading Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 10th October 2006 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A17NW (NW)	1336	2	470460 171130
	Water Abstractions Operator: The Prudential Assur. Com. Ltd Licence Number: 28/39/22/0276 Permit Version: 101 Location: Smallmead Farm, Pingewood Authority: Environment Agency, Thames Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): 23 Yearly Rate (m3): 8501 Details: Smallmead Farm, Pingewood Authorised Start: 01 April Authorised End: 30 September Permit Start Date: 30th July 1999 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A11SW (W)	1337	2	470090 169930
	Water Abstractions Operator: Environment Agency Licence Number: 28/39/22/0527 Permit Version: 100 Location: Kennet And Avon Canal At Fobney Fish Farm Intakes Authority: Environment Agency, Thames Region Abstraction: Aquaculture: Fish Farm/Cress Pond Throughflow Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): 12730 Yearly Rate (m3): 2382154 Details: Fobney Mead, Reading Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 11th August 1993 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A16NE (NW)	1372	2	470420 171140
	Water Abstractions Operator: Thames Water Utilities Ltd Licence Number: 28/39/22/0132 Permit Version: 101 Location: Fobney Pumping Station 'Bh F' Authority: Environment Agency, Thames Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 1st January 2013 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A21SE (NW)	1443	2	470380 171200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Thames Water Utilities Ltd Licence Number: 28/39/22/0132 Permit Version: 100 Location: Fobney Pumping Station Bh 'F' Authority: Environment Agency, Thames Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 11th June 1998 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A21SE (NW)	1443	2	470380 171200
	Water Abstractions Operator: Thames Water Utilities Ltd Licence Number: 28/39/22/0132 Permit Version: 101 Location: Fobney Pumping Station 'Bh E' Authority: Environment Agency, Thames Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 April Authorised End: 31 March Permit Start Date: 1st January 2013 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A21SE (NW)	1501	2	470300 171200
	Water Abstractions Operator: Thames Water Utilities Ltd Licence Number: 28/39/22/0132 Permit Version: 100 Location: Fobney Pumping Station Bh 'E' Authority: Environment Agency, Thames Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 11th June 1998 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A21SE (NW)	1501	2	470300 171200
	Water Abstractions Operator: Thames Water Utilities Ltd Licence Number: 28/39/22/0435 Permit Version: 100 Location: Kennet And Avon Canal At Fobney Waterworks Intake Authority: Environment Agency, Thames Region Abstraction: Public Water Supply: Potable Water Supply - Direct Abstraction Type: Water may be abstracted from a single point Source: Surface Daily Rate (m3): 72736 Yearly Rate (m3): 26621376 Details: Not Supplied Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 5th April 1977 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A21SE (NW)	1501	2	470300 171200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Kennet Valley Park Ltd Licence Number: 28/39/22/0463 Permit Version: 101 Location: Pingewood Business Estate, Smallmead Road, Reading Authority: Environment Agency, Thames Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): 23 Yearly Rate (m3): 6819 Details: Pingewood Business Park Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2008 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A11NW (W)	1508	2	469900 170180
	Water Abstractions Operator: Kennet Valley Park Ltd Licence Number: 28/39/22/0463 Permit Version: 101 Location: Pingewood Business Estate, Smallmead Road, Reading Authority: Environment Agency, Thames Region Abstraction: Household Private Water Undertaking: Drinking; Cooking; Sanitary; Washing; (Small Garden) Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Pingewood Business Estate Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 1st April 2008 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A11NW (W)	1508	2	469900 170180
	Water Abstractions Operator: Mr D J B Hewison Licence Number: 28/39/22/0166 Permit Version: 100 Location: Hartley Court Farm, Three Mile Cross Authority: Environment Agency, Thames Region Abstraction: General Farming And Domestic Abstraction Type: Water may be abstracted from a single point Source: Groundwater Daily Rate (m3): 14 Yearly Rate (m3): 4023 Details: Hartley Court Farm, Three Mile Cross, Reading Authorised Start: 01 January Authorised End: 31 December Permit Start Date: 21st November 1985 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A1NE (SW)	1621	2	470300 168900
	Water Abstractions Operator: Hewison Farms Limited Licence Number: 28/39/22/0232 Permit Version: 101 Location: Foudry Brook At Hartley Court Farm Authority: Environment Agency, Thames Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Foudry & Burghfield Brook At Hartley Court Farm, Three Mile Cross Authorised Start: 01 April Authorised End: 30 September Permit Start Date: 1st April 2016 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 100m	A1SE (SW)	1912	2	470200 168600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Abstractions Operator: Mr D J B Hewison Licence Number: 28/39/22/0232 Permit Version: 100 Location: Foudry Brook At Hartley Court Farm Authority: Environment Agency, Thames Region Abstraction: General Agriculture: Spray Irrigation - Direct Abstraction Type: Water may be abstracted from a river or stream reach, or a row of wellpoints Source: Surface Daily Rate (m3): Not Supplied Yearly Rate (m3): Not Supplied Details: Foudry & Burghfield Brook At Hartley Court Farm, Three Mile Cross Authorised Start: 01 April Authorised End: 30 September Permit Start Date: 10th March 1969 Permit End Date: Not Supplied Positional Accuracy: Located by supplier to within 10m	A1SE (SW)	1912	2	470200 168600
	Groundwater Vulnerability Map Combined Secondary Bedrock Aquifer - High Vulnerability Classification: High Combined High Vulnerability: Productive Bedrock Aquifer, No Superficial Aquifer Combined Aquifer: High Pollutant Speed: Mixed Bedrock Flow: <300 mm/year Dilution: >70% Baseflow Index: <90% Superficial Patchiness: 3-10m Superficial Thickness: No Data Superficial Recharge:	A13NE (NE)	0	4	471444 170133
	Groundwater Vulnerability Map Combined Unproductive Aquifer (may have productive aquifer beneath) Classification: Unproductive Combined Unproductive Vulnerability: Unproductive Bedrock Aquifer, No Superficial Aquifer Combined Aquifer: High Pollutant Speed: Mixed Bedrock Flow: <300 mm/year Dilution: >70% Baseflow Index: <90% Superficial Patchiness: 3-10m Superficial Thickness: No Data Superficial Recharge:	A13SE (SE)	0	4	471474 170082
	Groundwater Vulnerability - Soluble Rock Risk None				
	Bedrock Aquifer Designations Aquifer Designation: Unproductive Strata	A13SE (SE)	0	4	471474 170082
	Bedrock Aquifer Designations Aquifer Designation: Secondary Aquifer - A	A13NE (NE)	0	4	471444 170133
	Superficial Aquifer Designations No Data Available				
	Extreme Flooding from Rivers or Sea without Defences None				
	Flooding from Rivers or Sea without Defences None				
	Areas Benefiting from Flood Defences None				
	Flood Water Storage Areas None				
	Flood Defences None				

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
60	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 155.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A13SE (S)	159	5	471490 169920
61	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 152.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A13SE (S)	160	5	471491 169919
62	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 135.1 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A13SW (S)	215	5	471345 169871
63	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8NE (S)	307	5	471548 169779
64	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8NE (S)	307	5	471548 169779
65	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A13SW (SW)	317	5	471217 169828
66	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 197.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8NE (S)	318	5	471554 169769
67	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 66.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A13SW (SW)	318	5	471216 169827
68	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 33.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A13SW (SW)	377	5	471153 169804

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
69	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 62.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12SE (W)	387	5	471034 170033
70	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 100.8 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12SE (W)	388	5	471033 170032
71	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 45.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12SE (W)	400	5	471016 170090
72	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8NW (SW)	408	5	471121 169794
73	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8NW (SW)	408	5	471137 169777
74	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 54.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A13SW (SW)	409	5	471118 169796
75	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 17.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8NW (SW)	409	5	471120 169793
76	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8NW (SW)	412	5	471131 169778
77	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 577.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Foudry Brook Catchment Name: Thames Primacy: 1	A12NE (NW)	415	5	471043 170385

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
78	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 126.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12SE (SW)	415	5	471029 169926
79	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 294.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8NW (SW)	417	5	471126 169776
80	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12SE (W)	431	5	470982 170121
81	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 172.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12SE (SW)	433	5	471072 169813
82	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 67.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12SE (W)	434	5	470978 170125
83	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12SE (W)	434	5	470978 170125
84	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 204.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Foudry Brook Catchment Name: Thames Primacy: 1	A12NE (W)	453	5	470955 170188
85	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NE (SW)	559	5	471049 169654
86	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 6.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NE (SW)	559	5	471063 169641

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
87	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NE (SW)	562	5	471066 169635
88	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 69.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NE (SW)	563	5	471043 169653
89	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 15.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NE (SW)	567	5	471050 169642
90	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 1.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NE (SW)	572	5	471062 169625
91	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 4.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NE (SW)	573	5	471056 169628
92	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 6.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NE (SW)	573	5	471056 169628
93	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 7.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NE (SW)	574	5	471061 169624
94	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 6.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NE (SW)	577	5	471052 169626
95	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 6.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NE (SW)	583	5	471047 169623

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
96	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A18SW (NW)	600	5	471139 170725
97	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 467.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Foudry Brook Catchment Name: Thames Primacy: 1	A18SW (NW)	600	5	471139 170725
98	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 185.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A18SW (NW)	606	5	471132 170728
99	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 29.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8NW (S)	613	5	471214 169495
100	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 66.0 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NE (SW)	630	5	470986 169615
101	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12SE (W)	636	5	470778 170094
102	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 291.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Foudry Brook Catchment Name: Thames Primacy: 1	A12SE (W)	636	5	470778 170094
103	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 127.5 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8NW (S)	641	5	471214 169466
104	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 83.4 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8NW (S)	641	5	471214 169466

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
105	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 151.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12NW (W)	658	5	470750 170189
106	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 283.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NE (SW)	695	5	470935 169573
107	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 233.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12NW (W)	696	5	470718 170277
108	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8SW (S)	717	5	471223 169383
109	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8SW (S)	727	5	471227 169372
110	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 93.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8SW (S)	727	5	471227 169372
111	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A17SE (NW)	741	5	470956 170775
112	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.6 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A17SE (NW)	754	5	470938 170777
113	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 82.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A17SE (NW)	763	5	470925 170779

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
114	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 122.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8SW (S)	768	5	471186 169341
115	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 24.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8SW (S)	799	5	471265 169289
116	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 207.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 2	A12NW (W)	803	5	470605 170209
117	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 89.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12NW (W)	803	5	470605 170209
118	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 165.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8SW (S)	819	5	471275 169267
119	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 28.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A17SE (NW)	826	5	470844 170791
120	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 40.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A17SE (NW)	848	5	470815 170795
121	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 58.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NW (SW)	871	5	470641 169681
122	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 51.8 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8SW (S)	873	5	471204 169227

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
123	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 35.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12NW (W)	875	5	470536 170265
124	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.9 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A17SE (NW)	881	5	470776 170802
125	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 68.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Foudry Brook Catchment Name: Thames Primacy: 1	A12SW (W)	886	5	470545 169922
126	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 12.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12SW (W)	886	5	470545 169922
127	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 53.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A17SW (NW)	889	5	470766 170803
128	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 505.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A17SW (NW)	897	5	470573 170519
129	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 36.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12NW (W)	900	5	470514 170293
130	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 105.7 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8SW (S)	901	5	471410 169172
131	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 317.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8SW (S)	922	5	471207 169175

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
132	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12NW (W)	927	5	470491 170320
133	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 98.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12NW (W)	927	5	470493 170338
134	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NW (SW)	929	5	470592 169650
135	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NW (SW)	934	5	470587 169647
136	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 3.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8SE (S)	935	5	471535 169145
137	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8SE (S)	937	5	471511 169140
138	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 4.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8SE (S)	937	5	471532 169142
139	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 22.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A8SE (S)	937	5	471532 169142
140	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 272.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NW (SW)	940	5	470583 169644

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
141	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 151.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NW (SW)	940	5	470583 169644
142	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 421.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Foudry Brook Catchment Name: Thames Primacy: 1	A12SW (W)	944	5	470495 169879
143	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.7 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A12SW (W)	944	5	470495 169879
144	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 104.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A18NW (N)	945	5	471316 171128
145	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 45.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A17NE (NW)	951	5	470912 171000
146	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A17SW (NW)	963	5	470670 170806
147	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A17SW (NW)	963	5	470670 170806
148	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 53.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A17NE (NW)	970	5	470808 170950
149	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 126.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 2	A12SW (W)	972	5	470439 170121

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
150	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 256.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 2	A12SW (W)	972	5	470439 170121
151	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 131.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7SE (SW)	972	5	470769 169350
152	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 31.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7SE (SW)	972	5	470769 169350
153	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 13.0 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A17NW (NW)	973	5	470667 170819
154	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 30.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A3NW (S)	975	5	471316 169103
155	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 24.5 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A3NW (S)	976	5	471313 169102
156	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 2	A23SW (N)	976	5	471261 171152
157	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 307.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Kennet Catchment Name: Avon Bristol Primacy: 1	A17NE (NW)	980	5	470930 171044
158	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 127.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: River Kennet Catchment Name: Avon Bristol Primacy: 1	A17NE (NW)	982	5	470921 171041

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
159	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 254.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A17NW (NW)	984	5	470663 170831
160	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 44.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NW (SW)	987	5	470616 169497
161	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 92.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A7NW (SW)	987	5	470616 169497
162	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 149.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: Thames Primacy: 1	A3NW (S)	989	5	471291 169092

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
163	BGS Recorded Landfill Sites Site Name: Smallmead Tip Location: Smallmead Road, READING, Berkshire Authority: British Geological Survey, National Geoscience Information Service Ground Water: Information not available Surface Water: Information not available Geology: N/A Positional Accuracy: Positioned by the supplier Boundary Accuracy: Derived	A12SE (W)	406	-	471025 169974
164	BGS Recorded Landfill Sites Site Name: Island Road Tip Location: Island Road, READING, Berkshire Authority: British Geological Survey, National Geoscience Information Service Ground Water: Information not available Surface Water: Information not available Geology: N/A Positional Accuracy: Manually positioned to the address or location Boundary Accuracy: Derived	A12NE (NW)	680	-	470770 170426
165	Historical Landfill Sites Licence Holder: Not Supplied Location: Reading, Berkshire Name: Manor Farm Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHL13324 First Input Date: Not Supplied Last Input Date: Not Supplied Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 0345/0247 BGS Ref: Not Supplied Other Ref: TP0104, RDG10	A13NE (N)	238	2	471448 170429
166	Historical Landfill Sites Licence Holder: Berkshire County Council WDA Location: Smallmead Road, Reading, Berkshire Name: Smallmead Tip Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHL132400 First Input Date: 22nd March 1972 Last Input Date: 31st March 1981 Specified Waste: Deposited Waste included Inert, Industrial, Commercial, Household and Special Waste, and Liquid Sludge Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 0345/0273 BGS Ref: 566 Other Ref: 54/12/5/5	A12SE (W)	433	2	470984 170069
167	Historical Landfill Sites Licence Holder: Not Supplied Location: Reading, Berkshire Name: Smallmead Stadium Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHL13768 First Input Date: Not Supplied Last Input Date: Not Supplied Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 0345/0241 BGS Ref: Not Supplied Other Ref: TP0166, RDG5, 54/12/4/43	A12NE (NW)	458	2	470973 170338

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
168	Historical Landfill Sites Licence Holder: Mr J Bucknell Location: Reading, Berkshire Name: Island Road Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD13767 First Input Date: 31st December 1977 Last Input Date: 31st December 1985 Specified Waste: Deposited Waste included Inert Waste Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 0345/0220 BGS Ref: Not Supplied Other Ref: RDG9, 54/12/4/23, TP0429, OCC/104	A18SW (NW)	626	2	471144 170756
169	Historical Landfill Sites Licence Holder: Not Supplied Location: Island Road, Reading, Berkshire Name: Island Road Tip Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD32401 First Input Date: 17th November 1970 Last Input Date: 22nd March 1975 Specified Waste: Deposited Waste included Inert, Industrial and Commercial Waste, and Liquid Type: Sludge EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: Not Supplied BGS Ref: 567 Other Ref: Not Supplied	A12NE (NW)	678	2	470772 170425
170	Historical Landfill Sites Licence Holder: Not Supplied Location: Reading, Berkshire Name: Sludge Beds Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD13770 First Input Date: Not Supplied Last Input Date: Not Supplied Specified Waste: Not Supplied Type: EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 0345/0244 BGS Ref: Not Supplied Other Ref: TP0519, RDG13	A17SE (NW)	694	2	470807 170535
171	Historical Landfill Sites Licence Holder: Not Supplied Location: Reading, Berkshire Name: Gilette Warehouse Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD13308 First Input Date: 31st December 1930 Last Input Date: 31st December 1939 Specified Waste: Deposited Waste included Commercial and Household Waste, and Liquid Type: Sludge EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 0345/0221 BGS Ref: Not Supplied Other Ref: TP0108, RDG7	A18NE (N)	751	2	471448 170943
172	Historical Landfill Sites Licence Holder: Not Supplied Location: Reading, Berkshire Name: Rose Kiln Lane South Operator Location: Not Supplied Boundary Accuracy: As Supplied Provider Reference: EAHLD13306 First Input Date: Not Supplied Last Input Date: 31st December 1994 Specified Waste: Deposited Waste included Commercial and Household Waste, and Liquid Type: Sludge EA Waste Ref: 0 Regis Ref: Not Supplied WRC Ref: 0345/0218 BGS Ref: Not Supplied Other Ref: TP0106, RDG1	A18NW (N)	955	2	471403 171145

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
173	Licensed Waste Management Facilities (Landfill Boundaries) Name: Reading Football Club Licence Number: 86039 Location: Reading Football Club, Smallmead, Bennet road, Reading, Berkshire, RG2 0JL Licence Holder: Reading Football Club Authority: Environment Agency - South East Region, West Thames Area Site Category: Household, Commercial And Industrial Waste Landfills Max Input Rate: Not Supplied Licence Status: Closure Issued: 3rd June 1997 Positional Accuracy: Positioned by the supplier Boundary Accuracy: As Supplied	A12SE (W)	631	2	470801 169947
174	Licensed Waste Management Facilities (Landfill Boundaries) Name: Smallmead Farm Licence Number: 86029 Location: RMC Aggregates (Southern) Ltd, Smallmead Farm, Burghfield, Reading, Berkshire, RG30 3UR Licence Holder: Cemex U K Materials Limited Authority: Environment Agency - South East Region, West Thames Area Site Category: Household, Commercial And Industrial Waste Landfills Max Input Rate: Not Supplied Licence Status: Closure Issued: 23rd May 1980 Positional Accuracy: Positioned by the supplier Boundary Accuracy: As Supplied	A17SW (NW)	885	2	470588 170523
175	Licensed Waste Management Facilities (Locations) Licence Number: 100913 Location: 5 - 7 Bennet Road, Reading, Berkshire, RG2 0QX Operator Name: Select Environmental Services Ltd Operator Location: Not Supplied Authority: Environment Agency - South East Region, West Thames Area Site Category: Clinical Waste Transfer Station Licence Status: Issued Issued: 21st May 2009 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A13NE (N)	38	2	471463 170230
176	Licensed Waste Management Facilities (Locations) Licence Number: 86277 Location: 6 Commercial Road, Reading, Berkshire, RG2 0QZ Operator Name: The Daniels Corporation International Limited Operator Location: Not Supplied Authority: Environment Agency - South East Region, West Thames Area Site Category: Clinical Waste Transfer Stations Licence Status: Modified Issued: 10th January 2003 Last Modified: 16th November 2018 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A13NW (NW)	89	2	471362 170264
177	Licensed Waste Management Facilities (Locations) Licence Number: 86011 Location: 6 Darwin Close, Reading, Berkshire, RG2 0SG Operator Name: Reading Borough Council Operator Location: Not Supplied Authority: Environment Agency - South East Region, West Thames Area Site Category: Household, Commercial And Industrial Transfer Stations Licence Status: Modified Issued: 29th June 1992 Last Modified: 28th September 2001 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 100m	A13NW (NW)	109	2	471300 170200

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
178	Licensed Waste Management Facilities (Locations) Licence Number: 86204 Location: 6 Darwin Close, Reading, Berkshire, RG2 0SG Operator Name: Reading Borough Council Operator Location: Not Supplied Authority: Environment Agency - South East Region, West Thames Area Site Category: Clinical Waste Transfer Stations Licence Status: Issued Issued: 19th October 1998 Last Modified: 30th August 2005 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A13NW (NW)	243	2	471180 170273
179	Licensed Waste Management Facilities (Locations) Licence Number: 86410 Location: Unit 1, Smallmead Road, Reading, Berkshire, RG2 0QS Operator Name: Clements Austin Leslie Operator Location: Not Supplied Authority: Environment Agency - South East Region, West Thames Area Site Category: Household, Commercial And Industrial Transfer Stations Licence Status: Revoked Issued: 15th December 2006 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A13NW (NW)	326	2	471112 170324
180	Licensed Waste Management Facilities (Locations) Licence Number: 86005 Location: Smallmead Farm Landfill, Bennet Road, Reading, Berkshire, RG2 0RP Operator Name: SITA Operator Location: Not Supplied Authority: Environment Agency - South East Region, West Thames Area Site Category: Household, Commercial And Industrial Transfer Stations Licence Status: Surrendered Issued: 28th April 1993 Last Modified: 16th January 1997 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: 29th October 1999 IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 100m	A12NE (W)	408	2	471000 170200
181	Licensed Waste Management Facilities (Locations) Licence Number: 86039 Location: Smallmead, Bennet road, Reading, Berkshire, RG2 0JL Operator Name: Reading Football Club Operator Location: Not Supplied Authority: Environment Agency - South East Region, West Thames Area Site Category: Household, Commercial And Industrial Waste Landfills Licence Status: Closed Issued: 3rd June 1997 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Approximate location provided by supplier	A12SE (W)	425	2	471000 170000
182	Licensed Waste Management Facilities (Locations) Licence Number: 86010 Location: Reading Speedway Stadium, A33 Relief Road, Reading, Berkshire, RG2 0JL Operator Name: Mould J Operator Location: Not Supplied Authority: Environment Agency - South East Region, West Thames Area Site Category: Material Recycling Treatment Facilities Licence Status: Surrendered Issued: 13th May 1992 Last Modified: 13th June 1995 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: 28th November 2008 IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 100m	A17SE (NW)	683	2	470800 170500

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
183	Licensed Waste Management Facilities (Locations) Licence Number: 400034 Location: Reading Sewage Treatment Works, Island Road, Reading, Berkshire, RG2 0RP Operator Name: Thames Water Utilities Limited Operator Location: Not Supplied Authority: Environment Agency - South East Region, West Thames Area Site Category: Landfill Gas Engine (<3 mW) Licence Status: Issued Issued: 3rd April 2013 Last Modified: Not Supplied Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A17SE (NW)	824	2	470814 170759
184	Licensed Waste Management Facilities (Locations) Licence Number: 100243 Location: Smallmead Waste Management Centre, Island Road, Reading, Berkshire, RG2 0RP Operator Name: F C C Environment (Berkshire) Limited Operator Location: Not Supplied Authority: Environment Agency - South East Region, West Thames Area Site Category: Household, Commercial And Industrial Transfer Stations Licence Status: Modified Issued: 31st March 2008 Last Modified: 30th July 2020 Expires: Not Supplied Suspended: Not Supplied Revoked: Not Supplied Surrendered: Not Supplied IPPC Reference: Not Supplied Positional Accuracy: Located by supplier to within 10m	A17SW (NW)	985	2	470574 170113
	Local Authority Landfill Coverage Name: Reading Unitary Council - Has supplied landfill data		0	6	471444 170133
	Local Authority Landfill Coverage Name: Wokingham District Council - Has supplied landfill data		713	7	470924 169560
185	Local Authority Recorded Landfill Sites Location: Refuse Tip Reference: Not Supplied Authority: Reading Borough Council, Planning Last Reported Status: Unknown Types of Waste: Not Supplied Date of Closure: Not Supplied Positional Accuracy: Positioned by the supplier Boundary Quality: Moderate	A12SE (W)	408	6	471021 169985
186	Local Authority Recorded Landfill Sites Location: Island Road Sludge Beds Landfill Reference: Not Supplied Authority: Reading Borough Council, Planning Last Reported Status: Unknown Types of Waste: Not Supplied Date of Closure: Not Supplied Positional Accuracy: Positioned by the supplier Boundary Quality: Moderate	A17SE (NW)	700	6	470796 170529
187	Local Authority Recorded Landfill Sites Location: Island Road Landfill Site Reference: Not Supplied Authority: Reading Borough Council, Planning Last Reported Status: Unknown Types of Waste: Not Supplied Date of Closure: Not Supplied Positional Accuracy: Manually positioned within the geographical locality Boundary Quality: Not Applicable	A17NE (NW)	875	6	470900 170900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
188	Registered Landfill Sites Licence Holder: Berkshire C.C. Licence Reference: 54/12/5/ 5 Site Location: Smallmead Road, Reading, Berkshire Licence Easting: 470900 Licence Northing: 170100 Operator Location: As Site Address Authority: Environment Agency - Thames Region, West Area Site Category: Landfill Max Input Rate: Undefined Waste Source: No known restriction on source of waste Restrictions: Status: Licence lapsed/cancelled/defunct/not applicable/surrenderedCancelled Dated: Not Supplied Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Manually positioned to the address or location Boundary Accuracy: Not Applicable Authorised Waste: Local Authority Collected Waste	A12SE (W)	514	2	470900 170100
189	Registered Landfill Sites Licence Holder: J Bucknell Licence Reference: 54/12/4/ 23 Site Location: Island Farm Road, Smallmead, Reading, Berkshire Licence Easting: Not Supplied Licence Northing: Not Supplied Operator Location: As Site Address Authority: Environment Agency - Thames Region, West Area Site Category: Landfill Max Input Rate: Medium (Equal to or greater than 25,000 and less than 75,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Status: Licence lapsed/cancelled/defunct/not applicable/surrenderedCancelled Dated: 9th July 1979 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Positioned by the supplier Boundary Accuracy: Good Authorised Waste: Ind. Inert Waste Prohibited Waste: Difficult Wastes	A17NE (NW)	858	2	470815 170809
190	Registered Landfill Sites Licence Holder: Rmc Aggregates (Southern) Ltd Licence Reference: 54/12/4/ 91 Site Location: Smallmead Farm (B), Reading, Berkshire, Rg30 3ur Licence Easting: Not Supplied Licence Northing: Not Supplied Operator Location: RMC House, Coldharbour Lane, Thorpe, EGHAM, Surrey, TW20 5TD Authority: Environment Agency - Thames Region, West Area Site Category: Landfill Max Input Rate: Large (Equal to or greater than 75,000 and less than 250,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Status: Site Closed Dated: 23rd May 1980 Preceded By: 54/12/5/ 28 RESOLTN Licence: Superseded By: Not Given Licence: Positional Accuracy: Positioned by the supplier Boundary Accuracy: Good Authorised Waste: Agric'L Crops Treated With Biocides Carcasses And Flesh Household + Commercial Waste Industrial Wastes Max.Waste Permitted By Licence Prohibited Waste: Difficult Wastes	A17SW (NW)	885	2	470590 170528

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
191	Registered Landfill Sites Licence Holder: Hall Aggregates Ltd Licence Reference: 54/12/5/ 28 RESOLTN Site Location: Smallmead Farm (A), Reading, Berkshire Licence Easting: Not Supplied Licence Northing: Not Supplied Operator Location: RMC House, High Street, Feltham, HOUNSLOW, Middlesex, TW13 4HA Authority: Environment Agency - Thames Region, West Area Site Category: Landfill Max Input Rate: Large (Equal to or greater than 75,000 and less than 250,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Status: Licence lapsed/cancelled/defunct/not applicable/surrenderedCancelled Dated: 16th April 1980 Preceded By: Not Given Licence: Superseded By: 54/12/4/ 91 Licence: Positional Accuracy: Positioned by the supplier Boundary Accuracy: Moderate Authorised Waste: Agric'L Crop Treated With Biocides Carcasses And Flesh Household + Commercial Waste Ind. Inert Waste Prohibited Waste: Difficult Wastes	A17SW (NW)	885	2	470582 170508
192	Registered Landfill Sites Licence Holder: Reading Football Club Plc Licence Reference: T/W/54/12/4/436 Site Location: Smallmead, Bennet Road, READING, Berkshire, RG2 0JL Licence Easting: 470550 Licence Northing: 169800 Operator Location: Madjeski Stadium, Acre Road, Reading, Berkshire, Rg3 2ef Authority: Environment Agency - Thames Region, West Area Site Category: Landfill Max Input Rate: Medium (Equal to or greater than 25,000 and less than 75,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Status: Site Closed Dated: 3rd June 1997 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Manually positioned to the address or location Boundary Accuracy: Not Applicable Authorised Waste: Berks Type A 'Non-Decomp.' Max.Waste Permitted By Licence Prev. Deposited H'Hold/Com/Ind.Waste Prohibited Waste: Asbestos Clinical Wastes Radioactive Subs Spec.Waste (Epa'90:S62/1996 Regs) Waste N.O.S.	A12SW (W)	911	2	470550 169800

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
193	Registered Waste Transfer Sites Licence Holder: Reading Borough Council Licence Reference: Wml86204 Site Location: Darwin Close (2), 6 Darwin Close, READING, Berkshire, RG2 0SG Operator Location: As Site Address Authority: Environment Agency - Thames Region, West Area Site Category: Transfer Max Input Rate: Very Small (Less than 10,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Licence Status: May not be working (licence suspended)Suspended Dated: 19th October 1998 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Positioned by the supplier Boundary Quality: Good Authorised Waste: Clin.Grps A,B,E - As In Hsc '92 Fluorescent Tubes Max.Waste Permitted By Licence Prohibited Waste: Liquid Wastes Mat'L Containing Pcbs Mat'L React Violently Air Or Water Percussive/Explosive/Similar Waste Sludge Wastes Spec.Waste (Epa'90:S62/1996 Regs) Sub'S Control. Radioactive Subs Act'60 Waste N.O.S.	A13NW (NW)	208	2	471213 170261
194	Registered Waste Transfer Sites Licence Holder: Reading Borough Council Licence Reference: 54/12/4/266 Site Location: 6 Darwin Close, Reading, Berkshire, Rg2 0sg Operator Location: The Civic Centre, Po Box 17, Reading, Berkshire, Rg1 7td Authority: Environment Agency - Thames Region, West Area Site Category: Transfer Max Input Rate: Medium (Equal to or greater than 25,000 and less than 75,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Licence Status: Operational as far as is knownOperational Dated: 28th September 2001 Preceded By: 54/12/4/266 Licence: Superseded By: Not Given Licence: Positional Accuracy: Manually positioned to the address or location Boundary Quality: Not Supplied Authorised Waste: Degradable Household/Commercial/Industrial Waste Inert Materials (As In Post'98 E.A.Lics And Equivalent To 21.00.00) Maximum Waste Permitted By Licence Ukw 22.00.00 General & Biodegradable Waste - Including Waste From Roadsweeping / Gulley Emptyings Prohibited Waste: Other Waste / Waste Not Otherwise Specified Special Waste (As In Epa 1990:S62 Of 1996 Regs) Ukw 23.00.00 Metals & Discarded/Scrap Composite Equipment Exceot As Items In Cat.22 Waste Ukw 24.00.00 Contaminated General Waste	A13NW (W)	250	2	471160 170220

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
194	Registered Waste Transfer Sites Licence Holder: Reading Borough Council Licence Reference: 54/12/4/266 Site Location: 6 Darwin Close, READING, Berkshire, RG2 0SG Operator Location: As Site Address Authority: Environment Agency - Thames Region, West Area Site Category: Transfer Max Input Rate: Medium (Equal to or greater than 25,000 and less than 75,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Licence Status: Record supersededSuperseded Dated: 29th June 1992 Preceded By: Not Given Licence: Superseded By: 54/12/4/266 Licence: Positional Accuracy: Manually positioned to the address or location Boundary Quality: Not Supplied Authorised Waste: House, Com + Ind.Waste Max.Waste Permitted By Licence Clinical - As In Coll/Disp.Regis Of '88 Prohibited Waste: Contaminated Soil Liquid/Sludge Wastes Sewage Or Sewage Sludge Special Wastes Waste N.O.S. Waste With Flash Pt < 40 C	A13NW (W)	250	2	471160 170220
195	Registered Waste Transfer Sites Licence Holder: Sita Wastecare Ltd Licence Reference: 54/12/4/274 Site Location: C.A.Site At Smallmead Farm Landfill, Bennet Road, Reading, Berkshire Operator Location: The Pickeridge, Stoke Common Road, FULMER, Buckinghamshire, SL3 6HA Authority: Environment Agency - Thames Region, West Area Site Category: Civic Amenity - with transfer Max Input Rate: Medium (Equal to or greater than 25,000 and less than 75,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Licence Status: Licence has completion certificateSurrendered Dated: 28th April 1993 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Manually positioned to the address or location Boundary Quality: Not Supplied Authorised Waste: Contaminated Rubbish/Bags/Sacks Empty Used Containers Hard Asbestos House, Com & Ind.Waste Household Waste Deliv.By Public Polymeric Material, Products/Scrap Recyclables Deliv.By Public Scrap Metal Prohibited Waste: Waste Treated Timber Difficult Waste N.O.S. Liquid/Sludge Waste N.O.S. Waste N.O.S. Except By P.App.	A12NE (W)	462	2	470950 170250

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
196	Registered Waste Treatment or Disposal Sites Licence Holder: J Mould Licence Reference: 54/12/4/265 Site Location: Island Road, West of Foundry Brook/North of Stadium, READING, Berkshire, RG2 0RP Operator Location: Hydecrite Pit, Pingewood Road North, Burghfield, READING, Berkshire, RG30 3XN Authority: Environment Agency - Thames Region, West Area Site Category: Transfer - with treatment Max Input Rate: Very Large (Equal to or greater than 250,000 tonnes per year) Waste Source: No known restriction on source of waste Restrictions: Licence Status: Operational as far as is knownOperational Dated: 13th May 1992 Preceded By: Not Given Licence: Superseded By: Not Given Licence: Positional Accuracy: Manually positioned to the address or location Boundary Quality: Not Supplied Authorised Waste: Brickwork, Concrete, Stone Excav. Road Metal Max.Waste Permitted By Licence Metal For Reclamation Other Associated Waste Top/Subsoil, Clay, Chalk Wood For Reclamation Prohibited Waste: Animal And Vegetable Matter Contaminated Soil Liquid/Sludge Wastes Mat'L Cont. Asbestos Poisonous, Noxious, Polluting Wastes Sewage Sludge Special Wastes Waste Decomp. Rapidly Causing Poll'N Waste N.O.S.	A17NE (NW)	936	2	470800 170900

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
197	Control of Major Accident Hazards Sites (COMAH) Name: Gillette Uk Limited Location: Reading Gillette Factory site, 452 Basingstoke Road, Reading, RG2 0QE Reference: Not Supplied Type: Lower Tier Status: Active Positional Accuracy: Automatically positioned to the address	A18SE (N)	305	8	471546 170488
198	Control of Major Accident Hazards Sites (COMAH) Name: Dhl Exel Supply Chain Limited Location: Gillette Way, READING, RG2 0BS Reference: Not Supplied Type: Upper Tier Status: Active Positional Accuracy: Automatically positioned to the address	A18NE (N)	801	8	471466 170994
199	Notification of Installations Handling Hazardous Substances (NIHHS) Name: Gillette Uk Ltd. Location: 452 Basingstoke Road, READING, Berkshire, RG2 0QE Status: Not Active Positional Accuracy: Automatically positioned to the address	A18SE (N)	300	8	471546 170483
199	Notification of Installations Handling Hazardous Substances (NIHHS) Name: Gillette Uk Ltd. Location: Gillette Way, Manor Farm Industrial Estate, Off Basingstoke Road, READING, Berkshire, RG2 0QE Status: Not Active Positional Accuracy: Automatically positioned to the address	A18SE (N)	301	8	471551 170483
200	Planning Hazardous Substance Consents Name: Gillette Uk Ltd Location: 452 Basingstoke Road, Reading, Rg2 0qe Authority: Reading Borough Council, Planning Application Ref: 92/00699/HAZARD Hazardous Substance: Liquefied extremely flammable gas (including LPG) and natural gas (whether liquefied or not) Maximum Quantity: 0 Application date: 28th August 1992 Decision: Deemed Consent Granted Positional Accuracy: Manually positioned to the address or location	A18SE (N)	303	6	471544 170486
200	Planning Hazardous Substance Consents Name: Gillette (Uk) Ltd Location: 452 Basingstoke Road, Reading, Rg2 0qe Authority: Wokingham District Council Application Ref: CON/2009/1160 Hazardous Substance: Liquefied extremely flammable gas (including LPG) and natural gas (whether liquefied or not) Maximum Quantity: 319 Application date: 5th June 2009 Decision: Deemed Consent Granted Positional Accuracy: Manually positioned to the address or location	A18SE (N)	305	9	471546 170488
200	Planning Hazardous Substance Consents Name: Gillette (Uk) Ltd Location: 452 Basingstoke Road, Reading, Rg2 0qe Authority: Wokingham District Council Application Ref: CON/2009/0694 Hazardous Substance: Liquefied extremely flammable gas (including LPG) and natural gas (whether liquefied or not) Maximum Quantity: 319 Application date: 7th April 2009 Decision: Deemed Consent Granted Positional Accuracy: Manually positioned to the address or location	A18SE (N)	305	9	471546 170488
201	Planning Hazardous Substance Consents Name: Gillette (Uk) Ltd Location: 452 Basingstoke Road, Reading, Rg2 0qe Authority: Reading Borough Council, Planning Application Ref: 09/00867/HAZARD Hazardous Substance: Liquefied extremely flammable gas (including LPG) and natural gas (whether liquefied or not) Maximum Quantity: 319 Application date: 27th May 2009 Decision: Deemed Consent Granted Positional Accuracy: Manually positioned to the address or location	A13NE (NE)	316	6	471635 170462

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
201	Planning Hazardous Substance Consents Name: Gillette (Uk) Ltd Location: 452 Basingstoke Road, Reading, Rg2 0qe Authority: Reading Borough Council, Planning Application Ref: 09/00377/HAZARD Hazardous Substance: Liquefied extremely flammable gas (including LPG) and natural gas (whether liquefied or not) Maximum Quantity: 319 Application date: 11th March 2009 Decision: Withdrawn Positional Accuracy: Manually positioned to the address or location	A13NE (NE)	316	6	471635 170462
202	Planning Hazardous Substance Consents Name: Exel Distribution Centre Location: Gillete Way, Reading Authority: Wokingham District Council Application Ref: CON/2006/7575 Hazardous Substance: Combination of Dangerous Substances Maximum Quantity: 0 Application date: 25th April 2006 Decision: Deemed Consent Granted Positional Accuracy: Manually positioned to the address or location	A18NE (N)	805	9	471463 170997
203	Planning Hazardous Substance Consents Name: Gillette Industries Ltd Location: Gillette Way, Reading, Rg2 0ds Authority: Reading Borough Council, Planning Application Ref: 04/00822/HAZARD Hazardous Substance: Liquefied extremely flammable gas (including LPG) and natural gas (whether liquefied or not) Maximum Quantity: 0 Application date: 25th June 2004 Decision: Withdrawn Positional Accuracy: Manually positioned to the address or location	A18NE (N)	884	6	471473 171076
203	Planning Hazardous Substance Consents Name: Gillette Group (Uk) Ltd Location: Excel Logistics Distribution Centre, Gillette Way, Manor Farm Industrial Estate, Reading, RG2 0DS Authority: Reading Borough Council, Planning Application Ref: 06/00358/HAZ Hazardous Substance: Combination of Dangerous Substances Maximum Quantity: 400 Application date: 20th April 2006 Decision: Deemed Consent Granted Positional Accuracy: Manually positioned to the address or location	A18NE (N)	888	6	471496 171080
203	Planning Hazardous Substance Consents Name: Gillette Industries Ltd Location: Gillette Way, Reading Authority: Wokingham District Council Application Ref: CON/2005/4620 Hazardous Substance: Liquefied extremely flammable gas (including LPG) and natural gas (whether liquefied or not) Maximum Quantity: 0 Application date: 28th April 2005 Decision: Deemed Consent Granted Positional Accuracy: Manually positioned to the address or location	A18NE (N)	888	9	471477 171080
203	Planning Hazardous Substance Consents Name: Gillette Group (Uk) Ltd Location: Excel Logistics Distribution Centre, Gillette Way, Manor Farm Industrial Estate, Reading, RG2 0BS Authority: Reading Borough Council, Planning Application Ref: 05/00451/HAZ Hazardous Substance: Liquefied extremely flammable gas (including LPG) and natural gas (whether liquefied or not) Maximum Quantity: 1000 Application date: 20th April 2005 Decision: Deemed Consent Granted Positional Accuracy: Manually positioned to the address or location	A18NE (N)	888	6	471496 171080

Hazardous Substances

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
203	Planning Hazardous Substance Consents Name: Gillette Industries Ltd Location: Gillette Way, Reading Authority: Wokingham District Council Application Ref: CON/2004/3041 Hazardous Substance: Liquefied extremely flammable gas (including LPG) and natural gas (whether liquefied or not) Maximum Quantity: 0 Application date: 1st October 2004 Decision: Deemed Consent Granted Positional Accuracy: Manually positioned to the address or location	A18NE (N)	895	9	471464 171087

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Lambeth Group	A13NW (N)	0	1	471427 170176
	BGS 1:625,000 Solid Geology Description: Thames Group	A13NE (NE)	0	1	471444 170133
204	BGS Recorded Mineral Sites Site Name: Rose Kilns Location: The Mount, Reading, Berkshire Source: British Geological Survey, National Geoscience Information Service Reference: 234938 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Tertiary Geology: Lambeth Group Commodity: Common Clay and Shale Positional Accuracy: Located by supplier to within 10m	A23SW (N)	984	1	471393 171173
	Coal Mining Affected Areas In an area that might not be affected by coal mining				
	Non Coal Mining Areas of Great Britain Risk: Unlikely Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	0	1	471444 170133
	Non Coal Mining Areas of Great Britain Risk: Unlikely Source: British Geological Survey, National Geoscience Information Service	A13SE (S)	73	1	471444 170000
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	0	1	471444 170133
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13SE (S)	73	1	471444 170000
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SW (W)	159	1	471258 170069
	Potential for Collapsible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SW (SW)	222	1	471209 170000
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	0	1	471444 170133
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SE (S)	73	1	471444 170000
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13SW (W)	159	1	471258 170069
	Potential for Compressible Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13SW (SW)	222	1	471209 170000
	Potential for Compressible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NW (N)	249	1	471428 170439
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	0	1	471444 170133
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	A13SE (S)	73	1	471444 170000
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	0	1	471444 170133
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13SE (S)	73	1	471444 170000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	0	1	471444 170133
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	A13SE (S)	73	1	471444 170000
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13SW (W)	159	1	471258 170069
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13SW (SW)	222	1	471209 170000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13SE (SE)	0	1	471474 170082
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	0	1	471444 170133
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	A13SE (S)	73	1	471444 170000
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	A13SW (SW)	175	1	471260 170000
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	0	1	471444 170133
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	A13NE (NE)	0	1	471444 170133

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
205	Contemporary Trade Directory Entries Name: Select Environmental Services Location: Unit 3, Bennet Court, Bennet Road, Reading, RG2 0QX Classification: Waste Disposal Services Status: Active Positional Accuracy: Automatically positioned to the address	A13SW (SW)	0	-	471427 170095
205	Contemporary Trade Directory Entries Name: Velosi Europe Location: Unit 4 Bennet Court, Bennet Road, Reading, Berkshire, RG2 0QX Classification: Oil & Gas Exploration Supplies & Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (S)	0	-	471446 170100
205	Contemporary Trade Directory Entries Name: Press To Print Reading Ltd Location: Unit 5, Bennet Court, Bennet Road, Reading, RG2 0QX Classification: Printers Status: Active Positional Accuracy: Automatically positioned to the address	A13SE (SE)	0	-	471464 170100
205	Contemporary Trade Directory Entries Name: St Distronics Location: Unit 5, Bennet Court, Bennet Road, Reading, Berkshire, RG2 0QX Classification: Electronic Component Manufacturers & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	0	-	471462 170103
205	Contemporary Trade Directory Entries Name: S T Electronics Location: Unit 5, Bennet Court, Bennet Road, Reading, Berkshire, RG2 0QX Classification: Electronic Component Manufacturers & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	0	-	471462 170103
206	Contemporary Trade Directory Entries Name: Fenn Motor Works Location: Unit 2, Bennet Court, Bennet Road, Reading, RG2 0QX Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	A13NW (NW)	0	-	471421 170169
207	Contemporary Trade Directory Entries Name: Unova Location: 4 Transcentral, Bennet Road, Reading, RG2 0QX Classification: Paint Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	A13NE (NE)	23	-	471496 170176
208	Contemporary Trade Directory Entries Name: Waylands Reading Location: 5-7 Bennet Road, Reading, RG2 0QX Classification: Car Dealers Status: Active Positional Accuracy: Manually positioned to the address or location	A13NW (NW)	34	-	471392 170218
209	Contemporary Trade Directory Entries Name: Renault Trucks South Location: Bennet Road, Reading, RG2 0QX Classification: Commercial Vehicle Dealers Status: Active Positional Accuracy: Automatically positioned to the address	A13NW (W)	34	-	471379 170142
210	Contemporary Trade Directory Entries Name: Junk Collectors Location: 5-7 Bennet Road, Reading, Berkshire, RG2 0QX Classification: Waste Disposal Services Status: Inactive Positional Accuracy: Manually positioned to the address or location	A13NW (NW)	35	-	471390 170218
210	Contemporary Trade Directory Entries Name: Select Environmental Services Location: 5-7 Bennet Road, Reading, Berkshire, RG2 0QX Classification: Recycling Services Status: Active Positional Accuracy: Manually positioned to the address or location	A13NW (NW)	42	-	471384 170222
210	Contemporary Trade Directory Entries Name: Sharpsmart Location: 6, Commercial Road, Reading, RG2 0QZ Classification: Medical Waste Disposal Status: Active Positional Accuracy: Automatically positioned to the address	A13NW (NW)	84	-	471362 170258

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
211	Contemporary Trade Directory Entries Name: Select Environmental Services Location: Bennet Road, Reading, RG2 0QX Classification: Waste Disposal Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (N)	43	-	471467 170235
211	Contemporary Trade Directory Entries Name: Select Environmental Services Ltd Location: Bennet Road, Reading, RG2 0QX Classification: Waste Disposal Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (N)	51	-	471487 170241
212	Contemporary Trade Directory Entries Name: Lancaster Volvo Reading Location: Bennet Road, Reading, Berkshire, RG2 0QX Classification: Car Customisation & Conversion Specialists Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A13NW (W)	91	-	471320 170150
212	Contemporary Trade Directory Entries Name: Kuehne & Nagel Location: 20-22, Bennet Road, Reading, Berkshire, RG2 0QX Classification: Distribution Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (W)	124	-	471287 170154
212	Contemporary Trade Directory Entries Name: Hallmark Vehicle Distribution Centre Location: 20-22, Bennet Road, Reading, Berkshire, RG2 0QX Classification: Car Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (W)	124	-	471287 170154
213	Contemporary Trade Directory Entries Name: N R Engineering Location: 5, Commercial Road, Reading, RG2 0QZ Classification: Engineers - General Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (N)	101	-	471458 170293
213	Contemporary Trade Directory Entries Name: Springs & Wireforms Ltd Location: Commercial Road, Reading, Berkshire, RG2 0RE Classification: Spring Manufacturers & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (N)	101	-	471449 170292
213	Contemporary Trade Directory Entries Name: Shadow Wheel & Tyres Location: 12 Commercial Rd, Reading, Berkshire, RG2 0QZ Classification: Tyre Dealers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A13NW (N)	136	-	471434 170326
214	Contemporary Trade Directory Entries Name: Agmet Location: 8, Commercial Road, Reading, RG2 0QZ Classification: Electronic Equipment - Manufacturers & Assemblers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (N)	107	-	471385 170292
214	Contemporary Trade Directory Entries Name: Fix Autos Reading Location: 10, Commercial Road, Reading, RG2 0QZ Classification: Car Body Repairs Status: Active Positional Accuracy: Automatically positioned to the address	A13NW (N)	128	-	471393 170315
215	Contemporary Trade Directory Entries Name: Tyre Supermarket Location: B7, Acre Business Park, Acre Road, Reading, RG2 0SA Classification: Tyre Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	118	-	471517 169967
215	Contemporary Trade Directory Entries Name: J R Pridham Services Location: B1-B2, Acre Business Park, Acre Road, Reading, RG2 0SA Classification: Electronic Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	122	-	471529 169967

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
215	Contemporary Trade Directory Entries Name: Network Wide Location: C8, Acre Business Park, Acre Road, Reading, Berkshire, RG2 0SA Classification: Distribution Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (S)	141	-	471490 169938
215	Contemporary Trade Directory Entries Name: Geotech Location: Unit 7d Acre Business Park, Acre Road, Reading, Berkshire, RG2 0SA Classification: Car Customisation & Conversion Specialists Status: Active Positional Accuracy: Manually positioned to the address or location	A13SE (SE)	149	-	471552 169949
215	Contemporary Trade Directory Entries Name: Beetle Bugs Location: D7, Acre Business Park, Acre Road, Reading, Berkshire, RG2 0SA Classification: Car Customizing Specialists Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	151	-	471553 169947
215	Contemporary Trade Directory Entries Name: A D Marsh Location: D8, Acre Business Park, Acre Road, READING, RG2 0SA Classification: Electronic Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	151	-	471558 169949
215	Contemporary Trade Directory Entries Name: Daily Poppins Location: D3, Acre Business Park, Acre Road, Reading, RG2 0SA Classification: Cleaning Services - Domestic Status: Active Positional Accuracy: Automatically positioned to the address	A13SE (SE)	151	-	471531 169937
215	Contemporary Trade Directory Entries Name: P J Print Location: D1, Acre Business Park, Acre Road, Reading, RG2 0SA Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (S)	154	-	471513 169929
216	Contemporary Trade Directory Entries Name: Travis Perkins Plc Location: Acre Road, Reading, RG2 0SU Classification: Builders' Merchants Status: Active Positional Accuracy: Manually positioned to the road within the address or location	A13SW (SW)	120	-	471367 169965
216	Contemporary Trade Directory Entries Name: Miller Bros (Electrical) Ltd Location: Reading Gate Retail Park, Acre Rd, Reading, Berkshire, RG2 0SA Classification: Electrical Goods Sales, Manufacturers & Wholesalers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A13SW (SW)	144	-	471330 169960
217	Contemporary Trade Directory Entries Name: Office Principles Location: 472, Basingstoke Road, Reading, RG2 0QN Classification: Office Furniture & Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (E)	145	-	471618 170183
217	Contemporary Trade Directory Entries Name: Bradleys Southern Location: 472, Basingstoke Road, Reading, RG2 0QN Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (E)	145	-	471618 170183
217	Contemporary Trade Directory Entries Name: Drayton Press Location: 472, Basingstoke Road, Reading, RG2 0QN Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (E)	145	-	471618 170183
218	Contemporary Trade Directory Entries Name: The Digital Printers Location: A1, Acre Business Park, Acre Road, Reading, Berkshire, RG2 0SA Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	147	-	471587 169979

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
218	Contemporary Trade Directory Entries Name: Finesse Cuisines Location: C1, Acre Business Park, Acre Road, Reading, RG2 0SA Classification: Food Products - Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	151	-	471593 169980
218	Contemporary Trade Directory Entries Name: Galloway Motorcycles Location: D10, Acre Business Park, Acre Road, Reading, RG2 0SA Classification: Motor Cycle Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	153	-	471569 169955
218	Contemporary Trade Directory Entries Name: Repro 3 Digital Copy Centre Location: C6, Acre Business Park, Acre Road, Reading, RG2 0SA Classification: Copying & Duplicating Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	153	-	471569 169955
218	Contemporary Trade Directory Entries Name: M & W Cleaning Services Ltd Location: B8 Acre Rd Business Pk, Reading, Berkshire, RG2 0SA Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	153	-	471569 169955
218	Contemporary Trade Directory Entries Name: Johnstone Location: A3, Acre Business Park, Acre Road, Reading, RG2 0SA Classification: Painting & Decorating Supplies Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	154	-	471598 169981
218	Contemporary Trade Directory Entries Name: Chipsaway Location: A4, Acre Business Park, Acre Road, Reading, RG2 0SA Classification: Car Painters & Sprayers Status: Active Positional Accuracy: Automatically positioned to the address	A13SE (SE)	161	-	471607 169981
218	Contemporary Trade Directory Entries Name: D1 Autos Location: A5, Acre Business Park, Acre Road, Reading, RG2 0SA Classification: Car Body Repairs Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (SE)	168	-	471617 169983
219	Contemporary Trade Directory Entries Name: Jewson Location: 468, Basingstoke Road, Reading, RG2 0QQ Classification: Builders' Merchants Status: Active Positional Accuracy: Automatically positioned to the address	A13NE (NE)	152	-	471610 170253
219	Contemporary Trade Directory Entries Name: Jewson Ltd Location: 468, Basingstoke Road, Reading, RG2 0QQ Classification: Builders' Merchants Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NE (NE)	159	-	471617 170256
220	Contemporary Trade Directory Entries Name: Daily Poppins Winchester Location: Unit 2, Acre Road, Reading, RG2 0SU Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SW (S)	152	-	471390 169924
221	Contemporary Trade Directory Entries Name: Rentokil Pest Control Location: Acre Rd, Reading, Berkshire, RG2 0SU Classification: Pest & Vermin Control Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A13SW (SW)	154	-	471287 169994
222	Contemporary Trade Directory Entries Name: R D S Location: Unit 2, Manor Commercial Centre, 12, Commercial Road, Reading, RG2 0QJ Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	A13NW (N)	157	-	471415 170346

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
222	Contemporary Trade Directory Entries Name: Shadow Location: Unit 7, Manor Commercial Centre, 12, Commercial Road, Reading, RG2 0QJ Classification: Tyre Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (N)	177	-	471373 170361
222	Contemporary Trade Directory Entries Name: Shadow Location: Unit 7, Manor Commercial Centre, 12, Commercial Road, Reading, Berkshire, RG2 0QJ Classification: Tyre Dealers Status: Inactive Positional Accuracy: Manually positioned to the address or location	A13NW (N)	177	-	471373 170361
222	Contemporary Trade Directory Entries Name: Shadow Wheels & Tyres Location: Unit 7, Manor Commercial Centre, 12, Commercial Road, Reading, RG2 0QJ Classification: Tyre Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (N)	177	-	471373 170361
222	Contemporary Trade Directory Entries Name: 2000 Associates Location: Unit 7, Manor Commercial Centre, 12, Commercial Road, Reading, RG2 0QJ Classification: Tyre Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (N)	177	-	471373 170361
222	Contemporary Trade Directory Entries Name: V J Tech Ltd Location: 3 Darwin Close, Reading, Berkshire, RG2 0TB Classification: Laboratory Equipment, Instruments & Supplies Status: Active Positional Accuracy: Manually positioned to the address or location	A13NW (NW)	184	-	471342 170360
222	Contemporary Trade Directory Entries Name: M P S Colour Print Ltd Location: 3, Darwin Close, Reading, RG2 0TB Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (NW)	187	-	471343 170363
222	Contemporary Trade Directory Entries Name: Lamport Gilbert Location: 3, Darwin Close, Reading, RG2 0TB Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (NW)	187	-	471343 170363
223	Contemporary Trade Directory Entries Name: Production Test Systems Ltd Location: Unit 1, Manor Commercial Centre, 12, Commercial Road, Reading, RG2 0QJ Classification: Electronic Equipment - Manufacturers & Assemblers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (N)	159	-	471423 170349
223	Contemporary Trade Directory Entries Name: Binz Location: Unit 1-3, 14, Commercial Road, Reading, RG2 0QJ Classification: Car Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (N)	196	-	471417 170385
223	Contemporary Trade Directory Entries Name: Ian P Kinloch & Co Ltd Location: 14, Commercial Road, Reading, RG2 0QJ Classification: Metal Workers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (N)	196	-	471417 170385
223	Contemporary Trade Directory Entries Name: Binz (Uk) Nilsson Ltd Location: Unit 1-3, 14, Commercial Road, Reading, RG2 0QJ Classification: Car Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (N)	196	-	471417 170385

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
223	Contemporary Trade Directory Entries Name: I S S Location: Unit 1-3,14 Commercial Road, Reading, Berkshire, RG2 0QJ Classification: Road Haulage Services Status: Active Positional Accuracy: Automatically positioned to the address	A13NW (N)	206	-	471419 170395
223	Contemporary Trade Directory Entries Name: Business Seating (Manufacturing & Supplies) Ltd Location: Commercial Rd, Reading, Berkshire, RG2 0QZ Classification: Furniture Manufacturers - Home & Office Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A13NW (N)	233	-	471440 170424
224	Contemporary Trade Directory Entries Name: Unova Products Location: Unit 4 Attenborough House,Bennet Road, Reading, Berkshire, RG2 0QX Classification: Paint Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (W)	159	-	471251 170210
224	Contemporary Trade Directory Entries Name: Service Point Location: Attenborough House,15 Bennet Rd, Reading, Berkshire, RG2 0QX Classification: Engineers - General Status: Inactive Positional Accuracy: Manually positioned to the address or location	A13NW (NW)	161	-	471250 170218
225	Contemporary Trade Directory Entries Name: Tempatron Ltd Location: 5, Darwin Close, Reading, RG2 0TB Classification: Electronic Equipment - Manufacturers & Assemblers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (NW)	160	-	471323 170324
225	Contemporary Trade Directory Entries Name: Redfox Cargo Services Ltd Location: 5, Darwin Close, Reading, Berkshire, RG2 0TB Classification: Freight Forwarders Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (NW)	160	-	471323 170324
225	Contemporary Trade Directory Entries Name: Red Fox Cargo Services Location: 5, Darwin Close, Reading, RG2 0TB Classification: Freight Forwarders Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (NW)	160	-	471323 170324
225	Contemporary Trade Directory Entries Name: Clipper Freight Location: 5, Darwin Close, Reading, Berkshire, RG2 0TB Classification: Road Haulage Services Status: Inactive Positional Accuracy: Manually positioned to the address or location	A13NW (NW)	160	-	471323 170324
225	Contemporary Trade Directory Entries Name: Brothers Office Furniture Location: 5 Darwin Close,Commercial Road, Reading, Berkshire, RG2 0TB Classification: Office Furniture & Equipment Status: Active Positional Accuracy: Automatically positioned to the address	A13NW (NW)	161	-	471323 170325
226	Contemporary Trade Directory Entries Name: Rentokil Specialist Hygiene Location: 4, Acre Road, Reading, RG2 0SX Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SW (SW)	199	-	471237 169993
226	Contemporary Trade Directory Entries Name: Busy Lift Moving Systems Location: 4, Acre Road, Reading, Berkshire, RG2 0SU Classification: Lifting Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SW (SW)	199	-	471237 169993
226	Contemporary Trade Directory Entries Name: Active Pcb Solutions Ltd Location: 4, Acre Road, Reading, Berkshire, RG2 0SU Classification: Electronic Equipment - Manufacturers & Assemblers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SW (SW)	199	-	471237 169993

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
226	Contemporary Trade Directory Entries Name: International Copiers Ltd Location: 4, Acre Road, Reading, RG2 0SU Classification: Office Furniture & Equipment Status: Active Positional Accuracy: Automatically positioned to the address	A13SW (SW)	201	-	471240 169982
227	Contemporary Trade Directory Entries Name: James White Group Engineering Ltd Location: Commercial Road, Reading, RG2 0RU Classification: Sheet Metal Work Status: Active Positional Accuracy: Automatically positioned to the address	A13NE (N)	217	-	471487 170408
228	Contemporary Trade Directory Entries Name: C G T Security Ltd Location: 1, Darwin Close, Reading, RG2 0TB Classification: Roller Shutter Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (NW)	221	-	471333 170396
229	Contemporary Trade Directory Entries Name: B T Fleet Location: Telephone Engineering Centre, Bennet Road, Reading, RG2 0QA Classification: Garage Services Status: Active Positional Accuracy: Automatically positioned to the address	A13NW (W)	235	-	471177 170134
229	Contemporary Trade Directory Entries Name: S B Services Location: Unit 1, 34, Bennet Road, Reading, RG2 0QX Classification: Pneumatic Systems & Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SW (W)	282	-	471132 170114
229	Contemporary Trade Directory Entries Name: Harrier Pneumatics Location: Unit 1, 34, Bennet Road, Reading, Berkshire, RG2 0QX Classification: Pneumatic Engineers Status: Active Positional Accuracy: Manually positioned to the address or location	A13SW (W)	282	-	471132 170114
229	Contemporary Trade Directory Entries Name: Small Mead Location: 34 Bennet Rd, Reading, Berkshire, RG2 0QX Classification: Garage Services Status: Inactive Positional Accuracy: Manually positioned to the address or location	A13SW (W)	282	-	471132 170114
229	Contemporary Trade Directory Entries Name: Custom Metalcraft Ltd Location: 36, Bennet Road, Reading, Berkshire, RG2 0QX Classification: Precision Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SW (W)	306	-	471107 170121
229	Contemporary Trade Directory Entries Name: Reading Pneumatic Services Ltd Location: 38, Bennet Road, Reading, RG2 0QX Classification: Air Compressors Status: Active Positional Accuracy: Automatically positioned to the address	A12SE (W)	320	-	471093 170120
230	Contemporary Trade Directory Entries Name: Rentokil Property Care Location: Unit 2, Acre Road, Reading, RG2 0SU Classification: Damp & Dry Rot Control Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SW (SW)	247	-	471256 169887
231	Contemporary Trade Directory Entries Name: Swiftlink International Ltd Location: 493, Basingstoke Road, Reading, RG2 0JG Classification: Distribution Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SE (E)	250	-	471728 170058
232	Contemporary Trade Directory Entries Name: Luna Logistics Ltd Location: 4 Acre Road, Reading, Berkshire, RG2 0SX Classification: Road Haulage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A13SW (SW)	250	-	471191 169971

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
232	Contemporary Trade Directory Entries Name: J P L Joinery Location: 4 Acre Rd, Reading, Berkshire, RG2 0SX Classification: Joinery Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the address or location	A13SW (SW)	250	-	471191 169970
233	Contemporary Trade Directory Entries Name: Jardine Motors Location: Bennet Road, Reading, Berkshire, RG2 0QX Classification: Car Dealers Status: Active Positional Accuracy: Automatically positioned to the address	A13NW (W)	273	-	471135 170198
234	Contemporary Trade Directory Entries Name: Gillette (Uk) Ltd Location: 452, Basingstoke Road, Reading, RG2 0QE Classification: Toiletries Status: Inactive Positional Accuracy: Automatically positioned to the address	A18SE (N)	305	-	471546 170488
235	Contemporary Trade Directory Entries Name: Lancaster Aston Martin Reading Location: Bennet Road, Reading, Berkshire, RG2 0QX Classification: Car Dealers Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A12NE (W)	313	-	471098 170230
235	Contemporary Trade Directory Entries Name: Lancaster Land Rover Location: Bennet Road, Reading, RG2 0QX Classification: Car Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A12NE (W)	343	-	471066 170210
235	Contemporary Trade Directory Entries Name: Lancaster (Reading) Location: Bennet Road, Reading, Berkshire, RG2 0QX Classification: Car Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A12NE (W)	343	-	471066 170210
236	Contemporary Trade Directory Entries Name: Uk Reclaim (Reading) Location: 22 Commercial Rd, Reading, Berkshire, RG2 0QZ Classification: Recycling Centres Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A13NW (NW)	323	-	471197 170433
237	Contemporary Trade Directory Entries Name: Cordwallis Reading Location: 40, Bennet Road, Reading, RG2 0QX Classification: Commercial Vehicle Dealers Status: Active Positional Accuracy: Automatically positioned to the address	A12SE (W)	340	-	471080 170048
238	Contemporary Trade Directory Entries Name: Woods Of Windsor Ltd Location: Acre Road, Reading, RG2 0SU Classification: Perfume Suppliers Status: Inactive Positional Accuracy: Automatically positioned to the address	A12SE (SW)	344	-	471086 169984
239	Contemporary Trade Directory Entries Name: Reg Vardy Plc Location: 20, Commercial Road, Reading, RG2 0QZ Classification: Car Dealers Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (NW)	347	-	471124 170388
240	Contemporary Trade Directory Entries Name: Independent Project Analysis Location: Worton Dr, Reading, Berkshire, RG2 0TG Classification: Oil & Gas Exploration Supplies & Services Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A8NW (SW)	354	-	471278 169748
241	Contemporary Trade Directory Entries Name: M M C Ltd Location: Unit 5, Worton Drive, Reading, RG2 0TG Classification: Distribution Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (S)	360	-	471464 169716

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
242	Contemporary Trade Directory Entries Name: Circle Reading Hospital Location: 100, Drake Way, Reading, RG2 0NE Classification: Hospitals Status: Active Positional Accuracy: Automatically positioned to the address	A18SW (NW)	376	-	471258 170533
242	Contemporary Trade Directory Entries Name: Cataract Surgery In Berkshire Location: 100 Drake Way, Reading, Berkshire, RG2 0NE Classification: Hospitals Status: Active Positional Accuracy: Automatically positioned to the address	A18SW (NW)	376	-	471258 170533
242	Contemporary Trade Directory Entries Name: Circle Reading Location: 100, Drake Way, Reading, RG2 0NE Classification: Hospitals Status: Inactive Positional Accuracy: Automatically positioned to the address	A18SW (NW)	378	-	471271 170541
243	Contemporary Trade Directory Entries Name: Cooper Reading B M W Location: Drake Way, Reading, RG2 0GH Classification: Car Customisation & Conversion Specialists Status: Inactive Positional Accuracy: Automatically positioned to the address	A13NW (NW)	383	-	471143 170464
243	Contemporary Trade Directory Entries Name: Cooper Reading Mini Location: Drake Way, Reading, RG2 0GH Classification: Car Dealers Status: Active Positional Accuracy: Automatically positioned to the address	A13NW (NW)	383	-	471143 170464
244	Contemporary Trade Directory Entries Name: Kuehne + Nagel Ltd Location: Worton Grange Industrial Estate, Reading, Berkshire, RG2 0TH Classification: Road Haulage Services Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A8NW (S)	396	-	471366 169680
244	Contemporary Trade Directory Entries Name: 3663 First For Foodservice Location: Unit 7, Worton Drive, Reading, RG2 0TG Classification: Road Haulage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	407	-	471364 169669
245	Contemporary Trade Directory Entries Name: R M Autos Location: 34, Corinne Close, Reading, RG2 8AA Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SW (E)	400	-	471877 170114
246	Contemporary Trade Directory Entries Name: Paul Layzell Foods Ltd Location: A1, Worton Drive, Reading, RG2 0TG Classification: Food Products - Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (SW)	405	-	471204 169729
247	Contemporary Trade Directory Entries Name: Aa Contract Cleaning Location: 2, Newlyn Gardens, Reading, RG2 8BD Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	407	-	471828 170387
247	Contemporary Trade Directory Entries Name: A A Contract & Domestic Cleaning Location: 2, Newlyn Gardens, Reading, RG2 8BD Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NW (NE)	407	-	471828 170387
248	Contemporary Trade Directory Entries Name: S O S Mobile Tyres Location: 27, Hartland Road, Reading, RG2 8AB Classification: Tyre Dealers Status: Active Positional Accuracy: Automatically positioned to the address	A14SW (E)	424	-	471902 170057

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
248	Contemporary Trade Directory Entries Name: Press 4u Location: 37, Hartland Road, Reading, RG2 8AB Classification: Ironing & Home Laundry Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SW (E)	457	-	471935 170060
249	Contemporary Trade Directory Entries Name: Aquarius Location: Flat 55, Thorney House, Drake Way, Reading, RG2 0GZ Classification: Swimming Pool Contractors, Repairers & Service Status: Active Positional Accuracy: Automatically positioned to the address	A18SW (NW)	441	-	471243 170596
250	Contemporary Trade Directory Entries Name: Eddie Stobart Ltd Location: Unit 5 Worton Grange Indust Est, Worton Dr, Reading, Berkshire, RG2 0TG Classification: Road Haulage Services Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A8NW (S)	457	-	471440 169616
251	Contemporary Trade Directory Entries Name: The Glass Peach Location: Unit C11, Acre Road, Reading, Berkshire, RG2 0SL Classification: Stained Glass Designers & Producers Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A8NE (SE)	474	-	471680 169649
252	Contemporary Trade Directory Entries Name: T M C I (Uk) Ltd Location: 448, Basingstoke Road, Reading, RG2 0LP Classification: Engineers - General Status: Inactive Positional Accuracy: Automatically positioned to the address	A18SE (NE)	480	-	471705 170612
253	Contemporary Trade Directory Entries Name: Kuehne & Nagel Ltd Location: Worton Drive, Reading, RG2 0TH Classification: Freight Forwarders Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (SW)	482	-	471226 169632
253	Contemporary Trade Directory Entries Name: Kuehne & Nagel Ltd Location: Worton Drive, Reading, Berkshire, RG2 0TH Classification: Freight Forwarders Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (SW)	482	-	471226 169632
253	Contemporary Trade Directory Entries Name: Kuehne & Nagel Location: Worton Drive, Reading, RG2 0TH Classification: Freight Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (SW)	482	-	471226 169632
253	Contemporary Trade Directory Entries Name: Kuehne & Nagel Ltd Location: Worton Drive, Reading, Berkshire, RG2 0TH Classification: Road Haulage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (SW)	482	-	471226 169632
254	Contemporary Trade Directory Entries Name: Comet Location: Reading Gate Retail Park, Reading, RG2 0QG Classification: Electrical Goods Sales, Manufacturers & Wholesalers Status: Inactive Positional Accuracy: Automatically positioned to the address	A12SE (SW)	492	-	471006 169806
254	Contemporary Trade Directory Entries Name: Comet Location: Reading Gate Retail Park, Reading, Berkshire, RG2 0QG Classification: Electrical Goods Sales, Manufacturers & Wholesalers Status: Inactive Positional Accuracy: Automatically positioned to the address	A12SE (SW)	492	-	471006 169806
254	Contemporary Trade Directory Entries Name: Currys Pc World Location: Unit 5, Reading Gate Retail Park, Reading, RG2 0QG Classification: Electrical Goods Sales, Manufacturers & Wholesalers Status: Active Positional Accuracy: Automatically positioned to the address	A7NE (SW)	512	-	471011 169763

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
255	Contemporary Trade Directory Entries Name: Reading Audi Location: Unit 2, Worton Drive, Reading, RG2 0TG Classification: Car Dealers Status: Active Positional Accuracy: Automatically positioned to the address	A8NE (S)	505	-	471532 169576
256	Contemporary Trade Directory Entries Name: Mr Oven Sheen Location: Reading, Berkshire, Rg2 8ar Classification: Oven cleaning Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A14NW (E)	535	-	471998 170283
257	Contemporary Trade Directory Entries Name: A & B Vacuum Services Location: Flat 3, 2, Drake Way, Reading, RG2 0GR Classification: Vacuum Cleaners - Sales & Service Status: Inactive Positional Accuracy: Automatically positioned to the address	A18SW (N)	550	-	471241 170712
258	Contemporary Trade Directory Entries Name: A L K Location: 1 MANOR PARK, MANOR FARM ROAD, READING, RG2 0NA Classification: Chemists' & Pharmacists' Suppliers & Wholesalers Status: Active Positional Accuracy: Automatically positioned to the address	A18SE (NE)	554	-	471703 170695
259	Contemporary Trade Directory Entries Name: Fantastic Fascia Location: 86, Ambrook Road, Reading, RG2 8SW Classification: Fascias and Soffits Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SW (SE)	559	-	471976 169823
260	Contemporary Trade Directory Entries Name: Stefy Cleaning Services Location: 95, Greenfields Road, Reading, RG2 8SG Classification: Cleaning Services - Domestic Status: Active Positional Accuracy: Automatically positioned to the address	A9NW (SE)	559	-	471883 169692
261	Contemporary Trade Directory Entries Name: Whichford Peugeot Location: 569-575, Basingstoke Road, Reading, RG2 0SJ Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A9NW (SE)	567	-	471818 169623
261	Contemporary Trade Directory Entries Name: Valley Motor Group Location: 569-575, Basingstoke Road, Reading, RG2 0SJ Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Automatically positioned to the address	A9NW (SE)	567	-	471818 169623
262	Contemporary Trade Directory Entries Name: Envirocraft Waste Solutions Location: Imperial Way, Reading, Berkshire, RG2 0PN Classification: Waste Disposal Services Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A8NE (S)	568	-	471592 169522
262	Contemporary Trade Directory Entries Name: Rhm Location: Imperial Way, Reading, Berkshire, RG2 0QW Classification: Food Products - Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A8NE (S)	574	-	471561 169510
263	Contemporary Trade Directory Entries Name: Static Control Components Ltd Location: Unit 30, Worton Drive, Reading, RG2 0TG Classification: Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	568	-	471284 169522
263	Contemporary Trade Directory Entries Name: Static Control Components Location: Unit 30, Worton Drive, Reading, Berkshire, RG2 0TG Classification: Printing Equipment Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	568	-	471284 169522

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
264	Contemporary Trade Directory Entries Name: Impact Fork Trucks Ltd Location: Atlantic House, Imperial Way, Reading, RG2 0TD Classification: Fork Lift Trucks Status: Inactive Positional Accuracy: Manually positioned to the address or location	A8NE (S)	569	-	471457 169505
264	Contemporary Trade Directory Entries Name: Home Is Location: Atlantic House, Imperial Way, Reading, RG2 0TD Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NE (S)	576	-	471454 169498
265	Contemporary Trade Directory Entries Name: Reading Borough Council - Pest Control Location: READING, RG1 7TD Classification: Pest & Vermin Control Status: Inactive Positional Accuracy: Automatically positioned to the address	A18SE (N)	584	-	471601 170762
265	Contemporary Trade Directory Entries Name: C C F Ltd Location: 1-3, Gillette Way, Reading, RG2 0BS Classification: Builders' Merchants Status: Inactive Positional Accuracy: Automatically positioned to the address	A18SE (N)	584	-	471601 170762
265	Contemporary Trade Directory Entries Name: C C F Location: 1-3, Gillette Way, Reading, RG2 0BS Classification: Builders' Merchants Status: Active Positional Accuracy: Automatically positioned to the address	A18SE (N)	584	-	471601 170762
266	Contemporary Trade Directory Entries Name: Nissan Location: Sential End, Imperial Way, Reading, Berkshire, RG2 0TD Classification: Car Dealers Status: Active Positional Accuracy: Manually positioned within the geographical locality	A8NW (S)	602	-	471411 169471
266	Contemporary Trade Directory Entries Name: Assa Abloy Global Solutions Location: Pacific House, Imperial Way, Reading, RG2 0TD Classification: Lock Suppliers and Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A8NW (S)	614	-	471418 169459
266	Contemporary Trade Directory Entries Name: Kuehne + Nagel Ltd Location: Berkshire Brewery, Imperial Way, Reading, Berkshire, RG2 0PN Classification: Road Haulage Services Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A8SE (S)	653	-	471449 169421
267	Contemporary Trade Directory Entries Name: Forward Bird Control Location: 2 Imperial Way, Reading, Berkshire, RG2 0TD Classification: Pest & Vermin Control Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A8NE (S)	618	-	471486 169458
267	Contemporary Trade Directory Entries Name: Forward Bird Control Location: 2 Imperial Way, Reading, Berkshire, RG2 0TD Classification: Pest & Vermin Control Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A8SE (S)	621	-	471484 169455
267	Contemporary Trade Directory Entries Name: Rhm Foodservice Location: Imperial Way, Reading, Berkshire, RG2 0QW Classification: Food Products - Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A8SE (S)	626	-	471478 169450
268	Contemporary Trade Directory Entries Name: Ambrook Fascias Location: 3, Ambrook Road, Reading, RG2 8SL Classification: Fascias and Soffits Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SW (E)	643	-	472107 169940

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
269	Contemporary Trade Directory Entries Name: Water Quality Centre Location: Spencer House, Manor Farm Road, Reading, RG2 0JN Classification: Laboratories Status: Active Positional Accuracy: Automatically positioned to the address	A18SE (NE)	671	-	471766 170795
270	Contemporary Trade Directory Entries Name: Engine Clinic Location: 27, Ashmore Road, Reading, RG2 8AG Classification: Garage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A14NE (E)	672	-	472147 170184
271	Contemporary Trade Directory Entries Name: A D C Location: 4, Beacontree Plaza, Gillette Way, Reading, RG2 0BS Classification: Telecommunications Equipment & Systems Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NE (N)	677	-	471606 170856
271	Contemporary Trade Directory Entries Name: Tradeteam Ltd Location: Reading, Berkshire, Rg2 0bs Classification: Distribution Services Status: Active Positional Accuracy: Manually positioned within the geographical locality	A18NE (N)	685	-	471574 170870
271	Contemporary Trade Directory Entries Name: Yamato Transport (Europe) B V Location: 1, Beacontree Plaza, Gillette Way, Reading, RG2 0BS Classification: Freight Forwarders Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NE (N)	685	-	471574 170870
271	Contemporary Trade Directory Entries Name: Transonics Location: 1, Beacontree Plaza, Gillette Way, Reading, Berkshire, RG2 0BS Classification: Electronic Component Manufacturers & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NE (N)	685	-	471574 170870
271	Contemporary Trade Directory Entries Name: M & G Print Services Ltd Location: 6, Beacontree Plaza, Gillette Way, Reading, RG2 0BS Classification: Printers Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NE (N)	702	-	471616 170879
271	Contemporary Trade Directory Entries Name: Cool Serv Location: Gillette Way, Reading, Berkshire, RG2 0BS Classification: Air Conditioning & Refrigeration Contractors Status: Inactive Positional Accuracy: Manually positioned to the road within the address or location	A18NE (N)	703	-	471651 170872
272	Contemporary Trade Directory Entries Name: Hutt Electrical Services Location: 35, Whitley Wood Lane, Reading, RG2 8PN Classification: Electrical Engineers Status: Active Positional Accuracy: Automatically positioned to the address	A9NW (SE)	682	-	471834 169496
273	Contemporary Trade Directory Entries Name: Motorola Ltd Location: Imperium, Imperial Way, Reading, RG2 0TD Classification: Cable & Wire Equipment Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A8SW (S)	693	-	471308 169388
274	Contemporary Trade Directory Entries Name: Ashtech Europe Ltd Location: Beacontree Plaza, Gillette Way, Reading, Berkshire, RG2 0BS Classification: Radar Equipment Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the address or location	A18NE (N)	696	-	471522 170886
274	Contemporary Trade Directory Entries Name: Ccf Ltd Location: 47-48 Beacontree Court, Beacontree Plaza, Gillette Way, Reading, RG2 0BS Classification: Builders' Merchants Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NE (N)	697	-	471523 170887

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
274	Contemporary Trade Directory Entries Name: Braemac Ltd Location: Suite 52-53 First Base, Beacontree Plaza, Gillette Way, Reading, RG2 0BS Classification: Electronic Component Manufacturers & Distributors Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NE (N)	697	-	471522 170887
274	Contemporary Trade Directory Entries Name: Mag Innvision Uk Location: Beacontree Plaza, Gillette Way, Reading, Berkshire, RG2 0BS Classification: Computer Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NE (N)	697	-	471522 170887
274	Contemporary Trade Directory Entries Name: Fatboys Technical Services Location: Beacontree Plaza, Gillette Way, Reading, Berkshire, RG2 0BS Classification: Catering Equipment Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NE (N)	697	-	471522 170887
274	Contemporary Trade Directory Entries Name: Ccf Location: Beacontree Plaza, Gillette Way, Reading, Berkshire, RG2 0BS Classification: Builders' Merchants Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NE (N)	697	-	471523 170887
275	Contemporary Trade Directory Entries Name: Cloud Distribution Ltd Location: 100 Brook Drive, Reading, Berkshire, RG2 6UJ Classification: Distribution Services Status: Active Positional Accuracy: Automatically positioned to the address	A12NW (W)	743	-	470667 170135
275	Contemporary Trade Directory Entries Name: Intermec Technologies (Uk) Ltd Location: 100, Brook Drive, Reading, RG2 6UJ Classification: Computer Manufacturers Status: Inactive Positional Accuracy: Automatically positioned to the address	A12NW (W)	752	-	470658 170135
276	Contemporary Trade Directory Entries Name: Cygnus (Uk) Location: 10, Beacontree Plaza, Gillette Way, Reading, Berkshire, RG2 0BS Classification: Medical Equipment Manufacturers Status: Inactive Positional Accuracy: Manually positioned to the address or location	A18NE (N)	748	-	471563 170935
277	Contemporary Trade Directory Entries Name: Quicklane Tyre & Mot Centre Location: Unit 12, Sentinel End, Reading, RG2 0BF Classification: Tyre Dealers Status: Active Positional Accuracy: Automatically positioned to the address	A8SE (S)	750	-	471574 169335
278	Contemporary Trade Directory Entries Name: Scottish Courage Brewing Ltd Location: Berkshire Brewery, Imperial Way, Reading, RG2 0PN Classification: Brewers Status: Inactive Positional Accuracy: Automatically positioned to the address	A8SW (S)	763	-	471212 169338
278	Contemporary Trade Directory Entries Name: Hoyers (Uk) Ltd Location: Berkshire Brewery, Imperial Way, Reading, RG2 0PN Classification: Road Haulage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A8SW (S)	763	-	471212 169338
279	Contemporary Trade Directory Entries Name: Adpol London Ltd Location: 1, The Micro Centre, Gillette Way, Reading, RG2 0LR Classification: Window Frame Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	A18NE (N)	804	-	471625 170981
279	Contemporary Trade Directory Entries Name: M O T Bay South Reading Location: Unit 5 The Micro Centre, Gillette Way, Reading, Berkshire, RG2 0LR Classification: Mot Testing Centres Status: Active Positional Accuracy: Automatically positioned to the address	A18NE (N)	805	-	471633 170981

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
279	Contemporary Trade Directory Entries Name: M F Hydraulics Location: 2, The Micro Centre, Gillette Way, Reading, RG2 0LR Classification: Hydraulic Equipment & Accessories - Sales & Service Status: Active Positional Accuracy: Automatically positioned to the address	A18NE (N)	805	-	471633 170981
279	Contemporary Trade Directory Entries Name: Brammer Location: Unit 11-12 The Micro Centre, Gillette Way, Reading, Berkshire, RG2 0LR Classification: Engineering Materials Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	A18NE (N)	812	-	471653 170984
279	Contemporary Trade Directory Entries Name: Fereday & Pocock Ltd Location: 7, The Micro Centre, Gillette Way, Reading, RG2 0LR Classification: Blinds, Awnings & Canopies Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NE (N)	812	-	471658 170982
279	Contemporary Trade Directory Entries Name: The Blind Spot Ltd Location: 7, The Micro Centre, Gillette Way, Reading, Berkshire, RG2 0LR Classification: Blinds, Awnings & Canopies Status: Inactive Positional Accuracy: Automatically positioned to the address	A18NE (N)	812	-	471658 170982
280	Contemporary Trade Directory Entries Name: 5 Star Services Location: 27, Brayford Road, Reading, RG2 8LT Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A14SE (E)	812	-	472273 169911
281	Contemporary Trade Directory Entries Name: W E - Enterprises Location: 54, Landrake Crescent, Reading, RG2 8AJ Classification: Perfume Suppliers Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SE (NE)	815	-	472231 170487
282	Contemporary Trade Directory Entries Name: Frost Electronics Ltd Location: 4a, Woodside Business Park, Whitley Wood Lane, Reading, RG2 8LW Classification: Electronic Engineers Status: Inactive Positional Accuracy: Automatically positioned to the address	A9SW (SE)	840	-	471855 169327
282	Contemporary Trade Directory Entries Name: Velosi Europe Location: Unit 1 Woodside Business Park, Whitley Wood Lane, Reading, Berkshire, RG2 8LW Classification: Oil & Gas Exploration Supplies & Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A9SW (SE)	840	-	471855 169327
282	Contemporary Trade Directory Entries Name: Applus Velosi Location: Unit 1 Woodside Business Park, Whitley Wood Lane, Reading, Berkshire, RG2 8LW Classification: Oil & Gas Exploration Supplies & Services Status: Active Positional Accuracy: Automatically positioned to the address	A9SW (SE)	840	-	471855 169327
282	Contemporary Trade Directory Entries Name: Communications Solutions Uk Ltd Location: 5, Woodside Business Park, Whitley Wood Lane, Reading, Berkshire, RG2 8LW Classification: Telecommunications Equipment & Systems Status: Inactive Positional Accuracy: Automatically positioned to the address	A9SW (SE)	849	-	471860 169320
283	Contemporary Trade Directory Entries Name: Crown-Bird Enterprises Location: 6, St. Agnes Mews, Northumberland Avenue, READING, RG2 7PH Classification: Commercial Cleaning Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SE (NE)	851	-	472245 170548

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
283	Contemporary Trade Directory Entries Name: Crown Bird Enterprises Ltd Location: St. Agnes Mews, Northumberland Av, Reading, Berkshire, RG2 7PH Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Manually positioned to the address or location	A19SE (NE)	884	-	472269 170573
284	Contemporary Trade Directory Entries Name: Shell Service Station Location: Basingstoke Road, Reading, RG2 0TA Classification: Petrol Filling Stations Status: Active Positional Accuracy: Automatically positioned to the address	A8SE (S)	851	-	471655 169246
284	Contemporary Trade Directory Entries Name: Shell Fairfield Location: 585 Basingstoke Road, Fairfield, Reading, Berkshire, RG2 0TA Classification: Petrol Filling Stations - 24 Hour Status: Inactive Positional Accuracy: Automatically positioned to the address	A8SE (S)	851	-	471655 169246
285	Contemporary Trade Directory Entries Name: Reading Pest Removal Location: 87, Blandford Road, READING, RG2 8RR Classification: Pest & Vermin Control Status: Active Positional Accuracy: Automatically positioned to the address	A9NE (SE)	864	-	472175 169568
286	Contemporary Trade Directory Entries Name: Ats Euromaster Ltd Location: Basingstoke Road, Reading, RG2 0NG Classification: Tyre Dealers Status: Active Positional Accuracy: Automatically positioned to the address	A18NE (N)	879	-	471729 171032
287	Contemporary Trade Directory Entries Name: S & T Coachworks Location: 587, Basingstoke Road, Reading, RG2 0TA Classification: Car Body Repairs Status: Active Positional Accuracy: Automatically positioned to the address	A8SE (S)	907	-	471645 169187
288	Contemporary Trade Directory Entries Name: Firexo Ltd Location: 100, Longwater Avenue, Reading, RG2 6GP Classification: Firefighting Equipment Status: Active Positional Accuracy: Automatically positioned to the address	A12NW (W)	922	-	470486 170185
288	Contemporary Trade Directory Entries Name: Scrap Car Collection Location: 100 Longwater Avenue, Reading, Berkshire, RG2 6GP Classification: Car Breakers & Dismantlers Status: Active Positional Accuracy: Automatically positioned to the address	A12NW (W)	922	-	470486 170185
288	Contemporary Trade Directory Entries Name: Scrap Car Collection Location: 100, Longwater Avenue, Reading, RG2 6GP Classification: Car Breakers & Dismantlers Status: Inactive Positional Accuracy: Automatically positioned to the address	A12NW (W)	925	-	470483 170182
288	Contemporary Trade Directory Entries Name: Tosoh Bioscience Location: 100, Longwater Avenue, Reading, RG2 6GP Classification: Medical Instruments - Manufacturers Status: Active Positional Accuracy: Automatically positioned to the address	A12NW (W)	925	-	470483 170182
288	Contemporary Trade Directory Entries Name: Pressalit Ltd Location: 100, Longwater Avenue, Reading, RG2 6GP Classification: Disability Equipment - Manufacturers & Suppliers Status: Active Positional Accuracy: Automatically positioned to the address	A12NW (W)	925	-	470483 170182
289	Contemporary Trade Directory Entries Name: Whitley Social Services Location: 268, Northumberland Avenue, Reading, RG2 7PJ Classification: Printers Textile Status: Inactive Positional Accuracy: Automatically positioned to the address	A19SE (NE)	941	-	472211 170775

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
290	Contemporary Trade Directory Entries Name: Golftch Uk Location: 200, Brook Drive, Reading, RG2 6UB Classification: Fertilisers Status: Inactive Positional Accuracy: Automatically positioned to the address	A12SW (W)	955	-	470461 170057
291	Contemporary Trade Directory Entries Name: Home Angelz Location: 1, Kingston Gardens, Reading, RG2 7SH Classification: Cleaning Services - Domestic Status: Inactive Positional Accuracy: Automatically positioned to the address	A19NW (NE)	975	-	472108 170931
292	Contemporary Trade Directory Entries Name: Morrisons Petrol Station Location: Off Basingstoke Road, Reading, Berkshire, RG2 0HB Classification: Petrol Filling Stations Status: Inactive Positional Accuracy: Automatically positioned to the address	A23SE (N)	985	-	471647 171161
292	Contemporary Trade Directory Entries Name: Morrisons Petrol Station Location: Basingstoke Road, Reading, Berkshire, RG2 0HB Classification: Petrol Filling Stations Status: Active Positional Accuracy: Manually positioned to the address or location	A23SE (N)	995	-	471605 171178
293	Contemporary Trade Directory Entries Name: Hillview Family Company Ltd Location: 251, A33 Relief Road, Reading, RG2 0RR Classification: Road Haulage Services Status: Inactive Positional Accuracy: Automatically positioned to the address	A19NW (N)	986	-	471818 171115
293	Contemporary Trade Directory Entries Name: Cookerburra Location: 251, A33 Relief Road, Reading, RG2 0RR Classification: Oven cleaning Status: Inactive Positional Accuracy: Automatically positioned to the address	A19NW (N)	986	-	471818 171115
293	Contemporary Trade Directory Entries Name: Hill View Family Company Ltd Location: 251, A33 Relief Road, Reading, RG2 0RR Classification: Freight Forwarders Status: Active Positional Accuracy: Automatically positioned to the address	A19NW (N)	986	-	471818 171115
294	Contemporary Trade Directory Entries Name: S C S Location: Unit 5, Brunel Retail Park, Rose Kiln Lane, Reading, RG2 0HS Classification: Furniture Manufacturers - Home & Office Status: Inactive Positional Accuracy: Automatically positioned to the address	A23SW (N)	990	-	471438 171182
295	Contemporary Trade Directory Entries Name: R E 3 Recycling Location: Smallmead Recycling Centre, Island Road, Reading, Berkshire, RG2 0RP Classification: Recycling Services Status: Active Positional Accuracy: Manually positioned to the address or location	A17SW (NW)	990	-	470606 170768
296	Fuel Station Entries Name: Whitley Wood Garage Location: 569-576, Basingstoke Road , Whiteley Wood , Reading, Reading, RG2 0SJ Brand: Obsolete Premises Type: Not Applicable Status: Obsolete Positional Accuracy: Automatically positioned to the address	A9NW (SE)	567	-	471818 169623
297	Fuel Station Entries Name: Shell Fairfield Location: 585, Basingstoke Road , , Reading, Reading, RG2 0TA Brand: SHELL Premises Type: Petrol Station Status: Under Development Positional Accuracy: Automatically positioned to the address	A8SE (S)	851	-	471655 169246

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
298	Fuel Station Entries Name: Morrisons Reading Location: Basingstoke Road Rose Kiln Lane, , Reading, Reading, RG2 0HB Brand: Morrisons Premises Type: Hypermarket Status: Open Positional Accuracy: Manually positioned to the address or location	A23SE (N)	996	-	471607 171179

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
299	Nitrate Vulnerable Zones Name: Foudry Brook (West End Brook To M4) Nvz Description: Surface Water Source: Environment Agency, Head Office	A13NE (NE)	0	4	471444 170133

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Reading Borough Council - Environmental Health Department Wokingham District Council - Environmental Health Department South Oxfordshire District Council - Environmental Health Department Environment Agency - Head Office West Berkshire Council - Environmental Health Department	April 2014 February 2013 January 2015 June 2020 November 2014	Annual Rolling Update Annual Rolling Update Annual Rolling Update Annually Annual Rolling Update
Discharge Consents Environment Agency - Thames Region	October 2020	Quarterly
Enforcement and Prohibition Notices Environment Agency - Thames Region	March 2013	Annual Rolling Update
Integrated Pollution Controls Environment Agency - Thames Region	October 2008	Variable
Integrated Pollution Prevention And Control Environment Agency - South East Region - West Thames Area Environment Agency - Thames Region	October 2020 October 2020	Quarterly Quarterly
Local Authority Integrated Pollution Prevention And Control South Oxfordshire District Council - Environmental Health Department Wokingham District Council - Environmental Health Department West Berkshire Council - Environmental Health Department Reading Borough Council - Environmental Health Department	June 2014 June 2014 June 2015 October 2014	Variable Variable Variable Variable
Local Authority Pollution Prevention and Controls South Oxfordshire District Council - Environmental Health Department Wokingham District Council - Environmental Health Department West Berkshire Council - Environmental Health Department Reading Borough Council - Environmental Health Department	June 2014 June 2014 June 2015 October 2014	Annual Rolling Update Not Applicable Not Applicable Not Applicable
Local Authority Pollution Prevention and Control Enforcements South Oxfordshire District Council - Environmental Health Department Wokingham District Council - Environmental Health Department West Berkshire Council - Environmental Health Department Reading Borough Council - Environmental Health Department	June 2014 June 2014 June 2015 October 2014	Variable Variable Variable Variable
Nearest Surface Water Feature Ordnance Survey	September 2020	
Pollution Incidents to Controlled Waters Environment Agency - Thames Region	September 1999	Not Applicable
Prosecutions Relating to Authorised Processes Environment Agency - Thames Region	March 2013	Annual Rolling Update
Prosecutions Relating to Controlled Waters Environment Agency - Thames Region	March 2013	Annual Rolling Update
Registered Radioactive Substances Environment Agency - Thames Region	June 2016	
River Quality Environment Agency - Head Office	November 2001	Not Applicable
River Quality Biology Sampling Points Environment Agency - Head Office	July 2012	Annually
River Quality Chemistry Sampling Points Environment Agency - Head Office	July 2012	Annually
Substantiated Pollution Incident Register Environment Agency - South East Region - West Thames Area Environment Agency - Thames Region - South East Area Environment Agency - Thames Region - West Area	October 2020 October 2020 October 2020	Quarterly Quarterly Quarterly
Water Abstractions Environment Agency - Thames Region	October 2020	Quarterly

Agency & Hydrological	Version	Update Cycle
Water Industry Act Referrals Environment Agency - Thames Region	October 2017	Quarterly
Groundwater Vulnerability Map Environment Agency - Head Office	June 2018	As notified
Groundwater Vulnerability - Soluble Rock Risk Environment Agency - Head Office	June 2018	As notified
Bedrock Aquifer Designations Environment Agency - Head Office	January 2018	Annually
Superficial Aquifer Designations Environment Agency - Head Office	January 2018	Annually
Source Protection Zones Environment Agency - Head Office	October 2019	Quarterly
Extreme Flooding from Rivers or Sea without Defences Environment Agency - Head Office	September 2020	Quarterly
Flooding from Rivers or Sea without Defences Environment Agency - Head Office	September 2020	Quarterly
Areas Benefiting from Flood Defences Environment Agency - Head Office	September 2020	Quarterly
Flood Water Storage Areas Environment Agency - Head Office	September 2020	Quarterly
Flood Defences Environment Agency - Head Office	September 2020	Quarterly
OS Water Network Lines Ordnance Survey	September 2020	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	Annually

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	June 1996	Not Applicable
Historical Landfill Sites Environment Agency - Head Office	October 2019	Quarterly
Integrated Pollution Control Registered Waste Sites Environment Agency - Thames Region	October 2008	Not Applicable
Licensed Waste Management Facilities (Landfill Boundaries) Environment Agency - South East Region - West Thames Area Environment Agency - Thames Region - South East Area Environment Agency - Thames Region - West Area	October 2020 October 2020 October 2020	Quarterly Quarterly Quarterly
Licensed Waste Management Facilities (Locations) Environment Agency - South East Region - West Thames Area Environment Agency - Thames Region - South East Area Environment Agency - Thames Region - West Area	October 2020 October 2020 October 2020	Quarterly Quarterly Quarterly
Local Authority Landfill Coverage Oxfordshire County Council Reading Borough Council - Planning South Oxfordshire District Council - Environmental Health Department West Berkshire Council - Environmental Health Department Wokingham District Council - Environmental Health Department	May 2000 May 2000 May 2000 May 2000 May 2000	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Local Authority Recorded Landfill Sites Oxfordshire County Council Reading Borough Council - Planning South Oxfordshire District Council - Environmental Health Department West Berkshire Council - Environmental Health Department Wokingham District Council - Environmental Health Department	May 2000 May 2000 May 2000 May 2000 October 2005	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Registered Landfill Sites Environment Agency - Thames Region - South East Area Environment Agency - Thames Region - West Area	March 2003 March 2003	Not Applicable Not Applicable
Registered Waste Transfer Sites Environment Agency - Thames Region - South East Area Environment Agency - Thames Region - West Area	March 2003 March 2003	Not Applicable Not Applicable
Registered Waste Treatment or Disposal Sites Environment Agency - Thames Region - South East Area Environment Agency - Thames Region - West Area	March 2003 March 2003	Not Applicable Not Applicable

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	April 2018	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	Annually
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	November 2000	Not Applicable
Planning Hazardous Substance Enforcements Oxfordshire County Council South Oxfordshire District Council - Planning Department (West) West Berkshire Council Wokingham District Council Reading Borough Council - Planning	February 2016 February 2016 February 2016 February 2016 May 2016	Variable Variable Variable Variable Variable
Planning Hazardous Substance Consents Oxfordshire County Council South Oxfordshire District Council - Planning Department (West) West Berkshire Council Wokingham District Council Reading Borough Council - Planning	February 2016 February 2016 February 2016 February 2016 May 2016	Variable Variable Variable Variable Variable
Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	Not Applicable
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	November 2020	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011	Not Applicable
Coal Mining Affected Areas The Coal Authority - Property Searches	March 2014	Annual Rolling Update
Mining Instability Ove Arup & Partners	October 2000	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	Annually
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	Annually
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	July 2011	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	July 2011	Annually


Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	October 2020	Quarterly
Fuel Station Entries Catalist Ltd - Experian	September 2020	Quarterly
Gas Pipelines National Grid	September 2020	
Underground Electrical Cables National Grid	August 2020	
Sensitive Land Use	Version	Update Cycle
Ancient Woodland Natural England	April 2020	Bi-Annually
Areas of Adopted Green Belt Reading Borough Council South Oxfordshire District Council West Berkshire Council Wokingham District Council	June 2020 June 2020 June 2020 June 2020	As notified As notified As notified As notified
Areas of Unadopted Green Belt Reading Borough Council South Oxfordshire District Council West Berkshire Council Wokingham District Council	June 2020 June 2020 June 2020 June 2020	As notified As notified As notified As notified
Areas of Outstanding Natural Beauty Natural England	June 2019	Bi-Annually
Environmentally Sensitive Areas Natural England	January 2017	
Forest Parks Forestry Commission	April 1997	Not Applicable
Local Nature Reserves Natural England	April 2020	Bi-Annually
Marine Nature Reserves Natural England	July 2019	Bi-Annually
National Nature Reserves Natural England	July 2019	Bi-Annually
National Parks Natural England	April 2017	Bi-Annually
Nitrate Sensitive Areas Natural England	April 2016	Not Applicable
Nitrate Vulnerable Zones Environment Agency - Head Office Department for Environment, Food and Rural Affairs (DEFRA - formerly FRCA)	December 2017 October 2015	Bi-Annually
Ramsar Sites Natural England	August 2020	Bi-Annually
Sites of Special Scientific Interest Natural England	May 2020	Bi-Annually
Special Areas of Conservation Natural England	July 2020	Bi-Annually
Special Protection Areas Natural England	September 2020	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	
Centre for Ecology and Hydrology	
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Environment Agency - National Customer Contact Centre (NCCC) PO Box 544, Templeborough, Rotherham, S60 1BY	Telephone: 03708 506 506 Email: enquiries@environment-agency.gov.uk
3	Reading Borough Council - Environmental Health Department Civic Centre, Reading, Hampshire, RG1 7DT	Telephone: 0118 939 9099 Fax: 0118 958 9770 Website: www.reading.gov.uk
4	Environment Agency - Head Office Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, Avon, BS32 4UD	Telephone: 01454 624400 Fax: 01454 624409
5	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.gov.uk
6	Reading Borough Council - Planning Civic Centre, READING, Hampshire, RG1 7TD	Telephone: 0118 939 0900 Fax: 0118 958 9770 Website: www.reading.gov.uk
7	Wokingham District Council - Environmental Health Department Council Offices, Shute End, Wokingham, Surrey, RG40 1BN	Telephone: 0118 974 6000 Fax: 0118 974 5053 Website: www.wokingham.gov.uk
8	Health and Safety Executive 5S.2 Redgrave Court, Merton Road, Bootle, L20 7HS	Website: www.hse.gov.uk
9	Wokingham District Council Council Offices, Shute End, WOKINGHAM, Berkshire, RG4 1WR	Telephone: 0118 974 6000 Fax: 0118 978 5053 Website: www.wokingham.gov.uk
10	Natural England County Hall, Spetchley Road, Worcester, WR5 2NP	Telephone: 0300 060 3900 Email: enquiries@naturalengland.org.uk Website: www.naturalengland.org.uk
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0844 844 9952 Fax: 0844 844 9951 Email: customerservices@landmarkinfo.co.uk Website: www.landmarkinfo.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.



© Crown Copyright. All Rights Reserved. License Number 100022432.

0 1 km



Groundwater Vulnerability

General

- ✱ Specified Site ○ Specified Buffer(s) X Bearing Reference Point
- Slice 8 Map ID

Agency and Hydrological

Bedrock Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer


Superficial Aquifers

- High Vulnerability, Principal Aquifer
- High Vulnerability, Secondary Aquifer
- Medium Vulnerability, Principal Aquifer
- Medium Vulnerability, Secondary Aquifer
- Low Vulnerability, Principal Aquifer
- Low Vulnerability, Secondary Aquifer

Unproductive Aquifer

Soluble Rock

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 270265102_1_1
 Customer Ref: 74151
 National Grid Reference: 471440, 170130
 Slice: A
 Site Area (Ha): 0.74
 Search Buffer (m): 1000

Site Details

Bennet Court, Bennet Road, Reading, RG2 0QX



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.

0 1 km



Bedrock Aquifer Designation

General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 270265102_1_1
 Customer Ref: 74151
 National Grid Reference: 471440, 170130
 Slice: A
 Site Area (Ha): 0.74
 Search Buffer (m): 1000

Site Details

Bennet Court, Bennet Road, Reading, RG2 0QX



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.



Superficial Aquifer Designation

General


- ◊ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- 8 Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 270265102_1_1
 Customer Ref: 74151
 National Grid Reference: 471440, 170130
 Slice: A
 Site Area (Ha): 0.74
 Search Buffer (m): 1000

Site Details

Bennet Court, Bennet Road, Reading, RG2 0QX



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.



Source Protection Zones


General

- Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 270265102_1_1
 Customer Ref: 74151
 National Grid Reference: 471440, 170130
 Slice: A
 Site Area (Ha): 0.74
 Search Buffer (m): 1000

Site Details

Bennet Court, Bennet Road, Reading, RG2 0QX



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.



Sensitive Land Uses


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 270265102_1_1
 Customer Ref: 74151
 National Grid Reference: 471440, 170130
 Slice: A
 Site Area (Ha): 0.74
 Search Buffer (m): 1000

Site Details

Bennet Court, Bennet Road, Reading, RG2 0QX



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown Copyright. All Rights Reserved. License Number 100022432.



BGS Flood GFS Data


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice A



Order Details


Order Number: 270265102_1_1
 Customer Ref: 74151
 National Grid Reference: 471440, 170130
 Slice: A
 Site Area (Ha): 0.74
 Search Buffer (m): 1000

Site Details

Bennet Court, Bennet Road, Reading, RG2 0QX



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Contaminated Land Register Entry or Notice
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Prosecution Relating to Authorised Processes
- Prosecution Relating to Controlled Waters
- Registered Radioactive Substance
- River Network or Water Feature
- River Quality Sampling Point
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- EA Historic Landfill (Buffered Point)
- EA Historic Landfill (Polygon)
- Integrated Pollution Control Registered Waste Site
- Licensed Waste Management Facility (Landfill Boundary)
- Licensed Waste Management Facility (Location)
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site

Hazardous Substances

- COMAH Site
- Explosive Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement


Geological

- BGS Recorded Mineral Site

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry

Site Sensitivity Map - Slice A



Order Details


Order Number: 270265102_1_1
Customer Ref: 74151
National Grid Reference: 471440, 170130
Slice: A
Site Area (Ha): 0.74
Search Buffer (m): 1000

Site Details

Bennet Court, Bennet Road, Reading, RG2 0QX



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Environmental Thinking Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Gas Pipeline
- Underground Electrical Cables

Industrial Land Use Map - Slice A



Order Details


Order Number: 270265102_1_1
Customer Ref: 74151
National Grid Reference: 471440, 170130
Slice: A
Site Area (Ha): 0.74
Search Buffer (m): 1000

Site Details

Bennet Court, Bennet Road, Reading, RG2 0QX



Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk




General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Agency and Hydrological (Flood)

- Extreme Flooding from Rivers or Sea without Defences (Zone 2)
- Flooding from Rivers or Sea without Defences (Zone 3)
- Area Benefiting from Flood Defence
- Flood Water Storage Areas
- Flood Defence

Flood Map - Slice A



Order Details

Order Number: 270265102_1_1
 Customer Ref: 74151
 National Grid Reference: 471440, 170130
 Slice: A
 Site Area (Ha): 0.74
 Search Buffer (m): 1000

Site Details

Bennet Court, Bennet Road, Reading, RG2 0QX



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk