


<http://www.thewatercalculator.org.uk/>

Congratulations

NEW DWELLING

You are within your target maximum consumption of potable water (125 litres per person per day).

Total water consumption from your calculation

95.83

litres per person per day

Total including external water use
(17.K Compliance [Building Regulations Part G])

100.83

litres per person per day

This calculator is intended to inform design choices by demonstrating the likely impact of specification changes on total water consumption. Results can only be used to demonstrate compliance with Building Regulations when the calculations have been verified by a Building Control Officer.

Calculation summary

Installation type	Unit of measure	Capacity / flow rate	Use factor	Fixed use	Litres / person / day
WCs (single flush)	Flush volume (litres)		4.42	0	20.6
WCs (dual flush)	Average effective flushing volume (litres)	4.66			
Taps (excl. kitchen/utility room)	Flow rate (litres / minute)	3.7	1.58	1.58	7.43
Bath (shower also present)	Capacity to overflow (litres)	169	0.11	0	18.59
Shower (bath also present)	Flow rate (litres / minute)	5.6	4.37	0	24.47
Kitchen/utility room sink taps	Flow rate (litres / minute)	5	0.44	10.36	12.56
Washing machine	Litres / kg dry load	8.17	2.1	0	17.16
Dishwasher	Litres / place setting	1.25	3.6	0	4.5
Waste disposal unit	Litres / use		3.08	0	
Water softener	Litres / person / day		1	0	
Contribution from Grey Water					undefined
Contribution from Rain Water					undefined
Normalisation factor					$\sum \times 0.91$



calculator & site development by Seedtypes