

Appendix B

GroundSure Historical Maps

Scale 1:1,250 & 1:2,500

Scale 1:10,000 & 1:10,560



Scale: 1:1250 | Area 2Ha | Grid Reference: 471896,172730 | Paper Size: A4

Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: County Series

Map date: 1897-1898

Scale: 1:10,560

Printed at: 1:10,560



Surveyed 1877
Revised 1897
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1877
Revised 1898
Edition N/A
Copyright N/A
Levelled N/A




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: County Series

Map date: 1910-1914

Scale: 1:10,560

Printed at: 1:10,560



Surveyed 1877
Revised 1910
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised 1914
Edition 1913
Copyright N/A
Levelled N/A




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: County Series

Map date: 1933

Scale: 1:10,560

Printed at: 1:10,560



Surveyed 1877
Revised 1933
Edition N/A
Copyright N/A
Levelled N/A




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: County Series

Map date: 1938

Scale: 1:10,560

Printed at: 1:10,560



Surveyed 1877
Revised 1938
Edition 1938
Copyright N/A
Levelled N/A




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: Provisional

Map date: 1962

Scale: 1:10,560

Printed at: 1:10,560



Surveyed 1877
Revised 1956
Edition N/A
Copyright 1962
Levelled N/A




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: National Grid

Map date: 1971

Scale: 1:10,000

Printed at: 1:10,000



Surveyed 1971
Revised 1971
Edition N/A
Copyright N/A
Levelled N/A




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: National Grid

Map date: 1977

Scale: 1:10,000

Printed at: 1:10,000



Surveyed 1977
Revised 1977
Edition N/A
Copyright N/A
Levelled N/A



Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: National Grid

Map date: 1994

Scale: 1:10,000

Printed at: 1:10,000



Surveyed 1987
Revised 1994
Edition N/A
Copyright N/A
Levelled N/A



Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: 1:10,000 Raster

Map date: 2002

Scale: 1:10,000

Printed at: 1:10,000




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: National Grid

Map date: 2010

Scale: 1:10,000

Printed at: 1:10,000




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: National Grid

Map date: 2014

Scale: 1:10,000

Printed at: 1:10,000




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: County Series

Map date: 1879

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1879
Revised 1879
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1879
Revised 1879
Edition N/A
Copyright N/A
Levelled N/A



Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: County Series Town Plan

Map date: 1879

Scale: 1:500

Printed at: 1:1,000



Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A



Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: County Series

Map date: 1899-1900

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1900
Revised 1900
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1899
Revised 1899
Edition N/A
Copyright N/A
Levelled N/A




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: County Series

Map date: 1911-1912


Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1912
Revised 1912
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1911
Revised 1911
Edition N/A
Copyright N/A
Levelled N/A



Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: County Series

Map date: 1931-1932

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1931
Revised 1931
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1932
Revised 1932
Edition N/A
Copyright N/A
Levelled N/A



Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: National Grid

Map date: 1957

Scale: 1:1,250

Printed at: 1:2,000



Surveyed 1957
Revised 1957
Edition N/A
Copyright N/A
Levelled 1951

Surveyed 1957
Revised 1957
Edition N/A
Copyright N/A
Levelled 1951

Surveyed 1957
Revised 1957
Edition N/A
Copyright N/A
Levelled 1951

Surveyed 1957
Revised 1957
Edition N/A
Copyright N/A
Levelled 1951




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: National Grid

Map date: 1956-1957

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1957
Revised 1957
Edition 1958
Copyright N/A
Levelled 1951

Surveyed 1956
Revised 1956
Edition 1957
Copyright N/A
Levelled 1951

Surveyed 1957
Revised 1957
Edition 1958
Copyright N/A
Levelled 1951

Surveyed 1957
Revised 1957
Edition 1959
Copyright 1959
Levelled 1951




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: National Grid


Map date: 1968

Scale: 1:2,500

Printed at: 1:2,500



Surveyed 1968
Revised 1968
Edition N/A
Copyright 1971
Levelled 1951




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: National Grid

Map date: 1968-1972

Scale: 1:1,250

Printed at: 1:2,000



Surveyed 1957
Revised 1968
Edition N/A
Copyright 1969
Levelled 1951

Surveyed 1957
Revised 1967
Edition N/A
Copyright 1968
Levelled 1951

Surveyed 1968
Revised 1968
Edition N/A
Copyright 1969
Levelled 1951

Surveyed 1957
Revised 1971
Edition N/A
Copyright 1972
Levelled 1951




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: National Grid

Map date: 1978-1979

Scale: 1:1,250

Printed at: 1:2,000



Surveyed N/A
Revised N/A
Edition N/A
Copyright 1979
Levelled 1972

Surveyed N/A
Revised N/A
Edition N/A
Copyright N/A
Levelled N/A




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: National Grid

Map date: 1981-1982

Scale: 1:1,250

Printed at: 1:2,000



Surveyed 1957
Revised 1982
Edition N/A
Copyright 1982
Levelled 1972

Surveyed 1957
Revised 1980
Edition N/A
Copyright 1981
Levelled 1973




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: National Grid

Map date: 1982-1987

Scale: 1:1,250

Printed at: 1:2,000



Surveyed 1957
Revised 1982
Edition N/A
Copyright 1982
Levelled 1972

Surveyed 1973
Revised 1987
Edition N/A
Copyright 1987
Levelled 1973




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Site Details:

40, SILVER STREET, READING,
RG1 2ST

Client Ref: LW26135
Report Ref: GS-2050820
Grid Ref: 471896, 172730

Map Name: National Grid

Map date: 1990-1993

Scale: 1:1,250

Printed at: 1:2,000



Surveyed 1993
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed 1993
Revised 1993
Edition N/A
Copyright N/A
Levelled N/A

Surveyed 1993
Revised N/A
Edition N/A
Copyright 1993
Levelled N/A

Surveyed 1973
Revised 1990
Edition N/A
Copyright 1990
Levelled 1973




Produced by
Groundsure Insights
T: 08444 159000
E: info@groundsure.com
W: www.groundsure.com

© Crown copyright and database rights 2015 Ordnance Survey 100035207

Production date: 30 April 2015

To view map legend click here [Legend](#)



Appendix C

GroundSure EnviroInsight Report

Groundsure Enviroinsight

Address: 40, SILVER STREET, READING, RG1 2ST

Date: 30 Apr 2015

Reference: GS-2050818

Client: Ashdown Site Investigation Ltd

NW

N

NE

W

E



SW

S

SE

Aerial Photograph Capture date: 08-Jul-2013

Grid Reference: 471896,172730

Site Size: 0.12ha

Contents Page

Contents Page	3
Overview of Findings.....	5
Using this report.....	9
1. Environmental Permits, Incidents and Registers Map.....	10
1. Environmental Permits, Incidents and Registers.....	11
1.1 Industrial Sites Holding Licences and/or Authorisations.....	11
1.1.1 Records of historic IPC Authorisations within 500m of the study site:.....	11
1.1.2 Records of Part A(1) and IPPC Authorised Activities within 500m of the study site:.....	11
1.1.3 Records of Water Industry Referrals (potentially harmful discharges to the public sewer) within 500m of the study site:.....	11
1.1.4 Records of Red List Discharge Consents (potentially harmful discharges to controlled waters) within 500m of the study site:.....	11
1.1.5 Records of List 1 Dangerous Substances Inventory Sites within 500m of the study site:.....	11
1.1.6 Records of List 2 Dangerous Substance Inventory Sites within 500m of the study site:.....	12
1.1.7 Records of Part A(2) and Part B Activities and Enforcements within 500m of the study site:	12
1.1.8 Records of Category 3 or 4 Radioactive Substances Authorisations:.....	12
1.1.9 Records of Licensed Discharge Consents within 500m of the study site:.....	13
1.1.10 Records of Planning Hazardous Substance Consents and Enforcements within 500m of the study site:.....	13
1.2 Dangerous or Hazardous Sites.....	13
1.3 Environment Agency Recorded Pollution Incidents.....	13
1.3.1 Records of National Incidents Recording System, List 2 within 500m of the study site:.....	13
1.3.2 Records of National Incidents Recording System, List 1 within 500m of the study site:.....	13
1.4 Sites Determined as Contaminated Land under Part 2A EPA 1990.....	14
2. Landfill and Other Waste Sites Map.....	15
2. Landfill and Other Waste Sites.....	16
2.1 Landfill Sites.....	16
2.1.1 Records from Environment Agency landfill data within 1000m of the study site:	16
2.1.2 Records of Environment Agency historic landfill sites within 1500m of the study site:	16
2.1.3 Records of BGS/DoE non-operational landfill sites within 1500m of the study site:.....	17
2.1.4 Records of Local Authority landfill sites within 1500m of the study site:.....	17
2.2 Other Waste Sites.....	17
2.2.1 Records of waste treatment, transfer or disposal sites within 500m of the study site:	17
2.2.2 Records of Environment Agency licensed waste sites within 1500m of the study site:	17
3. Current Land Use Map.....	19
3. Current Land Uses.....	20
3.1 Current Industrial Data.....	20
3.2 Petrol and Fuel Sites.....	21
3.3 Underground High Pressure Oil and Gas Pipelines.....	21
4. Geology.....	22
4.1 Artificial Ground and Made Ground.....	22
4.2 Superficial Ground and Drift Geology	22
4.3 Bedrock and Solid Geology	22
5. Hydrogeology and Hydrology.....	23
5a. Aquifer Within Superficial Geology.....	23
5b. Aquifer Within Bedrock Geology and Abstraction Licenses.....	24
5c. Hydrogeology – Source Protection Zones and Potable Water Abstraction Licenses.....	25
5d. Hydrology Source Protection Zones within confined aquifer.....	26
5e. Hydrology – Detailed River Network and River Quality.....	27
5. Hydrogeology and Hydrology.....	28
5.1 Aquifer within Superficial Deposits.....	28
5.2 Aquifer within Bedrock Deposits.....	28

5.3 Groundwater Abstraction Licences.....	29
5.4 Surface Water Abstraction Licences.....	32
5.5 Potable Water Abstraction Licences.....	33
5.6 Source Protection Zones.....	35
5.7 Source Protection Zones within Confined Aquifer.....	36
5.8 Groundwater Vulnerability and Soil Leaching Potential.....	36
5.9 River Quality.....	36
5.9.1 Biological Quality:.....	36
5.9.2 Chemical Quality:.....	37
5.10 Detailed River Network.....	37
5.11 Surface Water Features	38
6. Environment Agency Flood Map for planning (from rivers and the sea).....	39
6. Flooding.....	40
6.1 Zone 2 Flooding.....	40
6.2 Zone 3 Flooding.....	40
6.3 Flood Defences.....	40
6.4 Areas benefiting from Flood Defences.....	40
6.5 Areas benefiting from Flood Storage.....	40
6.6 Groundwater Flooding Susceptibility Areas.....	41
6.6.1 Are there any British Geological Survey groundwater flooding susceptibility areas within 50m of the boundary of the study site?	41
6.6.2 What is the highest susceptibility to groundwater flooding in the search area based on the underlying geological conditions?.....	41
6.7 Groundwater Flooding Confidence Areas.....	41
7. Designated Environmentally Sensitive Sites Map.....	42
7. Designated Environmentally Sensitive Sites.....	43
7.1 Records of Sites of Special Scientific Interest (SSSI) within 2000m of the study site:.....	43
7.2 Records of National Nature Reserves (NNR) within 2000m of the study site:.....	43
7.3 Records of Special Areas of Conservation (SAC) within 2000m of the study site:.....	43
7.4 Records of Special Protection Areas (SPA) within 2000m of the study site:.....	43
7.5 Records of Ramsar sites within 2000m of the study site:.....	43
7.6 Records of Ancient Woodland within 2000m of the study site:	44
7.7 Records of Local Nature Reserves (LNR) within 2000m of the study site:.....	44
7.8 Records of World Heritage Sites within 2000m of the study site:.....	44
7.9 Records of Environmentally Sensitive Areas within 2000m of the study site:	44
7.10 Records of Areas of Outstanding Natural Beauty (AONB) within 2000m of the study site:	44
7.11 Records of National Parks (NP) within 2000m of the study site:	44
7.12 Records of Nitrate Sensitive Areas within 2000m of the study site:.....	44
7.13 Records of Nitrate Vulnerable Zones within 2000m of the study site:.....	45
7.14 Records of Green Belt land within 2000m of the study site:.....	45
8. Natural Hazards Findings.....	46
8.1 Detailed BGS GeoSure Data.....	46
8.1.1 Shrink Swell.....	46
8.1.2 Landslides.....	46
8.1.3 Soluble Rocks.....	47
8.1.4 Compressible Ground.....	47
8.1.5 Collapsible Rocks.....	47
8.1.6 Running Sand.....	48
9. Mining.....	49
9.1 Coal Mining.....	49
9.2 Shallow Mining.....	49
9.3 Brine Affected Areas	49
Contact Details.....	50
Standard Terms and Conditions.....	52

Overview of Findings

For further details on each dataset, please refer to each individual section in the main report as listed. Where the database has been searched a numerical result will be recorded. Where the database has not been searched '-' will be recorded.

Section 1: Environmental Permits, Incidents and Registers	On-site	0-50m	51-250	251-500
1.1 Industrial Sites Holding Environmental Permits and/or Authorisations				
1.1.1 Records of historic IPC Authorisations	0	0	0	0
1.1.2 Records of Part A(1) and IPPC Authorised Activities	0	0	0	0
1.1.3 Records of Water Industry Referrals (potentially harmful discharges to the public sewer)	0	0	0	0
1.1.4 Records of Red List Discharge Consents (potentially harmful discharges to controlled waters)	0	0	0	0
1.1.5 Records of List 1 Dangerous Substances Inventory sites	0	0	0	0
1.1.6 Records of List 2 Dangerous Substances Inventory sites	0	0	0	0
1.1.7 Records of Part A(2) and Part B Activities and Enforcements	0	0	0	2
1.1.8 Records of Category 3 or 4 Radioactive Substances Authorisations	0	0	0	2
1.1.9 Records of Licensed Discharge Consents	0	0	0	0
1.1.10 Records of Planning Hazardous Substance Consents and Enforcements	0	0	0	0
1.2 Records of COMAH and NIHHS sites	0	0	0	0
1.3 Environment Agency Recorded Pollution Incidents				
1.3.1 National Incidents Recording System, List 2	0	0	0	2
1.3.2 National Incidents Recording System, List 1	0	0	0	0
1.4 Sites Determined as Contaminated Land under Part 2A EPA 1990	0	0	0	0

Section 2: Landfill and Other Waste Sites	On-site	0-50m	51-250	251-500	501-1000	1000-5000
2.1 Landfill Sites						
2.1.1 Environment Agency Registered Landfill Sites	0	0	0	0	0	Not searched
2.1.2 Environment Agency Historic Landfill Sites	0	0	0	0	1	3
2.1.3 BGS/DoE Landfill Site Survey	0	0	0	0	0	0
2.1.4 Groundsure Local Authority Landfill Sites Data	0	0	0	0	0	0
2.2 Landfill and Other Waste Sites Findings						

Section 2: Landfill and Other Waste Sites	On-site	0-50m	51-250	251-500	501-1000	1000-5000
2.2.1 Operational and Non-Operational Waste Treatment, Transfer and Disposal Sites	0	0	0	0	Not searched	Not searched
2.2.2 Environment Agency Licensed Waste Sites	0	0	0	0	1	2

Section 3: Current Land Use	On-site	0-50m	51-250	251-500
3.1 Current Industrial Sites Data	0	1	14	Not searched
3.2 Records of Petrol and Fuel Sites	0	0	0	0
3.3 Underground High Pressure Oil and Gas Pipelines	0	0	0	0

Section 4: Geology	
4.1 Are there any records of Artificial Ground and Made Ground present beneath the study site?	No
4.2 Are there any records of Superficial Ground and Drift Geology present beneath the study site?	Yes
4.3 For records of Bedrock and Solid Geology beneath the study site see the detailed findings section.	

Section 5: Hydrogeology and Hydrology				0-500m		
5.1 Are there any records of Strata Classification in the Superficial Geology within 500m of the study site?				Yes		
5.2 Are there any records of Strata Classification in the Bedrock Geology within 500m of the study site?				Yes		
	On-site	0-50m	51-250	251-500	501-1000	1000-2000
5.3 Groundwater Abstraction Licences (within 2000m of the study site)	0	0	0	1	0	23
5.4 Surface Water Abstraction Licences (within 2000m of the study site)	0	0	0	2	0	3
5.5 Potable Water Abstraction Licences (within 2000m of the study site)	0	0	0	1	0	16
5.6 Source Protection Zones (within 500m of the study site)	0	0	0	0	Not searched	Not searched
5.7 Source Protection Zones within Confined Aquifer	0	0	0	0	Not searched	Not searched
5.8 Groundwater Vulnerability and Soil Leaching Potential (within 500m of the study site)	1	0	0	1	Not searched	Not searched
	On-site	0-50m	51-250	251-500	501-1000	1000-1500
5.9 Is there any Environment Agency information on river quality within 1500m of the study site?	No	No	No	No	Yes	Yes
5.10 Detailed River Network entries within 500m of the site	0	0	0	4	Not searched	Not searched
5.11 Surface water features within 250m of the study site	No	No	No	Not searched	Not searched	Not searched

Section 6: Flooding

6.1 Are there any Environment Agency Zone 2 floodplains within 250m of the study site?	No
6.2 Are there any Environment Agency Zone 3 floodplains within 250m of the study site?	No
6.3 Are there any Flood Defences within 250m of the study site?	No
6.4 Are there any areas benefiting from Flood Defences within 250m of the study site?	No
6.5 Are there any areas used for Flood Storage within 250m of the study site?	No
6.6 What is the maximum BGS Groundwater Flooding susceptibility within 50m of the study site?	Potential below Surface
6.7 What is the BGS confidence rating for the Groundwater Flooding susceptibility areas?	High

Section 7: Designated Environmentally Sensitive Sites

	On-site	0-50m	51-250	251-500	501-1000	1000-2000
7.1 Records of Sites of Special Scientific Interest (SSSI)	0	0	0	0	0	0
7.2 Records of National Nature Reserves (NNR)	0	0	0	0	0	0
7.3 Records of Special Areas of Conservation (SAC)	0	0	0	0	0	0
7.4 Records of Special Protection Areas (SPA)	0	0	0	0	0	0
7.5 Records of Ramsar sites	0	0	0	0	0	0
7.6 Records of Ancient Woodlands	0	0	0	0	0	0
7.7 Records of Local Nature Reserves (LNR)	0	0	0	0	0	0
7.8 Records of World Heritage Sites	0	0	0	0	0	0
7.9 Records of Environmentally Sensitive Areas	0	0	0	0	0	0
7.10 Records of Areas of Outstanding Natural Beauty (AONB)	0	0	0	0	0	0
7.11 Records of National Parks	0	0	0	0	0	0
7.12 Records of Nitrate Sensitive Areas	0	0	0	0	0	0
7.13 Records of Nitrate Vulnerable Zones	1	0	0	0	1	2
7.14 Records of Green Belt Data	0	0	0	0	0	0

Section 8: Natural Hazards

8.1 What is the maximum risk of natural ground subsidence?	Moderate
8.1.1 What is the maximum Shrink-Swell hazard rating identified on the study site?	Moderate
8.1.2 What is the maximum Landslides hazard rating identified on the study site?	Very Low
8.1.3 What is the maximum Soluble Rocks hazard rating identified on the study site?	Negligible
8.1.4 What is the maximum Compressible Ground hazard rating identified on the study site?	Negligible
8.1.5 What is the maximum Collapsible Rocks hazard rating identified on the study site?	Very Low
8.1.6 What is the maximum Running Sand hazard rating identified on the study site?	Very Low

Section 9: Mining

9.1 Are there any coal mining areas within 75m of the study site?	No
9.2 What is the risk of subsidence relating to shallow mining within 150m of the study site?	Negligible
9.3 Are there any brine affected areas within 75m of the study site?	No

Using this report

The following report is designed by Environmental Consultants for Environmental Professionals bringing together the most up-to-date market leading environmental data. This report is provided under and subject to the Terms & Conditions agreed between Groundsure and the Client. The document contains the following sections:

1. Environmental Permits, Incidents and Registers

Provides information on Regulated Industrial Activities and Pollution Incidents as recorded by Regulatory Authorities, and sites determined as Contaminated Land. This search is conducted using radii up to 500m.

2. Landfills and Other Waste Sites

Provides information on landfills and other waste sites that may pose a risk to the study site. This search is conducted using radii up to 1500m.

3. Current Land Uses

Provides information on current land uses that may pose a risk to the study site in terms of potential contamination from activities or processes. These searches are conducted using radii of up to 500m. This includes information on potentially contaminative industrial sites, petrol stations and fuel sites as well as high pressure underground oil and gas pipelines.

4. Geology

Provides information on artificial and superficial deposits and bedrock beneath the study site.

5. Hydrogeology and Hydrology

Provides information on productive strata within the bedrock and superficial geological layers, abstraction licenses, Source Protection Zones (SPZs) and river quality. These searches are conducted using radii of up to 2000m.

6. Flooding

Provides information on surface water flooding, flood defences, flood storage areas and groundwater flood areas. This search is conducted using radii of up to 250m.

7. Designated Environmentally Sensitive Sites

Provides information on the Sites of Special Scientific Interest (SSSI), National Nature Reserves (NNR), Special Areas of Conservation (SAC), Special Protection Areas (SPA), Ramsar sites, Local Nature Reserves (LNR), Areas of Outstanding Natural Beauty (AONB), National Parks (NP), Environmentally Sensitive Areas, Nitrate Sensitive Areas, Nitrate Vulnerable Zones and World Heritage Sites and Scheduled Ancient Woodland. These searches are conducted using radii of up to 2000m.

8. Natural Hazards

Provides information on a range of natural hazards that may pose a risk to the study site. These factors include natural ground subsidence.

9. Mining

Provides information on areas of coal and shallow mining.

10. Contacts

This section of the report provides contact points for statutory bodies and data providers that may be able to provide further information on issues raised within this report. Alternatively, Groundsure provide a free Technical Helpline (08444 159000) for further information and guidance.


Note: Maps

Only certain features are placed on the maps within the report. All features represented on maps found within this search are given an identification number. This number identifies the feature on the mapping and correlates it to the additional information provided below. This identification number precedes all other information and takes the following format -Id: 1, Id: 2, etc. Where numerous features on the same map are in such close proximity that the numbers would obscure each other a letter identifier is used instead to represent the features. (e.g. Three features which overlap may be given the identifier "A" on the map and would be identified separately as features 1A, 3A, 10A on the data tables provided).

Where a feature is reported in the data tables to a distance greater than the map area, it is noted in the data table as "Not Shown".

All distances given in this report are in Metres (m). Directions are given as compass headings such as N: North, E: East, NE: North East from the nearest point of the study site boundary.

1. Environmental Permits, Incidents and Registers Map



Environmental Permits,
Incidents and Registers Legend

Mapping
sourced from

 **Ordnance
Survey**

© Crown copyright and database rights 2015.
Ordnance Survey license 100035207.

- | | | |
|--|---|--|
|  Site Outline |  Recorded Pollution Incident |  RAS 3 & 4 Authorisations |
|  Search Buffers (m) |  Dangerous Substances (List 1) |  Part A(1) Authorised Processes and Historic IPC Authorisations |
| |  Dangerous Substances (List 2) |  Part A(2) and Part B Authorised Processes |
| |  Water Industry Referrals |  COMAH / NIHHS Sites |
| |  Licenced Discharge Consents |  Sites Determined as Contaminated Land |
| |  Red List Discharge Consents |  Hazardous Substance Consents and Enforcements |

1. Environmental Permits, Incidents and Registers

1.1 Industrial Sites Holding Licences and/or Authorisations

Searches of information provided by the Environment Agency and Local Authorities reveal the following information:

1.1.1 Records of historic IPC Authorisations within 500m of the study site:

0

Database searched and no data found.

1.1.2 Records of Part A(1) and IPPC Authorised Activities within 500m of the study site:

0

Database searched and no data found.

1.1.3 Records of Water Industry Referrals (potentially harmful discharges to the public sewer) within 500m of the study site:

0

Database searched and no data found.

1.1.4 Records of Red List Discharge Consents (potentially harmful discharges to controlled waters) within 500m of the study site:

0

Database searched and no data found.

1.1.5 Records of List 1 Dangerous Substances Inventory Sites within 500m of the study site:

0

Database searched and no data found.

1.1.6 Records of List 2 Dangerous Substance Inventory Sites within 500m of the study site:

0

Database searched and no data found.

1.1.7 Records of Part A(2) and Part B Activities and Enforcements within 500m of the study site:

2

The following Part A(2) and Part B Activities are represented as points on the Environmental Permits, Incidents and Registers Map:

ID	Distance	Direction	NGR	Details
3	449.0	S	472024 172280	Address: Tydex Dry Cleaners, 61 Whitley Street, RG2 OEG Process: PG6/46 (04) Dry Cleaning Status: Historical Permit Permit Type: Part B Enforcement: No Enforcements Notified Date of Enforcement: No Enforcements Notified Comment: No Enforcements Notified
4	489.0	NE	472318 173024	Address: Murco Petroleum Limited, London Road Station, 69 London Road, Reading, RG1 5BW Process: PG1/14 (06) Unloading of Petrol into Storage at Petrol Stations Status: Current Permit Permit Type: Part B Enforcement: No Enforcements Notified Date of Enforcement: No Enforcements Notified Comment: No Enforcements Notified

1.1.8 Records of Category 3 or 4 Radioactive Substances Authorisations:

2

The following RAS Licence (3 or 4) records are represented as points on the Environmental Permits, Incidents and Registers Map:

ID	Distance	Direction	NGR	Address	Operator	Type	Permission Number	Dates	Status
7A	413.0	E	4723 00 1729 00	Wyeth Research (uk) Ltd, The University Of Reading, London Road, Reading, Berkshire, RG1 5AQ	Wyeth Research (uk) Ltd	Disposal Of Radioactive Waste (was Rsa60 Section 6).	AK1304	Date of Approval:1/12/1993 Effective from:29/12/1993 Last date of update:2015-01-01	Revoked/cancelled
8A	413.0	E	4723 00 1729 00	University Of Reading, London Road, Reading, Berkshire, RG6 2AF	University Of Reading	Disposal Of Radioactive Waste (was Rsa60 Section 6).	AD6897	Date of Approval:31/3/1991 Effective from:31/3/1991 Last date of update:2015-01-01	Revoked/cancelled

1.1.9 Records of Licensed Discharge Consents within 500m of the study site:

0

Database searched and no data found.

1.1.10 Records of Planning Hazardous Substance Consents and Enforcements within 500m of the study site:

0

Database searched and no data found.

1.2 Dangerous or Hazardous Sites

Records of COMAH & NIHHS sites within 500m of the study site:

0

Database searched and no data found.

1.3 Environment Agency Recorded Pollution Incidents

1.3.1 Records of National Incidents Recording System, List 2 within 500m of the study site:

2

The following NIRS List 2 records are represented as points on the Environmental Permits, Incidents and Registers Map:

ID	Distance	Direction	NGR	Details	
1	457.0	W	471423 172830	Incident Date: 13/08/2003 Incident Identification: 181888 Pollutant: Inert Materials and Wastes Pollutant Description: Other Inert Material or Waste	Water Impact: Category 3 (Minor) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)
2	468.0	N	471725 173184	Incident Date: 11/10/2003 Incident Identification: 195650 Pollutant: Sewage Materials Pollutant Description: Crude Sewage	Water Impact: Category 4 (No Impact) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)

1.3.2 Records of National Incidents Recording System, List 1 within 500m of the study site:

0

Database searched and no data found.


1.4 Sites Determined as Contaminated Land under Part 2A EPA 1990

How many records of sites determined as contaminated land under Section 78R of the Environmental Protection Act 1990 are there within 500m of the study site?

0

Database searched and no data found.

2. Landfill and Other Waste Sites Map




Landfill and Other Waste Sites
Legend

Mapping
sourced from

 **Ordnance
Survey**

© Crown copyright and database rights 2015.
Ordnance Survey license 100035207.



2. Landfill and Other Waste Sites

2.1 Landfill Sites

2.1.1 Records from Environment Agency landfill data within 1000m of the study site:

0

Database searched and no data found.

2.1.2 Records of Environment Agency historic landfill sites within 1500m of the study site:

4

The following landfill records are represented as either points or polygons on the Landfill and Other Waste Sites map:

ID	Distance (m)	Direction	NGR	Details
Not shown	734.0	SW	471400 171900	Site Address: Waterloo Meadows, Reading, Berkshire Waste Licence: - Site Reference: TP0154, RDG8 Waste Type: Inert, Industrial Environmental Permitting Regulations (Waste) Reference: - Licence Issue: Licence Surrendered: Licence Hold Address: - Operator: -
Not shown	1169.0	S	471600 171400	Site Address: Craddock Road, Reading, Berkshire Waste Licence: - Site Reference: RDG17, TP0107 Waste Type: Inert, Industrial Environmental Permitting Regulations (Waste) Reference: - Licence Issue: Licence Surrendered: Licence Hold Address: - Operator: -
Not shown	1360.0	NE	472800 173800	Site Address: Napier Road, Reading, Berkshire Waste Licence: - Site Reference: TP0266, RDG3 Waste Type: Inert, Industrial Environmental Permitting Regulations (Waste) Reference: - Licence Issue: Licence Surrendered: Licence Hold Address: - Operator: -
Not shown	1491.0	S	471400 171200	Site Address: Rose Kiln Lane South, Reading, Berkshire Waste Licence: - Site Reference: TP0106, RDG1 Waste Type: Commercial, Household Liquid sludge, Environmental Permitting Regulations (Waste) Reference: - Licence Issue: Licence Surrendered: Licence Hold Address: - Operator: -

2.1.3 Records of BGS/DoE non-operational landfill sites within 1500m of the study site:

0

Database searched and no data found.

2.1.4 Records of Local Authority landfill sites within 1500m of the study site:

0

Database searched and no data found.

2.2 Other Waste Sites

2.2.1 Records of waste treatment, transfer or disposal sites within 500m of the study site:

0

Database searched and no data found.

2.2.2 Records of Environment Agency licensed waste sites within 1500m of the study site:


3

The following waste treatment, transfer or disposal sites records are represented as points on the Landfill and Other Waste Sites map:

ID	Distance (m)	Direction	NGR	Details
Not shown	800.0	NE	472390 173390	Site Address: Omega Park, Alton, Hampshire, GU34 2QE Type: Household, Commercial & Industrial Waste T Stn Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: HOP003 EPR reference: - Operator: Hopkins Recycling Ltd Waste Management licence No: 83406 Annual Tonnage: 4910.0 Issue Date: 15/10/2002 Effective Date: - Modified: 17/12/2004 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Modified Site Name: Alton House Waste Recycling Centre Correspondence Address: -, Hopkins Recycling Limited, Unit 10, Bridge Farm, Curbridge, Botley, Southampton, Hampshire, SO30 2HB
Not shown	1241.0	S	471600 171500	Site Address: Units D & E, Reading Approach, Cradock Road, Reading, Berkshire, RG2 0JT Type: Household, Commercial & Industrial Waste T Stn Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: REN003 EPR reference: EA/EPR/GP3495EA/V003 Operator: Rentokil Initial Services Ltd Waste Management licence No: 86428 Annual Tonnage: 4999.0 Issue Date: 26/07/2007 Effective Date: - Modified: 09/08/2011 Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Modified Site Name: Rentokil Initial Services Ltd Correspondence Address: -, -

ID	Distance (m)	Direction	NGR	Details	
Not shown	1241.0	S	471600 171500	Site Address: Units D & E, Reading Approach, Cradock Road, Reading, Berkshire, RG2 0JT Type: Special Waste Transfer Station Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: REN003 EPR reference: EA/EPR/GP3495EA/S004 Operator: Rentokil Initial Services Ltd Waste Management licence No: 86428 Annual Tonnage: 0.0	Issue Date: 26/07/2007 Effective Date: - Modified: 09/08/2011 Surrendered Date: 01/06/2012 Expiry Date: - Cancelled Date: - Status: Surrendered Site Name: Rentokill Initial Services Ltd Correspondence Address: -, -


3. Current Land Use Map



Current Land Use Legend



© Crown copyright and database rights 2015.
Ordnance Survey license 100035207.



3. Current Land Uses

3.1 Current Industrial Data

Records of potentially contaminative industrial sites within 250m of the study site:

15

The following records are represented as points on the Current Land Uses map.

ID	Distance (m)	Direction	Company	NGR	Address	Activity	Category
1	43.0	E	Select Contracts	471961 172718	5 Windsor Square, Silver Street, Reading, RG1 2TH	Vehicle Hire and Rental	Hire Services
2	70.0	W	Wildlife Control Services Ltd	471806 172765	13, Upper Crown Street, Reading, RG1 2SS	Pest and Vermin Control	Contract Services
3	70.0	SW	Electricity Sub Station		RG1	Electrical Features	Infrastructure and Facilities
4	82.0	NE	Electricity Sub Station		RG1	Electrical Features	Infrastructure and Facilities
5	115.0	S	Electricity Sub Station		RG1	Electrical Features	Infrastructure and Facilities
6	121.0	W	City Gate Business Centre	172761	95-107, Southampton Street, Reading, RG1 2QU	Business Parks and Industrial Estates	Industrial Features
7	139.0	E	Electricity Sub Station		RG1	Electrical Features	Infrastructure and Facilities
8	142.0	S	4 Bays	471919 172570	50, Mount Pleasant, Reading, RG1 2TD	Vehicle Repair, Testing and Servicing	Repair and Servicing
9	159.0	SW	Chestermans Garage	471739 172632	1a, Chesterman Street, Reading, RG1 2PR	Vehicle Repair, Testing and Servicing	Repair and Servicing
10	159.0	N	Crown Hand Car Wash	471836 172894	6-8, Crown Street, Reading, RG1 2SE	Vehicle Cleaning Services	Personal, Consumer and Other Services
11	172.0	N	Miraj Computers Reading	471884 172914	123, London Street, Reading, RG1 4QA	Electrical Equipment Repair and Servicing	Repair and Servicing
12	178.0	NW	Electricity Sub Station		RG1	Electrical Features	Infrastructure and Facilities
13	181.0	E	Reading Urology	472096 172766	11, Kendrick Road, Reading, RG1 5DU	Medical Equipment, Supplies and Pharmaceuticals	Industrial Products
14	240.0	W	Old Furniture Shop	471644 172818	85, Pell Street, Reading, RG1 2NP	Clearance and Salvage Dealers	Recycling Services
15	246.0	SE	Electricity Sub Station		RG1	Electrical Features	Infrastructure and Facilities

3.2 Petrol and Fuel Sites

Records of petrol or fuel sites within 500m of the study site: 0

Database searched and no data found.

3.3 Underground High Pressure Oil and Gas Pipelines

Records of high pressure underground pipelines within 500m of the study site: 0

Database searched and no data found.

4. Geology

4.1 Artificial Ground and Made Ground

Database searched and no data found.

The database has been searched on site, including a 50m buffer.

4.2 Superficial Ground and Drift Geology

The database has been searched on site, including a 50m buffer.

Lex Code	Description	Rock Type
TPGR	TAPLOW GRAVEL FORMATION	SAND AND GRAVEL [UNLITHIFIED DEPOSITS CODING SCHEME]

4.3 Bedrock and Solid Geology


The database has been searched on site, including a 50m buffer.

Lex Code	Description	Rock Type
LMBE-CLSISA	LAMBETH GROUP	CLAY, SILT AND SAND

(Derived from the BGS 1:50,000 Digital Geological Map of Great Britain)

5. Hydrogeology and Hydrology


5a. Aquifer Within Superficial Geology




Aquifer Within Superficial Geology



© Crown copyright and database rights 2015.
Ordnance Survey license 100035207.




5b. Aquifer Within Bedrock Geology and Abstraction Licenses




Aquifer Within Bedrock Geology and Abstraction Licenses

Mapping sourced from 

© Crown copyright and database rights 2015.
Ordnance Survey license 100035207.




5c. Hydrogeology – Source Protection Zones and Potable Water Abstraction Licenses




Map Legend
Source Protection
Zones and Potable Water Abstraction
Licenses



© Crown copyright and database rights 2015.
Ordnance Survey license 100035207.




5d. Hydrology Source Protection Zones within confined aquifer




Hydrology Source Protection Zones



© Crown copyright and database rights 2015.
Ordnance Survey license 100035207.



5e. Hydrology – Detailed River Network and River Quality



Hydrology – Detailed River Network and River Quality



© Crown copyright and database rights 2015. Ordnance Survey license 100035207.



5. Hydrogeology and Hydrology

5.1 Aquifer within Superficial Deposits

Are there records of strata classification within the superficial geology at or in proximity to the property?
Yes

From 1 April 2010, the Environment Agency's Groundwater Protection Policy has been using aquifer designations consistent with the Water Framework Directive. For further details on the designation and interpretation of this information, please refer to the Groundsure Enviroinsight User Guide.

The following aquifer records are shown on the Aquifer within Superficial Geology Map (5a):

ID	Distance (m)	Direction	Designation	Description
1	0.0	On Site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
2	183.0	S	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers

5.2 Aquifer within Bedrock Deposits

Are there records of strata classification within the bedrock geology at or in proximity to the property? Yes

From 1 April 2010, the Environment Agency's Groundwater Protection Policy has been using aquifer designations consistent with the Water Framework Directive. For further details on the designation and interpretation of this information, please refer to the Groundsure Enviroinsight User Guide.

The following aquifer records are shown on the Aquifer within Bedrock Geology Map (5b):

ID	Distance (m)	Direction	Designation	Description
4	0.0	On Site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
6	139.0	S	Unproductive	These are rock layers or drift deposits with low permeability that have negligible significance for water supply or river base flow
1	284.0	NW	Principal	Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers

5.3 Groundwater Abstraction Licences

Are there any Groundwater Abstraction Licences within 2000m of the study site?

Yes

The following Abstraction Licences records are represented as points, lines and regions on the Aquifer within Bedrock Geology Map (5b):

ID	Distance (m)	Direction	NGR	Details
7	486.0	E	472400 172800	Licence No: 28/39/22/0521 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Thames Groundwater Point: Royal Berkshire Hospital Data Type: Point Annual Volume (m³): 127750 Max Daily Volume (m³): 350 Original Application No: WRA/5950 Original Start Date: 17/1/1992 Expiry Date: - Issue No: 100 Version Start Date: 17/1/1992 Version End Date:
Not shown	1015.0	NW	471200 173500	Licence No: 28/39/23/0042 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Thames Groundwater Point: Cheapside, Reading, Berkshire Data Type: Point Annual Volume (m³): 14933 Max Daily Volume (m³): 40.91 Original Application No: - Original Start Date: 11/7/1966 Expiry Date: - Issue No: 101 Version Start Date: 1/4/2008 Version End Date:
Not shown	1159.0	NE	472700 173600	Licence No: 28/39/22/0600 Details: Pollution Remediation Direct Source: Thames Groundwater Point: Former Gasworks, Kenavon Drive, Reading (5 Boreholes) Data Type: Point Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WRW/A/1061 Original Start Date: 31/7/2000 Expiry Date: 31/08/2001 Issue No: 1 Version Start Date: 31/7/2000 Version End Date:
Not shown	1486.0	SE	473000 171700	Licence No: 28/39/22/0077 Details: General use relating to Secondary Category (Medium Loss) Direct Source: Thames Groundwater Point: Whiteknights Park, Reading Data Type: Point Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WRA/348/1 Original Start Date: 14/3/1966 Expiry Date: - Issue No: 100 Version Start Date: 26/4/1993 Version End Date:
Not shown	1516.0	SE	473040 171700	Licence No: 28/39/22/0077 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Thames Groundwater Point: Whiteknights Park - Reading - Borehole Data Type: Point Annual Volume (m³): 240000 Max Daily Volume (m³): 1032 Original Application No: NPS/WR/003756 Original Start Date: 14/3/1966 Expiry Date: - Issue No: 103 Version Start Date: 1/4/2011 Version End Date:
Not shown	1655.0	N	471900 174400	Licence No: 28/39/23/0020 Details: Laundry Use Direct Source: Thames Groundwater Point: 72 George Street, Caversham, - Borehole 'a' Data Type: Point Annual Volume (m³): 68190 Max Daily Volume (m³): 300.04 Original Application No: - Original Start Date: 9/5/1966 Expiry Date: - Issue No: 101 Version Start Date: 30/12/2004 Version End Date:

ID	Distance (m)	Direction	NGR	Details	
Not shown	1672.0	NW	470900 174100	Licence No: 28/39/23/0167 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Thames Groundwater Point: Meadow Road, Reading, Berkshire Data Type: Point	Annual Volume (m³): 90920 Max Daily Volume (m³): 727.4 Original Application No: - Original Start Date: 23/1/1990 Expiry Date: - Issue No: 101 Version Start Date: 30/6/2006 Version End Date:
Not shown	1672.0	NW	470900 174100	Licence No: 28/39/23/0041 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Thames Groundwater Point: Cardiff Road, Reading, Berkshire Data Type: Point	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR.A/1988 Original Start Date: 11/7/1966 Expiry Date: - Issue No: 100 Version Start Date: 11/7/1966 Version End Date:
Not shown	1672.0	NW	470900 174100	Licence No: 28/39/23/0041 Details: Non-Evaporative Cooling Direct Source: Thames Groundwater Point: Cardiff Road, Reading, Berkshire Data Type: Point	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR.A/1988 Original Start Date: 11/7/1966 Expiry Date: - Issue No: 100 Version Start Date: 11/7/1966 Version End Date:
Not shown	1672.0	NW	470900 174100	Licence No: 28/39/23/0167 Details: Non-Evaporative Cooling Direct Source: Thames Groundwater Point: Meadow Road, Reading, Berkshire Data Type: Point	Annual Volume (m³): 90920 Max Daily Volume (m³): 727.4 Original Application No: - Original Start Date: 23/1/1990 Expiry Date: - Issue No: 101 Version Start Date: 30/6/2006 Version End Date:
Not shown	1790.0	NW	470600 174000	Licence No: 28/39/23/0128 Details: Process Water Direct Source: Thames Groundwater Point: Cardiff Road, Reading Point B Data Type: Point	Annual Volume (m³): 6682 Max Daily Volume (m³): 27.28 Original Application No: WR.A/4547 Original Start Date: 22/1/1975 Expiry Date: - Issue No: 100 Version Start Date: 1/4/2008 Version End Date:
Not shown	1796.0	SW	470970 171160	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station 'bh D' Data Type: Point	Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: NPS/WR/008557 Original Start Date: 5/9/1966 Expiry Date: 31/3/2023 Issue No: 101 Version Start Date: 1/1/2013 Version End Date:
Not shown	1796.0	SW	470970 171160	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station Bh 'd' Data Type: Point	Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: RG952 Original Start Date: 5/9/1966 Expiry Date: - Issue No: 100 Version Start Date: 11/6/1998 Version End Date:
Not shown	1826.0	SW	470850 171200	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station Bh 'a' Data Type: Point	Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: RG952 Original Start Date: 5/9/1966 Expiry Date: - Issue No: 100 Version Start Date: 11/6/1998 Version End Date:

ID	Distance (m)	Direction	NGR	Details	
Not shown	1849.0	SW	470840 171180	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station 'bh A' Data Type: Point	Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: NPS/WR/008557 Original Start Date: 5/9/1966 Expiry Date: 31/3/2023 Issue No: 101 Version Start Date: 1/1/2013 Version End Date:
Not shown	1873.0	SW	470770 171200	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station Bh 'b' Data Type: Point	Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: RG952 Original Start Date: 5/9/1966 Expiry Date: - Issue No: 100 Version Start Date: 11/6/1998 Version End Date:
Not shown	1889.0	SW	470770 171180	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station 'bh B' Data Type: Point	Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: NPS/WR/008557 Original Start Date: 5/9/1966 Expiry Date: 31/3/2023 Issue No: 101 Version Start Date: 1/1/2013 Version End Date:
Not shown	1904.0	SW	470680 171230	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station 'bh C' Data Type: Point	Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: NPS/WR/008557 Original Start Date: 5/9/1966 Expiry Date: 31/3/2023 Issue No: 101 Version Start Date: 1/1/2013 Version End Date:
Not shown	1904.0	SW	470680 171230	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station Bh 'c' Data Type: Point	Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: RG952 Original Start Date: 5/9/1966 Expiry Date: - Issue No: 100 Version Start Date: 11/6/1998 Version End Date:
Not shown	1949.0	SW	470610 171230	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station 'bh G' Data Type: Point	Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: NPS/WR/008557 Original Start Date: 5/9/1966 Expiry Date: 31/3/2023 Issue No: 101 Version Start Date: 1/1/2013 Version End Date:
Not shown	1949.0	SW	470610 171230	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station Bh 'g' Data Type: Point	Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: RG952 Original Start Date: 5/9/1966 Expiry Date: - Issue No: 100 Version Start Date: 11/6/1998 Version End Date:
Not shown	1960.0	NE	473500 173900	Licence No: 28/39/23/0016 Details: General Use Relating To Secondary Category (Medium Loss) Direct Source: Thames Groundwater Point: Reading University Research Site, Reading, - Well 'a' Data Type: Point	Annual Volume (m³): 1136 Max Daily Volume (m³): 22.73 Original Application No: WR.A/348/2 Original Start Date: 14/3/1966 Expiry Date: - Issue No: 100 Version Start Date: 1/4/2008 Version End Date:

ID	Distance (m)	Direction	NGR	Details
Not shown	1995.0	SW	470660 171130	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station 'bh H' Data Type: Point Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: NPS/WR/008557 Original Start Date: 5/9/1966 Expiry Date: 31/3/2023 Issue No: 101 Version Start Date: 1/1/2013 Version End Date:
Not shown	1995.0	SW	470660 171130	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station Bh 'h' Data Type: Point Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: RG952 Original Start Date: 5/9/1966 Expiry Date: - Issue No: 100 Version Start Date: 11/6/1998 Version End Date:

5.4 Surface Water Abstraction Licences

Are there any Surface Water Abstraction Licences within 2000m of the study site? Yes

The following Surface Water Abstraction Licences records are represented as points, lines and regions on the Aquifer within Bedrock Geology Map (5b):

ID	Distance (m)	Direction	NGR	Details
31A	498.0	NW	471590 173150	Licence No: 28/39/22/0594 Details: Lake & Pond Throughflow Direct Source: Thames Surface Water - Non Tidal Point: The Oracle Centre, Reading Data Type: Point Annual Volume (m³): - Max Daily Volume (m³): - Application No: - Original Start Date: 16/2/2000 Expiry Date: - Issue No: 1 Version Start Date: 16/2/2000 Version End Date:
32A	498.0	NW	471590 173150	Licence No: 28/39/22/0594 Details: Lake & Pond Throughflow Direct Source: Thames Surface Water - Non Tidal Point: St.giles Stream At The Oracle Centre, Reading Data Type: Point Annual Volume (m³): 737856 Max Daily Volume (m³): 2016 Application No: - Original Start Date: 16/2/2000 Expiry Date: - Issue No: 1 Version Start Date: 16/2/2000 Version End Date:
Not shown	1764.0	N	471440 174450	Licence No: 28/39/23/0199/TR Details: Transfer Between Sources (Post Water Act 2003) Direct Source: Thames Surface Water - Non Tidal Point: River Thames - Christchurch Meadows Data Type: Point Annual Volume (m³): 1752000 Max Daily Volume (m³): 4800 Application No: WRW/A/1218 Original Start Date: 10/9/2008 Expiry Date: 31/3/2016 Issue No: 1 Version Start Date: 10/9/2008 Version End Date:

ID	Distance (m)	Direction	NGR	Details
Not shown	1764.0	N	471440 174450	Licence No: 28/39/23/0196 Details: Lake & Pond Throughflow Direct Source: Thames Surface Water - Non Tidal Point: Thames At Christchurch Meadow Data Type: Point Annual Volume (m³): 31536 Max Daily Volume (m³): 86.4 Application No: WRW/A/1115 Original Start Date: 12/5/2003 Expiry Date: 31/3/2016 Issue No: 1 Version Start Date: 1/4/2006 Version End Date:
Not shown	1764.0	N	471440 174450	Licence No: 28/39/23/0196 Details: Transfer between sources Direct Source: Thames Surface Water - Non Tidal Point: Thames At Christchurch Meadow Data Type: Point Annual Volume (m³): - Max Daily Volume (m³): - Application No: WRW/A/1115 Original Start Date: 12/5/2003 Expiry Date: 31/3/2016 Issue No: 1 Version Start Date: 12/5/2003 Version End Date:

5.5 Potable Water Abstraction Licences

Are there any Potable Water Abstraction Licences within 2000m of the study site? Yes

The following Potable Water Abstraction Licences records are represented as points, lines and regions on the SPZ and Potable Water Abstraction Licences Map (5c):

ID	Distance (m)	Direction	NGR	Details
1	486.0	E	472400 172800	Licence No: 28/39/22/0521 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Thames Groundwater Point: Royal Berkshire Hospital Data Type: Point Annual Volume (m³): 127750 Max Daily Volume (m³): 350 Original Application No: WRA/5950 Original Start Date: 17/1/1992 Expiry Date: - Issue No: 100 Version Start Date: Version End Date:
Not shown	1015.0	NW	471200 173500	Licence No: 28/39/23/0042 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Thames Groundwater Point: Cheapside, Reading, Berkshire Data Type: Point Annual Volume (m³): 14933 Max Daily Volume (m³): 40.91 Original Application No: - Original Start Date: 11/7/1966 Expiry Date: - Issue No: 101 Version Start Date: Version End Date:
Not shown	1516.0	SE	473040 171700	Licence No: 28/39/22/0077 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Thames Groundwater Point: Whiteknights Park - Reading - Borehole Data Type: Point Annual Volume (m³): 240000 Max Daily Volume (m³): 1032 Original Application No: NPS/WR/003756 Original Start Date: 14/3/1966 Expiry Date: - Issue No: 103 Version Start Date: Version End Date:

ID	Distance (m)	Direction	NGR	Details	
Not shown	1672.0	NW	470900 174100	Licence No: 28/39/23/0041 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Thames Groundwater Point: Cardiff Road, Reading, Berkshire Data Type: Point	Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR.A/1988 Original Start Date: 11/7/1966 Expiry Date: - Issue No: 100 Version Start Date: Version End Date:
Not shown	1672.0	NW	470900 174100	Licence No: 28/39/23/0167 Details: Drinking, Cooking, Sanitary, Washing, (Small Garden) - Commercial/Industrial/Public Services Direct Source: Thames Groundwater Point: Meadow Road, Reading, Berkshire Data Type: Point	Annual Volume (m³): 90920 Max Daily Volume (m³): 727.4 Original Application No: - Original Start Date: 23/1/1990 Expiry Date: - Issue No: 101 Version Start Date: Version End Date:
Not shown	1796.0	SW	470970 171160	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station 'bh D' Data Type: Point	Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: NPS/WR/008557 Original Start Date: 5/9/1966 Expiry Date: 31/3/2023 Issue No: 101 Version Start Date: Version End Date:
Not shown	1796.0	SW	470970 171160	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station Bh 'd' Data Type: Point	Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: RG952 Original Start Date: 5/9/1966 Expiry Date: - Issue No: 100 Version Start Date: Version End Date:
Not shown	1826.0	SW	470850 171200	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station Bh 'a' Data Type: Point	Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: RG952 Original Start Date: 5/9/1966 Expiry Date: - Issue No: 100 Version Start Date: Version End Date:
Not shown	1849.0	SW	470840 171180	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station 'bh A' Data Type: Point	Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: NPS/WR/008557 Original Start Date: 5/9/1966 Expiry Date: 31/3/2023 Issue No: 101 Version Start Date: Version End Date:
Not shown	1873.0	SW	470770 171200	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station Bh 'b' Data Type: Point	Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: RG952 Original Start Date: 5/9/1966 Expiry Date: - Issue No: 100 Version Start Date: Version End Date:
Not shown	1889.0	SW	470770 171180	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station 'bh B' Data Type: Point	Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: NPS/WR/008557 Original Start Date: 5/9/1966 Expiry Date: 31/3/2023 Issue No: 101 Version Start Date: Version End Date:

ID	Distance (m)	Direction	NGR	Details
Not shown	1904.0	SW	470680 171230	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station Bh 'c' Data Type: Point Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: RG952 Original Start Date: 5/9/1966 Expiry Date: - Issue No: 100 Version Start Date: Version End Date:
Not shown	1904.0	SW	470680 171230	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station 'bh C' Data Type: Point Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: NPS/WR/008557 Original Start Date: 5/9/1966 Expiry Date: 31/3/2023 Issue No: 101 Version Start Date: Version End Date:
Not shown	1949.0	SW	470610 171230	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station Bh 'g' Data Type: Point Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: RG952 Original Start Date: 5/9/1966 Expiry Date: - Issue No: 100 Version Start Date: Version End Date:
Not shown	1949.0	SW	470610 171230	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station 'bh G' Data Type: Point Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: NPS/WR/008557 Original Start Date: 5/9/1966 Expiry Date: 31/3/2023 Issue No: 101 Version Start Date: Version End Date:
Not shown	1995.0	SW	470660 171130	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station 'bh H' Data Type: Point Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: NPS/WR/008557 Original Start Date: 5/9/1966 Expiry Date: 31/3/2023 Issue No: 101 Version Start Date: Version End Date:
Not shown	1995.0	SW	470660 171130	Licence No: 28/39/22/0132 Details: Potable Water Supply - Direct Direct Source: Thames Groundwater Point: Fobney Pumping Station Bh 'h' Data Type: Point Annual Volume (m³): 1500000 Max Daily Volume (m³): 30000 Original Application No: RG952 Original Start Date: 5/9/1966 Expiry Date: - Issue No: 100 Version Start Date: Version End Date:

5.6 Source Protection Zones

Are there any Source Protection Zones within 500m of the study site?

No

Database searched and no data found.

5.7 Source Protection Zones within Confined Aquifer

Are there any Source Protection Zones within the Confined Aquifer within 500m of the study site?

No

Historically, Source Protection Zone maps have been focused on regulation of activities which occur at or near the ground surface, such as prevention of point source pollution and bacterial contamination of water supplies. Sources in confined aquifers were often considered to be protected from these surface pressures due to the presence of a low permeability confining layer (e.g. glacial till, clay). The increased interest in subsurface activities such as onshore oil and gas exploration, ground source heating and cooling requires protection zones for confined sources to be marked on SPZ maps where this has not already been done.

Database searched and no data found.

5.8 Groundwater Vulnerability and Soil Leaching Potential

Is there any Environment Agency information on groundwater vulnerability and soil leaching potential within 500m of the study site?

Yes

Distance (m)	Direction	Classification	Soil Vulnerability Category	Description
0	On Site	Minor Aquifer/High Leaching Potential	HU	Soil information for urban areas and restored mineral workings. These soils are therefore assumed to be highly permeable in the absence of site-specific information.
302	N	Major Aquifer/High Leaching Potential	H1	Soils which readily transmit liquid discharges because they are shallow or susceptible to rapid flow directly to rock, gravel or groundwater.

5.9 River Quality

Is there any Environment Agency information on river quality within 1500m of the study site?

Yes

5.9.1 Biological Quality:

Database searched and no data found.

5.9.2 Chemical Quality:

Chemical quality data is based on the General Quality Assessment Headline Indicators scheme (GQAH). In England, each chemical sample is measured for ammonia and dissolved oxygen. In Wales, the samples are measured for biological oxygen demand (BOD), ammonia and dissolved oxygen. The results are graded from A ('Very Good') to F ('Bad').

The following Chemical Quality records are shown on the Hydrology Map (5d):

ID	Distance (m)	Direction	NGR	River Quality Grade	Chemical Quality Grade				
					2005	2006	2007	2008	2009
36	524.0	W	471351 172807	River Name: Kennet Reach: Foudry Brook - Holy Brook End/Start of Stretch: Sample Point NGR	B	A	A	A	A
Not shown	703.0	N	472020 173440	River Name: Kennet Reach: Holy Brook - Thames End/Start of Stretch: Start of Stretch NGR	B	A	A	A	A
Not shown	703.0	N	472020 173440	River Name: Kennet Reach: Foudry Brook - Holy Brook End/Start of Stretch: End of Stretch NGR	B	A	A	A	A
Not shown	1326.0	N	472135 174053	River Name: Thames Reach: Whitchurch Stw - Kennet End/Start of Stretch: Sample Point NGR	A	A	A	A	A
Not shown	1457.0	NE	473015 173702	River Name: Kennet Reach: Holy Brook - Thames End/Start of Stretch: Sample Point NGR	B	A	A	A	A

5.10 Detailed River Network

Are there any Detailed River Network entries within 500m of the study site?

Yes

The following Detailed River Network records are represented on the Hydrology Map (5e):

ID	Distance (m)	Direction	Details
1	446.0	W	River Name: River Kennet Welsh River Name: - Alternative Name: - River Type: Primary River Main River Status: Currently Undefined
2	461.0	NW	River Name: - Welsh River Name: - Alternative Name: - River Type: Culvert Main River Status: Currently Undefined
3	461.0	NW	River Name: - Welsh River Name: - Alternative Name: - River Type: Secondary River Main River Status: Currently Undefined
4	498.0	NW	River Name: River Kennet Welsh River Name: - Alternative Name: - River Type: Primary River Main River Status: Currently Undefined


5.11 Surface Water Features

Are there any surface water features within 250m of the study site?

No

Database searched and no data found.

6. Environment Agency Flood Map for planning (from rivers and the sea)




Environment Agency Flood Map for planning (from rivers and the sea)

Mapping sourced from



© Crown copyright and database rights 2015.
Ordnance Survey license 100035207.



6. Flooding

6.1 Zone 2 Flooding

Environment Agency Zone 2 floodplains estimate the annual probability of flooding as between 1 in 1000 (0.1%) and 1 in 100 (1%) from rivers and between 1 in 1000 (0.1%) and 1 in 200 (0.5%) from the sea. Any relevant data is represented on Map 1 – Environment Agency Flood Map for Planning:

Is the site within 250m of an Environment Agency Zone 2 floodplain? No

Database searched and no data found.

6.2 Zone 3 Flooding

Zone 3 shows the extent of a river flood with a 1 in 100 (1%) or greater chance of occurring in any year or a sea flood with a 1 in 200 (0.5%) or greater chance of occurring in any year. Any relevant data is represented on Map 1 – Environment Agency Flood Map for Planning.

Is the site within 250m of an Environment Agency Zone 3 floodplain? No

Database searched and no data found.

6.3 Flood Defences

Are there any Flood Defences within 250m of the study site? No

Database searched and no data found.

6.4 Areas benefiting from Flood Defences

Are there any areas benefiting from Flood Defences within 250m of the study site? No

6.5 Areas benefiting from Flood Storage

Are there any areas used for Flood Storage within 250m of the study site? No

6.6 Groundwater Flooding Susceptibility Areas

6.6.1 Are there any British Geological Survey groundwater flooding susceptibility areas within 50m of the boundary of the study site?

Yes

Does this relate to Clearwater Flooding or Superficial Deposits Flooding? Superficial Deposits Flooding

Notes: Groundwater flooding may either be associated with shallow unconsolidated sedimentary aquifers which overlie unproductive aquifers (Superficial Deposits Flooding), or with unconfined aquifers (Clearwater Flooding).

6.6.2 What is the highest susceptibility to groundwater flooding in the search area based on the underlying geological conditions?

Potential below Surface

Where potential for groundwater flooding of property situated below ground level is indicated, this means that given the geological conditions there may be a groundwater flooding hazard to basements and other below surface infrastructure. Unless other relevant information, e.g. records of previous flooding, suggests groundwater flooding has occurred before in this area you need take no further action in relation to groundwater flooding hazard. If there are records of previous incidences of groundwater flooding, then is recommended that other information e.g. rainfall history, property type, and land drainage information in addition to previous records of flooding be investigated in order to establish relative, but not absolute, risk of groundwater flooding.

6.7 Groundwater Flooding Confidence Areas


What is the British Geological Survey confidence rating in this result?

High

Notes: Groundwater flooding is defined as the emergence of groundwater at the ground surface or the rising of groundwater into man-made ground under conditions where the normal range of groundwater levels is exceeded.

The confidence rating is on a threefold scale - Low, Moderate and High. This provides a relative indication of the BGS confidence in the accuracy of the susceptibility result for groundwater flooding. This is based on the amount and precision of the information used in the assessment. In areas with a relatively lower level of confidence the susceptibility result should be treated with more caution. In other areas with higher levels of confidence the susceptibility result can be used with more confidence.

7. Designated Environmentally Sensitive Sites Map



Designated Environmentally Sensitive Sites Map



© Crown copyright and database rights 2015.
Ordnance Survey license 100035207.



7. Designated Environmentally Sensitive Sites

Presence of Designated Environmentally Sensitive Sites within 2000m of the study site?	Yes
--	-----

7.1 Records of Sites of Special Scientific Interest (SSSI) within 2000m of the study site: Database searched and no data found.	0
---	---

7.2 Records of National Nature Reserves (NNR) within 2000m of the study site: Database searched and no data found.	0
--	---

7.3 Records of Special Areas of Conservation (SAC) within 2000m of the study site: Database searched and no data found.	0
---	---

7.4 Records of Special Protection Areas (SPA) within 2000m of the study site: Database searched and no data found.	0
--	---

7.5 Records of Ramsar sites within 2000m of the study site: Database searched and no data found.	0
--	---

7.6 Records of Ancient Woodland within 2000m of the study site:

0

Database searched and no data found.

7.7 Records of Local Nature Reserves (LNR) within 2000m of the study site:

0

Database searched and no data found.

7.8 Records of World Heritage Sites within 2000m of the study site:

0

Database searched and no data found.

7.9 Records of Environmentally Sensitive Areas within 2000m of the study site:

0

Database searched and no data found.

7.10 Records of Areas of Outstanding Natural Beauty (AONB) within 2000m of the study site:

0

Database searched and no data found.

7.11 Records of National Parks (NP) within 2000m of the study site:

0

Database searched and no data found.

7.12 Records of Nitrate Sensitive Areas within 2000m of the study site:

0

Database searched and no data found.

7.13 Records of Nitrate Vulnerable Zones within 2000m of the study site:

4

The following Nitrate Vulnerable Zone records produced by DEFRA are represented as polygons on the Designated Environmentally Sensitive Sites Map:

ID	Distance (m)	Direction	NVZ Name	Data Source
1	0.0	On Site	Existing	DEFRA
2	957.0	W	Existing	DEFRA
Not shown	1689.0	NE	Existing	DEFRA
Not shown	1874.0	W	Existing	DEFRA

7.14 Records of Green Belt land within 2000m of the study site:

0

Database searched and no data found.

8. Natural Hazards Findings

8.1 Detailed BGS GeoSure Data

BGS GeoSure Data has been searched to 50m. The data is included in tabular format. If you require further information on geology and ground stability, please obtain a Groundsure GeoInsight, available from our website. The following information has been found:

8.1.1 Shrink Swell

What is the maximum Shrink-Swell** hazard rating identified on the study site? Moderate

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard

Ground conditions predominantly high plasticity. Do not plant or remove trees or shrubs near to buildings without expert advice about their effect and management. For new build, consideration should be given to advice published by the National House Building Council (NHBC) and the Building Research Establishment (BRE). There is a probable increase in construction cost to reduce potential shrink-swell problems. For existing property, there is a probable increase in insurance risk during droughts or where vegetation with high moisture demands is present.

8.1.2 Landslides

What is the maximum Landslide* hazard rating identified on the study site? Very Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard

Slope instability problems are unlikely to be present. No special actions required to avoid problems due to landslides. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with landslides.

* This indicates an automatically generated 50m buffer and site.

8.1.3 Soluble Rocks

What is the maximum Soluble Rocks* hazard rating identified on the study site? Negligible

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard

Soluble rocks are present, but unlikely to cause problems except under exceptional conditions. No special actions required to avoid problems due to soluble rocks. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with soluble rocks.

8.1.4 Compressible Ground

What is the maximum Compressible Ground* hazard rating identified on the study site? Negligible

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard

No indicators for compressible deposits identified. No special actions required to avoid problems due to compressible deposits. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with compressible deposits.

8.1.5 Collapsible Rocks

What is the maximum Collapsible Rocks* hazard rating identified on the study site? Very Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard

Deposits with potential to collapse when loaded and saturated are unlikely to be present. No special ground investigation required or increased construction costs or increased financial risk due to potential problems with collapsible deposits.

8.1.6 Running Sand

What is the maximum Running Sand** hazard rating identified on the study site?

Very Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard
Very low potential for running sand problems if water table rises or if sandy strata are exposed to water. No special actions required, to avoid problems due to running sand. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with running sand.

* This indicates an automatically generated 50m buffer and site.

9. Mining

9.1 Coal Mining

Are there any coal mining areas within 75m of the study site? No

Database searched and no data found.

9.2 Shallow Mining

What is the subsidence hazard relating to shallow mining on-site*? Negligible

*Please note this data is searched with a 150m buffer.

9.3 Brine Affected Areas

Are there any brine affected areas within 75m of the study site? No

Guidance: No Guidance Required.

Contact Details

Groundsure Helpline
Telephone: 08444 159 000
info@groundsure.com



British Geological Survey Enquiries

Kingsley Dunham Centre
Keyworth, Nottingham NG12 5GG
Tel: 0115 936 3143.
Fax: 0115 936 3276.
Email: enquiries@bgs.ac.uk
Web: www.bgs.ac.uk

BGS Geological Hazards Reports and general geological enquiries



Environment Agency

National Customer Contact Centre, PO Box 544
Rotherham, S60 1BY
Tel: 08708 506 506
Web: www.environment-agency.gov.uk
Email: enquiries@environment-agency.gov.uk



Public Health England

Public information access office
Public Health England, Wellington House
133-155 Waterloo Road, London, SE1 8UG
<https://www.gov.uk/government/organisations/public-health-england>
Email: enquiries@phe.gov.uk
Main switchboard: 020 7654 8000



The Coal Authority

200 Lichfield Lane
Mansfield
Notts NG18 4RG
Tel: 0345 7626 848
DX 716176 Mansfield 5
www.coal.gov.uk



Ordnance Survey

Adanac Drive, Southampton
SO16 0AS
Tel: 08456 050505



Local Authority

Authority: Reading Borough Council
Phone: 0118 937 3787
Web: <http://beta.reading.gov.uk/>
Address: Civic Offices, Bridge Street, Reading, RG1 2LU

Gemapping PLC

Virginia Villas, High Street, Hartley Witney,
Hampshire RG27 8NW
Tel: 01252 845444



Acknowledgements: Site of Special Scientific Interest, National Nature Reserve, Ramsar Site, Special Protection Area, Special Area of Conservation data is provided by, and used with the permission of, Natural England who retain the Copyright and Intellectual Property Rights for the data.

PointX © Database Right/Copyright, Thomson Directories Limited © Copyright Link Interchange Network Limited © Database Right/Copyright and Ordnance Survey © Crown Copyright and/or Database Right. All Rights Reserved. Licence Number [03421028].

This report has been prepared in accordance with the Groundsure Ltd standard Terms and Conditions of business for work of this nature.

Standard Terms and Conditions

1 Definitions

In these terms and conditions unless the context otherwise requires:

“Beneficiary” means the person or entity for whose benefit the Client has obtained the Services.

“Client” means the party or parties entering into a Contract with Groundsure.

“Commercial” means any building or property which is not Residential.

“Confidential Information” means the contents of this Contract and all information received from the Client as a result of, or in connection with, this Contract other than

(i) information which the Client can prove was rightfully in its possession prior to disclosure by Groundsure and

(ii) any information which is in the public domain (other than by virtue of a breach of this Contract).

“Support Services” means Support Services provided by Groundsure including, without limitation, interpreting third party and in-house environmental data, providing environmental support advice, undertaking environmental audits and assessments, Site investigation, Site monitoring and related items.

“Contract” means the contract between Groundsure and the Client for the provision of the Services, and which shall incorporate these terms and conditions, the Order, and the relevant User Guide.

“Third Party Data Provider” means any third party providing Third Party Content to Groundsure.

“Data Reports” means reports comprising factual data with no accompanying interpretation.

“Fees” has the meaning set out in clause 5.1.

“Groundsure” means Groundsure Limited, a company registered in England and Wales under number 03421028.

“Groundsure Materials” means all materials prepared by Groundsure and provided as part of the Services, including but not limited to Third Party Content, Data Reports, Mapping, and Risk Screening Reports.

“Intellectual Property” means any patent, copyright, design rights, trade or service mark, moral rights, data protection rights, know-how or trade mark in each case whether registered or not and including applications for the same or any other rights of a similar nature anywhere in the world.

“Mapping” means a map, map data or a combination of historical maps of various ages, time periods and scales.

“Order” means an electronic, written or other order form submitted by the Client requesting Services from Groundsure in respect of a specified Site.

“Ordnance Survey” means the Secretary of State for Business, Innovation and Skills, acting through Ordnance Survey, Adanac Drive, Southampton, SO16 0AS, UK.

“Order Website” means the online platform through which Orders may be placed by the Client and accepted by Groundsure.

“Report” means a Risk Screening Report or Data Report for Commercial or Residential property.

“Residential” means any building or property used as or intended to be used as a single dwelling.

“Risk Screening Report” means a risk screening report comprising factual data with an accompanying interpretation by Groundsure.

“Services” means any Report, Mapping and/or Support Services which Groundsure has agreed to provide by accepting an Order pursuant to clause 2.6.

“Site” means the area of land in respect of which the Client has requested Groundsure to provide the Services.

“Third Party Content” means data, database information or other information which is provided to Groundsure by a Third Party Data Provider.

“User Guide” means the user guide, as amended from time to time, available upon request from Groundsure and on the website (www.Groundsure.com) and forming part of this Contract.

2 Scope of Services, terms and conditions, requests for insurance and quotations

2.1 Groundsure agrees to provide the Services in accordance with the Contract.

2.2 Groundsure shall exercise reasonable skill and care in the provision of the Services.

2.3 Subject to clause 7.3 the Client acknowledges that it has not relied on any statement or representation made by or on behalf of Groundsure which is not set out and expressly agreed in writing in the Contract and all such statements and representations are hereby excluded to the fullest extent permitted by law.

2.4 The Client acknowledges that terms and conditions appearing on a Client’s order form, printed stationery or other communication, or any terms or conditions implied by custom, practice or course of dealing shall be of no effect, and that this Contract shall prevail over all others in relation to the Order.

2.5 If the Client or Beneficiary requests insurance in conjunction with or as a result of the Services, Groundsure shall use reasonable endeavours to recommend such insurance, but makes no warranty that such insurance shall be available from insurers or that it will be offered on reasonable terms. Any insurance purchased by the Client or Beneficiary shall be subject solely to the terms of the policy issued by insurers and Groundsure will have no liability therefor. In addition you acknowledge and agree that Groundsure does not act as an agent or broker for any insurance providers. The Client should take (and ensure that the Beneficiary takes) independent advice to ensure that the insurance policy requested or offered is suitable for its requirements.

2.6 Groundsure's quotations or proposals are valid for a period of 30 days only unless an alternative period of time is explicitly stipulated by Groundsure. Groundsure reserves the right to withdraw any quotation or proposal at any time before an Order is accepted by Groundsure. Groundsure's acceptance of an Order shall be binding only when made in writing and signed by Groundsure's authorised representative or when accepted through the Order Website.

3 The Client’s obligations

3.1 The Client shall comply with the terms of this Contract and

(i) procure that the Beneficiary or any third party relying on the Services complies with and acts as if it is bound by the Contract and

(ii) be liable to Groundsure for the acts and omissions of the Beneficiary or any third party relying on the Services as if such acts and omissions were those of the Client.

3.2 The Client shall be solely responsible for ensuring that the Services are appropriate and suitable for its and/or the Beneficiary's needs.

3.3 The Client shall supply to Groundsure as soon as practicable and without charge all requisite information (and the Client warrants that such information is accurate, complete and appropriate), including without limitation any environmental information relating to the Site and shall give such assistance as Groundsure shall reasonably require in the provision of the Services including, without limitation, access to the Site, facilities and equipment.

3.4 Where the Client's approval or decision is required to enable Groundsure to carry out work in order to provide the Services, such approval or decision shall be given or procured in reasonable time and so as not to delay or disrupt the performance of the Services.

3.5 Save as expressly permitted by this Contract the Client shall not, and shall procure that the Beneficiary shall not, re-sell, alter, add to, or amend the Groundsure Materials, or use the Groundsure Materials in a manner for which they were not intended. The Client may make the Groundsure Materials available to a third party who is considering acquiring some or all of, or providing funding in relation to, the Site, but such third party cannot rely on the same unless expressly permitted under clause 4.

3.6 The Client is responsible for maintaining the confidentiality of its user name and password if using the Order Website and the Client acknowledges that Groundsure accepts no liability of any kind for any loss or damage suffered by the Client as a consequence of using the Order Website.

4 Reliance

4.1 The Client acknowledges that the Services provided by Groundsure consist of the presentation and analysis of Third Party Content and other content and that information obtained from a Third Party Data Provider cannot be guaranteed or warranted by Groundsure to be reliable.

4.2 In respect of Data Reports, Mapping and Risk Screening Reports, the following classes of person and no other are entitled to rely on their contents;

- (i) the Beneficiary,
- (ii) the Beneficiary's professional advisers, (iii) any person providing funding to the Beneficiary in relation to the Site (whether directly or as part of a lending syndicate),
- (iv) the first purchaser or first tenant of the Site, and
- (v) the professional advisers and lenders of the first purchaser or tenant of the Site.

4.3 In respect of Support Services, only the Client, Beneficiary and parties expressly named in a Report and no other parties are entitled to rely on its contents.

4.4 Save as set out in clauses 4.2 and 4.3 and unless otherwise expressly agreed in writing, no other person or entity of any kind is entitled to rely on any Services or Report issued or provided by Groundsure. Any party considering such Reports and Services does so at their own risk.

5 Fees and Disbursements

5.1 Groundsure shall charge and the Client shall pay fees at the rate and

frequency specified in the written proposal, Order Website or Order acknowledgement form, plus (in the case of Support Services) all proper disbursements incurred by Groundsure. The Client shall in addition pay all value added tax or other tax payable on such fees and disbursements in relation to the provision of the Services (together "Fees").

5.2 The Client shall pay all outstanding Fees to Groundsure in full without deduction, counterclaim or set off within 30 days of the date of Groundsure's invoice or such other period as may be agreed in writing between Groundsure and the Client ("Payment Date"). Interest on late payments will accrue on a daily basis from the Payment Date until the date of payment (whether before or after judgment) at the rate of 8% per annum.

5.3 The Client shall be deemed to have agreed the amount of any invoice unless an objection is made in writing within 28 days of the date of the invoice. As soon as reasonably practicable after being notified of an objection, without prejudice to clause 5.2 a member of Groundsure's management team will contact the Client and the parties shall then use all reasonable endeavours to resolve the dispute within 15 days.

6 Intellectual Property and Confidentiality

6.1 Subject to

- (i) full payment of all relevant Fees and
- (ii) compliance with this Contract, the Client is granted (and is permitted to sub-licence to the Beneficiary) a royalty-free, worldwide, non-assignable and (save to the extent set out in this Contract) non-transferable licence to make use of the Groundsure Materials.

6.2 All Intellectual Property in the Groundsure Materials are and shall remain owned by Groundsure or Groundsure's licensors (including without limitation the Third Party Data Providers) the Client acknowledges, and shall procure acknowledgement by the Beneficiary of, such ownership. Nothing in this Contract purports to transfer or assign any rights to the Client or the Beneficiary in respect of such Intellectual Property.

6.3 Third Party Data Providers may enforce any breach of clauses 6.1 and 6.2 against the Client or Beneficiary.

6.4 The Client shall, and shall procure that any recipients of the Groundsure Materials shall:

- (i) not remove, suppress or modify any trade mark, copyright or other proprietary marking belonging to Groundsure or any third party from the Services;
- (ii) use the information obtained as part of the Services in respect of the subject Site only, and shall not store or reuse any information obtained as part of the Services provided in respect of adjacent or nearby sites;
- (iii) not create any product or report which is derived directly or indirectly from the Services (save that those acting in a professional capacity to the Beneficiary may provide advice based upon the Services);
- (iv) not combine the Services with or incorporate such Services into any other information data or service;
- (v) not reformat or otherwise change (whether by modification, addition or enhancement), the Services (save that those acting for the Beneficiary in a professional capacity shall not be in breach of this clause 6.4(v) where such reformatting is in the normal course of providing advice based upon the Services);
- (vi) where a Report and/or Mapping contains material belonging to Ordnance Survey, acknowledge and agree that such content is protected by Crown Copyright and shall not use such content for any purpose outside of receiving the Services; and
- (vii) not copy in whole or in part by any means any map prints or run-on copies containing content belonging to Ordnance Survey (other than that contained within Ordnance Survey's OS Street Map) without first being in possession of a valid Paper Map Copying Licence from Ordnance Survey,

6.5 Notwithstanding clause 6.4, the Client may make reasonable use of the Groundsure Materials in order to advise the Beneficiary in a professional capacity. However, Groundsure shall have no liability in respect of any advice, opinion or report given or provided to Beneficiaries by the Client.

6.6 The Client shall procure that any person to whom the Services are made available shall notify Groundsure of any request or requirement to disclose, publish or disseminate any information contained in the Services in accordance with the Freedom of Information Act 2000, the Environmental Information Regulations 2004 or any associated legislation or regulations in force from time to time.

7.Liability: Particular Attention Should Be Paid To This Clause

7.1 This Clause 7 sets out the entire liability of Groundsure, including any liability for the acts or omissions of its employees, agents, consultants, subcontractors and Third Party Content, in respect of:

- (i) any breach of contract, including any deliberate breach of the Contract by Groundsure or its employees, agents or

subcontractors;

- (ii) any use made of the Reports, Services, Materials or any part of them; and
- (iii) any representation, statement or tortious act or omission (including negligence) arising under or in connection with the Contract.

7.2 All warranties, conditions and other terms implied by statute or common law are, to the fullest extent permitted by law, excluded from the Contract.

7.3 Nothing in the Contract limits or excludes the liability of the Supplier for death or personal injury resulting from negligence, or for any damage or liability incurred by the Client or Beneficiary as a result of fraud or fraudulent misrepresentation.

7.4 Groundsure shall not be liable for

- (i) loss of profits;
- (ii) loss of business;
- (iii) depletion of goodwill and/or similar losses;
- (iv) loss of anticipated savings;
- (v) loss of goods;
- (vi) loss of contract;
- (vii) loss of use;
- (viii) loss or corruption of data or information;
- (ix) business interruption;
- (x) any kind of special, indirect, consequential or pure economic loss, costs, damages, charges or expenses;
- (xi) loss or damage that arise as a result of the use of all or part of the Groundsure Materials in breach of the Contract;
- (xii) loss or damage arising as a result of any error, omission or inaccuracy in any part of the Groundsure Materials where such error, omission or inaccuracy is caused by any Third Party Content or any reasonable interpretation of Third Party Content;
- (xiii) loss or damage to a computer, software, modem, telephone or other property; and
- (xiv) loss or damage caused by a delay or loss of use of Groundsure's internet ordering service.

7.5 Groundsure's total liability in relation to or under the Contract shall be limited to £10 million for any claim or claims.

7.6 Groundsure shall procure that the Beneficiary shall be bound by limitations and exclusions of liability in favour of Groundsure which accord with those detailed in clauses 7.4 and 7.5 (subject to clause 7.3) in respect of all claims which the Beneficiary may bring against Groundsure in relation to the Services or other matters arising pursuant to the Contract.

8 Groundsure's right to suspend or terminate

8.1 If Groundsure reasonably believes that the Client or Beneficiary has not provided the information or assistance required to enable the proper provision of the Services, Groundsure shall be entitled to suspend all further performance of the Services until such time as any such deficiency has been made good.

8.2 Groundsure shall be entitled to terminate the Contract immediately on written notice in the event that:

- (i) the Client fails to pay any sum due to Groundsure within 30 days of the Payment Date; or
- (ii) the Client (being an individual) has a bankruptcy order made against him or (being a company) shall enter into liquidation whether compulsory or voluntary or have an administration order made against it or if a receiver shall be appointed over the whole or any part of its property assets or undertaking or if the Client is struck off the Register of Companies or dissolved; or
- (iii) the Client being a company is unable to pay its debts within the meaning of Section 123 of the Insolvency Act 1986 or being an individual appears unable to pay his debts within the meaning of Section 268 of the Insolvency Act 1986 or if the Client shall enter into a composition or arrangement with the Client's creditors or shall suffer distress or execution to be levied on his goods; or
- (iv) the Client or the Beneficiary breaches any term of the Contract (including, but not limited to, the obligations in clause 4) which is incapable of remedy or if remediable, is not remedied within five days of notice of the breach.

9. Client's Right to Terminate and Suspend

9.1 Subject to clause 10.1, the Client may at any time upon written notice terminate or suspend the provision of all or any of the Services.

9.2 In any event, where the Client is a consumer (and not a business) he/she hereby expressly acknowledges and agrees that:

(i) the supply of Services under this Contract (and therefore the performance of this Contract) commences immediately upon Groundsure's acceptance of the Order; and

(ii) the Reports and/or Mapping provided under this Contract are

- (a) supplied to the Client's specification(s) and in any event
- (b) by their nature cannot be returned.

10 Consequences of Withdrawal, Termination or Suspension

10.1 Upon termination of the Contract:

(i) Groundsure shall take steps to bring to an end the Services in an orderly manner, vacate any Site with all reasonable speed and shall deliver to the Client and/or Beneficiary any property of the Client and/or Beneficiary in Groundsure's possession or control; and

(ii) the Client shall pay to Groundsure all and any Fees payable in respect of the performance of the Services up to the date of termination or suspension. In respect of any Support Services provided, the Client shall also pay Groundsure any additional costs incurred in relation to the termination or suspension of the Contract.

11 Anti-Bribery

11.1 The Client warrants that it shall:

(i) comply with all applicable laws, statutes and regulations relating to anti-bribery and anti-corruption including but not limited to the Bribery Act 2010;

(ii) comply with such of Groundsure's anti-bribery and anti-corruption policies as are notified to the Client from time to time; and

(iii) promptly report to Groundsure any request or demand for any undue financial or other advantage of any kind received by or on behalf of the Client in connection with the performance of this Contract.

11.2 Breach of this Clause 11 shall be deemed a material breach of this Contract.

12 General

12.1 The Mapping contained in the Services is protected by Crown copyright and must not be used for any purpose other than as part of the Services or as specifically provided in the Contract.

12.2 The Client shall be permitted to make one copy only of each Report or Mapping Order. Thereafter the Client shall be entitled to make unlimited copies of the Report or Mapping Order only in accordance with an Ordnance Survey paper map copy license available through Groundsure.

12.3 Groundsure reserves the right to amend or vary this Contract. No amendment or variation to this Contract shall be valid unless signed by an authorised representative of Groundsure.

12.4 No failure on the part of Groundsure to exercise, and no delay in exercising, any right, power or provision under this Contract shall operate as a waiver thereof.

12.5 Save as expressly provided in this Contract, no person other than the persons set out therein shall have any right under the Contract (Rights of Third Parties) Act 1999 to enforce any terms of the Contract.

12.6 The Secretary of State for Business, Innovation and Skills ("BIS") or BIS' successor body, as the case may be, acting through Ordnance Survey may enforce a breach of clause 6.4(vi) and clause 6.4(vii) of these terms and conditions against the Client in accordance with the provisions of the Contracts (Rights of Third Parties) Act 1999.

12.7 Groundsure shall not be liable to the Client if the provision of the Services is delayed or prevented by one or more of the following circumstances:

(i) the Client or Beneficiary's failure to provide facilities, access or information;

(ii) fire, storm, flood, tempest or epidemic;

(iii) Acts of God or the public enemy;

(iv) riot, civil commotion or war;

(v) strikes, labour disputes or industrial action;

(vi) acts or regulations of any governmental or other agency;

(vii) suspension or delay of services at public registries by Third Party Data Providers;

(viii) changes in law; or

(ix) any other reason beyond Groundsure's reasonable control.

In the event that Groundsure is prevented from performing the Services (or any part thereof) in accordance with this clause 12.6 for a period of not less than 30 days then Groundsure shall be entitled to terminate this Contract immediately on written notice to the Client.

12.8 Any notice provided shall be in writing and shall be deemed to be properly given if delivered by hand or sent by first class post, facsimile or by email to the address, facsimile number or email address of the relevant party as may have been notified by each party to the other for such purpose or in the absence of such notification the last known address.

12.9 Such notice shall be deemed to have been received on the day of delivery if delivered by hand, facsimile or email (save to the extent such day is not a working day where it shall be deemed to have been delivered on the next working day) and on the second working day after the day of posting if sent by first class post.

12.10 The Contract constitutes the entire agreement between the parties and shall supersede all previous arrangements between the parties relating to the subject matter hereof.

12.11 Each of the provisions of the Contract is severable and distinct from the others and if one or more provisions is or should become invalid, illegal or unenforceable, the validity and enforceability of the remaining provisions shall not in any way be tainted or impaired.

12.12 This Contract shall be governed by and construed in accordance with English law and any proceedings arising out of or connected with this Contract shall be subject to the exclusive jurisdiction of the English courts.

12.13 Groundsure is an executive member of the Council of Property Search Organisation (CoPSO) and has signed up to the Search Code administered by the Property Codes Compliance Board (PCCB). All Risk Screening Reports shall be supplied in accordance with the provisions of the Search Code.

12.14 If the Client or Beneficiary has a complaint about the Services, written notice should be given to the Compliance Officer at Groundsure who will respond in a timely manner.

12.15 The Client agrees that it shall, and shall procure that each Beneficiary shall, treat in confidence all Confidential Information and shall not, and shall procure that each Beneficiary shall not (i) disclose any Confidential Information to any third party other than in accordance with the terms of this Contract; and (ii) use Confidential Information for a purpose other than the exercise of its rights and obligations under this Contract. Subject to clause 6.6, nothing shall prevent the Client or any Beneficiary from disclosing Confidential Information to the extent required by law.

© Groundsure Limited June 2013