




SOURCES OF INFORMATION

GIA
IR01-5847 Site Survey
IR02-5847 Site Plan
Site Photography
PLANNING DOCUMENTS

ALLIES&MORRISON
IR53 - 150816 - ALLIES&MORRISON
IR31-030315 - Allies&Morrison Illustrative and Max param
massing
698_Plot B_In Context_Illustrative
scheme_150303.dwg

CRTL ARCHITECTS
IR84 - 17.12.2018 - CRTKL - PLOTS E AND F UPDATED
DESIGN FREEZE

ALL INFORMATION DISPLAYED IS SUBJECT TO A COMPLETE VERIFIABLE SITE SURVEY BEING UNDERTAKEN. GIA TAKES NO RESPONSIBILITY ON THE ACCURACY OR RELIABILITY OF THE DISPLAYED DATA. SINCE A VERIFIED SITE SURVEY WAS NOT MADE AVAILABLE PRIOR TO THE GENERATION OF SUCH INFORMATION.

NOTES:
PROPOSED SCHEME SHOWN IN TEAL
CUMULATIVE SCHEME SHOWN IN ORANGE
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING
PROJECT:
STATION HILL
READING

DRAWING NAME:
3D VIEW PROPOSED
CUMULATIVE SCENARIO
PROPOSED SCHEME IR84
RECEIVED 17.12.18

DWN BY	SCALE	CHK BY	STATUS	DATE
MT	NTS	CRC	-	JAN 19
PROJ No.	REL No.	IS No.	DWG No.	REV No.
5847	57	01	06	-

*Future Surrounding Properties with existing
Site Baseline and Future Surrounding
Properties*



SOURCES OF INFORMATION

GIA
IR01-5847 Site Survey
IR02-5847 Site Plan
Site Photography
PLANNING DOCUMENTS

ALLIES&MORRISON
IR53 - 150816 - ALLIES&MORRISON

NOTES:
EXISTING SHOWN IN BROWN
CONSENTED SCHEMES SHOWN IN ORANGE
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING

PROJECT:
STATION HILL
READING

DRAWING NAME: PLAN VIEW
EXISTING FUTURE SURROUNDING PROPERTIES WITH
EXISTING SITE BASELINE AND FUTURE SURROUNDING
PROPERTIES SCENARIO (Baseline)

DWN BY	SCALE	CHK BY	STATUS	DATE
EVVE	1:1000@A3	MT	-	FEB 19
PROJ No.	REL No.	IS No.	DWG No.	REV No.
5847	60	03	01	-

gia

L O N D O N • M A N C H E S T E R

The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com



SOURCES OF INFORMATION

GIA
IR01-5847 Site Survey
IR02-5847 Site Plan
Site Photography
PLANNING DOCUMENTS

ALLIES&MORRISON
IR53 - 150816 - ALLIES&MORRISON

NOTES:
EXISTING SHOWN IN BROWN
CONSENTED SCHEMES SHOWN IN ORANGE
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING

PROJECT:
STATION HILL
READING

DRAWING NAME: 3D VIEW
EXISTING FUTURE SURROUNDING PROPERTIES WITH
EXISTING SITE BASELINE AND FUTURE
SURROUNDING PROPERTIES SCENARIO (Baseline)

DWN BY	SCALE	CHK BY	STATUS	DATE
EVVE	NTS	MT	-	FEB 19
PROJ No.	REL No.	IS No.	DWG No.	REV No.
5847	60	03	02	-



The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com

L O N D O N • M A N C H E S T E R



SOURCES OF INFORMATION

GIA
IR01-5847 Site Survey
IR02-5847 Site Plan
Site Photography
PLANNING DOCUMENTS

ALLIES&MORRISON
IR53 - 150816 - ALLIES&MORRISON

NOTES:
EXISTING SHOWN IN BROWN
CONSENTED SCHEMES SHOWN IN ORANGE
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING

PROJECT:
STATION HILL
READING

DRAWING NAME: 3D VIEW/ EXISTING
EXISTING FUTURE SURROUNDING PROPERTIES WITH
EXISTING SITE BASELINE AND FUTURE
SURROUNDING PROPERTIES SCENARIO (Baseline)


DWN BY	SCALE	CHK BY	STATUS	DATE
EVVE	NTS	MT	-	FEB 19
PROJ No.	REL No.	IS No.	DWG No.	REV No.
5847	60	03	03	-

gia

The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com

L O N D O N • M A N C H E S T E R

*Future Surrounding Properties
And Future Surrounding
Properties With Proposed
Development
(Future Sensitive Receptors Only)*



SOURCES OF INFORMATION

GIA
IR01-5847 Site Survey
IR02-5847 Site Plan
Site Photography
PLANNING DOCUMENTS

ALLIES&MORRISON
IR53 - 150816 - ALLIES&MORRISON

CRTKL ARCHITECTS
IR90 - 01.02.19 - CRTKL - Updated massing for planning

NOTES:
PROPOSED SCHEME SHOWN IN TEAL
CONSENTED SCHEMES SHOWN IN ORANGE
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING

PROJECT:
STATION HILL
READING


DRAWING NAME:
3D VIEW PROPOSED PROPOSED SCHEME IR90..
RECEIVED 01.02.2019.
FUTURE SENSITIVE RECEPTOR SCENARIO
(Existing v Proposed)

DWN BY	SCALE	CHK BY	STATUS	DATE
EVVE	NTS	MT	-	FEB 19
PROJ No.	REL No.	IS No.	DWG No.	REV No.
5847	60	03	05	-



The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com

L O N D O N • M A N C H E S T E R



SOURCES OF INFORMATION

GIA
IR01-5847 Site Survey
IR02-5847 Site Plan
Site Photography
PLANNING DOCUMENTS

ALLIES&MORRISON
IR53 - 150816 - ALLIES&MORRISON

CRTKL ARCHITECTS
IR90 - 01.02.19 - CRTKL - Updated massing for planning

NOTES:
PROPOSED SCHEME SHOWN IN TEAL
CONSENTED SCHEMES SHOWN IN ORANGE
ALL HEIGHTS AND DIMENSIONS GIVEN IN m AOD

N.B. DO NOT SCALE OFF THIS DRAWING

PROJECT:
STATION HILL
READING

DRAWING NAME:
3D VIEW PROPOSED PROPOSED SCHEME IR90..
RECEIVED 01.02.2019.
FUTURE SENSITIVE RECEPTOR SCENARIO
(Existing v Proposed)

DWN BY	SCALE	CHK BY	STATUS	DATE
EVVE	NTS	MT	-	FEB 19
PROJ No.	REL No.	IS No.	DWG No.	REV No.
5847	60	03	06	-



The Whitehouse
Belvedere Road
London SE1 8GA
t 020 7202 1400
f 020 7202 1401
mail@gia.uk.com
www.gia.uk.com

L O N D O N • M A N C H E S T E R



Technical Appendix 16.2 Daylight and Sunlight Results for all scenarios

Existing v Proposed

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

125 FRIAR STREET																			
2121	R1	RESIDENTIAL	UNKNOWN		W1/2121	24.3	23.3	1	4.1%	94.8	97.5	-0.6	-2.8%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/2121	23.5	23	0.5	2.1%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W3/2121	23.6	22.9	0.7	3.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/2121	22.9	22.7	0.2	0.9%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W5/2121	24.4	23.7	0.7	2.9%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W6/2121	23.2	22.9	0.3	1.3%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W7/2121	24.3	23.4	0.9	3.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W8/2121	23	22.6	0.4	1.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W9/2121	22.9	21.9	1	4.4%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W10/2121	22.3	21.7	0.6	2.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W11/2121	23.2	22.5	0.7	3.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W12/2121	22.7	22.4	0.3	1.3%					N/A	N/A	N/A	N/A	N/A	N/A
2122	R1	RESIDENTIAL	UNKNOWN		W1/2122	27.2	25	2.2	8.1%	95.5	96.1	-0.1	-0.6%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/2122	26.2	24.3	1.9	7.3%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W3/2122	26.7	24.9	1.8	6.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/2122	27.9	25.9	2	7.2%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W5/2122	27.7	25.7	2	7.2%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W6/2122	26	23.9	2.1	8.1%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W7/2122	25.7	24.2	1.5	5.8%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W8/2122	26.8	25.3	1.5	5.6%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W9/2122	26.7	25	1.7	6.4%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W10/2122	24.9	23.2	1.7	6.8%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W11/2122	26.3	24.5	1.8	6.8%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W12/2122	25.2	23.7	1.5	6.0%					N/A	N/A	N/A	N/A	N/A	N/A
2123	R1	RESIDENTIAL	UNKNOWN		W1/2123	29.7	26.7	3	10.1%	94.5	86.6	2.1	8.4%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/2123	27.3	24.4	2.9	10.6%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W3/2123	27	24.2	2.8	10.4%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/2123	29	26.2	2.8	9.7%					N/A	N/A	N/A	N/A	N/A	N/A

127 FRIAR STREET																			
2111	R1	RESIDENTIAL	UNKNOWN		W1/2111	25.3	24.4	0.9	3.6%	95.1	93.7	0.2	15%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
127 FRIAR STREET (CONTINUED)																			
	R2	RESIDENTIAL	UNKNOWN		W2/2111	25.3	24.3	1	4.0%	98.2	97.3	0.1	0.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W3/2111	25.1	24	1.1	4.4%	94.4	82.8	1.5	12.2%	N/A	N/A	N/A	N/A	N/A	N/A
2112	R1	RESIDENTIAL	UNKNOWN		W3/2112	28.5	26.1	2.4	8.4%	78.8	71.6	0.8	9.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W1/2112	29.5	27.1	2.4	8.1%	95	90.3	0.7	5.0%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/2112	29.5	27.1	2.4	8.1%					N/A	N/A	N/A	N/A	N/A	N/A
1-29 PROJECTION EAST																			
110	R1	RESIDENTIAL	UNKNOWN		W7/110	4.9	4.9	0	0.0%	18.3	18.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/110	4.9	4.9	0	0.0%	18.6	18.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W9/110	4.6	4.6	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W10/110	4.1	4.1	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W2/110	0.8	0.6	0.2	25.0%	0.9	0.9	0.0	0.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W3/110	3.8	3.4	0.4	10.5%	16.1	11.6	0.6	27.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W4/110	4.3	3.6	0.7	16.3%	19	16.4	0.3	13.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W5/110	4.2	3.5	0.7	16.7%	43.7	26.1	3.3	40.3%	0	0	0	0	0.0%	0.0%
			UNKNOWN		W6/110	0.1	0	0.1	100.0%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W11/110	7.2	5.1	2.1	29.2%					2	0	0	0	100.0%	0.0%
111	R1	RESIDENTIAL	UNKNOWN		W7/111	6.8	6.5	0.3	4.4%	17.3	16.2	0.2	6.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/111	6.6	6.4	0.2	3.0%	14.6	14	0.1	4.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W6/111	6.6	5.1	1.5	22.7%	52.3	36	2.2	31.1%	1	0	0	0	100.0%	0.0%
			UNKNOWN		W9/111	11	1.1	0	0.0%					0	0	1	0	0.0%	0.0%
	R4	RESIDENTIAL	UNKNOWN		W2/111	5.4	4.9	0.5	9.3%	17.7	13.3	0.6	25.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W3/111	6.2	5.3	0.9	14.5%	21.5	19.3	0.3	10.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W4/111	5.7	5	0.7	12.3%	55	32.2	4.3	41.5%	0	0	0	0	0.0%	0.0%
			UNKNOWN		W5/111	4	1.9	2.1	52.5%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W10/111	10.2	6.6	3.6	35.3%					2	0	1	0	50.0%	0.0%
112	R1	RESIDENTIAL	UNKNOWN		W7/112	9.1	8	1.1	12.1%	26.5	22.7	0.5	14.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/112	9.3	8.4	0.9	9.7%	22.6	20	0.4	11.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W6/112	9.2	7	2.2	23.9%	56	43	1.8	23.3%	3	0	1	0	66.7%	0.0%
			UNKNOWN		W9/112	0.9	0.7	0.2	22.2%					3	0	2	0	33.3%	0.0%
	R4	RESIDENTIAL	UNKNOWN		W2/112	8.8	8	0.8	9.1%	21.6	18.5	0.5	14.6%		N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
1-29 PROJECTION EAST (CONTINUED)																			
	R5	RESIDENTIAL	UNKNOWN		W3/112	10.3	9	1.3	12.6%	25.6	24.6	0.1	3.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W4/112	9.9	8.5	1.4	14.1%	67.3	36.5	5.8	45.8%	0	0	0	0	0.0%	0.0%
			UNKNOWN		W5/112	4.3	0.8	3.5	81.4%					1	0	1	0	0.0%	0.0%
			UNKNOWN		W10/112	13.2	7.3	5.9	44.7%					4	0	2	0	50.0%	0.0%
113	R1	RESIDENTIAL	UNKNOWN		W7/113	11.5	9.2	2.3	20.0%	36.1	28.8	1.0	20.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/113	12.3	10.2	2.1	17.1%	30.9	26.2	0.7	15.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W6/113	12.8	9.4	3.4	26.6%	67	54	1.8	19.4%	4	0	1	0	75.0%	0.0%
			UNKNOWN		W9/113	2	1.4	0.6	30.0%					1	0	0	0	0.0%	0.0%
	R4	RESIDENTIAL	UNKNOWN		W2/113	13.4	11.7	1.7	12.7%	37.3	33.3	0.6	10.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W3/113	15.4	13.4	2	13.0%	37.9	36.8	0.1	3.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W4/113	14.9	13.2	1.7	11.4%	94.4	45.3	9.2	52.0%	0	0	0	0	0.0%	0.0%
			UNKNOWN		W5/113	7	1.9	5.1	72.9%					0	0	1	0	66.7%	0.0%
			UNKNOWN		W10/113	15.4	7.9	7.5	48.7%					4	0	1	0	75.0%	0.0%
114	R1	RESIDENTIAL	UNKNOWN		W7/114	14	9.9	4.1	29.3%	48.1	34.7	1.8	27.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/114	15.6	11.6	4	25.6%	41.4	33.4	1.2	19.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W6/114	17.4	10.7	6.7	38.5%	89	59.9	4.0	32.8%	6	0	1	0	83.3%	0.0%
			UNKNOWN		W9/114	6.9	3.5	3.4	49.3%					7	0	2	0	71.4%	0.0%
	R4	RESIDENTIAL	UNKNOWN		W2/114	19.1	13.4	5.7	29.8%	71.7	53.7	2.6	25.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W3/114	21.6	15.5	6.1	28.2%	63.2	53.4	1.3	15.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W4/114	21.4	15.6	5.8	27.1%	99.6	64.2	6.6	35.5%	0	0	0	0	0.0%	0.0%
			UNKNOWN		W5/114	12.8	5	7.8	60.9%					0	0	1	0	87.5%	0.0%
			UNKNOWN		W10/114	18	8.6	9.4	52.2%					8	0	2	0	75.0%	0.0%
115	R1	RESIDENTIAL	UNKNOWN		W7/115	16.2	10.7	5.5	34.0%	63.5	43	2.8	32.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/115	18.6	13	5.6	30.1%	55.4	43.8	1.7	21.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W6/115	19.5	11.8	7.7	39.5%	96.1	76.6	2.7	20.3%	8	0	2	0	75.0%	0.0%
			UNKNOWN		W9/115	10.1	3.9	6.2	61.4%					0	0	0	0	75.0%	0.0%
	R4	RESIDENTIAL	UNKNOWN		W2/115	22.1	14.9	7.2	32.6%	86	65.3	3.0	24.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W3/115	25.1	17.4	7.7	30.7%	78.8	68.5	1.3	13.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W4/115	24.8	17.4	7.4	29.8%	100	80.6	3.6	19.4%	3	0	1	0	66.7%	0.0%
			UNKNOWN		W5/115	14.5	5.3	9.2	63.4%					0	0		0	75.0%	0.0%
			UNKNOWN		W10/115	19.1	9.6	9.5	49.7%					8	0	2	0	75.0%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
1-29 PROJECTION EAST (CONTINUED)																			
116	R1	RESIDENTIAL	UNKNOWN		W7/116	18.2	11.8	6.4	35.2%	65.3	49.8	2.1	23.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/116	21.5	15	6.5	30.2%	58.1	48.5	1.4	16.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W6/116	20.6	12.8	7.8	37.9%	99.3	85.8	1.8	13.6%	8	0	2	0	75.0%	0.0%
			UNKNOWN		W9/116	12.3	5.2	7.1	57.7%					8	0	2	0	75.0%	0.0%
	R4	RESIDENTIAL	UNKNOWN		W2/116	24.6	16.7	7.9	32.1%	86.7	67	2.8	22.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W3/116	27.6	19.3	8.3	30.1%	80	70.3	1.3	12.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W4/116	27.7	19.9	7.8	28.2%	100	87.3	2.4	12.7%	8	0	2	0	100.0%	0.0%
			UNKNOWN		W5/116	17.2	7.7	9.5	55.2%					8	0	2	0	75.0%	0.0%
			UNKNOWN		W10/116	20.2	11.1	9.1	45.0%					8	0	2	0	75.0%	0.0%
117	R1	RESIDENTIAL	UNKNOWN		W7/117	20.4	13.3	7.1	34.8%	66.6	51.3	2.1	22.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/117	24.6	17.2	7.4	30.1%	60.4	50.9	1.4	15.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W6/117	21.4	13.7	7.7	36.0%	99.6	88.8	1.5	10.9%	8	0	2	0	75.0%	0.0%
			UNKNOWN		W9/117	27.4	19.5	7.9	28.8%					8	0	2	0	75.0%	0.0%
	R4	RESIDENTIAL	UNKNOWN		W2/117	27.8	19.5	8.3	29.9%	88.1	69.4	2.7	21.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W3/117	29.9	21.2	8.7	29.1%	80.6	71.2	1.2	11.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W4/117	30.9	21.8	9.1	29.4%	100	88.4	2.2	11.6%	8	0	2	0	75.0%	0.0%
			UNKNOWN		W5/117	31.3	21.7	9.6	30.7%					8	0	2	0	75.0%	0.0%
			UNKNOWN		W10/117	22.1	13.6	8.5	38.5%					8	0	2	0	75.0%	0.0%
118	R1	RESIDENTIAL	UNKNOWN		W5/118	22.7	15.7	7	30.8%	68.5	52.9	2.1	22.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W6/118	27.4	20	7.4	27.0%	67.6	57.9	1.4	14.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W7/118	23.4	12.7	10.7	45.7%	96	82.5	2.5	14.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W1/118	29	20.8	8.2	28.3%	87	67	2.9	23.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W2/118	31.4	22.9	8.5	27.1%	80.4	70.6	1.3	12.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W3/118	32.3	23.4	8.9	27.6%	100	89.6	1.8	10.4%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/118	29.1	16.6	12.5	43.0%					N/A	N/A	N/A	N/A	N/A	N/A
119	R1	RESIDENTIAL	UNKNOWN		W5/119	26.8	20.1	6.7	25.0%	74.2	60.6	1.9	18.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W1/119	30.4	22.6	7.8	25.7%	88.8	71.5	2.5	19.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W7/119	25.6	15.6	10	39.1%	96.4	85.6	2.0	11.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W6/119	30.8	23.7	7.1	23.1%	73.2	64.4	1.3	11.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W2/119	32.7	24.6	8.1	24.8%	82.2	73.6	1.1	10.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W3/119	33.3	24.9	8.4	25.2%	100	96.7	0.6	3.3%		N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

1-29 PROJECTION EAST (CONTINUED)

			UNKNOWN		W4/119	32	20.3	11.7	36.6%					N/A	N/A	N/A	N/A	N/A	N/A
120	R1	RESIDENTIAL	UNKNOWN		W5/120	30.2	23.7	6.5	21.5%	76.1	63.2	1.8	17.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W1/120	32.1	24.7	7.4	23.1%	89.9	73.2	2.4	18.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W7/120	30.8	21.6	9.2	29.9%	97.7	87.5	1.9	10.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W6/120	32.6	25.8	6.8	20.9%	74.4	66.1	1.3	11.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W2/120	33.8	26.2	7.6	22.5%	83.7	75.5	1.1	9.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W3/120	34.2	26.3	7.9	23.1%	100	97.7	0.4	2.3%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/120	36.1	25.4	10.7	29.6%					N/A	N/A	N/A	N/A	N/A	N/A

13 STANSHAW ROAD

390	R1	RESIDENTIAL	LIVING ROOM		W1/390	24.8	22.6	2.2	8.9%	86.2	85.4	0.1	0.9%	N/A	N/A	N/A	N/A	N/A	N/A
391	R1	RESIDENTIAL	BEDROOM		W1/391	29.3	26.6	2.7	9.2%	98.2	98.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W2/391	29.5	26.8	2.7	9.2%					N/A	N/A	N/A	N/A	N/A	N/A

1-41 ICON HOUSE

111	R7	RESIDENTIAL	UNKNOWN		W10/111	15	1.5	0	0.0%	12.8	12.8	0.0	0.0%	0	0	0	0	0.0%	0.0%
			UNKNOWN		W13/111	4.7	4.7	0	0.0%					0	0	0	0	0.0%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W12/111	5.4	5.3	0.1	1.9%	9	9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W11/111	9.4	8.9	0.5	5.3%	55.2	36.6	2.3	33.7%	3	0	2	0	33.3%	0.0%
112	R7	RESIDENTIAL	UNKNOWN		W10/112	2.1	2.1	0	0.0%	17.6	17.4	0.0	1.5%	3	0	3	0	0.0%	0.0%
			UNKNOWN		W13/112	7.3	7.2	0.1	1.4%					0	0	0	0	100.0%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W12/112	8	7.9	0.1	1.2%	12.8	12.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W11/112	12.9	12.3	0.6	4.7%	63.3	47.1	2.0	25.6%	3	0	2	0	33.3%	0.0%
	R10	RESIDENTIAL	UNKNOWN		W14/112	7	7	0	0.0%	26	26	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W15/112	6.8	6.8	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
113	R7	RESIDENTIAL	UNKNOWN		W10/113	5.5	4.6	0.9	16.4%	46.4	38.4	1.0	17.2%	8	0	6	0	25.0%	0.0%
			UNKNOWN		W13/113	10.4	10.3	0.1	1.0%					0	0	0	0	100.0%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W12/113	11	10.9	0.1	0.9%	22.4	22.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W11/113	16.7	14.6	2.1	12.6%	77.7	61.6	2.0	20.8%	8	1	6	0	25.0%	100.0%
	R10	RESIDENTIAL	UNKNOWN		W14/113	8.3	8.3	0	0.0%	32.6	32.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W15/113	7.9	7.9	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
1-41 ICON HOUSE (CONTINUED)																			
114	R7	RESIDENTIAL	UNKNOWN		W10/114	10.6	7.8	2.8	26.4%	57.3	48.9	11	14.8%	14	1	9	0	35.7%	100.0%
			UNKNOWN		W13/114	13.7	13.4	0.3	2.2%					7	0	3	0	57.1%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W12/114	14.2	13.8	0.4	2.8%	30	28.7	0.2	4.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W11/114	21.1	16.3	4.8	22.7%	88.2	71	2.1	19.4%	13	1	8	0	38.5%	100.0%
	R10	RESIDENTIAL	UNKNOWN		W14/114	9.9	9.9	0	0.0%	43.7	43.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W15/114	9.2	9.2	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
115	R7	RESIDENTIAL	UNKNOWN		W10/115	14.1	8.7	5.4	38.3%	66.5	55	1.5	17.3%	15	2	8	0	46.7%	100.0%
			UNKNOWN		W13/115	17.6	15.8	1.8	10.2%					10	0	5	0	56.8%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W12/115	18.2	16.1	2.1	11.5%	41	37.5	0.5	8.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W11/115	24.5	17.7	6.8	27.8%	89.5	77.2	1.5	13.7%	15	1	9	0	40.0%	100.0%
	R10	RESIDENTIAL	UNKNOWN		W14/115	11.8	11.8	0	0.0%	52.8	52.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W15/115	10.6	10.6	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
116	R7	RESIDENTIAL	UNKNOWN		W10/116	17.3	10.3	7	40.5%	93.7	60.4	4.2	35.6%	17	2	10	0	41.2%	100.0%
			UNKNOWN		W13/116	21.4	17.3	4.1	19.2%					11	0	6	0	45.3%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W12/116	21.6	17.7	3.9	18.1%	43.2	40.1	0.4	7.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W11/116	26.9	19.3	7.6	28.3%	90.6	83.6	0.9	7.7%	17	2	9	0	47.1%	100.0%
	R10	RESIDENTIAL	UNKNOWN		W14/116	14	14	0	0.0%	56.8	56.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W15/116	12.2	12.2	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
117	R7	RESIDENTIAL	UNKNOWN		W10/117	32.5	24.1	8.4	25.8%	93.9	74.7	2.4	20.4%	33	2	25	0	24.2%	100.0%
			UNKNOWN		W13/117	25.1	18.6	6.5	25.9%					18	0	7	0	36.2%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W12/117	24.4	19.3	5.1	20.9%	43.7	40.9	0.4	6.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W11/117	29.2	21.1	8.1	27.7%	93.1	87.6	0.7	5.9%	21	2	14	1	33.3%	50.0%
	R10	RESIDENTIAL	UNKNOWN		W14/117	16.9	16.9	0	0.0%	58.7	58.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W15/117	14	14	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
118	R7	RESIDENTIAL	UNKNOWN		W9/118	25.2	14.8	10.4	41.3%	81	48.9	3.6	39.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	UNKNOWN		W8/118	21.5	20.6	0.9	4.2%	70.3	66.7	0.4	5.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W10/118	31.2	23.6	7.6	24.4%	95.3	91.4	0.5	4.2%	29	2	23	1	20.7%	50.0%
	R10	RESIDENTIAL	UNKNOWN		W11/118	20.8	20.7	0.1	0.5%	66.1	61.9	0.8	6.4%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W12/118	16	16	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
119	R7	RESIDENTIAL	UNKNOWN		W9/119	27.8	17.9	9.9	35.6%	81.6	53.3	3.2	34.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	UNKNOWN		W8/119	24.5	23.5	1	4.1%	70.9	68.2	0.3	3.9%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

1-41 ICON HOUSE (CONTINUED)

	R9	RESIDENTIAL	UNKNOWN		W10/119	33.7	26.6	7.1	21.1%	97.3	97.2	0.0	0.1%	35	2	30	1	14.3%	50.0%
	R10	RESIDENTIAL	UNKNOWN		W11/119	27.8	25.3	2.5	9.0%	93.4	66.4	5.2	28.9%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W12/119	22.1	21.9	0.2	0.9%					N/A	N/A	N/A	N/A	N/A	N/A
120	R7	RESIDENTIAL	UNKNOWN		W10/120	31.2	25.9	5.3	17.0%	82.6	54.1	3.7	34.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	UNKNOWN		W11/120	31.5	25.8	5.7	18.1%	64.8	59.3	0.8	8.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	UNKNOWN		W8/120	31.2	26.8	4.4	14.1%	97.5	69.1	5.2	29.1%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W9/120	31.2	26.4	4.8	15.4%					N/A	N/A	N/A	N/A	N/A	N/A

144 FRIAR STREET

2021	R1 (3)	RESIDENTIAL	UNKNOWN		W1/2021	14.8	14.8	0	0.0%	22.1	22.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
2022	R1	RESIDENTIAL	UNKNOWN		W1/2022	17.5	17.5	0	0.0%	21.9	21.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A

1-45 PROJECTION WEST

100	R1	RESIDENTIAL	UNKNOWN		W5/100	0	0	0	-	20.9	0	4.9	100.0%	0	0	0	0	0.0%	0.0%
			UNKNOWN		W6/100	0.5	0	0.5	100.0%					0	0	0	0	0.0%	0.0%
	R2	RESIDENTIAL	UNKNOWN		W7/100	0.1	0	0.1	100.0%	24	0	4.1	100.0%	0	0	0	0	0.0%	0.0%
			UNKNOWN		W8/100	0	0	0	-					0	0	0	0	0.0%	0.0%
	R3	RESIDENTIAL	UNKNOWN		W9/100	0	0	0	-	2.4	0	0.3	100.0%	0	0	0	0	0.0%	0.0%
	R4	RESIDENTIAL	UNKNOWN		W2/100	7	0.6	6.4	91.4%	88.7	22.6	14.5	74.5%					60.0%	0.0%
			UNKNOWN		W3/100	18.3	9.3	9	49.2%					5	1	2	1	60.0%	0.0%
	R5	RESIDENTIAL	UNKNOWN		W1/100	11.5	10.9	0.6	5.2%	86.1	33.5	11.7	61.0%	17	4	17	4	0.0%	0.0%
			UNKNOWN		W4/100	7.3	0.8	6.5	89.0%					8	3	5	3	37.5%	0.0%
	R6	RESIDENTIAL	UNKNOWN		W12/100	7.6	5.7	1.9	25.0%	30.9	16.7	1.9	46.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	UNKNOWN		W11/100	3.1	1.3	1.8	58.1%	38	24.6	2.1	35.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	UNKNOWN		W10/100	10.5	7.7	2.8	26.7%	48.8	24.7	3.2	49.3%	N/A	N/A	N/A	N/A	N/A	N/A
101	R1	RESIDENTIAL	UNKNOWN		W4/101	15	9.8	5.2	34.7%	73	31.3	6.0	57.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W15/101	4.5	1.8	2.7	60.0%	52.9	36	3.0	31.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W16/101	10.4	7.9	2.5	24.0%	28.8	24.2	0.7	15.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W6/101	21.7	11.3	10.4	47.9%	87.1	29.1	7.3	66.6%	15	3	8	3	46.7%	0.0%
	R5	RESIDENTIAL	UNKNOWN		W1/101	14	13.3	0.7	5.0%	90.6	43.4	8.3	52.1%	21	5	20	5	4.8%	0.0%
			UNKNOWN		W7/101	8.2	1	7.2	87.8%					10	4	6	4	40.0%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
1-45 PROJECTION WEST (CONTINUED)																			
	R6	RESIDENTIAL	UNKNOWN		W8/101	14.5	12	2.5	17.2%	35	31.7	0.4	9.3%	13	1	13	1	0.0%	0.0%
	R7	RESIDENTIAL	UNKNOWN		W5/101	24	12.2	11.8	49.2%	98	51.4	5.1	47.5%	23	3	14	3	39.1%	0.0%
			UNKNOWN		W14/101	16.3	2.8	13.5	82.8%					13	0	5	0	81.5%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W2/101	13.8	13.3	0.5	3.6%	60.8	60.8	0.0	0.0%	21	4	20	4	4.8%	0.0%
			UNKNOWN		W3/101	12.9	12.5	0.4	3.1%					19	3	18	3	5.3%	0.0%
	R9	RESIDENTIAL	UNKNOWN		W9/101	13.9	11.4	2.5	18.0%	31.8	30.8	0.1	3.1%	9	1	9	1	0.0%	0.0%
	R10	RESIDENTIAL	UNKNOWN		W10/101	3.3	1	2.3	69.7%	29.6	20.3	1.1	31.4%	5	3	5	3	0.0%	0.0%
	R11	RESIDENTIAL	UNKNOWN		W11/101	11.5	10.9	0.6	5.2%	28.4	27	0.1	4.7%	17	3	17	3	0.0%	0.0%
	R12	RESIDENTIAL	UNKNOWN		W12/101	11.1	10.6	0.5	4.5%	25.1	25.1	0.0	0.0%	7	0	7	0	0.0%	0.0%
	R13	RESIDENTIAL	UNKNOWN		W13/101	2.2	1.1	1.1	50.0%	23.8	20.4	0.4	14.0%	3	0	3	0	0.0%	0.0%
102	R1	RESIDENTIAL	UNKNOWN		W4/102	18.6	10.8	7.8	41.9%	88.6	37.6	7.3	57.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W15/102	18.2	12.6	5.6	30.8%	97.1	73	4.2	24.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W16/102	16	11.8	4.2	26.2%	42.5	35.1	1.0	17.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W6/102	24.2	13.7	10.5	43.4%	88.8	34.6	6.8	61.0%	21	3	13	3	38.1%	0.0%
	R5	RESIDENTIAL	UNKNOWN		W1/102	16.9	16.3	0.6	3.6%	90.8	49.4	7.3	45.6%	28	7	26	7	7.1%	0.0%
			UNKNOWN		W7/102	9.6	2.1	7.5	78.1%					12	4	7	4	41.7%	0.0%
	R6	RESIDENTIAL	UNKNOWN		W8/102	17.5	14.9	2.6	14.9%	41.8	38.8	0.4	7.2%	18	2	18	2	0.0%	0.0%
	R7	RESIDENTIAL	UNKNOWN		W5/102	26.6	14.6	12	45.1%	98.9	56.8	4.7	42.6%	29	3	19	3	34.5%	0.0%
			UNKNOWN		W14/102	20.5	4.6	15.9	77.6%					17	0	7	0	58.8%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W2/102	16.8	16.3	0.5	3.0%	68.5	68.5	0.0	0.0%	26	6	24	6	7.7%	0.0%
			UNKNOWN		W3/102	15.9	15.4	0.5	3.1%					24	5	23	5	4.2%	0.0%
	R9	RESIDENTIAL	UNKNOWN		W9/102	16.8	14.2	2.6	15.5%	38.9	37.9	0.1	2.4%	13	1	13	1	0.0%	0.0%
	R10	RESIDENTIAL	UNKNOWN		W10/102	4.4	2.1	2.3	52.3%	33.8	25.9	1.0	23.4%	6	3	6	3	0.0%	0.0%
	R11	RESIDENTIAL	UNKNOWN		W11/102	14.6	13.8	0.8	5.5%	35.3	34.9	0.0	1.0%	22	3	22	3	0.0%	0.0%
	R12	RESIDENTIAL	UNKNOWN		W12/102	13.8	13.3	0.5	3.6%	33.8	33.8	0.0	0.0%	11	0	11	0	0.0%	0.0%
	R13	RESIDENTIAL	UNKNOWN		W13/102	4.2	3.2	1	23.8%	35.3	34.1	0.1	3.2%	5	2	5	2	0.0%	0.0%
103	R1	RESIDENTIAL	UNKNOWN		W4/103	21.4	12	9.4	43.9%	90.9	46.1	6.5	49.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W15/103	12.8	3.9	8.9	69.5%	97.2	66.7	5.4	31.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W16/103	25.8	15.6	10.2	39.5%	91.6	62.3	4.2	32.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W6/103	27.1	16.5	10.6	39.1%	91.4	44.1	6.0	51.7%	26	5	18	5	30.8%	0.0%
	R5	RESIDENTIAL	UNKNOWN		W1/103	20.7	19.9	0.8	3.9%	91.5	60.3	5.5	34.0%	36	9	33	9	8.3%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY	ROOM	ROOM	WINDOW	EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
		TYPE	USE	NOTES		%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
1-45 PROJECTION WEST (CONTINUED)																			
			UNKNOWN		W7/103	11.6	3.7	7.9	68.1%					16	6	10	6	37.5%	0.0%
	R6	RESIDENTIAL	UNKNOWN		W8/103	21	18.3	2.7	12.9%	55.1	50.5	0.6	8.4%	27	6	26	6	3.7%	0.0%
	R7	RESIDENTIAL	UNKNOWN		W5/103	29.4	17.4	12	40.8%	99.6	72.8	3.0	26.9%	36	6	26	6	27.8%	0.0%
			UNKNOWN		W14/103	24.1	6.3	17.8	73.9%					19	0	10	0	47.4%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W2/103	20.5	19.8	0.7	3.4%	79.2	79.2	0.0	0.0%	36	9	34	9	5.6%	0.0%
			UNKNOWN		W3/103	19.5	18.9	0.6	3.1%					32	9	31	9	3.1%	0.0%
	R9	RESIDENTIAL	UNKNOWN		W9/103	20.3	17.6	2.7	13.3%	51.5	50.9	0.1	1.3%	18	2	18	2	0.0%	0.0%
	R10	RESIDENTIAL	UNKNOWN		W10/103	7.9	5.5	2.4	30.4%	42.5	37.3	0.6	12.1%	15	7	15	7	0.0%	0.0%
	R11	RESIDENTIAL	UNKNOWN		W11/103	18.3	17.3	1	5.5%	49.1	49.1	0.0	0.0%	29	6	29	6	0.0%	0.0%
	R12	RESIDENTIAL	UNKNOWN		W12/103	17	16.3	0.7	4.1%	48.2	48.1	0.0	0.3%	15	0	15	0	0.0%	0.0%
	R13	RESIDENTIAL	UNKNOWN		W13/103	7.6	6.5	1.1	14.5%	48	46.2	0.2	3.8%	13	6	13	6	0.0%	0.0%
104	R1	RESIDENTIAL	UNKNOWN		W4/104	23.7	13.3	10.4	43.9%	94.8	62	4.7	34.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W15/104	16.5	5.2	11.3	68.5%	97.8	68.8	5.1	29.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W16/104	29.7	17	12.7	42.8%	92.2	63.8	4.1	30.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W6/104	30.2	19.4	10.8	35.8%	95.9	59.5	4.6	38.0%	32	5	23	5	28.1%	0.0%
	R5	RESIDENTIAL	UNKNOWN		W1/104	25.3	24.2	1.1	4.3%	93.7	78.6	2.7	16.1%	47	12	43	12	8.5%	0.0%
			UNKNOWN		W7/104	15.6	7	8.6	55.1%					25	8	17	8	32.0%	0.0%
	R6	RESIDENTIAL	UNKNOWN		W8/104	25.1	21.8	3.3	13.1%	79.9	74.2	0.7	7.2%	34	8	32	8	5.9%	0.0%
	R7	RESIDENTIAL	UNKNOWN		W5/104	32.5	20.4	12.1	37.2%	99.7	91.1	0.9	8.6%	39	8	30	8	23.1%	0.0%
			UNKNOWN		W14/104	26.1	7.8	18.3	70.1%					22	1	11	1	50.0%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W2/104	24.9	24	0.9	3.6%	95.5	95.5	0.0	0.0%	46	12	42	12	8.7%	0.0%
			UNKNOWN		W3/104	23.6	22.7	0.9	3.8%					40	9	37	9	7.5%	0.0%
	R9	RESIDENTIAL	UNKNOWN		W9/104	24.2	21	3.2	13.2%	78.9	75.9	0.3	3.8%	24	3	23	3	4.2%	0.0%
	R10	RESIDENTIAL	UNKNOWN		W10/104	12.5	9.7	2.8	22.4%	64	55.6	1.0	13.2%	23	10	23	10	0.0%	0.0%
	R11	RESIDENTIAL	UNKNOWN		W11/104	22.7	20.9	1.8	7.9%	76.9	73	0.4	5.1%	37	10	37	10	0.0%	0.0%
	R12	RESIDENTIAL	UNKNOWN		W12/104	20.3	18.9	1.4	6.9%	71.6	71.3	0.0	0.4%	22	0	21	0	4.5%	0.0%
	R13	RESIDENTIAL	UNKNOWN		W13/104	12.2	10.5	1.7	13.9%	70.6	58.3	1.5	17.3%	21	9	21	9	0.0%	0.0%
105	R1	RESIDENTIAL	UNKNOWN		W4/105	25.4	15	10.4	40.9%	95.2	64.9	4.4	31.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W15/105	17.9	6.4	11.5	64.2%	97.9	70.6	4.8	27.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W16/105	31	18.3	12.7	41.0%	92.8	65.5	3.9	29.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W6/105	33.4	22.8	10.6	31.7%	98.1	71.1	3.4	27.5%	37	9	30	9	18.9%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

1-45 PROJECTION WEST (CONTINUED)																			
	R5	RESIDENTIAL	UNKNOWN		W1/105	30.6	28.9	1.7	5.6%	99.8	99.1	0.1	0.7%	58	17	52	17	10.3%	0.0%
			UNKNOWN		W7/105	19.8	10.9	8.9	44.9%					32	12	25	12	21.9%	0.0%
	R6	RESIDENTIAL	UNKNOWN		W8/105	29.5	25.4	4.1	13.9%	97.6	92.5	0.6	5.2%	43	11	38	11	11.6%	0.0%
	R7	RESIDENTIAL	UNKNOWN		W5/105	35.4	23.7	11.7	33.1%	99.7	94.7	0.5	5.0%	45	12	37	12	17.8%	0.0%
			UNKNOWN		W14/105	27.3	9.2	18.1	66.3%					25	4	16	3	36.0%	25.0%
	R8	RESIDENTIAL	UNKNOWN		W2/105	29.9	28.3	1.6	5.4%	98.6	98.6	0.0	0.0%	53	14	48	14	9.4%	0.0%
			UNKNOWN		W3/105	28.1	26.7	1.4	5.0%					48	13	43	13	10.4%	0.0%
	R9	RESIDENTIAL	UNKNOWN		W9/105	28.8	24.6	4.2	14.6%	98.3	96.1	0.2	2.3%	32	5	27	5	15.6%	0.0%
	R10	RESIDENTIAL	UNKNOWN		W10/105	17.3	13.6	3.7	21.4%	99.9	99.9	0.0	0.0%	29	12	26	12	10.3%	0.0%
	R11	RESIDENTIAL	UNKNOWN		W11/105	27.7	24.7	3	10.8%	99	95.8	0.3	3.2%	45	12	41	12	8.9%	0.0%
	R12	RESIDENTIAL	UNKNOWN		W12/105	24.8	22.6	2.2	8.9%	96.1	96.1	0.0	0.0%	29	3	25	3	13.8%	0.0%
	R13	RESIDENTIAL	UNKNOWN		W13/105	16.9	14.3	2.6	15.4%	99.8	99.6	0.0	0.2%	30	13	28	13	6.7%	0.0%
106	R1	RESIDENTIAL	UNKNOWN		W4/106	27.5	17.2	10.3	37.5%	96.4	68.5	4.0	28.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W15/106	19.2	7.6	11.6	60.4%	98.1	72	4.6	26.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W16/106	32.3	19.8	12.5	38.7%	93.7	68.3	3.6	27.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W6/106	36.5	26.3	10.2	27.9%	98.1	78.9	2.4	19.6%	40	12	33	11	17.5%	8.3%
	R5	RESIDENTIAL	UNKNOWN		W1/106	35.7	33.3	2.4	6.7%	99.9	99.1	0.1	0.7%	67	21	61	21	9.0%	0.0%
			UNKNOWN		W7/106	23.8	14.7	9.1	38.2%					37	16	31	16	16.2%	0.0%
	R6	RESIDENTIAL	UNKNOWN		W8/106	33.7	28.8	4.9	14.5%	97.7	94.7	0.4	3.1%	49	14	43	14	12.2%	0.0%
	R7	RESIDENTIAL	UNKNOWN		W5/106	38	26.9	11.1	29.2%	99.9	99.8	0.0	0.1%	51	16	42	14	17.6%	12.5%
			UNKNOWN		W14/106	37.5	20	17.5	46.7%					30	6	20	3	33.3%	50.0%
	R8	RESIDENTIAL	UNKNOWN		W2/106	34.6	32.4	2.2	6.4%	98.6	98.6	0.0	0.0%	60	18	54	18	10.0%	0.0%
			UNKNOWN		W3/106	32.4	30.4	2	6.2%					55	18	50	18	9.1%	0.0%
	R9	RESIDENTIAL	UNKNOWN		W9/106	33.4	28.3	5.1	15.3%	98.4	97.3	0.1	1.1%	35	7	29	7	17.1%	0.0%
	R10	RESIDENTIAL	UNKNOWN		W10/106	21.9	17.1	4.8	21.9%	99.9	99.9	0.0	0.0%	34	13	28	13	17.6%	0.0%
	R11	RESIDENTIAL	UNKNOWN		W11/106	32.5	28.2	4.3	13.2%	99	97.5	0.2	1.5%	49	13	43	13	12.2%	0.0%
	R12	RESIDENTIAL	UNKNOWN		W12/106	29.2	26.1	3.1	10.6%	96.1	96.1	0.0	0.0%	33	5	28	5	15.2%	0.0%
	R13	RESIDENTIAL	UNKNOWN		W13/106	21.2	18	3.2	15.1%	99.8	99.8	0.0	0.0%	35	15	33	15	5.7%	0.0%
107	R1	RESIDENTIAL	UNKNOWN		W4/107	30.3	20.2	10.1	33.3%	96.6	72.1	3.5	25.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/107	20.1	8.8	11.3	56.2%	99.5	72.3	4.3	27.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W9/107	33.8	21.6	12.2	36.1%	97.6	61.1	4.7	37.4%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

1-45 PROJECTION WEST (CONTINUED)

	R5	RESIDENTIAL	UNKNOWN		W1/107	37.9	35.6	2.3	6.1%	99.9	99.2	0.1	0.7%	71	23	66	23	7.0%	0.0%
			UNKNOWN		W6/107	25.6	16.9	8.7	34.0%					38	17	33	17	13.2%	0.0%
	R6	RESIDENTIAL	UNKNOWN		W10/107	35.8	31.2	4.6	12.8%	98	97.3	0.1	0.7%	53	17	48	17	9.4%	0.0%
	R7	RESIDENTIAL	UNKNOWN		W5/107	38.3	29	9.3	24.3%	99.2	96.4	0.6	2.7%	48	12	42	11	12.5%	8.3%
			UNKNOWN		W7/107	24	8.2	15.8	65.8%					19	8	8	8	10.0%	10.3%
	R8	RESIDENTIAL	UNKNOWN		W2/107	36.9	34.8	2.1	5.7%	98.6	98.6	0.0	0.0%	67	21	62	21	7.5%	0.0%
			UNKNOWN		W3/107	34.7	32.8	1.9	5.5%					58	19	53	19	8.6%	0.0%
	R9	RESIDENTIAL	UNKNOWN		W11/107	36.4	31.7	4.7	12.9%	98.5	98.3	0.0	0.2%	45	9	40	9	11.1%	0.0%
	R10	RESIDENTIAL	UNKNOWN		W12/107	24.7	19.8	4.9	19.8%	99.9	99.9	0.0	0.0%	37	16	32	16	13.5%	0.0%
	R11	RESIDENTIAL	UNKNOWN		W13/107	35.9	31.5	4.4	12.3%	99.1	98.9	0.0	0.1%	53	17	48	17	9.4%	0.0%
	R12	RESIDENTIAL	UNKNOWN		W14/107	32.4	29.2	3.2	9.9%	96.2	96.2	0.0	0.0%	42	7	38	7	9.5%	0.0%
	R13	RESIDENTIAL	UNKNOWN		W15/107	32	31.2	0.8	2.5%	99.5	99.4	0.0	0.0%	58	22	55	22	5.2%	0.0%
108	R1	RESIDENTIAL	UNKNOWN		W4/108	31.6	21.7	9.9	31.3%	97	73.8	3.4	24.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/108	34.1	23.3	10.8	31.7%	99.5	83.4	2.6	16.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W9/108	34.9	23.6	11.3	32.4%	97.6	64.4	4.3	34.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W1/108	38.9	37	1.9	4.9%	99.9	99.4	0.1	0.5%	74	24	70	24	5.4%	0.0%
			UNKNOWN		W6/108	39.5	32	7.5	19.0%					53	17	49	17	7.5%	0.0%
	R6	RESIDENTIAL	UNKNOWN		W10/108	38	33.9	4.1	10.8%	98.2	98.2	0.0	0.0%	53	17	50	17	5.7%	0.0%
	R7	RESIDENTIAL	UNKNOWN		W5/108	39.6	31.5	8.1	20.5%	99.2	99.2	0.0	0.0%	53	17	48	16	9.4%	5.9%
			UNKNOWN		W7/108	38.6	24.1	14.5	37.6%					30	8	24	4	20.0%	33.3%
	R8	RESIDENTIAL	UNKNOWN		W2/108	38.7	36.9	1.8	4.7%	98.7	98.7	0.0	0.0%	74	24	70	24	5.4%	0.0%
			UNKNOWN		W3/108	37	35.4	1.6	4.3%					62	20	58	20	6.5%	0.0%
	R9	RESIDENTIAL	UNKNOWN		W11/108	39.1	34.5	4.6	11.8%	98.6	98.6	0.0	0.0%	53	17	50	17	5.7%	0.0%
	R10	RESIDENTIAL	UNKNOWN		W12/108	39.3	34.6	4.7	12.0%	99.9	99.9	0.0	0.0%	53	17	49	17	7.5%	0.0%
	R11	RESIDENTIAL	UNKNOWN		W13/108	39.5	35	4.5	11.4%	99.1	99.1	0.0	0.0%	53	17	49	17	7.5%	0.0%
	R12	RESIDENTIAL	UNKNOWN		W14/108	36.5	33.7	2.8	7.7%	96.4	96.4	0.0	0.0%	53	17	52	17	1.9%	0.0%
	R13	RESIDENTIAL	UNKNOWN		W15/108	38.4	37.6	0.8	2.1%	99.4	99.4	0.0	0.0%	72	24	70	24	2.8%	0.0%

7-11 STATION ROAD

Third	R1	RESIDENTIAL	BEDROOM		W1/Third	0.9	0.9	0	0.0%	3.5	3.5	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W2/Third	2.1	2.1	0	0.0%					7	0	7	0	0.0%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
7-11 STATION ROAD (CONTINUED)																			
			BEDROOM		W3/Third	0.3	0.3	0	0.0%					0	0	0	0	0.0%	0.0%
Second	R1	RESIDENTIAL	BEDROOM		W1/Second	0.4	0.4	0	0.0%	11	11	0.0	0.0%	5	0	5	0	0.0%	0.0%
			BEDROOM		W2/Second	15	15	0	0.0%					6	0	6	0	0.0%	0.0%
			BEDROOM		W3/Second	0.3	0.3	0	0.0%					0	0	0	0	0.0%	0.0%
Fourth	R1	RESIDENTIAL	BEDROOM		W1/Fourth	3	3	0	0.0%	13.9	13.9	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W2/Fourth	3.3	3.3	0	0.0%					9	2	9	2	0.0%	0.0%
			BEDROOM		W3/Fourth	2.6	2.6	0	0.0%					2	0	2	0	0.0%	0.0%
First	R1	RESIDENTIAL	BEDROOM		W1/First	0.3	0.3	0	0.0%	0.9	0.9	0.0	0.0%	5	0	5	0	0.0%	0.0%
			BEDROOM		W2/First	1.2	1.2	0	0.0%					5	0	5	0	0.0%	0.0%
			BEDROOM		W3/First	0.2	0.2	0	0.0%					0	0	0	0	0.0%	0.0%
Fourth	R2	RESIDENTIAL	BEDROOM		W4/Fourth	2.9	2.9	0	0.0%	5.8	5.8	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W5/Fourth	3.5	3.5	0	0.0%					10	3	10	3	0.0%	0.0%
			BEDROOM		W6/Fourth	10.7	10.7	0	0.0%					21	7	21	7	0.0%	0.0%
Second	R2	RESIDENTIAL	BEDROOM		W4/Second	0.3	0.3	0	0.0%	3.6	3.6	0.0	0.0%		0	3	0	0.0%	0.0%
			BEDROOM		W5/Second	1.9	1.9	0	0.0%					7	0	7	0	0.0%	0.0%
			BEDROOM		W6/Second	5	5	0	0.0%					11	0	11	0	0.0%	0.0%
First	R2	RESIDENTIAL	LK		W4/First	0.2	0.2	0	0.0%	2.4	2.4	0.0	0.0%	0	0	0	0	0.0%	0.0%
			LK		W5/First	1.4	1.4	0	0.0%					4	0	4	0	0.0%	0.0%
			LK		W6/First	3.5	3.5	0	0.0%					6	0	6	0	0.0%	0.0%
Third	R2	RESIDENTIAL	BEDROOM		W4/Third	0.6	0.6	0	0.0%	5	5	0.0	0.0%		0	5	0	0.0%	0.0%
			BEDROOM		W5/Third	2.6	2.6	0	0.0%					8	1	8	1	0.0%	0.0%
			BEDROOM		W6/Third	7.3	7.3	0	0.0%					15	2	15	2	0.0%	0.0%
Second	R3	RESIDENTIAL	BEDROOM		W7/Second	0.1	0.1	0	0.0%	4.3	4.3	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W8/Second	2.6	2.6	0	0.0%					6	0	6	0	0.0%	0.0%
			BEDROOM		W9/Second	11	11	0	0.0%					0	0	0	0	0.0%	0.0%
First	R3	RESIDENTIAL	LK		W7/First	0.1	0.1	0	0.0%	3	3	0.0	0.0%	0	0	0	0	0.0%	0.0%
			LK		W8/First	1.9	1.9	0	0.0%					2	0	2	0	0.0%	0.0%
			LK		W9/First	0.9	0.9	0	0.0%					0	0	0	0	0.0%	0.0%
Third	R3	RESIDENTIAL	BEDROOM		W7/Third	0.1	0.1	0	0.0%	5.6	5.6	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W8/Third	3.6	3.6	0	0.0%					8	0	8	0	0.0%	0.0%
			BEDROOM		W9/Third	1.4	1.4	0	0.0%					0	0	0	0	0.0%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

7-11 STATION ROAD (CONTINUED)

Ground	R3	RESIDENTIAL	LK		W3/Ground	0	0	0	-	0.6	0.6	0.0	0.0%	0	0	0	0	0.0%	0.0%
Fourth	R3	RESIDENTIAL	BEDROOM		W7/Fourth	0.2	0.2	0	0.0%	6.6	6.6	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W8/Fourth	6.1	6.1	0	0.0%					14	3	14	3	0.0%	0.0%
			BEDROOM		W9/Fourth	3.6	3.6	0	0.0%					3	0	3	0	0.0%	0.0%
First	R4	RESIDENTIAL	BEDROOM		W10/First	0.5	0.5	0	0.0%	3.1	3.1	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W11/First	2.2	2.2	0	0.0%					0	0	0	0	0.0%	0.0%
			BEDROOM		W12/First	0.6	0.6	0	0.0%					0	0	0	0	0.0%	0.0%
Second	R4	RESIDENTIAL	BEDROOM		W10/Second	0.8	0.8	0	0.0%	6.3	6.3	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W11/Second	3.1	3.1	0	0.0%					1	0	1	0	0.0%	0.0%
			BEDROOM		W12/Second	0.8	0.8	0	0.0%					0	0	0	0	0.0%	0.0%
Third	R4	RESIDENTIAL	BEDROOM		W10/Third	1.2	1.2	0	0.0%	10.7	10.7	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W11/Third	4.7	4.7	0	0.0%					3	0	3	0	0.0%	0.0%
			BEDROOM		W12/Third	1.2	1.2	0	0.0%					0	0	0	0	0.0%	0.0%
Ground	R4	RESIDENTIAL	BEDROOM		W4/Ground	1.1	1.1	0	0.0%	16.7	16.7	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W5/Ground	0.9	0.9	0	0.0%					0	0	0	0	0.0%	0.0%
Fourth	R4	RESIDENTIAL	BEDROOM		W10/Fourth	3.7	3.7	0	0.0%	17	16.8	0.0	0.8%	0	0	0	0	0.0%	0.0%
			BEDROOM		W11/Fourth	6.9	6.9	0	0.0%					8	0	8	0	0.0%	0.0%
			BEDROOM		W12/Fourth	2.1	2.1	0	0.0%					2	0	2	0	0.0%	0.0%
	R5	RESIDENTIAL	BEDROOM		W13/Fourth	2.5	2.5	0	0.0%	4.2	4.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
Third	R5	RESIDENTIAL	BEDROOM		W13/Third	0.7	0.7	0	0.0%	0.4	0.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
Second	R5	RESIDENTIAL	BEDROOM		W13/Second	0.3	0.3	0	0.0%	0	0	0.0	-	N/A	N/A	N/A	N/A	N/A	N/A
First	R5	RESIDENTIAL	BEDROOM		W13/First	0.2	0.2	0	0.0%	0	0	0.0	-	N/A	N/A	N/A	N/A	N/A	N/A
Ground	R5 (3)	RESIDENTIAL	LK		W6/Ground	0.9	0.9	0	0.0%	0.3	0.3	0.0	0.0%	0	0	0	0	0.0%	0.0%
	R6	RESIDENTIAL	BEDROOM		W7/Ground	0.7	0.7	0	0.0%	1.2	1.2	0.0	0.0%	0	0	0	0	0.0%	0.0%

15 STANSHAW ROAD

390	R3	RESIDENTIAL	LIVING ROOM		W3/390	25.1	22.9	2.2	8.8%	85.6	84.4	0.1	14%	N/A	N/A	N/A	N/A	N/A	N/A
391	R2	RESIDENTIAL	BEDROOM		W3/391	29.6	27.1	2.5	8.4%	98.2	98.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W4/391	29.7	27.2	2.5	8.4%					N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY	ROOM	ROOM	WINDOW	EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
		TYPE	USE	NOTES		%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
17 STANSHAW ROAD																			
390	R5	RESIDENTIAL	BEDROOM		W5/390	24.8	22.8	2	8.1%	82.4	82.1	0.0	0.4%	N/A	N/A	N/A	N/A	N/A	N/A
391	R3	RESIDENTIAL	BEDROOM		W5/391	29.7	27.3	2.4	8.1%	98.9	98.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W6/391	29.7	27.5	2.2	7.4%					N/A	N/A	N/A	N/A	N/A	N/A
19 STANSHAW ROAD																			
420	R1	RESIDENTIAL	UNKNOWN		W1/420	28.1	26.3	1.8	6.4%	66.8	66.6	0.0	0.3%	N/A	N/A	N/A	N/A	N/A	N/A
421	R1	RESIDENTIAL	UNKNOWN		W1/421	31.9	29.7	2.2	6.9%	98.1	98	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A
422	R1	RESIDENTIAL	UNKNOWN		W1/422	34.7	32.3	2.4	6.9%	98.2	98.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
30 GARRARD STREET																			
210	R2 (3)	RESIDENTIAL	UNKNOWN		W2/210	5.2	3.2	2	38.5%	100	92.1	3.5	7.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	UNKNOWN		W3/210	9.7	3.6	6.1	62.9%	99.7	84.8	7.7	15.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R4 (3)	RESIDENTIAL	UNKNOWN		W4/210	12.4	6.3	6.1	49.2%	100	100	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W5/210	11.9	6.7	5.2	43.7%	99.8	95.8	2.0	4.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W6/210	11.1	6.2	4.9	44.1%	19.3	10.3	2.9	46.7%	5	0	2	0	60.0%	0.0%
			UNKNOWN		W7/210	4.2	1.5	2.7	64.3%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W8/210	1.7	1.6	0.1	5.9%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W9/210	7.7	4.7	3	39.0%						1	1	0	0.0%	0.0%
	R7	RESIDENTIAL	UNKNOWN		W10/210	8.3	4.2	4.1	49.4%	87.9	70.8	6.6	19.5%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W11/210	6.9	2.9	4	58.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	UNKNOWN		W12/210	6.8	2.7	4.1	60.3%	84.3	73.4	3.5	13.0%	2	0	2	0	0.0%	0.0%
			UNKNOWN		W13/210	6.1	1.8	4.3	70.5%					5	0	3	0	40.0%	0.0%
			UNKNOWN		W14/210	13.3	5.5	7.8	58.6%					10	0	3	0	70.0%	0.0%
			UNKNOWN		W15/210	16.2	5.2	11	67.9%					23	3	14	4	39.1%	-33.3%
	R9	RESIDENTIAL	UNKNOWN		W16/210	15.5	5	10.5	67.7%	28.6	26.2	1.0	8.2%	20	3	13	3	35.0%	0.0%
			UNKNOWN		W17/210	12.3	4.6	7.7	62.6%					20	2	17	2	15.0%	0.0%
			UNKNOWN		W18/210	5.8	5.3	0.5	8.6%					15	1	11	1	26.7%	0.0%
211	R1	RESIDENTIAL	UNKNOWN		W1/211	8.6	8.6	0	0.0%	38.8	36.5	0.7	6.0%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/211	2.6	2.6	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W3/211	1.8	1	0.8	44.4%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/211	2.8	2	0.8	28.6%					N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
30 GARRARD STREET (CONTINUED)																			
			UNKNOWN		W5/211	3	1.9	1.1	36.7%					N/A	N/A	N/A	N/A	N/A	N/A
	R2 (3)	RESIDENTIAL	UNKNOWN		W6/211	2.4	1.6	0.8	33.3%	19.1	6.6	4.2	65.6%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W7/211	3.4	1.8	1.6	47.1%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W8/211	4.5	2.6	1.9	42.2%					N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	UNKNOWN		W9/211	5.1	2.7	2.4	47.1%	50.4	9.2	14.3	81.7%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W10/211	5.2	2.4	2.8	53.8%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W11/211	6.8	2.5	4.3	63.2%					N/A	N/A	N/A	N/A	N/A	N/A
	R4 (3)	RESIDENTIAL	UNKNOWN		W12/211	8.9	3	5.9	66.3%	99.1	54.7	15.5	44.8%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W13/211	10.5	3.4	7.1	67.6%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W14/211	11.6	4.9	6.7	57.8%					N/A	N/A	N/A	N/A	N/A	N/A
	R5 (3)	RESIDENTIAL	UNKNOWN		W15/211	12.7	5.7	7	55.1%	99.8	97.4	0.8	2.3%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W16/211	12.9	6.1	6.8	52.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W17/211	12.9	6.3	6.6	51.2%					N/A	N/A	N/A	N/A	N/A	N/A
	R6 (3)	RESIDENTIAL	UNKNOWN		W18/211	11.5	5.8	5.7	49.6%	99.6	96.6	1.1	3.0%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W19/211	12.7	6.4	6.3	49.6%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W20/211	12.8	6.8	6	46.9%					N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	UNKNOWN		W21/211	12.7	6.9	5.8	45.7%	87.5	82.1	1.9	6.1%	1	0	0	0	100.0%	0.0%
			UNKNOWN		W22/211	11	6.1	4.9	44.5%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W23/211	12.6	6.7	5.9	46.8%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W24/211	5.2	1.8	3.4	65.4%					1	0	0	0	100.0%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W25/211	1.8	1.6	0.2	11.1%	73.4	60.5	4.6	17.5%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W26/211	8.6	5	3.6	41.9%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W27/211	10.5	5.3	5.2	49.5%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W28/211	8.1	3.4	4.7	58.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W29/211	8.4	2.9	5.5	65.5%	86.7	77.7	3.2	10.3%	1	0	0	0	100.0%	0.0%
			UNKNOWN		W30/211	8.4	3	5.4	64.3%					1	0	0	0	100.0%	0.0%
			UNKNOWN		W31/211	8.6	2.9	5.7	66.3%					1	0	0	0	100.0%	0.0%
			UNKNOWN		W32/211	7.2	2.2	5	69.4%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W33/211	8	2.1	5.9	73.8%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W34/211	18.7	6	12.7	67.9%					20	2	3	0	85.0%	100.0%
			UNKNOWN		W35/211	23.1	7.4	15.7	68.0%					35	7	12	3	65.7%	57.1%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY	ROOM	ROOM	WINDOW	EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
		TYPE	USE	NOTES		%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
30 GARRARD STREET (CONTINUED)																			
			UNKNOWN		W36/211	23.8	5.9	17.9	75.2%					34	7	13	5	61.8%	28.6%
	R10 (3)	RESIDENTIAL	UNKNOWN		W37/211	24	5.5	18.5	77.1%	92.4	30.6	19.9	66.8%	34	7	13	5	61.8%	28.6%
			UNKNOWN		W38/211	22.3	3.6	18.7	83.9%					22	2	1	0	95.5%	100.0%
			UNKNOWN		W39/211	23.2	5.1	18.1	78.0%					28	5	9	3	67.9%	40.0%
	R11	RESIDENTIAL	UNKNOWN		W40/211	22.9	4.7	18.2	79.5%	40.3	12.6	13.8	68.7%	24	3	9	2	62.5%	33.3%
			UNKNOWN		W41/211	20.1	5.3	14.8	73.6%					34	5	21	5	38.2%	0.0%
			UNKNOWN		W42/211	8.5	6.7	1.8	21.2%					24	3	14	3	41.7%	0.0%
	R12 (3)	RESIDENTIAL	UNKNOWN		W43/211	7.8	7.1	0.7	9.0%	30.1	29.7	0.1	1.3%	10	0	10	0	0.0%	0.0%
			UNKNOWN		W44/211	8.1	7.2	0.9	11.1%					7	0	7	0	0.0%	0.0%
			UNKNOWN		W45/211	9.1	8.1	1	11.0%					9	0	9	0	0.0%	0.0%
	R13 (3)	RESIDENTIAL	UNKNOWN		W46/211	10.1	9.2	0.9	8.9%	30.7	29.8	0.3	3.1%	8	0	8	0	0.0%	0.0%
			UNKNOWN		W47/211	10.3	9.4	0.9	8.7%					6	0	6	0	0.0%	0.0%
			UNKNOWN		W48/211	10.1	8.9	1.2	11.9%					4	0	4	0	0.0%	0.0%
212	R1	RESIDENTIAL	UNKNOWN		W1/212	10.2	10.2	0	0.0%	42.2	34.4	2.4	18.5%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/212	2.7	2.7	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W3/212	2	1.2	0.8	40.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/212	3.2	2.2	1	31.2%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W5/212	3.3	2.2	1.1	33.3%					N/A	N/A	N/A	N/A	N/A	N/A
	R2 (3)	RESIDENTIAL	UNKNOWN		W6/212	2.8	1.8	1	35.7%	26	8.8	5.8	66.4%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W7/212	3.9	2.1	1.8	46.2%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W8/212	5.2	2.9	2.3	44.2%					N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	UNKNOWN		W9/212	5.8	3	2.8	48.3%	59.5	12.7	16.2	78.6%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W10/212	6	2.8	3.2	53.3%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W11/212	7.8	2.9	4.9	62.8%					N/A	N/A	N/A	N/A	N/A	N/A
	R4 (3)	RESIDENTIAL	UNKNOWN		W12/212	10	3.5	6.5	65.0%	98.4	57.4	14.3	41.6%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W13/212	11.7	3.9	7.8	66.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W14/212	12.8	5.4	7.4	57.8%					N/A	N/A	N/A	N/A	N/A	N/A
	R5 (3)	RESIDENTIAL	UNKNOWN		W15/212	14	6.2	7.8	55.7%	98.9	97.3	0.6	1.6%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W16/212	14.4	6.7	7.7	53.5%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W17/212	14.5	6.9	7.6	52.4%					N/A	N/A	N/A	N/A	N/A	N/A
	R6 (3)	RESIDENTIAL	UNKNOWN		W18/212	12.9	6.3	6.6	51.2%	98.9	96.7	0.8	2.2%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
30 GARRARD STREET (CONTINUED)																			
			UNKNOWN		W19/212	14.4	7	7.4	51.4%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W20/212	14.6	7.4	7.2	49.3%					N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	UNKNOWN		W21/212	14.6	7.5	7.1	48.6%	87	82.5	16	5.1%	1	0	0	0	100.0%	0.0%
			UNKNOWN		W22/212	12.8	6.7	6.1	47.7%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W23/212	14.6	7.4	7.2	49.3%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W24/212	6.7	2.3	4.4	65.7%					1	0	0	0	100.0%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W25/212	2	1.8	0.2	10.0%	24.7	18.6	2.2	24.7%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W26/212	10.2	5.5	4.7	46.1%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W27/212	12.8	5.9	6.9	53.9%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W28/212	10.3	4	6.3	61.2%					N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W29/212	11	3.6	7.4	67.3%	86.6	77.2	3.3	10.9%	1	0	0	0	100.0%	0.0%
			UNKNOWN		W30/212	11.1	3.7	7.4	66.7%					1	0	0	0	100.0%	0.0%
			UNKNOWN		W31/212	11.4	3.6	7.8	68.4%					1	0	0	0	100.0%	0.0%
			UNKNOWN		W32/212	9.9	2.8	7.1	71.7%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W33/212	10.8	2.6	8.2	75.9%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W34/212	23	6.6	16.4	71.3%					21	2	3	0	85.7%	100.0%
			UNKNOWN		W35/212	28.3	8.1	20.2	71.4%					41	10	13	4	68.3%	60.0%
			UNKNOWN		W36/212	29.7	6.7	23	77.4%					40	9	13	5	67.5%	44.4%
	R10 (3)	RESIDENTIAL	UNKNOWN		W37/212	30.1	6.3	23.8	79.1%	97.7	38.5	19.1	60.6%	40	9	13	5	67.5%	44.4%
			UNKNOWN		W38/212	28.4	4.2	24.2	85.2%					29	4	1	0	96.6%	100.0%
			UNKNOWN		W39/212	29.5	5.8	23.7	80.3%					36	7	9	3	75.0%	57.1%
	R11	RESIDENTIAL	UNKNOWN		W40/212	29.4	5.4	24	81.6%	95.1	14.2	40.2	85.1%	33	6	9	2	72.7%	66.7%
			UNKNOWN		W41/212	26.2	5.9	20.3	77.5%					43	9	21	5	51.2%	44.4%
			UNKNOWN		W42/212	10.9	7.9	3	27.5%					31	8	15	3	51.6%	62.5%
	R12 (3)	RESIDENTIAL	UNKNOWN		W43/212	13.9	11.3	2.6	18.7%	65.6	62.5	1.0	4.6%	17	0	17	0	0.0%	0.0%
			UNKNOWN		W44/212	14.4	11.6	2.8	19.4%					13	0	13	0	0.0%	0.0%
			UNKNOWN		W45/212	15.4	12.6	2.8	18.2%					15	0	15	0	0.0%	0.0%
	R13 (3)	RESIDENTIAL	UNKNOWN		W46/212	17.1	13.9	3.2	18.7%	72.3	63	3.0	12.9%	15	0	15	0	0.0%	0.0%
			UNKNOWN		W47/212	17.2	13.7	3.5	20.3%					14	0	13	0	7.1%	0.0%
			UNKNOWN		W48/212	16.7	13	3.7	22.2%					13	2	13	2	0.0%	0.0%
213	R1	RESIDENTIAL	UNKNOWN		W1/213	12.6	12.6	0	0.0%	45.3	35.4	3.1	21.8%		N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
30 GARRARD STREET (CONTINUED)																			
			UNKNOWN		W2/213	2.9	2.9	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W3/213	2.4	1.5	0.9	37.5%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/213	3.6	2.5	1.1	30.6%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W5/213	3.8	2.5	1.3	34.2%					N/A	N/A	N/A	N/A	N/A	N/A
	R2 (3)	RESIDENTIAL	UNKNOWN		W6/213	3.2	2.1	1.1	34.4%	29.3	9.1	6.8	68.8%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W7/213	4.6	2.4	2.2	47.8%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W8/213	5.9	3.3	2.6	44.1%					N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	UNKNOWN		W9/213	6.7	3.5	3.2	47.8%	62	12.1	17.3	80.4%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W10/213	6.9	3.2	3.7	53.6%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W11/213	8.9	3.4	5.5	61.8%					N/A	N/A	N/A	N/A	N/A	N/A
	R4 (3)	RESIDENTIAL	UNKNOWN		W12/213	11.2	4	7.2	64.3%	99.1	56.8	14.8	42.7%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W13/213	13	4.4	8.6	66.2%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W14/213	14.2	6	8.2	57.7%					N/A	N/A	N/A	N/A	N/A	N/A
	R5 (3)	RESIDENTIAL	UNKNOWN		W15/213	15.6	6.9	8.7	55.8%	99.8	97.9	0.7	1.9%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W16/213	16.1	7.4	8.7	54.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W17/213	16.4	7.6	8.8	53.7%					N/A	N/A	N/A	N/A	N/A	N/A
	R6 (3)	RESIDENTIAL	UNKNOWN		W18/213	14.6	6.9	7.7	52.7%	99.8	96.9	10	2.8%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W19/213	16.5	7.8	8.7	52.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W20/213	16.9	8.2	8.7	51.5%					N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	UNKNOWN		W21/213	17	8.4	8.6	50.6%	87.6	83	1.6	5.3%	1	0	0	0	100.0%	0.0%
			UNKNOWN		W22/213	15	7.4	7.6	50.7%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W23/213	17.3	8.2	9.1	52.6%					6	0	2	0	98.7%	0.0%
			UNKNOWN		W24/213	9.6	4	5.6	58.3%					1	0	0	0	100.0%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W25/213	2.4	2.2	0.2	8.3%	79.8	61.4	6.6	23.1%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W26/213	12.4	6.2	6.2	50.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W27/213	15.9	6.7	9.2	57.9%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W28/213	13.5	4.7	8.8	65.2%					N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W29/213	14.6	4.4	10.2	69.9%	88.4	80.4	2.9	9.1%	1	0	0	0	100.0%	0.0%
			UNKNOWN		W30/213	14.9	4.6	10.3	69.1%					1	0	0	0	100.0%	0.0%
			UNKNOWN		W31/213	15.2	4.5	10.7	70.4%					1	0	0	0	100.0%	0.0%
			UNKNOWN		W32/213	13.5	3.5	10	74.1%					0	0	0	0	0.0%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
30 GARRARD STREET (CONTINUED)																			
			UNKNOWN		W33/213	14.6	3.4	11.2	76.7%					5	3	3	0	50.0%	50%
			UNKNOWN		W34/213	25.2	7.3	17.9	71.0%					23	4	3	0	87.0%	100.0%
			UNKNOWN		W35/213	30.4	9	21.4	70.4%					45	13	14	5	68.9%	61.5%
			UNKNOWN		W36/213	32.1	7.7	24.4	76.0%					44	12	15	7	65.9%	41.7%
	R10 (3)	RESIDENTIAL	UNKNOWN		W37/213	32.4	7.3	25.1	77.5%	98.6	37.6	19.7	61.9%	44	12	15	7	65.9%	41.7%
			UNKNOWN		W38/213	30.5	4.9	25.6	83.9%					30	5	1	0	96.7%	100.0%
			UNKNOWN		W39/213	31.6	6.6	25	79.1%					39	10	12	6	69.2%	40.0%
	R11	RESIDENTIAL	UNKNOWN		W40/213	31.6	6.2	25.4	80.4%	96.3	14.4	40.8	85.1%	36	9	11	4	69.4%	55.6%
			UNKNOWN		W41/213	28.2	6.8	21.4	75.9%					50	15	27	10	46.0%	33.3%
			UNKNOWN		W42/213	18	14.7	3.3	18.3%					46	17	30	12	34.8%	29.4%
	R12 (3)	RESIDENTIAL	UNKNOWN		W43/213	22.5	16.1	6.4	28.4%	89.5	73.4	5.4	18.0%	28	4	24	4	14.3%	0.0%
			UNKNOWN		W44/213	23.7	15.8	7.9	33.3%					22	3	18	3	18.2%	0.0%
			UNKNOWN		W45/213	23.5	16	7.5	31.9%					27	3	22	3	18.5%	0.0%
	R13 (3)	RESIDENTIAL	UNKNOWN		W46/213	26	17	9	34.6%	98.4	66.5	10.4	32.4%	26	3	22	3	15.4%	0.0%
			UNKNOWN		W47/213	25.8	16.5	9.3	36.0%					24	3	21	3	12.5%	0.0%
			UNKNOWN		W48/213	24.9	15.5	9.4	37.8%					21	1	16	1	23.8%	0.0%
214	R1	RESIDENTIAL	UNKNOWN		W1/214	16.3	16.3	0	0.0%	47.8	35.6	3.8	25.5%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/214	3.1	3.1	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W3/214	2.7	1.8	0.9	33.3%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/214	4	2.8	1.2	30.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W5/214	4.2	2.8	1.4	33.3%					N/A	N/A	N/A	N/A	N/A	N/A
	R2 (3)	RESIDENTIAL	UNKNOWN		W6/214	3.6	2.3	1.3	36.1%	34.8	11	7.9	68.4%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W7/214	5.2	2.8	2.4	46.2%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W8/214	6.7	3.8	2.9	43.3%					N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	UNKNOWN		W9/214	7.6	4	3.6	47.4%	67.2	14.2	18.3	78.8%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W10/214	7.9	3.6	4.3	54.4%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W11/214	10.1	4	6.1	60.4%					N/A	N/A	N/A	N/A	N/A	N/A
	R4 (3)	RESIDENTIAL	UNKNOWN		W12/214	12.5	4.6	7.9	63.2%	98.9	57.8	14.3	41.6%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W13/214	14.4	5.1	9.3	64.6%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W14/214	15.7	6.6	9.1	58.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R5 (3)	RESIDENTIAL	UNKNOWN		W15/214	17.3	7.6	9.7	56.1%	99.6	98	0.6	1.7%		N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

30 GARRARD STREET (CONTINUED)

			UNKNOWN		W16/214	18.1	8.2	9.9	54.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W17/214	18.5	8.5	10	54.1%					N/A	N/A	N/A	N/A	N/A	N/A
	R6 (3)	RESIDENTIAL	UNKNOWN		W18/214	16.6	7.7	8.9	53.6%	99.6	97.2	0.8	2.3%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W19/214	18.9	8.7	10.2	54.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W20/214	19.5	9.2	10.3	52.8%					N/A	N/A	N/A	N/A	N/A	N/A
	R7 (3)	RESIDENTIAL	UNKNOWN		W21/214	19.8	9.4	10.4	52.5%	93.5	81.9	3.9	12.4%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W22/214	17.9	8.3	9.6	53.6%					N/A	N/A	N/A	N/A	N/A	N/A

32 FRIAR STREET

951	R1	RESIDENTIAL	BEDROOM		W1/951	13.1	10.1	3	22.9%	16	14.1	0.2	11.7%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W2/951	0.2	0.2	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
960	R1	RESIDENTIAL	UNKNOWN		W1/960	0.9	0.9	0	0.0%	6.1	6.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
961	R1	RESIDENTIAL	KITCHEN (1)		W1/961	1.9	1.9	0	0.0%	14.2	14.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
962	R1	RESIDENTIAL	KITCHEN (1)		W1/962	6.1	5.9	0.2	3.3%	19.6	19.5	0.0	0.3%	N/A	N/A	N/A	N/A	N/A	N/A
963	R1	RESIDENTIAL	BEDROOM		W1/963	18	14.7	3.3	18.3%	59.9	48	1.8	19.7%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W2/963 / INC (2)	41.2	39.3	1.9	4.6%					N/A	N/A	N/A	N/A	N/A	N/A

33 FRIAR STREET

851	R2	RESIDENTIAL	UNKNOWN		W2/851	4	3.4	0.6	15.0%	6.1	5.9	0.0	3.4%	3	0	3	0	0.0%	0.0%
861	R2 (3)	RESIDENTIAL	UNKNOWN		W2/861	9.5	7.4	2.1	22.1%	39.3	13.8	6.2	64.7%	N/A	N/A	N/A	N/A	N/A	N/A
862	R2 (3)	RESIDENTIAL	UNKNOWN		W2/862	14.1	11.5	2.6	18.4%	45.4	15.8	7.2	65.2%	N/A	N/A	N/A	N/A	N/A	N/A
863	R2	RESIDENTIAL	BEDROOM		W2/863	21	17.7	3.3	15.7%	17.5	4.6	2.2	73.7%	N/A	N/A	N/A	N/A	N/A	N/A

34 FRIAR STREET

971	R1 (3)	RESIDENTIAL	UNKNOWN		W1/971	16.2	13.7	2.5	15.4%	38.5	18.8	4.7	51.0%	N/A	N/A	N/A	N/A	N/A	N/A
972	R1	RESIDENTIAL	BEDROOM		W1/972	17.9	15.3	2.6	14.5%	14.7	5.1	1.6	65.2%	N/A	N/A	N/A	N/A	N/A	N/A
980	R1	RESIDENTIAL	STUDIO-APT		W1/980	12	10.1	1.9	15.8%	77.8	54.8	3.1	29.5%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO-APT		W2/980	7.1	7	0.1	1.4%					N/A	N/A	N/A	N/A	N/A	N/A

49-51 GREYFRIARS ROAD

1210	R1	RESIDENTIAL	BEDROOM		W1/1210	20.6	2.8	17.8	86.4%	78.9	15.8	4.9	79.9%	22	6	2	1	90.9%	83.3%
------	----	-------------	---------	--	---------	------	-----	------	-------	------	------	-----	-------	----	---	---	---	-------	-------

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
49-51 GREYFRIARS ROAD (CONTINUED)																			
	R2	RESIDENTIAL	LKD		W2/1210	21.3	3.2	18.1	85.0%	53.4	8.5	10.3	84.1%	23	6	2	1	91.3%	83.3%
			LKD		W3/1210	22.2	3.6	18.6	83.8%					24	6	4	1	83.3%	83.3%
	R4 (3)	RESIDENTIAL	LKD		W6/1210	26.2	6.7	19.5	74.4%	86.8	39.1	10.6	55.0%	32	3	1	0	96.9%	100.0%
			LKD		W7/1210	27.1	7.3	19.8	73.1%					37	5	3	0	91.9%	100.0%
	R5	RESIDENTIAL	BEDROOM		W8/1210	27.5	8	19.5	70.9%	79.3	7.1	5.5	91.0%	38	6	3	0	92.1%	100.0%
1211	R1 (3)	RESIDENTIAL	LKD		W1/1211	24.1	3.1	21	87.1%	35.5	4.8	8.5	86.5%	28	5	1	0	96.4%	100.0%
	R2	RESIDENTIAL	BEDROOM		W2/1211	24.7	3.5	21.2	85.8%	89.9	3.5	5.9	96.1%	33	6	4	1	87.9%	83.3%
	R3	RESIDENTIAL	BEDROOM		W3/1211	26	4.2	21.8	83.8%	89.9	9.4	6.6	89.6%	39	6	7	1	82.1%	83.3%
	R4	RESIDENTIAL	BEDROOM		W4/1211	16.3	10.1	6.2	38.0%	27.4	10.4	1.5	61.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R5 (3)	RESIDENTIAL	LKD		W5/1211	25.6	5.1	20.5	80.1%	55.4	4.4	13.1	92.1%	28	2	0	0	100.0%	100.0%
			LKD		W6/1211	26.9	5.4	21.5	79.9%					31	2	0	0	100.0%	100.0%
			LKD		W7/1211	27.8	5.8	22	79.1%					35	4	0	0	100.0%	100.0%
	R6 (3)	RESIDENTIAL	LKD		W8/1211	29.3	7.2	22.1	75.4%	80	27.3	9.8	65.8%	43	7	4	0	90.7%	100.0%
			LKD		W9/1211	29.5	7.8	21.7	73.6%					45	7	6	0	86.7%	100.0%
	R7	RESIDENTIAL	BEDROOM		W10/1211	29.8	8.4	21.4	71.8%	90.7	10.9	6.4	87.9%	45	7	6	0	86.7%	100.0%
1212	R1 (3)	RESIDENTIAL	LKD		W1/1212	28.1	3.7	24.4	86.8%	52.6	4.8	13.3	90.8%	42	8	5	0	88.1%	100.0%
	R2	RESIDENTIAL	BEDROOM		W2/1212	28.6	4	24.6	86.0%	96.8	4.3	6.4	95.6%	46	10	8	2	82.6%	80.0%
	R3	RESIDENTIAL	BEDROOM		W3/1212	29.6	4.7	24.9	84.1%	94.2	10.9	6.8	88.5%	47	10	9	3	80.9%	70.0%
	R4	RESIDENTIAL	BEDROOM		W4/1212	18.9	12.5	6.4	33.9%	16.9	9.3	0.7	44.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R5 (3)	RESIDENTIAL	LKD		W5/1212	29.7	6	23.7	79.8%	42.4	1.5	10.4	96.5%	38	4	2	0	94.7%	100.0%
	R6 (3)	RESIDENTIAL	LKD		W6/1212	31.9	8	23.9	74.9%	83.3	27.3	10.4	67.2%	50	10	8	0	84.0%	100.0%
			LKD		W7/1212	32.1	8.6	23.5	73.2%					51	11	9	1	82.4%	90.9%
	R7	RESIDENTIAL	BEDROOM		W8/1212	32.2	9.2	23	71.4%	91.4	10.8	6.4	88.2%	53	13	10	2	81.1%	84.6%
1213	R1	RESIDENTIAL	BEDROOM		W1/1213	32.6	4.9	27.7	85.0%	87.3	11.5	7.1	86.8%	51	13	9	2	82.4%	84.6%
	R2 (3)	RESIDENTIAL	LKD		W2/1213	32.7	5.1	27.6	84.4%	83.3	4.2	22.2	95.0%	54	15	11	4	79.6%	73.3%
			LKD		W3/1213	32.9	5.4	27.5	83.6%					54	15	11	4	79.6%	73.3%
	R3	RESIDENTIAL	BEDROOM		W4/1213	33	5.6	27.4	83.0%	90.7	4.6	7.4	94.9%	55	15	11	4	80.0%	73.3%
	R4	RESIDENTIAL	LKD		W5/1213 / INC (2)	48.9	17.8	31.1	63.6%	89.9	52	8.5	42.1%	43	8	3	0	93.0%	100.0%
			LKD		W6/1213 / INC (2)	51.4	19.3	32.1	62.5%					52	13	7	0	86.5%	100.0%
	R5	RESIDENTIAL	LKD		W7/1213 / INC (2)	52.4	21.4	31	59.2%	95.1	57.3	7.0	39.7%	55	15	10	2	81.8%	86.7%
			LKD		W8/1213 / INC (2)	52	21.5	30.5	58.7%					55	15	10	2	81.8%	86.7%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

49-51 GREYFRIARS ROAD (CONTINUED)

	R6	RESIDENTIAL	BEDROOM		W9/1213 / INC (2)	50.7	20.9	29.8	58.8%	93.8	25	5.7	73.4%	56	16	11	3	80.4%	81.3%
--	----	-------------	---------	--	-------------------	------	------	------	-------	------	----	-----	-------	----	----	----	---	-------	-------

5 VACHEL ROAD

331	R1	RESIDENTIAL	UNKNOWN		W1/331	20.8	18.5	2.3	11.1%	60.1	43.7	1.9	27.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W2/331	20.3	18.8	1.5	7.4%	50.1	45.1	0.6	10.1%	N/A	N/A	N/A	N/A	N/A	N/A
332	R1	RESIDENTIAL	UNKNOWN		W1/332	24.2	21.3	2.9	12.0%	61.2	42.8	2.2	30.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W2/332	24	22	2	8.3%	52	44.4	0.9	14.6%	N/A	N/A	N/A	N/A	N/A	N/A
335	R1	RESIDENTIAL	UNKNOWN		W1/335	22.3	20.2	2.1	9.4%	58.6	50.3	0.8	14.1%	N/A	N/A	N/A	N/A	N/A	N/A

53 GREYFRIARS ROAD

1231	R1 (3)	RESIDENTIAL	LKD		W1/1231	30.5	11.6	18.9	62.0%	92.4	29.9	13.3	67.6%	46	9	8	1	82.6%	88.9%
	R2	RESIDENTIAL	LKD		W2/1231	30.7	14.2	16.5	53.7%	96.2	85.9	2.0	10.7%	51	12	14	3	72.5%	75.0%
			LKD		W3/1231	25.3	18.6	6.7	26.5%					30	2	6	0	80.0%	100.0%
			LKD		W4/1231	16.7	16.2	0.5	3.0%					13	1	6	1	48.5%	50%
	R3	RESIDENTIAL	BEDROOM		W5/1231	15.3	15	0.3	2.0%	35.2	35.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
1232	R1 (3)	RESIDENTIAL	LKD		W1/1232	32.1	12.1	20	62.3%	91.2	26.1	13.9	71.4%	48	10	9	1	81.3%	90.0%
	R2	RESIDENTIAL	LKD		W2/1232	32.2	14.8	17.4	54.0%	89.5	46.5	8.3	48.1%	52	13	15	3	71.2%	76.9%
			LKD		W3/1232	18.7	18.2	0.5	2.7%					14	1	8	1	45.9%	50%
	R3	RESIDENTIAL	BEDROOM		W4/1232	17.4	17.1	0.3	1.7%	29.7	29.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
1233	R1 (3)	RESIDENTIAL	LKD		W1/1233	33.6	12.8	20.8	61.9%	95.5	26.5	14.5	72.2%	52	14	9	1	82.7%	92.9%
	R2	RESIDENTIAL	LKD		W2/1233	33.6	15.6	18	53.6%	93.9	51.5	8.2	45.2%	56	16	15	3	73.2%	81.3%
			LKD		W3/1233	21.2	20.7	0.5	2.4%					14	1	8	1	48.9%	50%
	R3	RESIDENTIAL	BEDROOM		W4/1233	19.9	19.6	0.3	1.5%	39.4	39.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A

9-11 STANSHAW ROAD

340	R1	RESIDENTIAL	UNKNOWN		W4/340	23.9	21.6	2.3	9.6%	56.7	56.4	0.0	0.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W5/340	24.2	21.9	2.3	9.5%	57.3	56.8	0.0	0.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W2/340	7.9	4.8	3.1	39.2%	79.7	40.8	2.8	48.8%	25	9	19	8	24.0%	11.1%
			UNKNOWN		W3/340	6.9	2.2	4.7	68.1%					10	1	3	1	70.0%	0.0%
	R4	RESIDENTIAL	UNKNOWN		W1/340	25.6	18.4	7.2	28.1%	81.3	63.8	2.0	21.5%	46	8	35	8	23.9%	0.0%
	R5	RESIDENTIAL	UNKNOWN		W6/340	24.3	22.1	2.2	9.1%	69.9	69.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

9-11 STANSHAWE ROAD (CONTINUED)																			
341	R1	RESIDENTIAL	KITCHEN (1)		W1/341	28.7	20.7	8	27.9%	91.3	74.2	0.8	18.8%	50	10	38	10	24.0%	0.0%
	R4	RESIDENTIAL	BEDROOM		W4/341	28.4	25.5	2.9	10.2%	94.1	92.8	0.1	1.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W5/341	28.6	25.8	2.8	9.8%	92.9	84.8	0.9	8.7%	N/A	N/A	N/A	N/A	N/A	N/A

BRIDLEWELL & SAMUEL HOUSE - STUDENT HOUSING																			
81	R1	RESIDENTIAL	STUDIO-APT		W1/81	27.4	18.2	9.2	33.6%	93.1	59.2	5.2	36.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDIO-APT		W2/81	25.5	17.1	8.4	32.9%	64.5	55.5	1.3	13.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	STUDIO-APT		W3/81	22.9	15.2	7.7	33.6%	75	44.9	4.2	40.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	STUDIO-APT		W4/81	19.5	12.8	6.7	34.4%	36.7	34.5	0.3	6.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	STUDIO-APT		W5/81	6.1	5.5	0.6	9.8%	41.3	34.2	1.2	17.2%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO-APT		W6/81	9.8	6.8	3	30.6%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	STUDIO-APT		W14/81	7.6	4.5	3.1	40.8%	45.4	15.7	5.5	65.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	STUDIO-APT		W7/81	9.2	5.5	3.7	40.2%	59.9	53.2	1.0	11.3%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO-APT		W8/81	13.9	8.9	5	36.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	STUDIO-APT		W9/81	16.9	12.5	4.4	26.0%	88	66.4	3.3	24.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	STUDIO-APT		W10/81	16.2	13.2	3	18.5%	66.2	66.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	STUDIO-APT		W11/81	10.9	10.6	0.3	2.8%	80.3	80	0.0	0.4%	N/A	N/A	N/A	N/A	N/A	N/A
82	R1	RESIDENTIAL	STUDIO-APT		W1/82	30.5	21.4	9.1	29.8%	96.3	74.5	3.3	22.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDIO-APT		W2/82	28.8	20.5	8.3	28.8%	79.6	72.4	1.0	9.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	STUDIO-APT		W3/82	26.2	18.8	7.4	28.2%	84.2	64.2	2.8	23.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	STUDIO-APT		W4/82	22.7	16.1	6.6	29.1%	44.2	44.1	0.0	0.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	STUDIO-APT		W5/82	8.4	7.8	0.6	7.1%	51.4	45.9	0.9	10.8%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO-APT		W6/82	11.5	8.7	2.8	24.3%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	STUDIO-APT		W14/82	8.2	5.3	2.9	35.4%	46.7	19.6	5.1	58.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	STUDIO-APT		W8/82	15.1	9.9	5.2	34.4%	62.2	57	0.8	8.4%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO-APT		W7/82	9.9	6.3	3.6	36.4%					N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	STUDIO-APT		W9/82	18.8	14.1	4.7	25.0%	89.3	72.7	2.5	18.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	STUDIO-APT		W10/82	18.3	14.8	3.5	19.1%	66.8	66.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	STUDIO-APT		W11/82	12	11.6	0.4	3.3%	81.6	81.1	0.1	0.6%	N/A	N/A	N/A	N/A	N/A	N/A
83	R1	RESIDENTIAL	STUDIO-APT		W1/83	33.1	25	8.1	24.5%	96.7	90.3	1.0	6.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDIO-APT		W2/83	31.9	24.6	7.3	22.9%	91.5	87.8	0.5	4.1%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY	ROOM	ROOM	WINDOW	EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
		TYPE	USE	NOTES		%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
BRIDLEWELL & SAMUEL HOUSE - STUDENT HOUSING (CONTINUED)																			
	R3	RESIDENTIAL	STUDIO-APT		W3/83	30	23.4	6.6	22.0%	96.4	911	0.8	5.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	STUDIO-APT		W4/83	26.9	21	5.9	21.9%	67.7	67.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	STUDIO-APT		W5/83	11.8	11.3	0.5	4.2%	71.4	67.8	0.6	5.1%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO-APT		W6/83	13.8	11.3	2.5	18.1%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	STUDIO-APT		W14/83	9	6.3	2.7	30.0%	50.3	26.9	4.4	46.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	STUDIO-APT		W8/83	16.3	11.4	4.9	30.1%	62.7	58.8	0.6	6.2%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO-APT		W7/83	10.8	7.4	3.4	31.5%					N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	STUDIO-APT		W9/83	21.2	16.6	4.6	21.7%	92	80.1	1.8	12.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	STUDIO-APT		W10/83	21.1	17.7	3.4	16.1%	68.1	68.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	STUDIO-APT		W11/83	13.5	13.1	0.4	3.0%	84.4	84	0.1	0.5%	N/A	N/A	N/A	N/A	N/A	N/A
84	R1	RESIDENTIAL	STUDIO-APT		W1/84	35.6	28.6	7	19.7%	96.8	96.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDIO-APT		W2/84	35.2	28.8	6.4	18.2%	94.1	94	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	STUDIO-APT		W3/84	34.3	28.5	5.8	16.9%	97.2	97.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	STUDIO-APT		W4/84	32.4	27.1	5.3	16.4%	93.9	93.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	STUDIO-APT		W5/84	16.3	15.8	0.5	3.1%	74.7	73.7	0.2	1.4%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO-APT		W6/84	16.5	13.8	2.7	16.4%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	STUDIO-APT		W14/84	10	7.3	2.7	27.0%	50.9	33.3	3.3	34.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	STUDIO-APT		W8/84	17.7	12.9	4.8	27.1%	63.4	60.6	0.4	4.4%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO-APT		W7/84	11.9	8.6	3.3	27.7%					N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	STUDIO-APT		W9/84	24.6	19.5	5.1	20.7%	94.1	87.8	1.0	6.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	STUDIO-APT		W10/84	26.6	22.1	4.5	16.9%	71.1	71.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	STUDIO-APT		W11/84	18.1	17.8	0.3	1.7%	89.3	88.9	0.1	0.4%	N/A	N/A	N/A	N/A	N/A	N/A
85	R5	RESIDENTIAL	STUDIO-APT		W5/85	22.5	22	0.5	2.2%	92.7	92.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO-APT		W6/85	21.6	19.3	2.3	10.6%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	STUDIO-APT		W14/85	11.1	8.8	2.3	20.7%	51.7	39.7	2.2	23.1%	N/A	N/A	N/A	N/A	N/A	N/A
86	R1	RESIDENTIAL	STUDIO-APT		W1/86	38.1	33.2	4.9	12.9%	96.8	96.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDIO-APT		W2/86	38.1	33.7	4.4	11.5%	94.3	94.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	STUDIO-APT		W3/86	38.2	34.1	4.1	10.7%	97.2	97.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	STUDIO-APT		W4/86	38.2	34.6	3.6	9.4%	94.5	94.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	STUDIO-APT		W6/86	36	34	2	5.6%	83.8	83.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
87	R1	RESIDENTIAL	STUDIO-APT		W1/87	38.5	35.1	3.4	8.8%	95.5	95.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

BRIDLEWELL & SAMUEL HOUSE - STUDENT HOUSING (CONTINUED)

	R2	RESIDENTIAL	STUDIO-APT		W2/87	38.5	35.5	3	7.8%	98.8	98.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	STUDIO-APT		W4/87	37.7	35.8	1.9	5.0%	88.3	88.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A

THE GATEWAY PUBLIC HOUSE - 31 GREYFRIARS ROAD

1121	R1	RESIDENTIAL	BEDROOM		W4/1121	20.4	4.6	15.8	77.5%	98.2	58.7	3.5	40.2%	26	7	14	4	46.2%	42.9%
			BEDROOM		W5/1121	22.7	13.1	9.6	42.3%					4	0	1	0	15.0%	0.0%
	R2	RESIDENTIAL	LIVING ROOM		W6/1121	21.6	13.7	7.9	36.6%	96.8	95.3	0.2	15%	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W7/1121	30.6	30.6	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/1121	20.5	5.2	15.3	74.6%	68.4	24.3	5.2	64.4%	24	5	15	3	37.5%	40.0%
	R4	RESIDENTIAL	LIVING ROOM		W1/1121	20.1	6.1	14	69.7%	85.4	42.4	6.6	50.4%	20	2	13	0	35.0%	100.0%
			LIVING ROOM		W2/1121	20.6	5.9	14.7	71.4%					24	4	19	3	20.8%	25.0%
1130	R1	RESIDENTIAL	UNKNOWN		W1/1120	19.3	6.5	12.8	66.3%	78.1	33.6	7.7	57.0%	20	2	14	1	30.0%	50.0%
1140	R1	RESIDENTIAL	RECEPTION		W8/1140	17.6	12.7	4.9	27.8%	41.9	28.2	0.6	32.7%	N/A	N/A	N/A	N/A	N/A	N/A
1150	R1 (3)	RESIDENTIAL	UNKNOWN		W9/1150	17.6	14.4	3.2	18.2%	28.8	25.6	1.0	11.1%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W10/1150	17.8	14.6	3.2	18.0%					N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

Existing v Cumulative

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
125 FRIAR STREET																			
2121	R1	RESIDENTIAL	UNKNOWN		W1/2121	24.3	23.2	1.1	4.5%	94.8	97.5	-0.7	-2.9%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/2121	23.5	23	0.5	2.1%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W3/2121	23.6	22.9	0.7	3.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/2121	22.9	22.7	0.2	0.9%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W5/2121	24.4	23.7	0.7	2.9%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W6/2121	23.2	22.9	0.3	1.3%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W7/2121	24.3	23.4	0.9	3.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W8/2121	23	22.6	0.4	1.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W9/2121	22.9	21.9	1	4.4%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W10/2121	22.3	21.7	0.6	2.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W11/2121	23.2	22.5	0.7	3.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W12/2121	22.7	22.4	0.3	1.3%					N/A	N/A	N/A	N/A	N/A	N/A
2122	R1	RESIDENTIAL	UNKNOWN		W1/2122	27.2	24.9	2.3	8.5%	95.5	96.7	-0.3	-1.3%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/2122	26.2	24.2	2	7.6%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W3/2122	26.7	24.7	2	7.5%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/2122	27.9	25.8	2.1	7.5%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W5/2122	27.7	25.7	2	7.2%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W6/2122	26	23.9	2.1	8.1%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W7/2122	25.7	24.1	1.6	6.2%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W8/2122	26.8	25.2	1.6	6.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W9/2122	26.7	25	1.7	6.4%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W10/2122	24.9	23.2	1.7	6.8%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W11/2122	26.3	24.4	1.9	7.2%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W12/2122	25.2	23.7	1.5	6.0%					N/A	N/A	N/A	N/A	N/A	N/A
2123	R1	RESIDENTIAL	UNKNOWN		W1/2123	29.7	26.5	3.2	10.8%	94.5	86.9	2.0	8.0%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/2123	27.3	24.3	3	11.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W3/2123	27	24	3	11.1%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/2123	29	26.1	2.9	10.0%					N/A	N/A	N/A	N/A	N/A	N/A
127 FRIAR STREET																			
2111	R1	RESIDENTIAL	UNKNOWN		W1/2111	25.3	24.4	0.9	3.6%	95.1	93.7	0.2	15%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY	ROOM	ROOM	WINDOW	EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
		TYPE	USE	NOTES		%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
127 FRIAR STREET (CONTINUED)																			
	R2	RESIDENTIAL	UNKNOWN		W2/2111	25.3	24.3	1	4.0%	98.2	97.3	0.1	0.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W3/2111	25.1	24	1.1	4.4%	94.4	85.4	1.2	9.5%	N/A	N/A	N/A	N/A	N/A	N/A
2112	R1	RESIDENTIAL	UNKNOWN		W3/2112	28.5	26	2.5	8.8%	78.8	71.6	0.8	9.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W1/2112	29.5	27	2.5	8.5%	95	90.3	0.7	5.0%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/2112	29.5	26.9	2.6	8.8%					N/A	N/A	N/A	N/A	N/A	N/A
1-29 PROJECTION EAST																			
110	R1	RESIDENTIAL	UNKNOWN		W7/110	4.9	4.9	0	0.0%	18.3	18.8	-0.1	-2.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/110	4.9	4.9	0	0.0%	18.6	19.4	-0.2	-4.3%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W9/110	4.6	4.7	-0.1	-2.2%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W10/110	4.1	4.2	-0.1	-2.4%					N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W2/110	0.8	0.6	0.2	25.0%	0.9	11	0.0	-18.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W3/110	3.8	3.4	0.4	10.5%	16.1	11.1	0.7	30.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W4/110	4.3	3.3	1	23.3%	19	11.4	1.0	39.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W5/110	4.2	3.3	0.9	21.4%	43.7	23.7	3.7	45.8%	0	0	0	0	0.0%	0.0%
			UNKNOWN		W6/110	0.1	0	0.1	100.0%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W11/110	7.2	5	2.2	30.6%					2	0	0	0	100.0%	0.0%
111	R1	RESIDENTIAL	UNKNOWN		W7/111	6.8	6.4	0.4	5.9%	17.3	16.1	0.2	7.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/111	6.6	6.3	0.3	4.5%	14.6	14.2	0.1	3.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W6/111	6.6	5.1	1.5	22.7%	52.3	36	2.2	31.1%	1	0	0	0	100.0%	0.0%
			UNKNOWN		W9/111	11	1.1	0	0.0%					0	0	1	0	0.0%	0.0%
	R4	RESIDENTIAL	UNKNOWN		W2/111	5.4	4.9	0.5	9.3%	17.7	12.9	0.7	26.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W3/111	6.2	4.8	1.4	22.6%	21.5	14	1.0	34.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W4/111	5.7	4.8	0.9	15.8%	55	29.8	4.7	45.9%	0	0	0	0	0.0%	0.0%
			UNKNOWN		W5/111	4	1.6	2.4	60.0%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W10/111	10.2	6.6	3.6	35.3%					2	0	1	0	50.0%	0.0%
112	R1	RESIDENTIAL	UNKNOWN		W7/112	9.1	7.9	1.2	13.2%	26.5	22.1	0.6	16.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/112	9.3	8.3	1	10.8%	22.6	19.9	0.4	12.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W6/112	9.2	7	2.2	23.9%	56	43	1.8	23.3%	3	0	1	0	66.7%	0.0%
			UNKNOWN		W9/112	0.9	0.7	0.2	22.2%					0	0	2	0	33.3%	0.0%
	R4	RESIDENTIAL	UNKNOWN		W2/112	8.8	7.9	0.9	10.2%	21.6	18.3	0.5	15.4%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
1-29 PROJECTION EAST (CONTINUED)																			
	R5	RESIDENTIAL	UNKNOWN		W3/112	10.3	8.3	2	19.4%	25.6	19.7	0.8	22.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W4/112	9.9	8	1.9	19.2%	67.3	35.5	5.9	47.3%	0	0	0	0	0.0%	0.0%
			UNKNOWN		W5/112	4.3	0.6	3.7	86.0%					1	0	1	0	0.0%	0.0%
			UNKNOWN		W10/112	13.2	7.3	5.9	44.7%					4	0	2	0	50.0%	0.0%
113	R1	RESIDENTIAL	UNKNOWN		W7/113	11.5	9.1	2.4	20.9%	36.1	28.2	1.1	21.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/113	12.3	10.2	2.1	17.1%	30.9	25.7	0.8	16.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W6/113	12.8	9.4	3.4	26.6%	67	54	1.8	19.4%	4	0	1	0	75.0%	0.0%
			UNKNOWN		W9/113	2	1.4	0.6	30.0%					1	0	0	0	0.0%	0.0%
	R4	RESIDENTIAL	UNKNOWN		W2/113	13.4	11.6	1.8	13.4%	37.3	33	0.6	11.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W3/113	15.4	12.6	2.8	18.2%	37.9	32.1	0.8	15.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W4/113	14.9	12.3	2.6	17.4%	94.4	44.7	9.3	52.6%	0	0	0	0	0.0%	0.0%
			UNKNOWN		W5/113	7	1.2	5.8	82.9%					0	0	1	0	66.7%	0.0%
			UNKNOWN		W10/113	15.4	7.9	7.5	48.7%					4	0	1	0	75.0%	0.0%
114	R1	RESIDENTIAL	UNKNOWN		W7/114	14	9.9	4.1	29.3%	48.1	33.7	2.0	29.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/114	15.6	11.6	4	25.6%	41.4	31.9	1.4	22.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W6/114	17.4	10.8	6.6	37.9%	89	61.3	3.8	31.1%	6	0	1	0	83.3%	0.0%
			UNKNOWN		W9/114	6.9	3.5	3.4	49.3%					7	0	2	0	71.4%	0.0%
	R4	RESIDENTIAL	UNKNOWN		W2/114	19.1	13.2	5.9	30.9%	71.7	49.2	3.2	31.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W3/114	21.6	14.2	7.4	34.3%	63.2	39.9	3.0	36.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W4/114	21.4	13.8	7.6	35.5%	99.6	52.5	8.8	47.3%	0	0	0	0	0.0%	0.0%
			UNKNOWN		W5/114	12.8	3.3	9.5	74.2%					8	0	1	0	87.5%	0.0%
			UNKNOWN		W10/114	18	8.6	9.4	52.2%					8	0	2	0	75.0%	0.0%
115	R1	RESIDENTIAL	UNKNOWN		W7/115	16.2	10.8	5.4	33.3%	63.5	39.9	3.3	37.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/115	18.6	13	5.6	30.1%	55.4	39	2.5	29.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W6/115	19.5	11.8	7.7	39.5%	96.1	67.3	3.9	30.0%	8	0	2	0	75.0%	0.0%
			UNKNOWN		W9/115	10.1	3.9	6.2	61.4%					0	0	0	0	0.0%	0.0%
	R4	RESIDENTIAL	UNKNOWN		W2/115	22.1	14.5	7.6	34.4%	86	63.9	3.2	25.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W3/115	25.1	15.7	9.4	37.5%	78.8	53.3	3.3	32.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W4/115	24.8	15.4	9.4	37.9%	100	62.4	7.0	37.6%	3	0	1	0	66.7%	0.0%
			UNKNOWN		W5/115	14.5	3.4	11.1	76.6%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W10/115	19.1	9.6	9.5	49.7%					8	0	2	0	75.0%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
1-29 PROJECTION EAST (CONTINUED)																			
116	R1	RESIDENTIAL	UNKNOWN		W7/116	18.2	11.9	6.3	34.6%	65.3	49.6	2.2	23.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/116	21.5	15	6.5	30.2%	58.1	48.3	1.5	16.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W6/116	20.6	12.8	7.8	37.9%	99.3	86.8	1.7	12.6%	8	0	2	0	75.0%	0.0%
			UNKNOWN		W9/116	12.3	4.9	7.4	60.2%					8	0	2	0	75.0%	0.0%
	R4	RESIDENTIAL	UNKNOWN		W2/116	24.6	16.2	8.4	34.1%	86.7	67.3	2.8	22.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W3/116	27.6	17.2	10.4	37.7%	80	67.1	1.7	16.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W4/116	27.7	17.6	10.1	36.5%	100	86.4	2.5	13.6%	8	0	2	0	100.0%	0.0%
			UNKNOWN		W5/116	17.2	5.5	11.7	68.0%					8	0	2	0	75.0%	0.0%
			UNKNOWN		W10/116	20.2	11.1	9.1	45.0%					8	0	2	0	75.0%	0.0%
117	R1	RESIDENTIAL	UNKNOWN		W7/117	20.4	13.3	7.1	34.8%	66.6	51.4	2.1	22.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/117	24.6	16.7	7.9	32.1%	60.4	49.9	1.6	17.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W6/117	21.4	13.8	7.6	35.5%	99.6	90.2	1.3	9.5%	8	0	2	0	75.0%	0.0%
			UNKNOWN		W9/117	27.4	17.8	9.6	35.0%					8	0	2	0	75.0%	0.0%
	R4	RESIDENTIAL	UNKNOWN		W2/117	27.8	17.5	10.3	37.1%	88.1	69	2.8	21.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W3/117	29.9	18.7	11.2	37.5%	80.6	69.5	1.5	13.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W4/117	30.9	19.3	11.6	37.5%	100	88.4	2.2	11.6%	8	0	2	0	75.0%	0.0%
			UNKNOWN		W5/117	31.3	19.2	12.1	38.7%					8	0	2	0	75.0%	0.0%
			UNKNOWN		W10/117	22.1	13.6	8.5	38.5%					8	0	2	0	75.0%	0.0%
118	R1	RESIDENTIAL	UNKNOWN		W5/118	22.7	15.7	7	30.8%	68.5	52.8	2.2	22.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W6/118	27.4	18.2	9.2	33.6%	67.6	50.8	2.5	24.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W7/118	23.4	12.7	10.7	45.7%	96	83.6	2.3	13.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W1/118	29	18.8	10.2	35.2%	87	66.5	3.0	23.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W2/118	31.4	20.2	11.2	35.7%	80.4	68.9	1.5	14.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W3/118	32.3	20.8	11.5	35.6%	100	90	1.7	9.9%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/118	29.1	16.5	12.6	43.3%					N/A	N/A	N/A	N/A	N/A	N/A
119	R1	RESIDENTIAL	UNKNOWN		W5/119	26.8	17.7	9.1	34.0%	74.2	58.4	2.2	21.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W1/119	30.4	20.2	10.2	33.6%	88.8	71.5	2.5	19.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W7/119	25.6	15.5	10.1	39.5%	96.4	86	1.9	10.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W6/119	30.8	19.8	11	35.7%	73.2	56.7	2.5	22.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W2/119	32.7	21.6	11.1	33.9%	82.2	73.1	1.2	11.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W3/119	33.3	22.2	11.1	33.3%	100	97.3	0.5	2.7%		N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY	ROOM	ROOM	WINDOW	EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
		TYPE	USE	NOTES		%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
1-29 PROJECTION EAST (CONTINUED)																			
			UNKNOWN		W4/119	32	20.3	11.7	36.6%					N/A	N/A	N/A	N/A	N/A	N/A
120	R1	RESIDENTIAL	UNKNOWN		W5/120	30.2	19.7	10.5	34.8%	76.1	61.9	2.0	18.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W1/120	32.1	22.4	9.7	30.2%	89.9	73.4	2.4	18.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W7/120	30.8	21.6	9.2	29.9%	97.7	88	1.8	10.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W6/120	32.6	21.4	11.2	34.4%	74.4	59.5	2.3	20.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W2/120	33.8	23.3	10.5	31.1%	83.7	75.3	1.1	10.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W3/120	34.2	23.7	10.5	30.7%	100	97.8	0.4	2.2%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/120	36.1	25.5	10.6	29.4%					N/A	N/A	N/A	N/A	N/A	N/A
13 STANSHAW ROAD																			
390	R1	RESIDENTIAL	LIVING ROOM		W1/390	24.8	22.6	2.2	8.9%	86.2	85.4	0.1	0.9%	N/A	N/A	N/A	N/A	N/A	N/A
391	R1	RESIDENTIAL	BEDROOM		W1/391	29.3	26.7	2.6	8.9%	98.2	98.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W2/391	29.5	26.9	2.6	8.8%					N/A	N/A	N/A	N/A	N/A	N/A
1-41 ICON HOUSE																			
111	R7	RESIDENTIAL	UNKNOWN		W10/111	15	1.4	0.1	6.7%	12.8	11	0.2	14.2%	0	0	0	0	0.0%	0.0%
			UNKNOWN		W13/111	4.7	3.1	1.6	34.0%					0	0	0	0	0.0%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W12/111	5.4	3.2	2.2	40.7%	9	3.3	0.8	63.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W11/111	9.4	8.7	0.7	7.4%	55.2	36.3	2.3	34.2%	3	0	2	0	33.3%	0.0%
112	R7	RESIDENTIAL	UNKNOWN		W10/112	2.1	1.9	0.2	9.5%	17.6	16.8	0.1	5.0%	3	0	3	0	0.0%	0.0%
			UNKNOWN		W13/112	7.3	5	2.3	31.5%					0	0	0	0	0.0%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W12/112	8	5.1	2.9	36.3%	12.8	5.4	1.0	58.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W11/112	12.9	11.8	1.1	8.5%	63.3	46.5	2.1	26.6%	3	0	2	0	33.3%	0.0%
	R10	RESIDENTIAL	UNKNOWN		W14/112	7	3.6	3.4	48.6%	26	12.3	2.6	52.6%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W15/112	6.8	3.1	3.7	54.4%					N/A	N/A	N/A	N/A	N/A	N/A
113	R7	RESIDENTIAL	UNKNOWN		W10/113	5.5	4.3	1.2	21.8%	46.4	38	1.1	18.0%	8	0	6	0	25.0%	0.0%
			UNKNOWN		W13/113	10.4	7.4	3	28.8%					0	0	0	0	0.0%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W12/113	11	7.3	3.7	33.6%	22.4	8.4	1.9	62.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W11/113	16.7	14.1	2.6	15.6%	77.7	59.6	2.2	23.3%	8	1	6	0	25.0%	100.0%
	R10	RESIDENTIAL	UNKNOWN		W14/113	8.3	4.3	4	48.2%	32.6	13.7	3.6	58.1%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W15/113	7.9	3.6	4.3	54.4%					N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
1-41 ICON HOUSE (CONTINUED)																			
114	R7	RESIDENTIAL	UNKNOWN		W10/114	10.6	7.3	3.3	31.1%	57.3	45.6	1.5	20.4%	14	1	9	0	35.7%	100.0%
			UNKNOWN		W13/114	13.7	9.5	4.2	30.7%					7	0	1	0	35.7%	50.0%
	R8	RESIDENTIAL	UNKNOWN		W12/114	14.2	9.1	5.1	35.9%	30	10	2.7	66.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W11/114	21.1	15.9	5.2	24.6%	88.2	69.8	2.2	20.8%	13	1	8	0	38.5%	100.0%
	R10	RESIDENTIAL	UNKNOWN		W14/114	9.9	5.1	4.8	48.5%	43.7	16.2	5.2	63.0%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W15/114	9.2	4.1	5.1	55.4%					N/A	N/A	N/A	N/A	N/A	N/A
115	R7	RESIDENTIAL	UNKNOWN		W10/115	14.1	8.2	5.9	41.8%	66.5	48.7	2.2	26.8%	15	2	8	0	46.7%	100.0%
			UNKNOWN		W13/115	17.6	10.7	6.9	39.2%					10	0	1	0	39.0%	50.0%
	R8	RESIDENTIAL	UNKNOWN		W12/115	18.2	10	8.2	45.1%	41	10.2	4.1	75.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W11/115	24.5	17.7	6.8	27.8%	89.5	77.2	1.5	13.7%	15	1	9	0	40.0%	100.0%
	R10	RESIDENTIAL	UNKNOWN		W14/115	11.8	6.1	5.7	48.3%	52.8	17.9	6.7	66.1%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W15/115	10.6	4.7	5.9	55.7%					N/A	N/A	N/A	N/A	N/A	N/A
116	R7	RESIDENTIAL	UNKNOWN		W10/116	17.3	10.4	6.9	39.9%	93.7	62.8	3.9	33.0%	17	2	10	0	41.2%	100.0%
			UNKNOWN		W13/116	21.4	11.7	9.7	45.3%					11	0	2	0	50.0%	50.0%
	R8	RESIDENTIAL	UNKNOWN		W12/116	21.7	10.9	10.8	49.8%	43.2	11.6	4.2	73.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W11/116	26.9	19.4	7.5	27.9%	90.6	83.6	0.9	7.7%	17	2	9	0	47.1%	100.0%
	R10	RESIDENTIAL	UNKNOWN		W14/116	14	7.4	6.6	47.1%	56.8	21.7	6.7	61.7%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W15/116	12.2	5.5	6.7	54.9%					N/A	N/A	N/A	N/A	N/A	N/A
117	R7	RESIDENTIAL	UNKNOWN		W10/117	32.5	24.2	8.3	25.5%	93.9	75.3	2.3	19.8%	33	2	25	0	24.2%	100.0%
			UNKNOWN		W13/117	25	12.6	12.4	49.6%					11	0	2	0	34.0%	50.0%
	R8	RESIDENTIAL	UNKNOWN		W12/117	24.4	11.7	12.7	52.0%	43.7	12.7	4.1	71.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W11/117	29.2	21.2	8	27.4%	93.1	87.6	0.7	5.9%	21	2	14	1	33.3%	50.0%
	R10	RESIDENTIAL	UNKNOWN		W14/117	16.9	9.4	7.5	44.4%	58.7	25.1	6.4	57.2%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W15/117	14	6.7	7.3	52.1%					N/A	N/A	N/A	N/A	N/A	N/A
118	R7	RESIDENTIAL	UNKNOWN		W9/118	25.2	14.8	10.4	41.3%	81	49.2	3.6	39.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	UNKNOWN		W8/118	21.5	8.1	13.4	62.3%	70.3	26.6	5.3	62.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W10/118	31.2	23.6	7.6	24.4%	95.3	91.4	0.5	4.2%	29	2	23	1	20.7%	50.0%
	R10	RESIDENTIAL	UNKNOWN		W11/118	20.8	12.7	8.1	38.9%	66.1	29.4	7.0	55.6%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W12/118	16	8.5	7.5	46.9%					N/A	N/A	N/A	N/A	N/A	N/A
119	R7	RESIDENTIAL	UNKNOWN		W9/119	27.8	17.9	9.9	35.6%	81.6	53.6	3.2	34.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	UNKNOWN		W8/119	24.5	10.6	13.9	56.7%	70.9	32.3	4.7	54.4%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

1-41 ICON HOUSE (CONTINUED)

	R9	RESIDENTIAL	UNKNOWN		W10/119	33.7	26.7	7	20.8%	97.3	97.2	0.0	0.1%	35	2	30	1	14.3%	50.0%
	R10	RESIDENTIAL	UNKNOWN		W11/119	27.8	17.3	10.5	37.8%	93.4	40.4	10.1	56.7%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W12/119	22.1	14.3	7.8	35.3%					N/A	N/A	N/A	N/A	N/A	N/A
120	R7	RESIDENTIAL	UNKNOWN		W10/120	31.2	19.1	12.1	38.8%	82.6	45.1	4.8	45.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	UNKNOWN		W11/120	31.5	19.6	11.9	37.8%	64.8	31.1	4.7	52.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	UNKNOWN		W8/120	31.2	18.8	12.4	39.7%	97.5	46.9	9.3	51.9%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W9/120	31.2	19	12.2	39.1%					N/A	N/A	N/A	N/A	N/A	N/A

144 FRIAR STREET

2021	R1 (3)	RESIDENTIAL	UNKNOWN		W1/2021	14.8	14.8	0	0.0%	22.1	22.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
2022	R1	RESIDENTIAL	UNKNOWN		W1/2022	17.5	17.5	0	0.0%	21.9	21.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A

1-45 PROJECTION WEST

100	R1	RESIDENTIAL	UNKNOWN		W5/100	0	0	0	-	20.9	0	4.9	100.0%	0	0	0	0	0.0%	0.0%
			UNKNOWN		W6/100	0.5	0	0.5	100.0%					0	0	0	0	0.0%	0.0%
	R2	RESIDENTIAL	UNKNOWN		W7/100	0.1	0	0.1	100.0%	24	0	4.1	100.0%	0	0	0	0	0.0%	0.0%
			UNKNOWN		W8/100	0	0	0	-					0	0	0	0	0.0%	0.0%
	R3	RESIDENTIAL	UNKNOWN		W9/100	0	0	0	-	2.4	0	0.3	100.0%	0	0	0	0	0.0%	0.0%
	R4	RESIDENTIAL	UNKNOWN		W2/100	7	0.6	6.4	91.4%	88.7	22.6	14.5	74.5%					60.0%	0.0%
			UNKNOWN		W3/100	18.3	9.3	9	49.2%					5	1	2	1	60.0%	0.0%
	R5	RESIDENTIAL	UNKNOWN		W1/100	11.6	10.9	0.7	6.0%	86.1	33.5	11.7	61.0%	17	4	17	4	0.0%	0.0%
			UNKNOWN		W4/100	7.3	0.8	6.5	89.0%					8	3	5	3	37.5%	0.0%
	R6	RESIDENTIAL	UNKNOWN		W12/100	7.6	5.4	2.2	28.9%	30.9	13.5	2.3	56.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	UNKNOWN		W11/100	3.1	0.6	2.5	80.6%	38	7.1	4.9	81.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	UNKNOWN		W10/100	10.5	7.6	2.9	27.6%	48.8	22.7	3.4	53.4%	N/A	N/A	N/A	N/A	N/A	N/A
101	R1	RESIDENTIAL	UNKNOWN		W4/101	15	9.7	5.3	35.3%	73	27.5	6.6	62.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W15/101	4.5	0.9	3.6	80.0%	52.9	10.8	7.4	79.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W16/101	10.4	7.3	3.1	29.8%	28.8	20.2	1.2	29.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W6/101	21.7	11.3	10.4	47.9%	87.1	29.1	7.3	66.6%	15	3	8	3	46.7%	0.0%
	R5	RESIDENTIAL	UNKNOWN		W1/101	14	13.3	0.7	5.0%	90.6	43.4	8.3	52.1%	21	5	20	5	4.8%	0.0%
			UNKNOWN		W7/101	8.2	1	7.2	87.8%					10	4	6	4	40.0%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY	ROOM	ROOM	WINDOW	EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
		TYPE	USE	NOTES		%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
1-45 PROJECTION WEST (CONTINUED)																			
	R6	RESIDENTIAL	UNKNOWN		W8/101	14.5	12	2.5	17.2%	35	31.7	0.4	9.3%	13	1	13	1	0.0%	0.0%
	R7	RESIDENTIAL	UNKNOWN		W5/101	24	12.2	11.8	49.2%	98	51.4	5.1	47.5%	23	3	14	3	39.1%	0.0%
			UNKNOWN		W14/101	16.3	2.8	13.5	82.8%					13	0	5	0	61.5%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W2/101	13.8	13.3	0.5	3.6%	60.8	60.8	0.0	0.0%	21	4	20	4	4.8%	0.0%
			UNKNOWN		W3/101	12.9	12.5	0.4	3.1%					19	3	18	3	5.3%	0.0%
	R9	RESIDENTIAL	UNKNOWN		W9/101	13.9	11.4	2.5	18.0%	31.8	30.8	0.1	3.1%	9	1	9	1	0.0%	0.0%
	R10	RESIDENTIAL	UNKNOWN		W10/101	3.3	1	2.3	69.7%	29.6	20.3	1.1	31.4%	5	3	5	3	0.0%	0.0%
	R11	RESIDENTIAL	UNKNOWN		W11/101	11.5	10.9	0.6	5.2%	28.4	27	0.1	4.7%	17	3	17	3	0.0%	0.0%
	R12	RESIDENTIAL	UNKNOWN		W12/101	11.1	10.6	0.5	4.5%	25.1	25.1	0.0	0.0%	7	0	7	0	0.0%	0.0%
	R13	RESIDENTIAL	UNKNOWN		W13/101	2.2	11	1.1	50.0%	23.8	20.4	0.4	14.0%	3	0	3	0	0.0%	0.0%
102	R1	RESIDENTIAL	UNKNOWN		W4/102	18.6	10.6	8	43.0%	88.6	32.8	8.0	63.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W15/102	18.2	11.5	6.7	36.8%	97.1	39.4	10.2	59.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W16/102	16	11	5	31.2%	42.5	31.7	1.5	25.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W6/102	24.2	13.7	10.5	43.4%	88.8	34.6	6.8	61.0%	21	3	13	3	38.1%	0.0%
	R5	RESIDENTIAL	UNKNOWN		W1/102	16.9	16.3	0.6	3.6%	90.8	49.4	7.3	45.6%	28	7	26	7	7.1%	0.0%
			UNKNOWN		W7/102	9.6	2.1	7.5	78.1%					12	4	7	4	41.7%	0.0%
	R6	RESIDENTIAL	UNKNOWN		W8/102	17.5	14.9	2.6	14.9%	41.8	38.8	0.4	7.2%	18	2	18	2	0.0%	0.0%
	R7	RESIDENTIAL	UNKNOWN		W5/102	26.6	14.6	12	45.1%	98.9	56.8	4.7	42.6%	29	3	19	3	34.5%	0.0%
			UNKNOWN		W14/102	20.5	4.6	15.9	77.6%					17	0	7	0	58.8%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W2/102	16.8	16.3	0.5	3.0%	68.5	68.5	0.0	0.0%	26	6	24	6	7.7%	0.0%
			UNKNOWN		W3/102	15.9	15.4	0.5	3.1%					24	5	23	5	4.2%	0.0%
	R9	RESIDENTIAL	UNKNOWN		W9/102	16.8	14.2	2.6	15.5%	38.9	37.9	0.1	2.4%	13	1	13	1	0.0%	0.0%
	R10	RESIDENTIAL	UNKNOWN		W10/102	4.4	2.1	2.3	52.3%	33.8	25.9	1.0	23.4%	6	3	6	3	0.0%	0.0%
	R11	RESIDENTIAL	UNKNOWN		W11/102	14.6	13.8	0.8	5.5%	35.3	34.9	0.0	1.0%	22	3	22	3	0.0%	0.0%
	R12	RESIDENTIAL	UNKNOWN		W12/102	13.8	13.3	0.5	3.6%	33.8	33.8	0.0	0.0%	11	0	11	0	0.0%	0.0%
	R13	RESIDENTIAL	UNKNOWN		W13/102	4.2	3.2	1	23.8%	35.3	34.1	0.1	3.2%	5	2	5	2	0.0%	0.0%
103	R1	RESIDENTIAL	UNKNOWN		W4/103	21.4	11.8	9.6	44.9%	90.9	39.8	7.4	56.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W15/103	12.8	2.6	10.2	79.7%	97.2	25.8	12.6	73.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W16/103	25.8	14	11.8	45.7%	91.6	40.8	7.3	55.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W6/103	27.1	16.5	10.6	39.1%	91.4	44.1	6.0	51.7%	26	5	18	5	30.8%	0.0%
	R5	RESIDENTIAL	UNKNOWN		W1/103	20.7	19.9	0.8	3.9%	91.5	60.3	5.5	34.0%	36	9	33	9	8.3%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY	ROOM	ROOM	WINDOW	EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
		TYPE	USE	NOTES		%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
1-45 PROJECTION WEST (CONTINUED)																			
			UNKNOWN		W7/103	11.6	3.7	7.9	68.1%					16	6	10	6	37.5%	0.0%
	R6	RESIDENTIAL	UNKNOWN		W8/103	21	18.3	2.7	12.9%	55.1	50.5	0.6	8.4%	27	6	26	6	3.7%	0.0%
	R7	RESIDENTIAL	UNKNOWN		W5/103	29.4	17.4	12	40.8%	99.6	72.1	3.0	27.6%	36	6	26	6	27.8%	0.0%
			UNKNOWN		W14/103	24.1	6.1	18	74.7%					19	0	10	0	47.4%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W2/103	20.5	19.8	0.7	3.4%	79.2	79.2	0.0	0.0%	36	9	34	9	5.6%	0.0%
			UNKNOWN		W3/103	19.5	18.9	0.6	3.1%					32	9	31	9	3.1%	0.0%
	R9	RESIDENTIAL	UNKNOWN		W9/103	20.3	17.6	2.7	13.3%	51.5	50.9	0.1	1.3%	18	2	18	2	0.0%	0.0%
	R10	RESIDENTIAL	UNKNOWN		W10/103	7.9	5.5	2.4	30.4%	42.5	37.3	0.6	12.1%	15	7	15	7	0.0%	0.0%
	R11	RESIDENTIAL	UNKNOWN		W11/103	18.3	17.3	1	5.5%	49.1	49.1	0.0	0.0%	29	6	29	6	0.0%	0.0%
	R12	RESIDENTIAL	UNKNOWN		W12/103	17	16.3	0.7	4.1%	48.2	48.1	0.0	0.3%	15	0	15	0	0.0%	0.0%
	R13	RESIDENTIAL	UNKNOWN		W13/103	7.6	6.5	1.1	14.5%	48	46.2	0.2	3.8%	13	6	13	6	0.0%	0.0%
104	R1	RESIDENTIAL	UNKNOWN		W4/104	23.7	13.1	10.6	44.7%	94.8	51.1	6.3	46.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W15/104	16.5	3.7	12.8	77.6%	97.8	41.1	10.0	58.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W16/104	29.7	15.3	14.4	48.5%	92.2	51.3	5.8	44.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W6/104	30.2	19.4	10.8	35.8%	95.9	59.5	4.6	38.0%	32	5	23	5	28.1%	0.0%
	R5	RESIDENTIAL	UNKNOWN		W1/104	25.3	24.2	1.1	4.3%	93.7	78.6	2.7	16.1%	47	12	43	12	8.5%	0.0%
			UNKNOWN		W7/104	15.6	7	8.6	55.1%					25	8	17	8	32.0%	0.0%
	R6	RESIDENTIAL	UNKNOWN		W8/104	25.1	21.8	3.3	13.1%	79.9	74.2	0.7	7.2%	34	8	32	8	5.9%	0.0%
	R7	RESIDENTIAL	UNKNOWN		W5/104	32.5	20.4	12.1	37.2%	99.7	91.1	0.9	8.6%	39	8	30	8	23.1%	0.0%
			UNKNOWN		W14/104	26.1	7.6	18.5	70.9%					22	1	11	1	50.0%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W2/104	24.9	24	0.9	3.6%	95.5	95.5	0.0	0.0%	46	12	42	12	8.7%	0.0%
			UNKNOWN		W3/104	23.6	22.7	0.9	3.8%					40	9	37	9	7.5%	0.0%
	R9	RESIDENTIAL	UNKNOWN		W9/104	24.2	21	3.2	13.2%	78.9	75.9	0.3	3.8%	24	3	23	3	4.2%	0.0%
	R10	RESIDENTIAL	UNKNOWN		W10/104	12.5	9.7	2.8	22.4%	64	55.6	1.0	13.2%	23	10	23	10	0.0%	0.0%
	R11	RESIDENTIAL	UNKNOWN		W11/104	22.7	20.9	1.8	7.9%	76.9	73	0.4	5.1%	37	10	37	10	0.0%	0.0%
	R12	RESIDENTIAL	UNKNOWN		W12/104	20.3	18.9	1.4	6.9%	71.6	71.3	0.0	0.4%	22	0	21	0	4.5%	0.0%
	R13	RESIDENTIAL	UNKNOWN		W13/104	12.2	10.5	1.7	13.9%	70.6	58.3	1.5	17.3%	21	9	21	9	0.0%	0.0%
105	R1	RESIDENTIAL	UNKNOWN		W4/105	25.4	14.8	10.6	41.7%	95.2	64.9	4.4	31.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W15/105	17.9	4.8	13.1	73.2%	97.9	68.6	5.2	30.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W16/105	31	16.8	14.2	45.8%	92.8	64.1	4.1	31.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W6/105	33.4	22.8	10.6	31.7%	98.1	71.1	3.4	27.5%	37	9	30	9	18.9%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
1-45 PROJECTION WEST (CONTINUED)																			
	R5	RESIDENTIAL	UNKNOWN		W1/105	30.6	28.9	1.7	5.6%	99.8	99.1	0.1	0.7%	58	17	52	17	10.3%	0.0%
			UNKNOWN		W7/105	19.8	10.9	8.9	44.9%					32	12	25	12	21.9%	0.0%
	R6	RESIDENTIAL	UNKNOWN		W8/105	29.5	25.4	4.1	13.9%	97.6	92.5	0.6	5.2%	43	11	38	11	11.6%	0.0%
	R7	RESIDENTIAL	UNKNOWN		W5/105	35.4	23.7	11.7	33.1%	99.7	94.7	0.5	5.0%	45	12	37	12	17.8%	0.0%
			UNKNOWN		W14/105	27.3	9	18.3	67.0%					25	4	16	3	36.0%	25.0%
	R8	RESIDENTIAL	UNKNOWN		W2/105	29.9	28.3	1.6	5.4%	98.6	98.6	0.0	0.0%	53	14	48	14	9.4%	0.0%
			UNKNOWN		W3/105	28.1	26.7	1.4	5.0%					48	13	43	13	10.4%	0.0%
	R9	RESIDENTIAL	UNKNOWN		W9/105	28.8	24.6	4.2	14.6%	98.3	96.1	0.2	2.3%	32	5	27	5	15.6%	0.0%
	R10	RESIDENTIAL	UNKNOWN		W10/105	17.3	13.6	3.7	21.4%	99.9	99.9	0.0	0.0%	29	12	26	12	10.3%	0.0%
	R11	RESIDENTIAL	UNKNOWN		W11/105	27.7	24.7	3	10.8%	99	95.8	0.3	3.2%	45	12	41	12	8.9%	0.0%
	R12	RESIDENTIAL	UNKNOWN		W12/105	24.8	22.6	2.2	8.9%	96.1	96.1	0.0	0.0%	29	3	25	3	13.8%	0.0%
	R13	RESIDENTIAL	UNKNOWN		W13/105	16.9	14.3	2.6	15.4%	99.8	99.6	0.0	0.2%	30	13	28	13	6.7%	0.0%
106	R1	RESIDENTIAL	UNKNOWN		W4/106	27.5	17	10.5	38.2%	96.4	69	3.9	28.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W15/106	19.2	5.9	13.3	69.3%	98.1	70.9	4.8	27.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W16/106	32.3	18.4	13.9	43.0%	93.7	67.3	3.8	28.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	UNKNOWN		W6/106	36.5	26.3	10.2	27.9%	98.1	78.9	2.4	19.6%	40	12	33	11	17.5%	8.3%
	R5	RESIDENTIAL	UNKNOWN		W1/106	35.7	33.3	2.4	6.7%	99.9	99.1	0.1	0.7%	67	21	61	21	9.0%	0.0%
			UNKNOWN		W7/106	23.8	14.7	9.1	38.2%					37	16	31	16	16.2%	0.0%
	R6	RESIDENTIAL	UNKNOWN		W8/106	33.7	28.7	5	14.8%	97.7	94.7	0.4	3.1%	49	14	43	14	12.2%	0.0%
	R7	RESIDENTIAL	UNKNOWN		W5/106	38	26.9	11.1	29.2%	99.9	99.8	0.0	0.1%	51	16	42	14	17.6%	12.5%
			UNKNOWN		W14/106	37.5	19.9	17.6	46.9%					30	6	20	3	33.3%	50.0%
	R8	RESIDENTIAL	UNKNOWN		W2/106	34.6	32.3	2.3	6.6%	98.6	98.6	0.0	0.0%	60	18	54	18	10.0%	0.0%
			UNKNOWN		W3/106	32.4	30.4	2	6.2%					55	18	50	18	9.1%	0.0%
	R9	RESIDENTIAL	UNKNOWN		W9/106	33.4	28.2	5.2	15.6%	98.4	97.3	0.1	1.1%	35	7	29	7	17.1%	0.0%
	R10	RESIDENTIAL	UNKNOWN		W10/106	21.9	17	4.9	22.4%	99.9	99.9	0.0	0.0%	34	13	28	13	17.6%	0.0%
	R11	RESIDENTIAL	UNKNOWN		W11/106	32.5	28.1	4.4	13.5%	99	97.5	0.2	1.5%	49	13	43	13	12.2%	0.0%
	R12	RESIDENTIAL	UNKNOWN		W12/106	29.2	26.1	3.1	10.6%	96.1	96.1	0.0	0.0%	33	5	28	5	15.2%	0.0%
	R13	RESIDENTIAL	UNKNOWN		W13/106	21.2	18	3.2	15.1%	99.8	99.8	0.0	0.0%	35	15	33	15	5.7%	0.0%
107	R1	RESIDENTIAL	UNKNOWN		W4/107	30.3	19.3	11	36.3%	96.6	72.3	3.5	25.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/107	20.1	7.1	13	64.7%	99.5	72	4.4	27.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W9/107	33.8	20.5	13.3	39.3%	97.6	61.1	4.7	37.4%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

1-45 PROJECTION WEST (CONTINUED)																			
	R5	RESIDENTIAL	UNKNOWN		W1/107	37.9	35.5	2.4	6.3%	99.9	99.2	0.1	0.7%	71	23	66	23	7.0%	0.0%
			UNKNOWN		W6/107	25.6	16.9	8.7	34.0%					38	17	33	17	13.2%	0.0%
	R6	RESIDENTIAL	UNKNOWN		W10/107	35.8	31.2	4.6	12.8%	98	97.3	0.1	0.7%	53	17	48	17	9.4%	0.0%
	R7	RESIDENTIAL	UNKNOWN		W5/107	38.3	29	9.3	24.3%	99.2	96.4	0.6	2.7%	48	12	42	11	12.5%	8.3%
			UNKNOWN		W7/107	24	8.2	15.8	65.8%					11	5	8	4	10.0%	33.3%
	R8	RESIDENTIAL	UNKNOWN		W2/107	36.9	34.8	2.1	5.7%	98.6	98.6	0.0	0.0%	67	21	62	21	7.5%	0.0%
			UNKNOWN		W3/107	34.7	32.8	1.9	5.5%					58	19	53	19	8.6%	0.0%
	R9	RESIDENTIAL	UNKNOWN		W11/107	36.4	31.6	4.8	13.2%	98.5	98.3	0.0	0.2%	45	9	40	9	11.1%	0.0%
	R10	RESIDENTIAL	UNKNOWN		W12/107	24.7	19.7	5	20.2%	99.9	99.9	0.0	0.0%	37	16	32	16	13.5%	0.0%
	R11	RESIDENTIAL	UNKNOWN		W13/107	35.9	31.4	4.5	12.5%	99.1	98.9	0.0	0.1%	53	17	48	17	9.4%	0.0%
	R12	RESIDENTIAL	UNKNOWN		W14/107	32.4	29.2	3.2	9.9%	96.2	96.2	0.0	0.0%	42	7	38	7	9.5%	0.0%
	R13	RESIDENTIAL	UNKNOWN		W15/107	32	31.2	0.8	2.5%	99.5	99.4	0.0	0.0%	58	22	55	22	5.2%	0.0%
108	R1	RESIDENTIAL	UNKNOWN		W4/108	31.6	20.9	10.7	33.9%	97	74.5	3.2	23.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W8/108	34.1	21.7	12.4	36.4%	99.5	83.4	2.6	16.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W9/108	34.9	22.1	12.8	36.7%	97.6	64.4	4.3	34.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W1/108	38.9	37	1.9	4.9%	99.9	99.4	0.1	0.5%	74	24	70	24	5.4%	0.0%
			UNKNOWN		W6/108	39.5	32	7.5	19.0%					53	17	49	17	7.5%	0.0%
	R6	RESIDENTIAL	UNKNOWN		W10/108	38	33.9	4.1	10.8%	98.2	98.2	0.0	0.0%	53	17	50	17	5.7%	0.0%
	R7	RESIDENTIAL	UNKNOWN		W5/108	39.6	31.5	8.1	20.5%	99.2	99.2	0.0	0.0%	53	17	48	16	9.4%	5.9%
			UNKNOWN		W7/108	38.6	24.1	14.5	37.6%					30	8	24	4	20.0%	33.3%
	R8	RESIDENTIAL	UNKNOWN		W2/108	38.7	36.9	1.8	4.7%	98.7	98.7	0.0	0.0%	74	24	70	24	5.4%	0.0%
			UNKNOWN		W3/108	37	35.4	1.6	4.3%					62	20	58	20	6.5%	0.0%
	R9	RESIDENTIAL	UNKNOWN		W11/108	39.1	34.4	4.7	12.0%	98.6	98.6	0.0	0.0%	53	17	50	17	5.7%	0.0%
	R10	RESIDENTIAL	UNKNOWN		W12/108	39.3	34.6	4.7	12.0%	99.9	99.9	0.0	0.0%	53	17	49	17	7.5%	0.0%
	R11	RESIDENTIAL	UNKNOWN		W13/108	39.5	35	4.5	11.4%	99.1	99.1	0.0	0.0%	53	17	49	17	7.5%	0.0%
	R12	RESIDENTIAL	UNKNOWN		W14/108	36.5	33.6	2.9	7.9%	96.4	96.4	0.0	0.0%	53	17	52	17	1.9%	0.0%
	R13	RESIDENTIAL	UNKNOWN		W15/108	38.4	37.6	0.8	2.1%	99.5	99.5	0.0	0.0%	72	24	70	24	2.8%	0.0%

7-11 STATION ROAD																			
Third	R1	RESIDENTIAL	BEDROOM		W1/Third	0.9	0.9	0	0.0%	3.5	3.5	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W2/Third	2.1	2.1	0	0.0%					7	0	7	0	0.0%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY	ROOM	ROOM	WINDOW	EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
		TYPE	USE	NOTES		%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
7-11 STATION ROAD (CONTINUED)																			
			BEDROOM		W3/Third	0.3	0.3	0	0.0%					0	0	0	0	0.0%	0.0%
Second	R1	RESIDENTIAL	BEDROOM		W1/Second	0.4	0.4	0	0.0%	11	11	0.0	0.0%	5	5	5	5	0.0%	0.0%
			BEDROOM		W2/Second	15	15	0	0.0%					6	0	6	0	0.0%	0.0%
			BEDROOM		W3/Second	0.3	0.3	0	0.0%					0	0	0	0	0.0%	0.0%
First	R1	RESIDENTIAL	BEDROOM		W1/First	0.3	0.3	0	0.0%	0.9	0.9	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W2/First	12	12	0	0.0%					5	0	5	0	0.0%	0.0%
			BEDROOM		W3/First	0.2	0.2	0	0.0%					0	0	0	0	0.0%	0.0%
Fourth	R1	RESIDENTIAL	BEDROOM		W1/Fourth	3	3	0	0.0%	13.9	13.9	0.0	0.0%	9	9	9	9	0.0%	0.0%
			BEDROOM		W2/Fourth	3.3	3.3	0	0.0%					9	2	9	2	0.0%	0.0%
			BEDROOM		W3/Fourth	2.6	2.6	0	0.0%					2	0	2	0	0.0%	0.0%
Second	R2	RESIDENTIAL	BEDROOM		W4/Second	0.3	0.3	0	0.0%	3.6	3.6	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W5/Second	19	19	0	0.0%					7	0	7	0	0.0%	0.0%
			BEDROOM		W6/Second	5	5	0	0.0%					11	0	11	0	0.0%	0.0%
First	R2	RESIDENTIAL	LK		W4/First	0.2	0.2	0	0.0%	2.4	2.4	0.0	0.0%	0	0	0	0	0.0%	0.0%
			LK		W5/First	14	14	0	0.0%					4	0	4	0	0.0%	0.0%
			LK		W6/First	3.5	3.5	0	0.0%					6	0	6	0	0.0%	0.0%
Third	R2	RESIDENTIAL	BEDROOM		W4/Third	0.6	0.6	0	0.0%	5	5	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W5/Third	2.6	2.6	0	0.0%					8	1	8	1	0.0%	0.0%
			BEDROOM		W6/Third	7.3	7.3	0	0.0%					15	2	15	2	0.0%	0.0%
Fourth	R2	RESIDENTIAL	BEDROOM		W4/Fourth	2.9	2.9	0	0.0%	5.8	5.8	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W5/Fourth	3.5	3.5	0	0.0%					10	3	10	3	0.0%	0.0%
			BEDROOM		W6/Fourth	10.7	10.7	0	0.0%					21	7	21	7	0.0%	0.0%
Ground	R3	RESIDENTIAL	LK		W3/Ground	0	0	0	-	0.6	0.6	0.0	0.0%	0	0	0	0	0.0%	0.0%
First	R3	RESIDENTIAL	LK		W7/First	0.1	0.1	0	0.0%	3	3	0.0	0.0%	0	0	0	0	0.0%	0.0%
			LK		W8/First	19	19	0	0.0%					2	0	2	0	0.0%	0.0%
			LK		W9/First	0.9	0.9	0	0.0%					0	0	0	0	0.0%	0.0%
Third	R3	RESIDENTIAL	BEDROOM		W7/Third	0.1	0.1	0	0.0%	5.6	5.6	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W8/Third	3.6	3.6	0	0.0%					8	0	8	0	0.0%	0.0%
			BEDROOM		W9/Third	14	14	0	0.0%					0	0	0	0	0.0%	0.0%
Fourth	R3	RESIDENTIAL	BEDROOM		W7/Fourth	0.2	0.2	0	0.0%	6.5	6.5	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W8/Fourth	6.1	6.1	0	0.0%					14	3	14	3	0.0%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

7-11 STATION ROAD (CONTINUED)

			BEDROOM		W9/Fourth	3.6	3.6	0	0.0%					3	0	3	0	0.0%	0.0%
Second	R3	RESIDENTIAL	BEDROOM		W7/Second	0.1	0.1	0	0.0%	4.3	4.3	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W8/Second	2.6	2.6	0	0.0%					6	0	6	0	0.0%	0.0%
			BEDROOM		W9/Second	1.1	1.1	0	0.0%					0	0	0	0	0.0%	0.0%
Third	R4	RESIDENTIAL	BEDROOM		W10/Third	1.2	1.2	0	0.0%	10.6	10.6	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W11/Third	4.7	4.7	0	0.0%					3	0	3	0	0.0%	0.0%
			BEDROOM		W12/Third	1.2	1.2	0	0.0%					0	0	0	0	0.0%	0.0%
Fourth	R4	RESIDENTIAL	BEDROOM		W10/Fourth	3.7	3.7	0	0.0%	17	16.8	0.0	0.8%	0	0	0	0	0.0%	0.0%
			BEDROOM		W11/Fourth	6.9	6.9	0	0.0%					8	0	8	0	0.0%	0.0%
			BEDROOM		W12/Fourth	2.1	2.1	0	0.0%					2	0	2	0	0.0%	0.0%
First	R4	RESIDENTIAL	BEDROOM		W10/First	0.5	0.5	0	0.0%	3.1	3.1	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W11/First	2.2	2.2	0	0.0%					0	0	0	0	0.0%	0.0%
			BEDROOM		W12/First	0.6	0.6	0	0.0%					0	0	0	0	0.0%	0.0%
Ground	R4	RESIDENTIAL	BEDROOM		W4/Ground	1.1	1.1	0	0.0%	16.7	16.7	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W5/Ground	0.9	0.9	0	0.0%					0	0	0	0	0.0%	0.0%
Second	R4	RESIDENTIAL	BEDROOM		W10/Second	0.8	0.8	0	0.0%	6.3	6.3	0.0	0.0%	0	0	0	0	0.0%	0.0%
			BEDROOM		W11/Second	3.1	3.1	0	0.0%					1	0	1	0	0.0%	0.0%
			BEDROOM		W12/Second	0.8	0.8	0	0.0%					0	0	0	0	0.0%	0.0%
First	R5	RESIDENTIAL	BEDROOM		W13/First	0.2	0.2	0	0.0%	0	0	0.0	-	N/A	N/A	N/A	N/A	N/A	N/A
Ground	R5 (3)	RESIDENTIAL	LK		W6/Ground	0.9	0.9	0	0.0%	0.3	0.3	0.0	0.0%	0	0	0	0	0.0%	0.0%
Third	R5	RESIDENTIAL	BEDROOM		W13/Third	0.7	0.7	0	0.0%	0.4	0.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
Second	R5	RESIDENTIAL	BEDROOM		W13/Second	0.3	0.3	0	0.0%	0	0	0.0	-	N/A	N/A	N/A	N/A	N/A	N/A
Fourth	R5	RESIDENTIAL	BEDROOM		W13/Fourth	2.5	2.5	0	0.0%	4.2	4.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
Ground	R6	RESIDENTIAL	BEDROOM		W7/Ground	0.7	0.7	0	0.0%	1.2	1.2	0.0	0.0%	0	0	0	0	0.0%	0.0%

15 STANSHAW ROAD

390	R3	RESIDENTIAL	LIVING ROOM		W3/390	25.1	23	2.1	8.4%	85.6	84.6	0.1	1.1%	N/A	N/A	N/A	N/A	N/A	N/A
391	R2	RESIDENTIAL	BEDROOM		W3/391	29.6	27.2	2.4	8.1%	98.2	98.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W4/391	29.7	27.3	2.4	8.1%					N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY	ROOM	ROOM	WINDOW	EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
		TYPE	USE	NOTES		%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
17 STANSHAW ROAD																			
390	R5	RESIDENTIAL	BEDROOM		W5/390	24.8	22.9	1.9	7.7%	82.4	82.1	0.0	0.4%	N/A	N/A	N/A	N/A	N/A	N/A
391	R3	RESIDENTIAL	BEDROOM		W5/391	29.7	27.4	2.3	7.7%	98.9	98.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W6/391	29.7	27.6	2.1	7.1%					N/A	N/A	N/A	N/A	N/A	N/A
19 STANSHAW ROAD																			
420	R1	RESIDENTIAL	UNKNOWN		W1/420	28.1	26.4	1.7	6.0%	66.8	66.7	0.0	0.2%	N/A	N/A	N/A	N/A	N/A	N/A
421	R1	RESIDENTIAL	UNKNOWN		W1/421	31.9	29.8	2.1	6.6%	98.1	98	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A
422	R1	RESIDENTIAL	UNKNOWN		W1/422	34.7	32.5	2.2	6.3%	98.2	98.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
30 GARRARD STREET																			
210	R2 (3)	RESIDENTIAL	UNKNOWN		W2/210	5.2	3.1	2.1	40.4%	100	66.2	15.1	33.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	UNKNOWN		W3/210	9.7	3.5	6.2	63.9%	99.7	68.1	16.4	31.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R4 (3)	RESIDENTIAL	UNKNOWN		W4/210	12.4	6.3	6.1	49.2%	100	100	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	UNKNOWN		W5/210	11.9	6.7	5.2	43.7%	99.8	95.8	2.0	4.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	UNKNOWN		W6/210	11.1	6.2	4.9	44.1%	19.3	10.3	2.9	46.8%	5	0	2	0	60.0%	0.0%
			UNKNOWN		W7/210	4.2	1.5	2.7	64.3%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W8/210	1.7	1.6	0.1	5.9%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W9/210	7.7	4.7	3	39.0%						1	1	0	0.5%	0.0%
	R7	RESIDENTIAL	UNKNOWN		W10/210	8.3	4.2	4.1	49.4%	87.9	70.8	6.6	19.5%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W11/210	6.9	2.9	4	58.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	UNKNOWN		W12/210	6.8	2.7	4.1	60.3%	84.3	73.4	3.5	13.0%	2	0	2	0	0.0%	0.0%
			UNKNOWN		W13/210	6.1	1.8	4.3	70.5%					5	0	3	0	40.0%	0.0%
			UNKNOWN		W14/210	13.3	5.5	7.8	58.6%					10	0	3	0	70.0%	0.0%
			UNKNOWN		W15/210	16.2	5.2	11	67.9%					23	3	14	4	39.1%	-33.3%
	R9	RESIDENTIAL	UNKNOWN		W16/210	15.5	5	10.5	67.7%	28.6	26.2	1.0	8.2%	20	3	13	3	35.0%	0.0%
			UNKNOWN		W17/210	12.3	4.6	7.7	62.6%					20	2	17	2	15.0%	0.0%
			UNKNOWN		W18/210	5.8	5.3	0.5	8.6%					15	1	11	1	26.7%	0.0%
211	R1	RESIDENTIAL	UNKNOWN		W3/211	1.8	1	0.8	44.4%	38.8	36.2	0.8	6.9%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/211	2.8	2	0.8	28.6%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W5/211	3	1.9	1.1	36.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W1/211	8.6	4.6	4	46.5%					N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY	ROOM	ROOM	WINDOW	EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
		TYPE	USE	NOTES		%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
30 GARRARD STREET (CONTINUED)																			
			UNKNOWN		W2/211	2.6	2.3	0.3	11.5%					N/A	N/A	N/A	N/A	N/A	N/A
	R2 (3)	RESIDENTIAL	UNKNOWN		W6/211	2.4	1.6	0.8	33.3%	19.1	6.6	4.2	65.6%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W7/211	3.4	1.8	1.6	47.1%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W8/211	4.5	2.6	1.9	42.2%					N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	UNKNOWN		W9/211	5.1	2.7	2.4	47.1%	50.4	9.2	14.3	81.7%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W10/211	5.2	2.4	2.8	53.8%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W11/211	6.8	2.5	4.3	63.2%					N/A	N/A	N/A	N/A	N/A	N/A
	R4 (3)	RESIDENTIAL	UNKNOWN		W12/211	8.9	3	5.9	66.3%	99.1	54.7	15.5	44.8%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W13/211	10.5	3.4	7.1	67.6%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W14/211	11.6	4.9	6.7	57.8%					N/A	N/A	N/A	N/A	N/A	N/A
	R5 (3)	RESIDENTIAL	UNKNOWN		W15/211	12.7	5.7	7	55.1%	99.8	97.4	0.8	2.3%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W16/211	12.9	6.1	6.8	52.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W17/211	12.9	6.3	6.6	51.2%					N/A	N/A	N/A	N/A	N/A	N/A
	R6 (3)	RESIDENTIAL	UNKNOWN		W18/211	11.5	5.8	5.7	49.6%	99.6	96.6	1.1	3.0%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W19/211	12.7	6.4	6.3	49.6%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W20/211	12.8	6.8	6	46.9%					N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	UNKNOWN		W21/211	12.7	6.9	5.8	45.7%	87.5	82.1	1.9	6.1%	1	0	0	0	100.0%	0.0%
			UNKNOWN		W22/211	11	6.1	4.9	44.5%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W23/211	12.6	6.7	5.9	46.8%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W24/211	5.2	1.8	3.4	65.4%					1	0	0	0	100.0%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W25/211	1.8	1.6	0.2	11.1%	73.4	60.5	4.6	17.5%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W26/211	8.6	5	3.6	41.9%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W27/211	10.5	5.3	5.2	49.5%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W28/211	8.1	3.4	4.7	58.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W29/211	8.4	2.9	5.5	65.5%	86.7	77.7	3.2	10.3%	1	0	0	0	100.0%	0.0%
			UNKNOWN		W30/211	8.4	3	5.4	64.3%					1	0	0	0	100.0%	0.0%
			UNKNOWN		W31/211	8.6	2.9	5.7	66.3%					1	0	0	0	100.0%	0.0%
			UNKNOWN		W32/211	7.2	2.2	5	69.4%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W33/211	8	2.1	5.9	73.8%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W34/211	18.7	6	12.7	67.9%					20	2	3	0	85.0%	100.0%
			UNKNOWN		W35/211	23.1	7.4	15.7	68.0%					35	7	12	3	65.7%	57.1%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
30 GARRARD STREET (CONTINUED)																			
			UNKNOWN		W36/211	23.8	5.9	17.9	75.2%					34	7	13	5	61.8%	28.6%
	R10 (3)	RESIDENTIAL	UNKNOWN		W37/211	24	5.5	18.5	77.1%	92.4	30.6	19.9	66.8%	34	7	13	5	61.8%	28.6%
			UNKNOWN		W38/211	22.3	3.6	18.7	83.9%					22	2	1	0	95.5%	100.0%
			UNKNOWN		W39/211	23.2	5.1	18.1	78.0%					28	5	9	3	67.9%	40.0%
	R11	RESIDENTIAL	UNKNOWN		W40/211	22.9	4.7	18.2	79.5%	40.3	12.6	13.8	68.7%	24	3	9	2	62.5%	33.3%
			UNKNOWN		W41/211	20.1	5.3	14.8	73.6%					34	5	21	5	38.2%	0.0%
			UNKNOWN		W42/211	8.5	6.7	1.8	21.2%					24	3	14	3	41.7%	0.0%
	R12 (3)	RESIDENTIAL	UNKNOWN		W43/211	7.8	6.6	1.2	15.4%	30.1	29.5	0.2	1.8%	10	0	10	0	0.0%	0.0%
			UNKNOWN		W44/211	8.1	6.4	1.7	21.0%					7	0	7	0	0.0%	0.0%
			UNKNOWN		W45/211	9.1	7.7	1.4	15.4%					9	0	9	0	0.0%	0.0%
	R13 (3)	RESIDENTIAL	UNKNOWN		W46/211	10.1	8.2	1.9	18.8%	30.7	29.1	0.5	5.4%	8	0	8	0	0.0%	0.0%
			UNKNOWN		W47/211	10.3	8.4	1.9	18.4%					6	0	6	0	0.0%	0.0%
			UNKNOWN		W48/211	10.1	8.2	1.9	18.8%					4	0	4	0	0.0%	0.0%
212	R1	RESIDENTIAL	UNKNOWN		W3/212	2	1.2	0.8	40.0%	42.2	34	2.6	19.4%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/212	3.2	2.2	1	31.2%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W5/212	3.3	2.2	1.1	33.3%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W1/212	10.2	4.7	5.5	53.9%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/212	2.7	2.5	0.2	7.4%					N/A	N/A	N/A	N/A	N/A	N/A
	R2 (3)	RESIDENTIAL	UNKNOWN		W6/212	2.8	1.8	1	35.7%	26	8.8	5.8	66.4%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W7/212	3.9	2.1	1.8	46.2%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W8/212	5.2	2.9	2.3	44.2%					N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	UNKNOWN		W9/212	5.8	3	2.8	48.3%	59.5	12.7	16.2	78.6%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W10/212	6	2.8	3.2	53.3%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W11/212	7.8	2.9	4.9	62.8%					N/A	N/A	N/A	N/A	N/A	N/A
	R4 (3)	RESIDENTIAL	UNKNOWN		W12/212	10	3.5	6.5	65.0%	98.4	57.4	14.3	41.6%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W13/212	11.7	3.9	7.8	66.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W14/212	12.8	5.4	7.4	57.8%					N/A	N/A	N/A	N/A	N/A	N/A
	R5 (3)	RESIDENTIAL	UNKNOWN		W15/212	14	6.2	7.8	55.7%	98.9	97.3	0.6	1.6%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W16/212	14.4	6.7	7.7	53.5%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W17/212	14.5	6.9	7.6	52.4%					N/A	N/A	N/A	N/A	N/A	N/A
	R6 (3)	RESIDENTIAL	UNKNOWN		W18/212	12.9	6.3	6.6	51.2%	98.9	96.7	0.8	2.2%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
30 GARRARD STREET (CONTINUED)																			
			UNKNOWN		W19/212	14.4	7	7.4	51.4%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W20/212	14.6	7.4	7.2	49.3%					N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	UNKNOWN		W21/212	14.6	7.5	7.1	48.6%	87	82.5	16	5.1%	0	0	0	0	100.0%	0.0%
			UNKNOWN		W22/212	12.8	6.7	6.1	47.7%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W23/212	14.6	7.4	7.2	49.3%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W24/212	6.7	2.2	4.5	67.2%					1	0	0	0	100.0%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W25/212	2	1.8	0.2	10.0%	24.7	18.6	2.2	24.7%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W26/212	10.2	5.5	4.7	46.1%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W27/212	12.8	5.9	6.9	53.9%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W28/212	10.3	4	6.3	61.2%					N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W29/212	11	3.6	7.4	67.3%	86.6	77.2	3.3	10.9%	0	0	0	0	100.0%	0.0%
			UNKNOWN		W30/212	11.1	3.7	7.4	66.7%					1	0	0	0	100.0%	0.0%
			UNKNOWN		W31/212	11.4	3.6	7.8	68.4%					0	0	0	0	100.0%	0.0%
			UNKNOWN		W32/212	9.9	2.8	7.1	71.7%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W33/212	10.8	2.6	8.2	75.9%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W34/212	23	6.6	16.4	71.3%					21	2	3	0	85.7%	100.0%
			UNKNOWN		W35/212	28.3	8.1	20.2	71.4%					41	10	13	4	68.3%	60.0%
			UNKNOWN		W36/212	29.7	6.7	23	77.4%					40	9	13	5	67.5%	44.4%
	R10 (3)	RESIDENTIAL	UNKNOWN		W37/212	30.1	6.3	23.8	79.1%	97.7	38.5	19.1	60.6%	40	9	13	5	67.5%	44.4%
			UNKNOWN		W38/212	28.4	4.2	24.2	85.2%					29	4	1	0	96.6%	100.0%
			UNKNOWN		W39/212	29.5	5.8	23.7	80.3%					36	7	9	3	75.0%	57.1%
	R11	RESIDENTIAL	UNKNOWN		W40/212	29.4	5.4	24	81.6%	95.1	14.2	40.2	85.1%	33	6	9	2	72.7%	66.7%
			UNKNOWN		W41/212	26.2	5.9	20.3	77.5%					43	9	21	5	51.2%	44.4%
			UNKNOWN		W42/212	10.9	7.9	3	27.5%					31	8	15	3	51.6%	62.5%
	R12 (3)	RESIDENTIAL	UNKNOWN		W43/212	13.9	10.3	3.6	25.9%	65.6	62.5	1.0	4.7%	17	0	17	0	0.0%	0.0%
			UNKNOWN		W44/212	14.4	9.9	4.5	31.2%					13	0	13	0	0.0%	0.0%
			UNKNOWN		W45/212	15.4	11.8	3.6	23.4%					15	0	15	0	0.0%	0.0%
	R13 (3)	RESIDENTIAL	UNKNOWN		W46/212	17.1	12.6	4.5	26.3%	72.3	62.3	3.3	13.9%	15	0	15	0	0.0%	0.0%
			UNKNOWN		W47/212	17.2	12.8	4.4	25.6%					14	0	13	0	7.1%	0.0%
			UNKNOWN		W48/212	16.7	12.5	4.2	25.1%					13	2	13	2	0.0%	0.0%
213	R1	RESIDENTIAL	UNKNOWN		W3/213	2.4	1.5	0.9	37.5%	45.3	35.3	3.1	22.1%		N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
30 GARRARD STREET (CONTINUED)																			
			UNKNOWN		W4/213	3.6	2.5	1.1	30.6%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W5/213	3.8	2.5	1.3	34.2%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W1/213	12.6	4.8	7.8	61.9%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/213	2.9	2.6	0.3	10.3%					N/A	N/A	N/A	N/A	N/A	N/A
	R2 (3)	RESIDENTIAL	UNKNOWN		W6/213	3.2	2.1	1.1	34.4%	29.3	9.1	6.8	68.8%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W7/213	4.6	2.4	2.2	47.8%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W8/213	5.9	3.3	2.6	44.1%					N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	UNKNOWN		W9/213	6.7	3.5	3.2	47.8%	62	12.1	17.3	80.4%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W10/213	6.9	3.2	3.7	53.6%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W11/213	8.9	3.4	5.5	61.8%					N/A	N/A	N/A	N/A	N/A	N/A
	R4 (3)	RESIDENTIAL	UNKNOWN		W12/213	11.2	4	7.2	64.3%	99.1	56.8	14.8	42.7%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W13/213	13	4.4	8.6	66.2%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W14/213	14.2	5.9	8.3	58.5%					N/A	N/A	N/A	N/A	N/A	N/A
	R5 (3)	RESIDENTIAL	UNKNOWN		W15/213	15.6	6.8	8.8	56.4%	99.8	97.9	0.7	1.9%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W16/213	16.1	7.4	8.7	54.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W17/213	16.4	7.6	8.8	53.7%					N/A	N/A	N/A	N/A	N/A	N/A
	R6 (3)	RESIDENTIAL	UNKNOWN		W18/213	14.6	6.9	7.7	52.7%	99.8	96.9	1.0	2.8%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W19/213	16.5	7.7	8.8	53.3%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W20/213	16.9	8.2	8.7	51.5%					N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	UNKNOWN		W21/213	17	8.3	8.7	51.2%	87.6	82.9	1.7	5.3%	1	0	0	0	100.0%	0.0%
			UNKNOWN		W22/213	15	7.4	7.6	50.7%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W23/213	17.3	8.2	9.1	52.6%					6	0	2	0	98.7%	0.0%
			UNKNOWN		W24/213	9.6	3.3	6.3	65.6%					1	0	0	0	100.0%	0.0%
	R8	RESIDENTIAL	UNKNOWN		W25/213	2.4	2.1	0.3	12.5%	79.8	61.4	6.6	23.1%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W26/213	12.4	6.2	6.2	50.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W27/213	15.9	6.7	9.2	57.9%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W28/213	13.5	4.7	8.8	65.2%					N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	UNKNOWN		W29/213	14.6	4.4	10.2	69.9%	88.4	80.4	2.9	9.1%	1	0	0	0	100.0%	0.0%
			UNKNOWN		W30/213	14.9	4.6	10.3	69.1%					1	0	0	0	100.0%	0.0%
			UNKNOWN		W31/213	15.2	4.5	10.7	70.4%					1	0	0	0	100.0%	0.0%
			UNKNOWN		W32/213	13.5	3.5	10	74.1%					0	0	0	0	0.0%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
30 GARRARD STREET (CONTINUED)																			
			UNKNOWN		W33/213	14.6	3.4	11.2	76.7%					5	3	3	0	50.0%	50%
			UNKNOWN		W34/213	25.2	7.3	17.9	71.0%					23	4	3	0	87.0%	100.0%
			UNKNOWN		W35/213	30.4	9	21.4	70.4%					45	13	14	5	68.9%	61.5%
			UNKNOWN		W36/213	32.1	7.7	24.4	76.0%					44	12	15	7	65.9%	41.7%
	R10 (3)	RESIDENTIAL	UNKNOWN		W37/213	32.4	7.3	25.1	77.5%	98.6	37.6	19.7	61.9%	44	12	15	7	65.9%	41.7%
			UNKNOWN		W38/213	30.5	4.9	25.6	83.9%					30	5	1	0	96.7%	100.0%
			UNKNOWN		W39/213	31.6	6.6	25	79.1%					39	10	12	6	69.2%	40.0%
	R11	RESIDENTIAL	UNKNOWN		W40/213	31.6	6.2	25.4	80.4%	96.3	14.4	40.8	85.1%	36	9	11	4	69.4%	55.6%
			UNKNOWN		W41/213	28.2	6.8	21.4	75.9%					50	15	27	10	46.0%	33.3%
			UNKNOWN		W42/213	18	14.6	3.4	18.9%					46	17	30	12	34.8%	29.4%
	R12 (3)	RESIDENTIAL	UNKNOWN		W43/213	22.5	14	8.5	37.8%	89.5	73.1	5.5	18.3%	28	4	24	4	14.3%	0.0%
			UNKNOWN		W44/213	23.7	13.5	10.2	43.0%					22	3	18	3	18.2%	0.0%
			UNKNOWN		W45/213	23.5	15.2	8.3	35.3%					27	3	22	3	18.5%	0.0%
	R13 (3)	RESIDENTIAL	UNKNOWN		W46/213	26	16	10	38.5%	98.4	66.5	10.4	32.4%	26	3	22	3	15.4%	0.0%
			UNKNOWN		W47/213	25.8	16.1	9.7	37.6%					24	3	21	3	12.5%	0.0%
			UNKNOWN		W48/213	24.9	15.4	9.5	38.2%					21	1	16	1	23.8%	0.0%
214	R1	RESIDENTIAL	UNKNOWN		W3/214	2.7	1.8	0.9	33.3%	47.8	35.2	3.9	26.5%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/214	4	2.8	1.2	30.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W5/214	4.2	2.8	1.4	33.3%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W1/214	16.3	5	11.3	69.3%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/214	3.1	2.8	0.3	9.7%					N/A	N/A	N/A	N/A	N/A	N/A
	R2 (3)	RESIDENTIAL	UNKNOWN		W6/214	3.6	2.3	1.3	36.1%	34.8	11	7.9	68.4%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W7/214	5.2	2.8	2.4	46.2%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W8/214	6.7	3.8	2.9	43.3%					N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	UNKNOWN		W9/214	7.6	4	3.6	47.4%	67.2	14.2	18.3	78.8%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W10/214	7.9	3.6	4.3	54.4%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W11/214	10.1	4	6.1	60.4%					N/A	N/A	N/A	N/A	N/A	N/A
	R4 (3)	RESIDENTIAL	UNKNOWN		W12/214	12.5	4.6	7.9	63.2%	98.9	57.8	14.3	41.6%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W13/214	14.4	5.1	9.3	64.6%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W14/214	15.7	6.6	9.1	58.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R5 (3)	RESIDENTIAL	UNKNOWN		W15/214	17.3	7.5	9.8	56.6%	99.6	98	0.6	1.7%		N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

30 GARRARD STREET (CONTINUED)

			UNKNOWN		W16/214	18.1	8.1	10	55.2%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W17/214	18.5	8.4	10.1	54.6%					N/A	N/A	N/A	N/A	N/A	N/A
	R6 (3)	RESIDENTIAL	UNKNOWN		W18/214	16.6	7.6	9	54.2%	99.6	97.2	0.8	2.3%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W19/214	18.9	8.6	10.3	54.5%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W20/214	19.5	9.1	10.4	53.3%					N/A	N/A	N/A	N/A	N/A	N/A
	R7 (3)	RESIDENTIAL	UNKNOWN		W21/214	19.8	9.3	10.5	53.0%	93.5	81.9	3.9	12.4%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W22/214	17.9	8.2	9.7	54.2%					N/A	N/A	N/A	N/A	N/A	N/A

32 FRIAR STREET

951	R1	RESIDENTIAL	BEDROOM		W1/951	13.1	10.1	3	22.9%	16	14.1	0.2	11.7%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W2/951	0.2	0.2	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
960	R1	RESIDENTIAL	UNKNOWN		W1/960	0.9	0.9	0	0.0%	6.1	6.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
961	R1	RESIDENTIAL	KITCHEN (1)		W1/961	1.9	1.9	0	0.0%	14.2	14.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
962	R1	RESIDENTIAL	KITCHEN (1)		W1/962	6.1	5.9	0.2	3.3%	19.6	19.5	0.0	0.3%	N/A	N/A	N/A	N/A	N/A	N/A
963	R1	RESIDENTIAL	BEDROOM		W1/963	18	14.7	3.3	18.3%	59.9	48.3	1.7	19.3%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W2/963 / INC (2)	41.2	39.4	1.8	4.4%					N/A	N/A	N/A	N/A	N/A	N/A

33 FRIAR STREET

851	R2	RESIDENTIAL	UNKNOWN		W2/851	4	3.4	0.6	15.0%	6.1	5.9	0.0	3.4%	3	0	3	0	0.0%	0.0%
861	R2 (3)	RESIDENTIAL	UNKNOWN		W2/861	9.5	7.4	2.1	22.1%	39.3	13.8	6.2	64.7%	N/A	N/A	N/A	N/A	N/A	N/A
862	R2 (3)	RESIDENTIAL	UNKNOWN		W2/862	14.1	11.5	2.6	18.4%	45.4	15.8	7.2	65.2%	N/A	N/A	N/A	N/A	N/A	N/A
863	R2	RESIDENTIAL	BEDROOM		W2/863	21	17.7	3.3	15.7%	17.5	4.7	2.2	73.3%	N/A	N/A	N/A	N/A	N/A	N/A

34 FRIAR STREET

971	R1 (3)	RESIDENTIAL	UNKNOWN		W1/971	16.2	13.7	2.5	15.4%	38.5	18.8	4.7	51.0%	N/A	N/A	N/A	N/A	N/A	N/A
972	R1	RESIDENTIAL	BEDROOM		W1/972	17.9	15.3	2.6	14.5%	14.7	5.1	1.6	65.2%	N/A	N/A	N/A	N/A	N/A	N/A
980	R1	RESIDENTIAL	STUDIO-APT		W1/980	12	10.1	1.9	15.8%	77.8	54.8	3.1	29.5%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO-APT		W2/980	7.1	7	0.1	1.4%					N/A	N/A	N/A	N/A	N/A	N/A

49-51 GREYFRIARS ROAD

1210	R1	RESIDENTIAL	BEDROOM		W1/1210	20.6	2.7	17.9	86.9%	78.9	15.8	4.9	79.9%	22	6	2	1	90.9%	83.3%
------	----	-------------	---------	--	---------	------	-----	------	-------	------	------	-----	-------	----	---	---	---	-------	-------

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY	ROOM	ROOM	WINDOW	EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
		TYPE	USE	NOTES		%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
49-51 GREYFRIARS ROAD (CONTINUED)																			
	R2	RESIDENTIAL	LKD		W2/1210	21.3	3.1	18.2	85.4%	53.4	8.5	10.3	84.1%	23	6	2	1	91.3%	83.3%
			LKD		W3/1210	22.2	3.5	18.7	84.2%					24	6	4	1	83.3%	83.3%
	R4 (3)	RESIDENTIAL	LKD		W6/1210	26.2	6.7	19.5	74.4%	86.8	39.1	10.6	55.0%	32	3	1	0	96.9%	100.0%
			LKD		W7/1210	27.1	7.3	19.8	73.1%					37	5	3	0	91.9%	100.0%
	R5	RESIDENTIAL	BEDROOM		W8/1210	27.5	8	19.5	70.9%	79.3	7.1	5.5	91.0%	38	6	3	0	92.1%	100.0%
1211	R1 (3)	RESIDENTIAL	LKD		W1/1211	24.1	3.1	21	87.1%	35.5	4.8	8.5	86.5%	28	5	1	0	96.4%	100.0%
	R2	RESIDENTIAL	BEDROOM		W2/1211	24.7	3.5	21.2	85.8%	89.9	3.5	5.9	96.1%	33	6	4	1	87.9%	83.3%
	R3	RESIDENTIAL	BEDROOM		W3/1211	26	4.2	21.8	83.8%	89.9	9.4	6.6	89.6%	39	6	7	1	82.1%	83.3%
	R4	RESIDENTIAL	BEDROOM		W4/1211	16.3	10	6.3	38.7%	27.4	10.4	1.5	61.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R5 (3)	RESIDENTIAL	LKD		W5/1211	25.6	5.1	20.5	80.1%	55.4	4.4	13.1	92.1%	28	2	0	0	100.0%	100.0%
			LKD		W6/1211	26.9	5.4	21.5	79.9%					31	2	0	0	100.0%	100.0%
			LKD		W7/1211	27.8	5.8	22	79.1%					35	4	0	0	100.0%	100.0%
	R6 (3)	RESIDENTIAL	LKD		W8/1211	29.3	7.2	22.1	75.4%	80	27.3	9.8	65.8%	43	7	4	0	90.7%	100.0%
			LKD		W9/1211	29.5	7.8	21.7	73.6%					45	7	6	0	86.7%	100.0%
	R7	RESIDENTIAL	BEDROOM		W10/1211	29.8	8.4	21.4	71.8%	90.7	10.9	6.4	87.9%	45	7	6	0	86.7%	100.0%
1212	R1 (3)	RESIDENTIAL	LKD		W1/1212	28.1	3.7	24.4	86.8%	52.6	4.8	13.3	90.8%	42	8	5	0	88.1%	100.0%
	R2	RESIDENTIAL	BEDROOM		W2/1212	28.6	4	24.6	86.0%	96.8	4.3	6.4	95.6%	46	10	8	2	82.6%	80.0%
	R3	RESIDENTIAL	BEDROOM		W3/1212	29.6	4.6	25	84.5%	94.2	10.9	6.8	88.5%	47	10	9	3	80.9%	70.0%
	R4	RESIDENTIAL	BEDROOM		W4/1212	18.9	12.5	6.4	33.9%	16.9	9.3	0.7	44.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R5 (3)	RESIDENTIAL	LKD		W5/1212	29.7	6	23.7	79.8%	42.4	1.5	10.4	96.5%	38	4	2	0	94.7%	100.0%
	R6 (3)	RESIDENTIAL	LKD		W6/1212	31.9	8	23.9	74.9%	83.3	27.3	10.4	67.2%	50	10	8	0	84.0%	100.0%
			LKD		W7/1212	32.1	8.6	23.5	73.2%					51	11	9	1	82.4%	90.9%
	R7	RESIDENTIAL	BEDROOM		W8/1212	32.2	9.2	23	71.4%	91.4	10.8	6.4	88.2%	53	13	10	2	81.1%	84.6%
1213	R1	RESIDENTIAL	BEDROOM		W1/1213	32.6	4.9	27.7	85.0%	87.3	11.3	7.1	87.1%	51	13	9	2	82.4%	84.6%
	R2 (3)	RESIDENTIAL	LKD		W2/1213	32.7	5.1	27.6	84.4%	83.3	4	22.2	95.3%	54	15	11	4	79.6%	73.3%
			LKD		W3/1213	32.9	5.4	27.5	83.6%					54	15	11	4	79.6%	73.3%
	R3	RESIDENTIAL	BEDROOM		W4/1213	33	5.6	27.4	83.0%	90.7	4.6	7.4	94.9%	55	15	11	4	80.0%	73.3%
	R4	RESIDENTIAL	LKD		W5/1213 / INC (2)	48.9	17.8	31.1	63.6%	89.9	52	8.5	42.1%	43	8	3	0	93.0%	100.0%
			LKD		W6/1213 / INC (2)	51.4	19.3	32.1	62.5%					52	13	7	0	86.5%	100.0%
	R5	RESIDENTIAL	LKD		W7/1213 / INC (2)	52.4	21.4	31	59.2%	95.1	57.3	7.0	39.7%	55	15	10	2	81.8%	86.7%
			LKD		W8/1213 / INC (2)	52	21.5	30.5	58.7%					55	15	10	2	81.8%	86.7%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY	ROOM	ROOM	WINDOW	EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
		TYPE	USE	NOTES		%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
49-51 GREYFRIARS ROAD (CONTINUED)																			
	R6	RESIDENTIAL	BEDROOM		W9/1213 / INC (2)	50.7	20.9	29.8	58.8%	93.8	25	5.7	73.4%	56	16	11	3	80.4%	81.3%
5 VACHEL ROAD																			
331	R1	RESIDENTIAL	UNKNOWN		W1/331	20.8	18.4	2.4	11.5%	60.1	43.7	1.9	27.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W2/331	20.3	18.8	1.5	7.4%	50.1	45.1	0.6	10.1%	N/A	N/A	N/A	N/A	N/A	N/A
332	R1	RESIDENTIAL	UNKNOWN		W1/332	24.2	21.2	3	12.4%	61.2	42.9	2.2	29.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W2/332	24	22	2	8.3%	52	44.4	0.8	14.5%	N/A	N/A	N/A	N/A	N/A	N/A
335	R1	RESIDENTIAL	UNKNOWN		W1/335	22.3	20.1	2.2	9.9%	58.6	50.3	0.8	14.1%	N/A	N/A	N/A	N/A	N/A	N/A
53 GREYFRIARS ROAD																			
1231	R1 (3)	RESIDENTIAL	LKD		W1/1231	30.5	11.6	18.9	62.0%	92.4	29.9	13.3	67.6%	46	9	8	1	82.6%	88.9%
	R2	RESIDENTIAL	LKD		W2/1231	30.7	14.2	16.5	53.7%	96.2	85.9	2.0	10.7%	51	12	14	3	72.5%	75.0%
			LKD		W3/1231	25.3	18.6	6.7	26.5%					30	2	6	0	80.0%	100.0%
			LKD		W4/1231	16.7	16.2	0.5	3.0%					11	1	6	0	48.5%	50%
	R3	RESIDENTIAL	BEDROOM		W5/1231	15.3	15	0.3	2.0%	35.2	35.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
1232	R1 (3)	RESIDENTIAL	LKD		W1/1232	32.1	12.1	20	62.3%	91.2	26.1	13.9	71.4%	48	10	9	1	81.3%	90.0%
	R2	RESIDENTIAL	LKD		W2/1232	32.2	14.8	17.4	54.0%	89.5	46.5	8.3	48.1%	52	13	15	3	71.2%	76.9%
			LKD		W3/1232	18.7	18.2	0.5	2.7%					14	1	8	1	45.9%	50%
	R3	RESIDENTIAL	BEDROOM		W4/1232	17.4	17.1	0.3	1.7%	29.7	29.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
1233	R1 (3)	RESIDENTIAL	LKD		W1/1233	33.6	12.8	20.8	61.9%	95.5	26.5	14.5	72.2%	52	14	9	1	82.7%	92.9%
	R2	RESIDENTIAL	LKD		W2/1233	33.6	15.6	18	53.6%	93.9	51.5	8.2	45.2%	56	16	15	3	73.2%	81.3%
			LKD		W3/1233	21.2	20.7	0.5	2.4%					14	1	8	1	45.9%	50%
	R3	RESIDENTIAL	BEDROOM		W4/1233	19.9	19.6	0.3	1.5%	39.4	39.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
9-11 STANSHAW ROAD																			
340	R1	RESIDENTIAL	UNKNOWN		W4/340	23.9	21.6	2.3	9.6%	56.7	56.4	0.0	0.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	UNKNOWN		W5/340	24.2	21.9	2.3	9.5%	57.3	56.8	0.0	0.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W2/340	7.9	4.8	3.1	39.2%	79.7	40.8	2.8	48.8%	25	9	19	8	24.0%	11.1%
			UNKNOWN		W3/340	6.9	2.2	4.7	68.1%					10	1	3	1	70.0%	0.0%
	R4	RESIDENTIAL	UNKNOWN		W1/340	25.6	18.4	7.2	28.1%	81.3	63.8	2.0	21.5%	46	8	35	8	23.9%	0.0%
	R5	RESIDENTIAL	UNKNOWN		W6/340	24.3	22.1	2.2	9.1%	69.9	69.9	0.0	0.0%		N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

9-11 STANSHAWE ROAD (CONTINUED)																			
341	R1	RESIDENTIAL	KITCHEN (1)		W1/341	28.7	20.7	8	27.9%	91.3	74.2	0.8	18.8%	50	10	38	10	24.0%	0.0%
	R4	RESIDENTIAL	BEDROOM		W4/341	28.4	25.5	2.9	10.2%	94.1	92.8	0.1	1.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W5/341	28.6	25.8	2.8	9.8%	92.9	84.8	0.9	8.7%	N/A	N/A	N/A	N/A	N/A	N/A

BRIDLEWELL & SAMUEL HOUSE - STUDENT HOUSING																			
81	R1	RESIDENTIAL	STUDIO		W1/81	27.4	11.1	16.3	59.5%	93.1	24.8	10.4	73.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDIO		W2/81	25.5	10.7	14.8	58.0%	64.5	24.1	5.7	62.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	STUDIO		W3/81	22.9	10	12.9	56.3%	74.9	21.1	7.6	71.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	STUDIO		W4/81	19.5	8.8	10.7	54.9%	36.7	18.2	2.6	50.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	STUDIO		W5/81	6.1	4.8	1.3	21.3%	41.3	24.3	2.8	41.1%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO		W6/81	9.8	5.6	4.2	42.9%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	STUDIO		W14/81	7.6	3.5	4.1	53.9%	45.4	10.2	6.6	77.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	STUDIO		W8/81	13.9	7.4	6.5	46.8%	59.9	48.8	1.7	18.6%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO		W7/81	9.2	4.3	4.9	53.3%					N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	STUDIO		W9/81	16.9	10.3	6.6	39.1%	88	57.4	4.6	34.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	STUDIO		W10/81	16.2	10.6	5.6	34.6%	66.1	45.1	3.2	31.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	STUDIO		W11/81	11	8.2	2.8	25.5%	80.3	59	3.2	26.6%	N/A	N/A	N/A	N/A	N/A	N/A
82	R1	RESIDENTIAL	STUDIO		W1/82	30.5	13.9	16.6	54.4%	96.3	36.4	9.2	62.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDIO		W2/82	28.8	13.7	15.1	52.4%	79.6	35	6.3	56.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	STUDIO		W3/82	26.2	13.2	13	49.6%	84.1	32.2	7.3	61.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	STUDIO		W4/82	22.7	12	10.7	47.1%	44.1	28	2.3	36.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	STUDIO		W5/82	8.4	6.6	1.8	21.4%	51.4	31	3.4	39.8%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO		W6/82	11.5	7	4.5	39.1%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	STUDIO		W14/82	8.2	4.2	4	48.8%	43.4	10.8	6.1	75.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	STUDIO		W8/82	15.1	8.6	6.5	43.0%	62.2	54.9	1.1	11.7%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO		W7/82	9.9	5.1	4.8	48.5%					N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	STUDIO		W9/82	18.8	12.1	6.7	35.6%	89.3	64	3.8	28.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	STUDIO		W10/82	18.3	12.4	5.9	32.2%	66.8	47.5	2.9	28.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	STUDIO		W11/82	12	9.4	2.6	21.7%	81.6	62.1	2.9	23.8%	N/A	N/A	N/A	N/A	N/A	N/A
83	R1	RESIDENTIAL	STUDIO		W1/83	33.1	17.2	15.9	48.0%	96.7	45.5	7.8	52.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDIO		W2/83	31.9	17.3	14.6	45.8%	91.5	50	5.9	45.4%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY	ROOM	ROOM	WINDOW	EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
		TYPE	USE	NOTES		%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
BRIDLEWELL & SAMUEL HOUSE - STUDENT HOUSING (CONTINUED)																			
	R3	RESIDENTIAL	STUDIO		W3/83	30	17.1	12.9	43.0%	96.4	53.9	6.0	44.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	STUDIO		W4/83	26.9	15.9	11	40.9%	67.7	51.9	2.2	23.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	STUDIO		W5/83	11.8	9	2.8	23.7%	71.5	40.8	5.1	42.9%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO		W6/83	13.8	8.6	5.2	37.7%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	STUDIO		W14/83	9	5	4	44.4%	50.3	16.3	6.4	67.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	STUDIO		W8/83	16.3	9.8	6.5	39.9%	62.7	58.7	0.6	6.3%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO		W7/83	10.8	6	4.8	44.4%					N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	STUDIO		W9/83	21.2	14.4	6.8	32.1%	92	73.3	2.8	20.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	STUDIO		W10/83	21.1	15.5	5.6	26.5%	68.1	51	2.6	25.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	STUDIO		W11/83	13.5	11.2	2.3	17.0%	84.4	68.9	2.3	18.3%	N/A	N/A	N/A	N/A	N/A	N/A
84	R1	RESIDENTIAL	STUDIO		W1/84	35.6	20.8	14.8	41.6%	96.8	57.8	6.0	40.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDIO		W2/84	35.2	21.4	13.8	39.2%	94.1	62.5	4.5	33.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	STUDIO		W3/84	34.3	21.5	12.8	37.3%	97.2	64	4.7	34.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	STUDIO		W4/84	32.4	20.9	11.5	35.5%	93.9	76.7	2.4	18.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	STUDIO		W5/84	16.3	13.1	3.2	19.6%	74.7	58.5	2.7	21.7%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO		W6/84	16.5	10.9	5.6	33.9%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	STUDIO		W14/84	10	6.1	3.9	39.0%	51	21.7	5.5	57.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	STUDIO		W7/84	11.9	7.2	4.7	39.5%	63.4	60.6	0.4	4.4%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO		W8/84	17.7	11.3	6.4	36.2%					N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	STUDIO		W9/84	24.6	16.9	7.7	31.3%	94.1	83.7	1.6	11.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	STUDIO		W10/84	26.6	18.8	7.8	29.3%	71.1	57.9	2.0	18.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	STUDIO		W11/84	18.1	16.2	1.9	10.5%	89.3	79.8	1.4	10.7%	N/A	N/A	N/A	N/A	N/A	N/A
85	R5	RESIDENTIAL	STUDIO		W5/85	22.5	20.1	2.4	10.7%	92.7	92.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
			STUDIO		W6/85	21.6	16.9	4.7	21.8%					N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	STUDIO		W14/85	11.1	7.8	3.3	29.7%	51.7	30.6	4.0	40.8%	N/A	N/A	N/A	N/A	N/A	N/A
86	R1	RESIDENTIAL	STUDIO		W1/86	38.1	28.6	9.5	24.9%	96.8	89.3	1.2	7.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	STUDIO		W2/86	38.1	29.7	8.4	22.0%	94.3	93.7	0.1	0.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	STUDIO		W3/86	38.2	30.7	7.5	19.6%	97.2	97.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	STUDIO		W4/86	38.2	31.7	6.5	17.0%	94.5	93.8	0.1	0.7%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	STUDIO		W6/86	36	32.6	3.4	9.4%	83.8	83.7	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A
87	R1	RESIDENTIAL	STUDIO		W1/87	38.5	33.2	5.3	13.8%	95.5	95.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	CU.	LOSS	LOSS	EX.	CU.	LOSS	LOSS	EX.		CU.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

BRIDLEWELL & SAMUEL HOUSE - STUDENT HOUSING (CONTINUED)

	R2	RESIDENTIAL	STUDIO		W2/87	38.5	34.2	4.3	11.2%	98.8	98.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	STUDIO		W4/87	37.7	35.3	2.4	6.4%	88.4	88.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A

THE GATEWAY PUBLIC HOUSE - 31 GREYFRIARS ROAD

1121	R1	RESIDENTIAL	BEDROOM		W4/1121	20.4	4.6	15.8	77.5%	98.2	58.7	3.5	40.2%	26	7	14	4	46.2%	42.9%
			BEDROOM		W5/1121	22.7	13.1	9.6	42.3%					4	3	1	3	75.0%	8.0%
	R2	RESIDENTIAL	LIVING ROOM		W6/1121	21.6	13.7	7.9	36.6%	96.8	95.3	0.2	15%	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W7/1121	30.6	30.6	0	0.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/1121	20.5	5.1	15.4	75.1%	68.4	24.3	5.2	64.4%	24	5	15	3	37.5%	40.0%
	R4	RESIDENTIAL	LIVING ROOM		W1/1121	20.1	6.1	14	69.7%	85.4	42.4	6.6	50.4%	20	2	13	0	35.0%	100.0%
			LIVING ROOM		W2/1121	20.6	5.9	14.7	71.4%					24	4	19	3	20.8%	25.0%
1130	R1	RESIDENTIAL	UNKNOWN		W1/1120	19.3	6.5	12.8	66.3%	78.1	33.6	7.7	57.0%	20	2	14	1	30.0%	50.0%
1140	R1	RESIDENTIAL	RECEPTION		W8/1140	17.6	12.7	4.9	27.8%	41.9	28.2	0.6	32.7%	N/A	N/A	N/A	N/A	N/A	N/A
1150	R1 (3)	RESIDENTIAL	UNKNOWN		W9/1150	17.6	14.4	3.2	18.2%	28.8	25.6	1.0	11.1%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W10/1150	17.8	14.6	3.2	18.0%					N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

*Future Surrounding
Properties and Future
Surrounding Properties
with Proposed
Development in place
(Existing v Proposed)*

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY	ROOM	ROOM	WINDOW	EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
		TYPE	USE	NOTES		%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
12 GREYFRIARS ROAD																			
F00	R1	RESIDENTIAL	BEDROOM	FLAT1	W1/F00	8.3	8.3	0	0.0%	19.8	19.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM	FLAT1	W2/F00	9.2	8.9	0.3	3.3%	23.7	23.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	LKD	FLAT1	W3/F00	5.4	5.1	0.3	5.6%	14.9	14.2	0.2	4.2%	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	RESIDENTIAL	BEDROOM		W1/F01	11.4	11.2	0.2	1.8%	22.1	22.1	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W2/F01	10.1	10.1	0	0.0%	27.8	27.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F01	10.9	10.7	0.2	1.8%	20.5	20.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	LKD		W4/F01	6	5.6	0.4	6.7%	25.7	21.8	1.1	15.1%	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W5/F01	10	9.6	0.4	4.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W6/F01	11	10	1	9.1%	25.8	23	0.3	10.9%	N/A	N/A	N/A	N/A	N/A	N/A
	R6 (3)	RESIDENTIAL	LKD		W7/F01	8.2	6.6	1.6	19.5%	49.3	22.3	8.0	54.8%	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W8/F01	11.1	9.1	2	18.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	LKD		W9/F01	9.1	6.2	2.9	31.9%	50	23.6	6.4	52.8%	N/A	N/A	N/A	N/A	N/A	N/A
	F02	R1	RESIDENTIAL	BEDROOM		W1/F02	13.6	13.4	0.2	1.5%	26	26	0.0	0.1%	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W2/F02	12.1	12.1	0	0.0%	32.6	32.6	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F02	12.8	12.6	0.2	1.6%	25	25	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	LKD		W4/F02	7.7	7.3	0.4	5.2%	30.2	26.8	1.0	11.1%	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W5/F02	11.8	11.3	0.5	4.2%					N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W6/F02	12.6	11.6	1	7.9%	28.3	26.1	0.3	7.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R6 (3)	RESIDENTIAL	LKD		W7/F02	9.7	8.1	1.6	16.5%	50.6	24.8	7.6	51.1%	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W8/F02	12.7	10.7	2	15.7%					N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	LKD		W9/F02	10.8	7.7	3.1	28.7%	52.1	26.6	6.2	48.9%	N/A	N/A	N/A	N/A	N/A	N/A
F03	R1	RESIDENTIAL	BEDROOM		W1/F03	16.1	15.9	0.2	1.2%	31.7	31.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W2/F03	14.4	14.4	0	0.0%	39.3	39.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F03	15.1	14.8	0.3	2.0%	30.3	30.3	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	LKD		W4/F03	9.7	9.3	0.4	4.1%	34.4	31.6	0.8	7.9%	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W5/F03	13.8	13.3	0.5	3.6%					N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W6/F03	14.4	13.5	0.9	6.3%	32.3	30.6	0.2	5.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R6 (3)	RESIDENTIAL	LKD		W7/F03	11.5	10	1.5	13.0%	52.1	27.8	7.1	46.5%	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W8/F03	14.5	12.5	2	13.8%					N/A	N/A	N/A	N/A	N/A	N/A
		R7	RESIDENTIAL	LKD		W9/F03	12.6	9.5	3.1	24.6%	54.6	30.7	5.8	43.8%	N/A	N/A	N/A	N/A	N/A
F04	R1	RESIDENTIAL	BEDROOM		W1/F04	19	18.8	0.2	1.1%	39.4	39.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

						VSC (WINDOW)				NSL				APSH (WINDOW)					
FLOOR	ROOM	PROPERTY	ROOM	ROOM	WINDOW	EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
		TYPE	USE	NOTES		%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
12 GREYFRIARS ROAD (CONTINUED)																			
	R2	RESIDENTIAL	BEDROOM		W2/F04	17.1	17.1	0	0.0%	47.8	47.8	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F04	17.7	17.4	0.3	1.7%	36.9	36.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	LKD		W4/F04	12	11.6	0.4	3.3%	40.3	38.4	0.6	4.9%	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W5/F04	16.3	15.8	0.5	3.1%					N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W6/F04	16.7	15.7	1	6.0%	38.1	36.9	0.1	3.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R6 (3)	RESIDENTIAL	LKD		W7/F04	13.9	12.3	1.6	11.5%	53.5	31.3	6.5	41.5%	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W8/F04	16.7	14.7	2	12.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	LKD		W9/F04	18	14.9	3.1	17.2%	57.7	37.3	5.0	35.3%	N/A	N/A	N/A	N/A	N/A	N/A
F05	R1	RESIDENTIAL	BEDROOM		W1/F05	22.3	22.1	0.2	0.9%	48	48	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W2/F05	20.1	20.1	0	0.0%	57.1	57.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F05	20.6	20.3	0.3	1.5%	43.9	43.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W4/F05	19	18.6	0.4	2.1%	50.3	49.7	0.2	1.2%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W5/F05	19.8	19.3	0.5	2.5%					N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W6/F05	19.3	18.3	1	5.2%	37.6	37.3	0.0	0.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM		W7/F05	16.4	14.9	1.5	9.1%	93.4	85.9	2.0	8.0%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W8/F05	19.5	17.5	2	10.3%					N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W9/F05	35.6	31.2	4.4	12.4%					N/A	N/A	N/A	N/A	N/A	N/A
	R7	RESIDENTIAL	BEDROOM		W10/F05	36.9	32.4	4.5	12.2%	97.2	97.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	BEDROOM		W11/F05	37.3	33	4.3	11.5%	100	100	0.0	0.0%	8	8	8	8	0.0%	0.0%
			BEDROOM		W12/F05	37.7	33.5	4.2	11.1%					8	0	8	0	0.0%	0.0%
			BEDROOM		W13/F05	39.4	39.4	0	0.0%					51	15	51	15	0.0%	0.0%
			BEDROOM		W14/F05	38.2	38.2	0	0.0%					40	10	40	10	0.0%	0.0%
F06	R1	RESIDENTIAL	BEDROOM		W1/F06	25.9	25.7	0.2	0.8%	57.5	57.5	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	BEDROOM		W2/F06	23.6	23.6	0	0.0%	62	62	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/F06	23.9	23.6	0.3	1.3%	53.1	53	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	LKD		W4/F06	20.9	20.5	0.4	1.9%	65.6	65.3	0.1	0.4%	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W5/F06	21.8	21.5	0.3	1.4%					N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W6/F06	22.2	21.3	0.9	4.1%	49.1	48.6	0.1	1.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	LKD		W7/F06	22.3	20.9	1.4	6.3%	94.6	88.4	1.6	6.5%	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W8/F06	22.8	20.9	1.9	8.3%					N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W9/F06	36.4	32.2	4.2	11.5%					N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

12 GREYFRIARS ROAD (CONTINUED)

	R7	RESIDENTIAL	BEDROOM		W10/F06	37.5	33.2	4.3	11.5%	97.2	97.2	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	LKD		W11/F06	38	33.7	4.3	11.3%	100	100	0.0	0.0%	8	0	8	0	0.0%	0.0%
			LKD		W12/F06	38.3	34.1	4.2	11.0%					8	0	8	0	0.0%	0.0%
			LKD		W13/F06	39.5	39.5	0	0.0%					52	16	52	16	0.0%	0.0%
			LKD		W14/F06	38.7	38.7	0	0.0%					45	10	45	10	0.0%	0.0%
F07	R12	RESIDENTIAL	BEDROOM	FLAT1	W1/F07	30	29.6	0.4	1.3%	89.7	89.7	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	BEDROOM	FLAT1	W2/F07	29.3	28.8	0.5	1.7%	98.1	98.1	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM	FLAT1	W3/F07	28.2	27.8	0.4	1.4%	88.4	88.4	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R15	RESIDENTIAL	LKD	FLAT1	W4/F07	27.5	27	0.5	1.8%	95.5	92.3	1.0	3.4%	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W5/F07	24.5	24.3	0.2	0.8%					N/A	N/A	N/A	N/A	N/A	N/A
	R16	RESIDENTIAL	LKD	FLAT1	W6/F07	26	24.7	1.3	5.0%	99.2	98.6	0.2	0.7%	N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W7/F07	36.5	33.5	3	8.2%					N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W8/F07	37.5	34.2	3.3	8.8%					N/A	N/A	N/A	N/A	N/A	N/A
			LKD		W9/F07	38	34.6	3.4	8.9%					N/A	N/A	N/A	N/A	N/A	N/A
	R17	RESIDENTIAL	BEDROOM	FLAT1	W10/F07	38.3	35	3.3	8.6%	100	100	0.0	0.0%	10	0	8	0	20.0%	0.0%
			BEDROOM		W11/F07	39.3	39.3	0	0.0%					51	15	51	15	0.0%	0.0%

136-137 FRIAR STREET

2061	R1	RESIDENTIAL	LIVING ROOM		W1/2061	21.6	20.9	0.7	3.2%	76.7	49.9	5.2	35.0%	8	0	8	0	0.0%	0.0%
			LIVING ROOM		W2/2061	21.3	20.7	0.6	2.8%					11	0	10	0	0.0%	0.0%
			LIVING ROOM		W5/2061	11.8	11.8	0	0.0%					22	10	22	10	0.0%	0.0%
	R2	RESIDENTIAL	BEDROOM		W3/2061	20.6	20.5	0.1	0.5%	73.7	71	0.4	3.7%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W4/2061	20.4	20.3	0.1	0.5%					N/A	N/A	N/A	N/A	N/A	N/A
2062	R1	RESIDENTIAL	BEDROOM		W1/2062	20.6	19.7	0.9	4.4%	93	82.9	1.4	10.9%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W2/2062	20.1	19.5	0.6	3.0%					N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	LIVING ROOM		W3/2062	19.7	19.4	0.3	1.5%	95.9	88.3	1.0	8.0%	N/A	N/A	N/A	N/A	N/A	N/A
			LIVING ROOM		W4/2062	19.7	19.4	0.3	1.5%					N/A	N/A	N/A	N/A	N/A	N/A

30 GARRARD STREET

	R7 (3)	RESIDENTIAL	BEDROOM		W21/214	17.5	8	9.5	54.3%	86.9	84.8	0.5	2.5%	N/A	N/A	N/A	N/A	N/A	N/A
			BEDROOM		W20/214	19.4	9	10.4	53.6%					N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R8	RESIDENTIAL	BEDROOM		W22/214	18.5	8.3	10.2	55.1%	95.9	63.7	2.9	33.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R9 (3)	RESIDENTIAL	LKD		W23/214	21	8.1	12.9	61.4%	96.8	58.5	10.9	39.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R10	RESIDENTIAL	BEDROOM		W24/214	21.4	6.8	14.6	68.2%	100	86.9	1.0	13.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	BEDROOM		W26/214	34.6	10.6	24	69.4%	99.9	92.1	1.0	7.8%	48	14	19	8	60.4%	42.9%
			BEDROOM		W25/214	21.7	6.6	15.1	69.6%					4	0	2	0	50.0%	0.0%
	R12	RESIDENTIAL	BEDROOM		W28/214	33.4	8	25.4	76.0%	98.3	50.8	5.4	48.3%	36	9	6	3	83.3%	66.7%
	R13	RESIDENTIAL	LKD		W30/214	34	9	25	73.5%	96.6	42.2	16.6	56.4%	40	11	14	6	65.0%	45.5%
	R14	RESIDENTIAL	BEDROOM		W31/214	25.4	23.9	1.5	5.9%	99.2	99.2	0.0	0.0%	60	14	52	11	13.3%	21.4%
	R15	RESIDENTIAL	BEDROOM		W32/214	24.2	23.3	0.9	3.7%	96.5	96.5	0.0	0.0%	58	14	56	12	3.4%	14.3%
	R16	RESIDENTIAL	LKD		W33/214	19.9	18.9	1	5.0%	94.1	93	0.3	1.2%	49	13	43	11	12.2%	15.4%
	R17	RESIDENTIAL	BEDROOM		W34/214	12.6	8.1	4.5	35.7%	91.8	76.3	1.2	16.9%	18	4	13	2	27.8%	50.0%
215	R1	RESIDENTIAL	BEDROOM		W1/215	5.7	4.4	1.3	22.8%	37.9	29.2	0.8	22.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	LKD		W2/215	6.3	4.4	1.9	30.2%	25.4	15.4	2.9	39.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	BEDROOM		W3/215	7.8	4.6	3.2	41.0%	42.4	22.2	2.2	47.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R4	RESIDENTIAL	BEDROOM		W4/215	9.8	5.2	4.6	46.9%	55.9	27	3.0	51.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R5 (3)	RESIDENTIAL	LKD		W5/215	13.3	5.4	7.9	59.4%	61.8	11.6	15.7	81.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R6	RESIDENTIAL	BEDROOM		W6/215	17.2	7.3	9.9	57.6%	92.7	89.8	0.4	3.2%	N/A	N/A	N/A	N/A	N/A	N/A
	R7 (3)	RESIDENTIAL	LKD		W7/215	20.1	9.4	10.7	53.2%	96	95.9	0.0	0.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	BEDROOM		W8/215	21.1	10.1	11	52.1%	93.9	93.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM		W9/215	22.6	10.7	11.9	52.7%	94	88.9	0.7	5.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R10 (3)	RESIDENTIAL	LKD		W10/215	23.3	11.1	12.2	52.4%	77.2	72.1	1.6	6.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R11	RESIDENTIAL	UNKNOWN		W11/215	21.3	9.8	11.5	54.0%	99	73.8	1.7	25.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R12 (3)	RESIDENTIAL	LKD		W12/215	25	9.8	15.2	60.8%	99.7	58.8	11.6	41.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	BEDROOM		W13/215	25.6	8.3	17.3	67.6%	100	70.2	2.3	29.8%	N/A	N/A	N/A	N/A	N/A	N/A
	R14	RESIDENTIAL	BEDROOM		W15/215	35.2	12.6	22.6	64.2%	100	96.4	0.5	3.6%	51	15	20	8	60.8%	46.7%
			BEDROOM		W14/215	26.2	8.2	18	68.7%					5	0	2	0	50.0%	0.0%
	R15	RESIDENTIAL	BEDROOM		W27/215	36.5	11	25.5	69.9%	99.3	62.6	4.2	37.0%	50	14	19	8	62.0%	42.9%
	R16	RESIDENTIAL	LKD		W29/215	35.9	10.5	25.4	70.8%	96.7	34.9	18.8	64.0%	44	11	17	6	61.4%	45.5%
	R17	RESIDENTIAL	BEDROOM		W16/215	27.9	26.5	1.4	5.0%	99	99	0.0	0.1%	65	19	59	17	9.2%	10.5%
	R18	RESIDENTIAL	BEDROOM		W17/215	26.8	26	0.8	3.0%	98.1	98.1	0.0	0.0%	61	17	59	15	3.3%	11.8%
	R19	RESIDENTIAL	LKD		W18/215	22	21.1	0.9	4.1%	94.1	92.4	0.4	1.8%	52	16	46	14	11.5%	12.5%
	R20	RESIDENTIAL	BEDROOM		W19/215	12	7.8	4.2	35.0%	91.8	68.1	1.9	25.8%	15	3	10	1	33.3%	66.7%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
216	R1	RESIDENTIAL	BEDROOM		W1/216	2.7	1.3	1.4	51.9%	36.2	25.9	1.0	28.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R2	RESIDENTIAL	LKD		W2/216	4.4	2.5	1.9	43.2%	24.4	16.3	1.7	33.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	LKD		W3/216	5.9	2.6	3.3	55.9%	29.2	13	3.5	55.6%	N/A	N/A	N/A	N/A	N/A	N/A
30 GARRARD STREET (CONTINUED)																			
	R4	RESIDENTIAL	BEDROOM		W4/216	8.1	3.2	4.9	60.5%	49.7	20.7	3.9	58.3%	N/A	N/A	N/A	N/A	N/A	N/A
	R5	RESIDENTIAL	BEDROOM		W5/216	11.7	3.6	8.1	69.2%	89.3	22	8.8	75.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R6 (3)	RESIDENTIAL	LKD		W6/216	15.8	5.5	10.3	65.2%	98.5	92	1.4	6.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R7 (3)	RESIDENTIAL	LKD		W7/216	18.8	7.6	11.2	59.6%	99.5	99.2	0.1	0.4%	N/A	N/A	N/A	N/A	N/A	N/A
	R8	RESIDENTIAL	BEDROOM		W8/216	20.1	8.5	11.6	57.7%	99.9	99.9	0.0	0.0%	N/A	N/A	N/A	N/A	N/A	N/A
	R9	RESIDENTIAL	BEDROOM		W9/216	21.8	9.2	12.6	57.8%	100	95.4	0.6	4.6%	N/A	N/A	N/A	N/A	N/A	N/A
	R10 (3)	RESIDENTIAL	LKD		W10/216	22.8	9.8	13	57.0%	79.7	74.5	1.7	6.6%	N/A	N/A	N/A	N/A	100%	95%
	R11	RESIDENTIAL	BEDROOM		W11/216	27	12.9	14.1	52.2%	100	87.9	0.9	12.1%	N/A	N/A	N/A	N/A	N/A	N/A
	R12	RESIDENTIAL	BEDROOM		W12/216	28.7	13.1	15.6	54.4%	97	79.1	2.6	18.5%	N/A	N/A	N/A	N/A	N/A	N/A
	R13	RESIDENTIAL	LKD		W13/216	30.5	11.2	19.3	63.3%	100	85.9	3.9	14.0%	10	0	5	0	50.0%	0.0%
			LKD		W14/216	37.3	14.6	22.7	60.9%					48	15	20	9	58.3%	40.0%
	R14	RESIDENTIAL	BEDROOM		W15/216	37.3	13.8	23.5	63.0%	99.9	87.7	1.0	12.3%	48	15	21	10	56.3%	33.3%
	R15	RESIDENTIAL	BEDROOM		W16/216	37.4	14.2	23.2	62.0%	98.6	87.8	1.1	10.9%	48	15	27	13	43.8%	13.3%
	R16	RESIDENTIAL	BEDROOM		W17/216	27.5	26.8	0.7	2.5%	98.2	98.2	0.0	0.0%	70	21	69	20	1.4%	4.8%
	R17	RESIDENTIAL	LKD		W18/216	22.3	21.6	0.7	3.1%	84.9	83.8	0.3	1.3%	52	20	50	18	3.8%	10.0%
	R18	RESIDENTIAL	BEDROOM		W19/216	12.8	8.6	4.2	32.8%	89.1	66.9	1.9	24.9%	16	3	11	1	31.3%	66.7%
30-31 FRIAR STREET																			
821	R4	RESIDENTIAL	UNKNOWN		W8/821	22.1	10.4	11.7	52.9%	56.1	50.2	21.6	10.5%	27	3	25	3	7.4%	0.0%
			UNKNOWN		W9/821	20.5	11.1	9.4	45.9%					24	2	24	2	0.0%	0.0%
			UNKNOWN		W10/821	20	11.6	8.4	42.0%					24	2	24	2	0.0%	0.0%
			UNKNOWN		W11/821	20	11.9	8.1	40.5%					23	1	23	1	0.0%	0.0%
			UNKNOWN		W12/821	19.9	12.2	7.7	38.7%					22	1	22	1	0.0%	0.0%
			UNKNOWN		W13/821	19.9	12.4	7.5	37.7%					22	1	22	1	0.0%	0.0%
			UNKNOWN		W14/821	19.9	12.6	7.3	36.7%					20	1	20	1	0.0%	0.0%
			UNKNOWN		W15/821	19.8	12.7	7.1	35.9%					21	1	20	1	4.8%	0.0%
			UNKNOWN		W16/821	19.6	12.7	6.9	35.2%					20	1	19	1	5.0%	0.0%
			UNKNOWN		W17/821	19.3	12.7	6.6	34.2%					18	1	17	1	5.6%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
			UNKNOWN		W18/821	18.9	12.5	6.4	33.9%					14	1	13	1	7.1%	0.0%
			UNKNOWN		W19/821	18.4	12.2	6.2	33.7%					11	1	10	1	9.1%	0.0%
			UNKNOWN		W20/821	17.8	11.8	6	33.7%					9	1	8	1	11.1%	0.0%
30-31 FRIAR STREET (CONTINUED)																			
			UNKNOWN		W21/821	17	11.3	5.7	33.5%					6	1	6	1	0.0%	0.0%
			UNKNOWN		W22/821	16.2	10.6	5.6	34.6%					4	0	4	0	0.0%	0.0%
			UNKNOWN		W23/821	15.1	9.8	5.3	35.1%					2	0	2	0	0.0%	0.0%
			UNKNOWN		W24/821	14	8.8	5.2	37.1%					1	0	1	0	0.0%	0.0%
			UNKNOWN		W25/821	9.7	5.3	4.4	45.4%					0	0	0	0	0.0%	0.0%
			UNKNOWN		W26/821	6.3	4	2.3	36.5%					2	2	2	2	0.0%	0.0%
			UNKNOWN		W74/821	8.5	8.1	0.4	4.7%					14	2	14	2	0.0%	0.0%
			UNKNOWN		W73/821	8.5	8.1	0.4	4.7%					16	2	16	2	0.0%	0.0%
			UNKNOWN		W72/821	8.4	8.1	0.3	3.6%					15	2	15	2	0.0%	0.0%
			UNKNOWN		W71/821	8.5	8.1	0.4	4.7%					16	2	16	2	0.0%	0.0%
			UNKNOWN		W70/821	8.5	8.1	0.4	4.7%					15	2	15	2	0.0%	0.0%
			UNKNOWN		W69/821	8.5	8.2	0.3	3.5%					15	2	15	2	0.0%	0.0%
			UNKNOWN		W68/821	8.6	8.2	0.4	4.7%					15	2	15	2	0.0%	0.0%
			UNKNOWN		W67/821	8.6	8.3	0.3	3.5%					13	1	13	1	0.0%	0.0%
			UNKNOWN		W66/821	8.7	8.4	0.3	3.4%					12	1	12	1	0.0%	0.0%
			UNKNOWN		W65/821	8.7	8.4	0.3	3.4%					12	1	12	1	0.0%	0.0%
			UNKNOWN		W64/821	8.7	8.4	0.3	3.4%					9	0	9	0	0.0%	0.0%
			UNKNOWN		W63/821	8.7	8.4	0.3	3.4%					8	0	8	0	0.0%	0.0%
			UNKNOWN		W62/821	8.7	8.4	0.3	3.4%					7	0	7	0	0.0%	0.0%
			UNKNOWN		W61/821	8.6	8.3	0.3	3.5%					7	0	7	0	0.0%	0.0%
			UNKNOWN		W60/821	8.4	8.1	0.3	3.6%					5	0	5	0	0.0%	0.0%
			UNKNOWN		W59/821	8	7.8	0.2	2.5%					4	0	4	0	0.0%	0.0%
822	R1	RESIDENTIAL	UNKNOWN		W1/822	27.6	10.7	16.9	61.2%	100	61	13.5	39.0%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/822	24.2	7.4	16.8	69.4%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W3/822	27.7	10.4	17.3	62.5%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/822	24.3	7.2	17.1	70.4%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W5/822	27.5	10.9	16.6	60.4%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W6/822	24.2	7.7	16.5	68.2%					N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
			UNKNOWN		W7/822	27.7	10.2	17.5	63.2%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W8/822	24.3	7	17.3	71.2%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W9/822	27.7	9.9	17.8	64.3%					N/A	N/A	N/A	N/A	N/A	N/A
30-31 FRIAR STREET (CONTINUED)																			
			UNKNOWN		W10/822	24.3	6.7	17.6	72.4%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W11/822	27.7	9.5	18.2	65.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W12/822	24.3	6.4	17.9	73.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W13/822	27.6	9.2	18.4	66.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W14/822	24.3	6.1	18.2	74.9%					N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	UNKNOWN		W19/822	15.9	13	2.9	18.2%	99.7	95.9	1.4	3.8%	36	8	35	9	2.8%	-12.5%
			UNKNOWN		W20/822	16.3	13.4	2.9	17.8%					37	9	35	9	5.4%	0.0%
			UNKNOWN		W21/822	19.3	14	5.3	27.5%					38	7	34	8	10.5%	-14.3%
			UNKNOWN		W22/822	19.8	14.4	5.4	27.3%					40	9	35	9	12.5%	0.0%
			UNKNOWN		W23/822	22.4	14.9	7.5	33.5%					40	7	34	8	15.0%	-14.3%
			UNKNOWN		W24/822	23	15.4	7.6	33.0%					41	8	34	8	17.1%	0.0%
			UNKNOWN		W25/822	24.3	15.7	8.6	35.4%					39	6	33	7	15.4%	-16.7%
			UNKNOWN		W26/822	25	16.2	8.8	35.2%					41	8	34	8	17.1%	0.0%
			UNKNOWN		W27/822	25.4	16.3	9.1	35.8%					38	5	32	6	15.8%	-20.0%
			UNKNOWN		W28/822	26.1	16.9	9.2	35.2%					40	7	33	7	17.5%	0.0%
			UNKNOWN		W29/822	26.1	16.7	9.4	36.0%					38	5	34	6	10.5%	-20.0%
			UNKNOWN		W30/822	26.8	17.4	9.4	35.1%					39	6	34	6	12.8%	0.0%
	R4 (3)	RESIDENTIAL	UNKNOWN		W31/822	26.5	17.1	9.4	35.5%	99.1	94.6	1.6	4.5%	36	4	32	5	11.1%	-25.0%
			UNKNOWN		W32/822	27.2	17.7	9.5	34.9%					39	6	35	6	10.3%	0.0%
			UNKNOWN		W33/822	26.5	17.2	9.3	35.1%					36	4	32	5	11.1%	-25.0%
			UNKNOWN		W34/822	27.3	17.9	9.4	34.4%					37	5	33	5	10.8%	0.0%
			UNKNOWN		W35/822	26.4	17.3	9.1	34.5%					33	3	29	4	12.1%	-33.3%
			UNKNOWN		W36/822	27.1	18	9.1	33.6%					37	4	33	4	10.8%	0.0%
			UNKNOWN		W37/822	26.1	17.3	8.8	33.7%					32	3	28	3	12.5%	0.0%
			UNKNOWN		W38/822	26.9	18	8.9	33.1%					34	4	31	4	8.8%	0.0%
			UNKNOWN		W39/822	25.7	17.1	8.6	33.5%					30	3	26	3	13.3%	0.0%
			UNKNOWN		W40/822	26.4	17.9	8.5	32.2%					33	4	30	4	9.1%	0.0%
			UNKNOWN		W41/822	25.1	16.9	8.2	32.7%					28	3	24	3	14.3%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
			UNKNOWN		W42/822	25.9	17.7	8.2	31.7%					31	3	28	3	9.7%	0.0%
	R5 (3)	RESIDENTIAL	UNKNOWN		W43/822	24.4	16.6	7.8	32.0%	99.7	99.7	0.0	0.0%	25	3	22	3	12.0%	0.0%
			UNKNOWN		W44/822	25.2	17.4	7.8	31.0%					29	3	26	3	10.3%	0.0%
30-31 FRIAR STREET (CONTINUED)																			
			UNKNOWN		W45/822	23.5	16.1	7.4	31.5%					23	3	20	3	13.0%	0.0%
			UNKNOWN		W46/822	24.3	16.9	7.4	30.5%					27	3	24	3	11.1%	0.0%
			UNKNOWN		W47/822	22.6	15.4	7.2	31.9%					21	3	19	3	9.5%	0.0%
			UNKNOWN		W48/822	23.4	16.2	7.2	30.8%					25	4	22	4	12.0%	0.0%
			UNKNOWN		W49/822	21.6	14.7	6.9	31.9%					19	3	17	3	10.5%	0.0%
			UNKNOWN		W50/822	22.3	15.5	6.8	30.5%					23	4	20	4	13.0%	0.0%
			UNKNOWN		W51/822	20.3	13.7	6.6	32.5%					14	2	12	2	14.3%	0.0%
			UNKNOWN		W52/822	21.1	14.5	6.6	31.3%					19	4	16	4	15.8%	0.0%
			UNKNOWN		W53/822	18.9	12.5	6.4	33.9%					15	2	12	2	20.0%	0.0%
			UNKNOWN		W54/822	19.6	13.3	6.3	32.1%					18	4	15	4	16.7%	0.0%
			UNKNOWN		W55/822	17.7	11.5	6.2	35.0%					15	2	12	2	20.0%	0.0%
			UNKNOWN		W56/822	18.4	12.3	6.1	33.2%					17	4	14	4	17.6%	0.0%
823	R1	RESIDENTIAL	UNKNOWN		W1/823	29.6	11.9	17.7	59.8%	81.4	52.6	10.0	35.4%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/823	26.1	8.6	17.5	67.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W3/823	29.7	11.6	18.1	60.9%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/823	26.2	8.3	17.9	68.3%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W5/823	29.5	12.1	17.4	59.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W6/823	26	8.8	17.2	66.2%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W7/823	29.8	11.3	18.5	62.1%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W8/823	26.3	8.1	18.2	69.2%					N/A	N/A	N/A	N/A	N/A	N/A
	R3 (3)	RESIDENTIAL	UNKNOWN		W19/823	17.1	14.2	2.9	17.0%	99.7	96.6	1.1	3.1%	39	11	37	11	5.1%	0.0%
			UNKNOWN		W20/823	17.5	14.6	2.9	16.6%					40	12	38	12	5.0%	0.0%
			UNKNOWN		W21/823	20.8	15.4	5.4	26.0%					43	11	37	11	14.0%	0.0%
			UNKNOWN		W22/823	21.2	15.9	5.3	25.0%					43	11	37	11	14.0%	0.0%
			UNKNOWN		W23/823	24.1	16.5	7.6	31.5%					45	11	38	11	15.6%	0.0%
			UNKNOWN		W24/823	24.6	17.1	7.5	30.5%					45	11	38	11	15.6%	0.0%
			UNKNOWN		W25/823	26.2	17.5	8.7	33.2%					44	10	37	10	15.9%	0.0%
			UNKNOWN		W26/823	26.8	18.1	8.7	32.5%					45	11	38	11	15.6%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
			UNKNOWN		W27/823	27.5	18.2	9.3	33.8%					44	10	38	10	13.6%	0.0%
			UNKNOWN		W28/823	28.1	18.9	9.2	32.7%					45	11	39	11	13.3%	0.0%
			UNKNOWN		W29/823	28.2	18.8	9.4	33.3%					42	8	36	8	14.3%	0.0%
30-31 FRIAR STREET (CONTINUED)																			
			UNKNOWN		W30/823	29	19.5	9.5	32.8%					43	9	37	9	14.0%	0.0%
	R4 (3)	RESIDENTIAL	UNKNOWN		W31/823	28.7	19.2	9.5	33.1%	99.1	95.7	1.3	3.5%	41	7	36	7	12.2%	0.0%
			UNKNOWN		W32/823	29.4	20	9.4	32.0%					43	8	37	8	14.0%	0.0%
			UNKNOWN		W33/823	28.8	19.5	9.3	32.3%					39	5	34	5	12.8%	0.0%
			UNKNOWN		W34/823	29.6	20.3	9.3	31.4%					43	8	37	8	14.0%	0.0%
			UNKNOWN		W35/823	28.7	19.7	9	31.4%					39	5	34	5	12.8%	0.0%
			UNKNOWN		W36/823	29.5	20.5	9	30.5%					42	7	36	7	14.3%	0.0%
			UNKNOWN		W37/823	28.5	19.7	8.8	30.9%					38	5	34	5	10.5%	0.0%
			UNKNOWN		W38/823	29.3	20.6	8.7	29.7%					40	6	35	6	12.5%	0.0%
			UNKNOWN		W39/823	28.1	19.6	8.5	30.2%					36	4	32	4	11.1%	0.0%
			UNKNOWN		W40/823	28.9	20.5	8.4	29.1%					40	6	35	6	12.5%	0.0%
			UNKNOWN		W41/823	27.6	19.5	8.1	29.3%					35	4	30	3	14.3%	25.0%
			UNKNOWN		W42/823	28.4	20.4	8	28.2%					37	5	31	4	16.2%	20.0%
	R5 (3)	RESIDENTIAL	UNKNOWN		W43/823	26.9	19.2	7.7	28.6%	99.8	99.8	0.0	0.0%	33	3	29	3	12.1%	0.0%
			UNKNOWN		W44/823	27.8	20.1	7.7	27.7%					37	5	31	4	16.2%	20.0%
			UNKNOWN		W45/823	26.1	18.7	7.4	28.4%					31	4	28	4	9.7%	0.0%
			UNKNOWN		W46/823	27	19.7	7.3	27.0%					34	4	30	4	11.8%	0.0%
			UNKNOWN		W47/823	25.1	18.1	7	27.9%					29	5	26	5	10.3%	0.0%
			UNKNOWN		W48/823	26.1	19.1	7	26.8%					31	5	27	5	12.9%	0.0%
			UNKNOWN		W49/823	24.1	17.4	6.7	27.8%					26	5	23	5	11.5%	0.0%
			UNKNOWN		W50/823	25.1	18.4	6.7	26.7%					28	5	24	5	14.3%	0.0%
			UNKNOWN		W51/823	22.9	16.5	6.4	27.9%					23	5	20	5	13.0%	0.0%
			UNKNOWN		W52/823	23.9	17.5	6.4	26.8%					25	5	21	5	16.0%	0.0%
			UNKNOWN		W53/823	21.5	15.3	6.2	28.8%					21	5	17	5	19.0%	0.0%
			UNKNOWN		W54/823	22.5	16.5	6	26.7%					23	5	19	5	17.4%	0.0%
			UNKNOWN		W55/823	20.3	14.3	6	29.6%					19	5	15	5	21.1%	0.0%
			UNKNOWN		W56/823	21.3	15.5	5.8	27.2%					22	5	18	5	18.2%	0.0%
824	R1	RESIDENTIAL	UNKNOWN		W1/824	31.4	13.3	18.1	57.6%	100	73.5	9.2	26.5%	N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
			UNKNOWN		W2/824	27.7	9.9	17.8	64.3%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W3/824	31.5	13	18.5	58.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/824	27.8	9.7	18.1	65.1%					N/A	N/A	N/A	N/A	N/A	N/A
30-31 FRIAR STREET (CONTINUED)																			
			UNKNOWN		W5/824	31.2	13.5	17.7	56.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W6/824	27.6	10.1	17.5	63.4%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W7/824	31.6	12.7	18.9	59.8%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W8/824	27.9	9.4	18.5	66.3%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W9/824	31.7	12.4	19.3	60.9%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W10/824	28	9.1	18.9	67.5%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W11/824	31.8	12	19.8	62.3%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W12/824	28.1	8.8	19.3	68.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W13/824	31.9	11.7	20.2	63.3%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W14/824	28.1	8.4	19.7	70.1%					N/A	N/A	N/A	N/A	N/A	N/A
	R3	RESIDENTIAL	UNKNOWN		W19/824	17.9	15.5	2.4	13.4%	99.6	99.5	0.0	0.1%	40	12	39	13	2.5%	-8.3%
			UNKNOWN		W20/824	18.3	15.9	2.4	13.1%					42	14	40	14	4.8%	0.0%
			UNKNOWN		W21/824	21.1	17	4.1	19.4%					43	12	40	13	7.0%	-8.3%
			UNKNOWN		W22/824	21.7	17.7	4	18.4%					44	13	40	13	9.1%	0.0%
			UNKNOWN		W23/824	24.3	18.5	5.8	23.9%					45	12	40	12	11.1%	0.0%
			UNKNOWN		W24/824	25.1	19.3	5.8	23.1%					46	13	41	13	10.9%	0.0%
			UNKNOWN		W25/824	26.8	19.6	7.2	26.9%					46	12	40	12	13.0%	0.0%
			UNKNOWN		W26/824	27.6	20.6	7	25.4%					47	13	41	13	12.8%	0.0%
			UNKNOWN		W27/824	28.4	20.6	7.8	27.5%					46	11	39	11	15.2%	0.0%
			UNKNOWN		W28/824	29.3	21.5	7.8	26.6%					47	12	40	12	14.9%	0.0%
			UNKNOWN		W29/824	29.5	21.3	8.2	27.8%					46	11	39	11	15.2%	0.0%
			UNKNOWN		W30/824	30.4	22.3	8.1	26.6%					47	12	40	12	14.9%	0.0%
			UNKNOWN		W31/824	30.2	21.9	8.3	27.5%					46	11	41	11	10.9%	0.0%
			UNKNOWN		W32/824	31	22.8	8.2	26.5%					46	11	41	11	10.9%	0.0%
			UNKNOWN		W33/824	30.6	22.3	8.3	27.1%					45	10	40	10	11.1%	0.0%
			UNKNOWN		W34/824	31.4	23.2	8.2	26.1%					45	10	40	10	11.1%	0.0%
			UNKNOWN		W35/824	30.8	22.5	8.3	26.9%					44	9	39	9	11.4%	0.0%
			UNKNOWN		W36/824	31.6	23.4	8.2	25.9%					46	11	41	11	10.9%	0.0%

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%	%	%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R4	RESIDENTIAL	UNKNOWN		W37/824	30.7	22.7	8	26.1%	99.6	99.6	0.0	0.0%	43	8	38	8	11.6%	0.0%
			UNKNOWN		W38/824	31.6	23.5	8.1	25.6%					45	10	40	10	11.1%	0.0%
			UNKNOWN		W39/824	30.5	22.7	7.8	25.6%					42	8	38	8	9.5%	0.0%
30-31 FRIAR STREET (CONTINUED)																			
			UNKNOWN		W40/824	31.4	23.6	7.8	24.8%					44	9	39	9	11.4%	0.0%
			UNKNOWN		W41/824	30.2	22.7	7.5	24.8%					40	6	36	6	10.0%	0.0%
			UNKNOWN		W42/824	31.2	23.6	7.6	24.4%					44	9	39	9	11.4%	0.0%
			UNKNOWN		W43/824	29.8	22.6	7.2	24.2%					40	6	36	6	10.0%	0.0%
			UNKNOWN		W44/824	30.8	23.6	7.2	23.4%					42	7	37	7	11.9%	0.0%
			UNKNOWN		W45/824	29.2	22.3	6.9	23.6%					38	6	34	6	10.5%	0.0%
			UNKNOWN		W46/824	30.3	23.4	6.9	22.8%					42	7	37	7	11.9%	0.0%
			UNKNOWN		W47/824	28.5	21.9	6.6	23.2%					37	6	33	6	10.8%	0.0%
			UNKNOWN		W48/824	29.6	23.1	6.5	22.0%					40	6	35	6	12.5%	0.0%
			UNKNOWN		W49/824	27.7	21.4	6.3	22.7%					36	6	32	6	11.1%	0.0%
			UNKNOWN		W50/824	28.9	22.6	6.3	21.8%					40	7	35	7	12.5%	0.0%
			UNKNOWN		W51/824	26.8	20.7	6.1	22.8%					34	6	30	6	11.8%	0.0%
			UNKNOWN		W52/824	28	22	6	21.4%					38	7	33	7	13.2%	0.0%
			UNKNOWN		W53/824	25.7	20	5.7	22.2%					31	7	27	7	12.9%	0.0%
			UNKNOWN		W54/824	27	21.3	5.7	21.1%					33	7	28	7	15.2%	0.0%
			UNKNOWN		W55/824	24.8	19.3	5.5	22.2%					29	7	25	7	13.8%	0.0%
			UNKNOWN		W56/824	26.2	20.7	5.5	21.0%					32	7	27	7	15.6%	0.0%
825	R1	RESIDENTIAL	UNKNOWN		W1/825	32.8	14.9	17.9	54.6%	100	81.8	6.3	18.2%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/825	29	11.5	17.5	60.3%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W3/825	32.9	14.6	18.3	55.6%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/825	29.1	11.2	17.9	61.5%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W5/825	32.6	15.1	17.5	53.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W6/825	28.9	11.7	17.2	59.5%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W7/825	33	14.4	18.6	56.4%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W8/825	29.2	11	18.2	62.3%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W9/825	33.1	14.1	19	57.4%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W10/825	29.3	10.7	18.6	63.5%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W11/825	33.2	13.7	19.5	58.7%					N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	ROOM NOTES	WINDOW	VSC (WINDOW)				NSL				APSH (WINDOW)					
						EX.	PR.	LOSS	LOSS	EX.	PR.	LOSS	LOSS	EX.		PR.		LOSS %	
						%	%		%	%	%	SQM	%	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
			UNKNOWN		W12/825	29.4	10.4	19	64.6%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W13/825	33.3	13.3	20	60.1%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W14/825	29.5	10	19.5	66.1%					N/A	N/A	N/A	N/A	N/A	N/A
30-31 FRIAR STREET (CONTINUED)																			
826	R1	RESIDENTIAL	UNKNOWN		W1/826	34	16.7	17.3	50.9%	100	90.6	3.3	9.4%	N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W2/826	30.2	13.3	16.9	56.0%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W3/826	33.9	16.9	17	50.1%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W4/826	30.1	13.5	16.6	55.1%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W7/826	34.2	16.5	17.7	51.8%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W8/826	30.3	13.1	17.2	56.8%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W9/826	34.3	16.3	18	52.5%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W10/826	30.4	12.9	17.5	57.6%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W11/826	34.4	16	18.4	53.5%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W12/826	30.5	12.6	17.9	58.7%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W13/826	34.5	15.6	18.9	54.8%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W14/826	30.6	12.2	18.4	60.1%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W15/826	34.6	15.2	19.4	56.1%					N/A	N/A	N/A	N/A	N/A	N/A
			UNKNOWN		W16/826	30.7	11.9	18.8	61.2%					N/A	N/A	N/A	N/A	N/A	N/A

(1) KITCHEN SMALLER THAN 13m2

(2) INC\HZ = SKY COMPONENT (INCLINED\HORIZONTAL WINDOWS)

(3) SINGLE ASPECT ROOM DEEPER THAN 5m

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	TARGET	EX.	PR.	LOSS	LOSS %
12 GREYFRIARS ROAD								
F00	R1 FLAT1	RESIDENTIAL	BEDROOM	1	0.6	0.6	0.0	0.0%
	R2 FLAT1	RESIDENTIAL	BEDROOM	1	0.7	0.7	0.0	0.0%
	R3 FLAT1	RESIDENTIAL	LKD	2	0.4	0.3	0.1	25.0%
F01	R1	RESIDENTIAL	BEDROOM	1	0.6	0.6	0.0	0.0%
	R2	RESIDENTIAL	BEDROOM	1	0.8	0.8	0.0	0.0%
	R3	RESIDENTIAL	BEDROOM	1	0.5	0.5	0.0	0.0%
	R4	RESIDENTIAL	LKD	2	0.6	0.6	0.0	0.0%
	R5	RESIDENTIAL	BEDROOM	1	0.7	0.6	0.1	14.3%
	R6	RESIDENTIAL	LKD	2	0.8	0.6	0.2	25.0%
	R7	RESIDENTIAL	LKD	2	0.7	0.4	0.3	42.9%
F02	R1	RESIDENTIAL	BEDROOM	1	0.7	0.7	0.0	0.0%
	R2	RESIDENTIAL	BEDROOM	1	0.9	0.9	0.0	0.0%
	R3	RESIDENTIAL	BEDROOM	1	0.6	0.6	0.0	0.0%
	R4	RESIDENTIAL	LKD	2	0.8	0.7	0.1	12.5%
	R5	RESIDENTIAL	BEDROOM	1	0.7	0.7	0.0	0.0%
	R6	RESIDENTIAL	LKD	2	0.8	0.7	0.1	12.5%
	R7	RESIDENTIAL	LKD	2	0.8	0.6	0.2	25.0%
F03	R1	RESIDENTIAL	BEDROOM	1	0.8	0.8	0.0	0.0%
	R2	RESIDENTIAL	BEDROOM	1	1.0	1.0	0.0	0.0%
	R3	RESIDENTIAL	BEDROOM	1	0.6	0.6	0.0	0.0%
	R4	RESIDENTIAL	LKD	2	0.9	0.9	0.0	0.0%
	R5	RESIDENTIAL	BEDROOM	1	0.8	0.7	0.1	12.5%
	R6	RESIDENTIAL	LKD	2	1.0	0.9	0.1	10.0%
	R7	RESIDENTIAL	LKD	2	1.0	0.7	0.3	30.0%
F04	R1	RESIDENTIAL	BEDROOM	1	0.9	0.9	0.0	0.0%
	R2	RESIDENTIAL	BEDROOM	1	1.1	1.1	0.0	0.0%
	R3	RESIDENTIAL	BEDROOM	1	0.7	0.7	0.0	0.0%
	R4	RESIDENTIAL	LKD	2	1.0	1.0	0.0	0.0%
	R5	RESIDENTIAL	BEDROOM	1	0.8	0.8	0.0	0.0%
	R6	RESIDENTIAL	LKD	2	1.1	1.0	0.1	9.1%
	R7	RESIDENTIAL	LKD	2	1.5	1.3	0.2	13.3%
F05	R1	RESIDENTIAL	BEDROOM	1	0.9	0.9	0.0	0.0%
	R2	RESIDENTIAL	BEDROOM	1	1.2	1.2	0.0	0.0%
	R3	RESIDENTIAL	BEDROOM	1	0.8	0.8	0.0	0.0%
	R4	RESIDENTIAL	BEDROOM	1	1.5	1.5	0.0	0.0%
	R5	RESIDENTIAL	BEDROOM	1	0.8	0.8	0.0	0.0%
	R6	RESIDENTIAL	BEDROOM	1	3.2	3.0	0.2	6.3%
	R7	RESIDENTIAL	BEDROOM	1	1.9	1.7	0.2	10.5%
	R8	RESIDENTIAL	BEDROOM	1	6.1	5.9	0.2	3.3%
F06	R1	RESIDENTIAL	BEDROOM	1	1.0	1.0	0.0	0.0%
	R2	RESIDENTIAL	BEDROOM	1	1.3	1.3	0.0	0.0%
	R3	RESIDENTIAL	BEDROOM	1	0.8	0.8	0.0	0.0%
	R4	RESIDENTIAL	LKD	2	1.7	1.7	0.0	0.0%
	R5	RESIDENTIAL	BEDROOM	1	0.9	0.9	0.0	0.0%
	R6	RESIDENTIAL	LKD	2	3.7	3.5	0.2	5.4%

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	TARGET	EX.	PR.	LOSS	LOSS %
	R7	RESIDENTIAL	BEDROOM	1	2.0	1.8	0.2	10.0%
	R8	RESIDENTIAL	LKD	2	6.2	5.9	0.3	4.8%
F07	R12 FLAT1	RESIDENTIAL	BEDROOM	1	1.4	1.4	0.0	0.0%
	R13 FLAT1	RESIDENTIAL	BEDROOM	1	2.1	2.1	0.0	0.0%
	R14 FLAT1	RESIDENTIAL	BEDROOM	1	1.6	1.6	0.0	0.0%
	R15 FLAT1	RESIDENTIAL	LKD	2	2.3	2.3	0.0	0.0%
	R16 FLAT1	RESIDENTIAL	LKD	2	4.6	4.3	0.3	6.5%
	R17 FLAT1	RESIDENTIAL	BEDROOM	1	8.9	8.5	0.4	4.5%

136-137 FRIAR STREET

2061	R1	RESIDENTIAL	LIVING ROOM	15	1.3	1.3	0.0	0.0%
	R2	RESIDENTIAL	BEDROOM	1	1.5	1.5	0.0	0.0%
2062	R1	RESIDENTIAL	BEDROOM	1	1.3	1.2	0.1	7.7%
	R2	RESIDENTIAL	LIVING ROOM	15	1.3	1.3	0.0	0.0%

30 GARRARD STREET

	R7	RESIDENTIAL	BEDROOM	1	1.0	0.6	0.4	40.0%
	R8	RESIDENTIAL	BEDROOM	1	1.4	0.9	0.5	35.7%
	R9	RESIDENTIAL	LKD	2	1.4	0.8	0.6	42.9%
	R10	RESIDENTIAL	BEDROOM	1	3.6	1.9	1.7	47.2%
	R11	RESIDENTIAL	BEDROOM	1	5.0	2.4	2.6	52.0%
	R12	RESIDENTIAL	BEDROOM	1	2.5	1.0	1.5	60.0%
	R13	RESIDENTIAL	LKD	2	1.7	0.7	1.0	58.8%
	R14	RESIDENTIAL	BEDROOM	1	2.2	2.1	0.1	4.5%
	R15	RESIDENTIAL	BEDROOM	1	2.1	2.1	0.0	0.0%
	R16	RESIDENTIAL	LKD	2	1.2	1.1	0.1	8.3%
	R17	RESIDENTIAL	BEDROOM	1	0.5	0.4	0.1	20.0%
215	R1	RESIDENTIAL	BEDROOM	1	1.2	1.0	0.2	16.7%
	R2	RESIDENTIAL	LKD	2	0.6	0.5	0.1	16.7%
	R3	RESIDENTIAL	BEDROOM	1	1.3	1.0	0.3	23.1%
	R4	RESIDENTIAL	BEDROOM	1	1.6	1.1	0.5	31.3%
	R5	RESIDENTIAL	LKD	2	0.8	0.5	0.3	37.5%
	R6	RESIDENTIAL	BEDROOM	1	1.9	1.1	0.8	42.1%
	R7	RESIDENTIAL	LKD	2	1.5	0.9	0.6	40.0%
	R8	RESIDENTIAL	BEDROOM	1	2.1	1.4	0.7	33.3%
	R9	RESIDENTIAL	BEDROOM	1	2.2	1.4	0.8	36.4%
	R10	RESIDENTIAL	LKD	2	1.1	0.7	0.4	36.4%
	R11	RESIDENTIAL	UNKNOWN	15	2.6	1.6	1.0	38.5%
	R12	RESIDENTIAL	LKD	2	1.9	1.1	0.8	42.1%
	R13	RESIDENTIAL	BEDROOM	1	4.9	2.5	2.4	49.0%
	R14	RESIDENTIAL	BEDROOM	1	6.2	3.2	3.0	48.4%
	R15	RESIDENTIAL	BEDROOM	1	3.0	1.4	1.6	53.3%
	R16	RESIDENTIAL	LKD	2	2.0	0.9	1.1	55.0%
	R17	RESIDENTIAL	BEDROOM	1	2.6	2.5	0.1	3.8%
	R18	RESIDENTIAL	BEDROOM	1	2.7	2.6	0.1	3.7%
	R19	RESIDENTIAL	LKD	2	1.4	1.3	0.1	7.1%

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	TARGET	EX.	PR.	LOSS	LOSS %
216	R20	RESIDENTIAL	BEDROOM	1	0.6	0.5	0.1	16.7%
	R1	RESIDENTIAL	BEDROOM	1	0.6	0.3	0.3	50.0%
	R2	RESIDENTIAL	LKD	2	0.8	0.5	0.3	37.5%
	R3	RESIDENTIAL	LKD	2	0.9	0.5	0.4	44.4%
	R4	RESIDENTIAL	BEDROOM	1	1.5	0.8	0.7	46.7%
	R5	RESIDENTIAL	BEDROOM	1	1.9	0.8	1.1	57.9%
	R6	RESIDENTIAL	LKD	2	1.6	0.8	0.8	50.0%
	R7	RESIDENTIAL	LKD	2	1.8	1.0	0.8	44.4%
	R8	RESIDENTIAL	BEDROOM	1	2.7	1.5	1.2	44.4%
	R9	RESIDENTIAL	BEDROOM	1	2.9	1.6	1.3	44.8%
	R10	RESIDENTIAL	LKD	2	1.5	0.8	0.7	46.7%
	R11	RESIDENTIAL	BEDROOM	1	4.4	2.8	1.6	36.4%
	R12	RESIDENTIAL	BEDROOM	1	2.0	1.2	0.8	40.0%
	R13	RESIDENTIAL	LKD	2	5.2	2.7	2.5	48.1%
	R14	RESIDENTIAL	BEDROOM	1	5.0	2.5	2.5	50.0%
	R15	RESIDENTIAL	BEDROOM	1	4.3	2.1	2.2	51.2%
	R16	RESIDENTIAL	BEDROOM	1	3.1	3.1	0.0	0.0%
	R17	RESIDENTIAL	LKD	2	1.0	0.9	0.1	10.0%
	R18	RESIDENTIAL	BEDROOM	1	0.6	0.5	0.1	16.7%



Technical Appendix 16.3 Daylight and Sunlight Results for Proposed Development



DAYLIGHT & SUNLIGHT

INTERNAL DAYLIGHT AND SUNLIGHT
ASSESSMENT - APPENDIX 16.3

Plots E and F

Station Hill, Reading

11 March 2019

GIA No: **5847**

PROJECT DATA:

Client **SH Reading Master LLP**
Architect **CallisonRTKL**
Project Title **Station Hill, Reading**
Project Number **5847**

REPORT DATA:

Report Title **Internal Daylight and Sunlight Assessment - Appendix 16.3**
GIA Department **Daylight & Sunlight**
Dated **11 March 2019**

Prepared by **ERLA/KST**
Checked by **SP**
Type **Planning**

Revisions	No:	Date:	Notes:	Signed:

SOURCES OF INFORMATION:

Information Received **IR-84/85/86-5847**
Release Number **Rel_56_5847_DSD**
Issue Number **19**
Site Photos **GIA**
3D models **VERTEX**
OS Data **FIND Maps**



© Crown copyright and database rights 2017.
OS 100047514

CONTENTS

1	BRE GUIDELINES	2
2	METHODOLOGY	6
3	SITE OVERVIEW	8
4	INTERNAL DAYLIGHT/SUNLIGHT ASSESSMENTS	10
5	INTERNAL SUNLIGHT ASSESSMENTS	78
6	OVERSHADOWING ASSESSMENTS	84
7	CUMULATIVE SCENARIO	90

1 BRE GUIDELINES

The Building Research Establishment (BRE) have set out in their handbook 'Site Layout Planning for Daylight and Sunlight a Guide to Good Practice (2011)', guidelines and methodology for the measurement and assessment of daylight and sunlight within proposed buildings.

The guide also provides advice on site layout planning to determine the quality of daylight and sunlight within open spaces between buildings.

It is important to note, however, that this document is a guide and states that its aim *"is to help rather than constrain the designer"*.

The document provides advice, but also clearly states that it *"is not mandatory and this document should not be seen as an instrument of planning policy."* The report also acknowledges in its introduction that *"in special circumstances the developer or planning authority may wish to use different target values. For example, in a historic city centre a higher degree of obstruction may be unavoidable if new developments are to match the height and proportions of existing buildings."*

It is an inevitable consequence of the built up urban environment that daylight and sunlight will be more limited in these areas. It is well acknowledged that in such situations there may be many other conflicting and potentially more important planning and urban design matters to consider other than just the provision of ideal levels of daylight and sunlight.

1.1 DAYLIGHT

The BRE set out various methods for assessing the daylight within a proposed building within section 2.1 and Appendix C of the handbook. These are summarised below.

Average Daylight Factor (ADF)

"If a predominantly daylight appearance is required, then the ADF should be 5% or more if there is no supplementary electric lighting, or 2% or more if supplementary electric lighting is provided. There are additional recommendations for dwellings of 2% for kitchens, 1.5% for living rooms and 1% for bedrooms. These additional recommendations are minimum values of ADF which should be attained even if a predominantly daylight appearance is not achievable."

This method of assessment takes into account the total glazed area to the room, the transmittance quality of the glazing proposed, the total area of the room surfaces including ceilings and floors, and the internal average reflectance for the room being assessed. The method also takes into account the Vertical Sky Component and the quantum of reflected light off external surfaces.

This is, therefore, a significantly more detailed method of assessment than the Vertical Sky Component method set out above.

Room Depth Criterion (RDC)

Where it has access to daylight from windows in one wall only, the depth of a room can become a factor in determining the quantity of light within it. The BRE guidance provides a simple method for examining the ratio of room depth to window area. However, whilst it does take into account internal surface reflections, this method also has significant limitations in that it does not take into account any obstructions outside the window and therefore draws no input from the quantity of light entering the room.

No Sky Line (NSL)

This third method of assessment is a simple test to establish where within the proposed room the sky will be visible through the windows, taking into account external obstructions. The assessment is undertaken at working plane height (850mm above floor level) and the method of calculation is set out in Appendix D of the BRE handbook.

Appendix C of the BRE handbook states *"If a significant area of the working plane (normally more than 20%) lies beyond the no sky line (ie it receives no direct skylight) then the distribution of daylight in the room will look poor and supplementary electric lighting will be required."* To guarantee a satisfactory daylight uniformity, the area which does not receive direct skylight should not exceed 20% of the floor area, as quantified in the BS 8206 Part2 2008.

Summary

The Average Daylight Factor gives a more detailed assessment of the daylight within a room and takes into account the highest number of factors in establishing a quantitative output.

However, the conclusion of Appendix C of the BRE guide states:

"[All three of] the criteria need to be satisfied if the whole of the room is to look adequately daylight. Even if the amount of daylight in a room (given by the Average Daylight Factor) is sufficient, the overall daylight appearance will be impaired if its distribution is poor."

In most urban areas it is important to recognise that the distribution of daylight within a room may be difficult to achieve, given the built up nature of the environment. Consequently, most local authorities seek to ensure that there is sufficient daylight within the room as determined by the Average Daylight Factor calculation. However, the additional recommendations of the BRE and British Standard for residential accommodation, set out above, ought not to be overlooked.

1.2 SUNLIGHT

The BRE provide guidance in respect of sunlight quality for new developments within section 3.1 of the handbook. It is generally acknowledged that the presence of sunlight is more significant in residential accommodation than it is in commercial properties, and this is reflected in the BRE document.

It states, “in housing, the main requirement for sunlight is in living rooms, where it is valued at any time of the day, but especially in the afternoon. Sunlight is also required in conservatories. It is viewed as less important in bedrooms and in kitchens where people prefer it in the morning rather than the afternoon.”

The BRE guide considers the critical aspects of orientation and overshadowing in determining the availability of sunlight at a proposed development site.

The guide proposes minimizing the number of dwellings whose living room face solely north unless there is some compensating factor such as an appealing view to the north, and it suggests a number of techniques to do so. Further more, it discusses massing solutions with a sensitive approach to overshadowing, so as to maximize access to sunlight.

At the same time it acknowledges that the site’s existing urban environment may impose orientation or overshadowing constraints which may not be possible to overcome.

To quantify sunlight access for interiors where sunlight is expected, it refers to the BS 82606-2 criterion of Annual Probable Sunlight Hours. APSH is defined as “the total number of hours in the year that the sun is expected to shine on unobstructed ground, allowing for average levels of cloudiness at the location in question.” In line with the recommendation, APSH is measured from a point on the inside face of the window, should the locations have been decided. If these are unknown, sunlight availability is checked at points 1.6m above the ground or the lowest storey level on each main window wall, and no more than 5m apart. If a room has multiple windows on the same wall or on adjacent walls, the highest value of APSH should be taken into account. If a room has two windows on opposite walls, the APSH for each can be added together.

The summary of section 3.1 of the guide states as follows:

“In general, a dwelling or non-domestic building which has a particular requirement for sunlight, will appear reasonably sunlit provided that:

- *At least one main window faces within 90 degrees of due south, and*
- *The centre of at least one window to a main living room can receive 25% of annual probable sunlight hours, including at least 5% of annual probable sunlight hours in the winter months between 21 September and 21 March. ”*

In paragraph 3.1.11 the BRE guidance suggests that if a room faces significantly North of due East or West it is unlikely to meet the recommended levels proposed by the BS 8206-2. As such, it is clear that only windows facing within 90 degrees of due South can be assessed using this methodology.

It is also worth noting how paragraph 5.3 of the BS 8206-2 suggests that with regards to sunlight duration “the degree of satisfaction is related to the expectation of sunlight. If a room is necessarily north facing or if the building is in a densely-built urban area, the absence of sunlight is more acceptable than when its exclusion seems arbitrary”.

1.3 OVERSHADOWING

The BRE guidance in respect of overshadowing of amenity spaces is set out in section 3.3 of the handbook. Here it states as follows:

"Sunlight in the spaces between buildings has an important impact on the overall appearance and ambiance of a development. It is valuable for a number of reasons, to:

- *provide attractive sunlit views (all year)*
- *make outdoor activities, like sitting out and children's play more pleasant (mainly warmer months)*
- *encourage plant growth (mainly spring and summer)*
- *dry out the ground, reducing moss and slime (mainly in colder months)*
- *melt frost, ice and snow (in winter)*
- *dry clothes (all year)"*

Again, it must be acknowledged that in urban areas the availability of sunlight on the ground is a factor which is significantly controlled by the existing urban fabric around the site in question and so may have very little to do with the form of the development itself. Likewise there may be many other urban design, planning and site constraints which determine and run contrary to the best form, siting and location of a proposed development in terms of availability of sun on the ground.

The summary of section 3.3 of the guide states as follows:

"3. 3 .17 It is recommended that for it to appear adequately sunlit throughout the year, at least half of a garden or amenity area should receive at least two hours of sunlight on 21 March. If as a result of new development an existing garden or amenity area does not meet the above, and the area which can receive two hours of sun on 21 March is less than 0.8 times its former value, then the loss of sunlight is likely to be noticeable. If a detailed calculation cannot be carried out, it is recommended that the centre of the area should receive at least two hours of sunlight on 21 March."

1.4 FURTHER RELEVANT INFORMATION

Further information can be found in The Daylight in Urban Areas Design Guide (Energy Saving Trust CE257, 2007) which provides the following recommendation with regards to VSC levels in urban areas:

"If 'theta' (Visible sky angle) is greater than 65° (obstruction angle less than 25° or VSC at least 27 percent) conventional window design will usually give reasonable results.

If 'theta' is between 45° and 65° (obstruction angle between 25° and 45°, VSC between 15 and 27 percent), special measures such as larger windows and changes to room layout are usually needed to provide adequate daylight.

If 'theta' is between 25° and 45° (obstruction angle between 45° and 65°, VSC from 5 to 15 percent), it is very difficult to provide adequate daylight unless very large windows are used.

If 'theta' is less than 25° (obstruction angle more than 65°, VSC less than 5 percent) it is often impossible to achieve reasonable daylight, even if the whole window wall is glazed."

2 METHODOLOGY

In order to undertake the daylight and sunlight assessments set out in the previous pages, we have prepared a three dimensional computer model and used specialist lighting simulation software.

The three dimensional representation of the proposed development has been modelled using the scheme drawings provided to us by CallisonRTKL. This has been placed in the context of its surrounding buildings which have been modelled from survey information, photogrammetry, OS and site photographs. This allows for a precise model, which in turn ensures that analysis accurately represents the amount of daylight and sunlight available to the building facades, internal and external spaces, considering all of the surrounding obstructions and orientation.

2.1 SIMULATION ASSUMPTIONS

Where no values for reflectance, transmittance and maintenance factor were specified by the designer the following values from *BS 8206-2:2008, Annex A, tables A.1-A.6* were used for the calculation of Average Daylight Factor values. These values are shown in Table 1.

Table 01: Typical reflectance, transmittance and maintenance factors

REFLECTANCE VALUES:		MAINTENANCE FACTORS: GLAZING TYPE		TV (Normal)	A.3	A.4	A.5	A.6	TV (Total)
Surrounding	0.2	Triple Low-E (frames modelled)	0.63	8	1	1	1	1	0.58
Pavement	0.2	Triple Low-E (frames not modelled)	0.63	8	1	1	1	0.8	0.46
Grass	0.1	Triple Low-E (inclined, frames modelled)	0.63	8	2	1	1	1	0.53
Water	0.1	Triple Low-E (inclined, frames not modelled)	0.63	8	2	1	1	0.8	0.42
Yellow brick	0.3	Triple Low-E (horizontal, frames modelled)	0.63	8	3	1	1	1	0.48
Red brick	0.2	Triple Low-E (horizontal, frames not modelled)	0.63	8	3	1	1	0.8	0.38
Portland Stone	0.6								
Concrete	0.4	Double Low-E (frames modelled)	0.75	8	1	1	1	1	0.69
Internal walls (light grey)	0.68	Double Low-E (frames not modelled)	0.75	8	1	1	1	0.8	0.55
Internal ceiling (white paint)	0.85	Double Low-E (inclined, frames modelled)	0.75	8	2	1	1	1	0.63
Internal floor (medium veneer)	0.3	Double Low-E (inclined, frames not modelled)	0.75	8	2	1	1	0.8	0.50
Internal floor (light veneer)	0.4	Double Low-E (horizontal, frames modelled)	0.75	8	3	1	1	1	0.57
		Double Low-E (horizontal, frames not modelled)	0.75	8	3	1	1	0.8	0.46
		Single (frames modelled)	0.9	8	1	1	1	1	0.83
		Single (frames not modelled)	0.9	8	1	1	1	0.8	0.66
		Single (inclined, frames modelled)	0.9	8	2	1	1	1	0.76
		Single (inclined, frames not modelled)	0.9	8	2	1	1	0.8	0.60
		Single (horizontal, frames modelled)	0.9	8	3	1	1	1	0.68
		Single (horizontal, frames not modelled)	0.9	8	3	1	1	0.8	0.55
		Double Translucent Low-E (frames modelled)	0.74	8	1	1	1	1	0.68
		Double Translucent Low-E (frames not modelled)	0.74	8	1	1	1	0.8	0.54
		Double Translucent Low-E (inclined, frames modelled)	0.74	8	2	1	1	1	0.62
		Double Translucent Low-E (inclined, frames not modelled)	0.74	8	2	1	1	0.8	0.50
		Double Translucent Low-E (horizontal, frames modelled)	0.74	8	3	1	1	1	0.56
		Double Translucent Low-E (horizontal, frames not modelled)	0.74	8	3	1	1	0.8	0.45

TRANSMITTANCE VALUES		TV
Triple glazing (Low-E): Pilkington K Glass 4/12/4/12/4 Argon filled 90%	0.63	
Double glazing (Low-E): Pilkington K Glass 4/16/4 Argon filled 90%	0.75	
Single glazing: Pilkington Optifloat Clear 4mm Annealed	0.90	
Translucent glazing (Low-E): Pilkington Optifloat Opal - 4mm K /16/4mm Opal	0.74	

3 SITE OVERVIEW




Fig. 01: Top view




Fig. 02: Perspective view

4 INTERNAL DAYLIGHT AND SUNLIGHT ASSESSMENTS

Block E - Ground Floor - Part 1 of 1

		DAYLIGHT QUANTUM	DAYLIGHT DISTRIBUTION			SUNLIGHT QUANTUM (PROBABLE SUNLIGHT HOURS)	
ROOM REF.	ROOM USE	ADF (%)	NSL (%)	RDC		ANNUAL	WINTER
BLOCK E (1 OF 2) - GROUND FLOOR							
1	Studio	0.6	64	MET		12	1
2	Bedroom	1.9	97	MET			
3	Living Room	0.8	79	MET		31	6
4	Bedroom	0.9	92	MET			
5	Bedroom	2.3	95	MET			
6	Living Room	2.3	97	MET		40	12
7	Bedroom	2.2	97	MET			
8	Bedroom	0.8	68	MET			
9	Living Room	0.8	74	MET			
10	Bedroom	0.6	54	MET			
11	Bedroom	0.6	30	MET			
12	Living Room	0.4	21	MET			
13	L/K/D	1.1	76	N/A			
14	Bedroom	1	72	MET			
15	Living Room	0.6	30	MET			
16	Bedroom	0.7	33	MET			
17	Bedroom	0.6	29	MET			
18	Living Room	1.3	49	N/A			
19	Bedroom	0.5	23	MET			
20	Living Room	0.9	76	MET			
21	Living Room	0.9	25	MET		0	0
22	Living Room	1	25	MET		0	0
23	Bedroom	0.8	25	MET			
24	Living Room	0.9	24	MET		0	0
25	Bedroom	0.9	39	MET			
26	Living Room	1.3	44	MET		9	0
27	Bedroom	1.3	41	MET			
28	Living Room	1.2	42	MET		10	0
29	Bedroom	1.2	40	MET			
30	Living Room	1.1	35	MET		8	0
31	Bedroom	0.8	31	MET			
32	Bedroom	1.3	74	MET			
33	Living Room	1.7	81	MET			
34	Bedroom	1.8	86	MET			
35	Living Room	2.2	91	MET			
36	Living Room	2.1	90	MET			
37	Bedroom	1.3	79	MET			

Table 02: Assessment Data



Fig. 03: Floor Plan



Block E - Level 01 - Part 1 of 2

		DAYLIGHT QUANTUM	DAYLIGHT DISTRIBUTION			SUNLIGHT QUANTUM (PROBABLE SUNLIGHT HOURS)	
ROOM REF.	ROOM USE	ADF (%)	NSL (%)	RDC		ANNUAL	WINTER
BLOCK E (1 OF 2) - LEVEL 01							
38	Studio	2.5	98	MET		42	13
39	Bedroom	2.9	97	MET			
40	Living Room	1.2	90	MET		35	10
41	Bedroom	1.4	92	MET			
42	Bedroom	3.3	96	MET			
43	Living Room	3.2	98	MET		47	16
44	Bedroom	3.1	98	MET			
45	Bedroom	0.9	68	MET			
46	Living Room	0.9	74	MET			
47	Bedroom	0.8	59	MET			
48	Bedroom	0.8	32	MET			
49	Living Room	0.8	34	MET			
50	L/K/D	1.4	82	N/A			
51	Bedroom	1.3	76	MET			
52	Bedroom	0.4	14	MET			
53	Living Room	0.8	34	MET			
54	Bedroom	0.8	36	MET			
55	Bedroom	0.8	33	MET			
56	Living Room	1.6	56	N/A			
57	Bedroom	0.7	25	MET			
58	Living Room	1.2	78	MET			
59	Bedroom	1.2	56	MET			
60	Bedroom	0.6	29	MET			
61	L/K/D	1.6	77	N/A			
62	Bedroom	1	42	MET			
63	Bedroom	0.9	30	MET			
64	L/K/D	2	77	N/A		27	5
65	Bedroom	1.4	62	MET			
66	Bedroom	1.3	47	MET			
67	Living Room	1.5	46	MET		18	1
68	Bedroom	1.1	31	MET			
69	Bedroom	0.9	28	MET			
70	Living Room	1.2	34	MET		13	0
71	Bedroom	1	28	MET			
72	Living Room	1.1	25	MET		16	0
73	Bedroom	1	28	MET			
74	Living Room	1	27	MET		13	0
75	Bedroom	0.8	24	MET			
76	Bedroom	1.1	70	MET			
77	Living Room	1.4	79	MET			
78	Bedroom	1.4	77	MET			
79	Living Room	1.9	88	MET			
80	Living Room	1.8	87	MET			
81	Bedroom	1.2	75	MET			
82	Living Room	1.3	23	MET			
83	Living Room	1	20	MET			
84	Bedroom	0.9	17	MET			
85	Bedroom	0.9	18	MET			
86	Living Room	1.8	48	N/A			

Table 03: Assessment Data



Fig. 04: Floor Plan



Block E - Level 01 - Part 2 of 2

		DAYLIGHT QUANTUM	DAYLIGHT DISTRIBUTION			SUNLIGHT QUANTUM (PROBABLE SUNLIGHT HOURS)	
ROOM REF.	ROOM USE	ADF (%)	NSL (%)	RDC		ANNUAL	WINTER
BLOCK E (2 OF 2) - LEVEL 01							
87	Bedroom	1.3	69	MET		1	1
88	Living Room	1.7	65	MET			
89	Bedroom	1.3	66	MET			
90	Bedroom	1.3	65	MET	0	0	
91	Living Room	1.3	64	MET			
92	Bedroom	1.1	75	MET			
93	Living Room	2.5	85	MET			
94	Bedroom	1.9	83	MET			
95	Living Room	2.7	93	MET			
96	Living Room	2.5	92	MET			
97	Bedroom	1.5	79	MET			
98	Bedroom	1	21	MET			
99	Living Room	1.6	24	MET			
100	Living Room	1.5	23	MET			
101	Bedroom	1.3	21	MET			
102	Bedroom	1.4	23	MET			
103	Living Room	2.8	75	N/A			
104	Bedroom	1.3	30	MET			
105	Living Room	2.2	43	MET			
106	Bedroom	1.6	43	MET			
107	Living Room	3.2	98	MET	66	18	
108	Bedroom	2.7	96	MET			
109	Living Room	3.5	99	MET			
110	Bedroom	2.6	95	MET	65	21	
111	Living Room	3.8	99	MET	69	25	
112	Bedroom	3.2	98	MET			
113	Bedroom	3.2	98	MET			
114	Living Room	3.9	100	MET	73	23	
115	Bedroom	3.1	97	MET			
116	Bedroom	3.1	97	MET			
117	Living Room	4	100	MET	72	25	
118	Bedroom	2.7	93	MET			

Table 04: Assessment Data

Block E - Level 02 - Part 1 of 2

		DAYLIGHT QUANTUM	DAYLIGHT DISTRIBUTION			SUNLIGHT QUANTUM (PROBABLE SUNLIGHT HOURS)	
ROOM REF.	ROOM USE	ADF (%)	NSL (%)	RDC		ANNUAL	WINTER
BLOCK E (1 OF 2) - LEVEL 02							
119	Studio	2.6	98	MET		44	14
120	Bedroom	2.9	97	MET			
121	Living Room	1.2	91	MET		38	11
122	Bedroom	1.4	92	MET			
123	Bedroom	3.3	96	MET			
124	Living Room	3.2	98	MET		50	18
125	Bedroom	3.1	97	MET			
126	Bedroom	1	70	MET			
127	Living Room	1.1	76	MET			
128	Bedroom	0.9	63	MET			
129	Bedroom	0.9	38	MET			
130	Living Room	0.8	36	MET			
131	L/K/D	1.4	84	N/A			
132	Bedroom	1.3	76	MET			
133	Bedroom	0.4	10	MET			
134	Living Room	0.8	35	MET			
135	Bedroom	0.8	35	MET			
136	Bedroom	0.8	30	MET			
137	Living Room	1.6	56	N/A			
138	Bedroom	0.7	22	MET			
139	Living Room	1.1	77	MET			
140	Bedroom	1.1	56	MET			
141	Bedroom	0.5	27	MET			
142	L/K/D	1.7	77	N/A			
143	Bedroom	1.1	41	MET			
144	Bedroom	0.9	26	MET			
145	L/K/D	2.1	78	N/A		31	4
146	Bedroom	1.5	61	MET			
147	Bedroom	1.5	46	MET			
148	Living Room	1.5	44	MET		22	1
149	Bedroom	1.2	29	MET			
150	Bedroom	1	26	MET			
151	Living Room	1.3	32	MET		19	0
152	Bedroom	1.1	27	MET			
153	Living Room	1.2	30	MET		18	0
154	Bedroom	1	28	MET			
155	Living Room	1	26	MET		15	0
156	Bedroom	0.8	22	MET			
157	Bedroom	1.1	72	MET			
158	Living Room	1.4	80	MET			
159	Bedroom	1.4	78	MET			
160	Living Room	1.9	88	MET			
161	Living Room	1.8	88	MET			
162	Bedroom	1.2	76	MET			
163	Living Room	1.3	21	MET			
164	Living Room	0.9	16	MET			
165	Bedroom	0.9	14	MET			
166	Bedroom	0.9	15	MET			
167	Living Room	2	47	N/A			
168	Bedroom	1.1	25	MET			
169	Living Room	1.3	33	MET			
170	Bedroom	1.5	28	MET			
171	Bedroom	1.5	44	MET			
172	L/K/D	2	78	N/A			
173	Bedroom	1.3	61	MET			

Table 05: Assessment Data



Fig. 06: Floor Plan



Block E - Level 02 - Part 2 of 2

		DAYLIGHT QUANTUM	DAYLIGHT DISTRIBUTION			SUNLIGHT QUANTUM (PROBABLE SUNLIGHT HOURS)	
ROOM REF.	ROOM USE	ADF (%)	NSL (%)	RDC		ANNUAL	WINTER
BLOCK E (2 OF 2) - LEVEL 02							
174	Bedroom	1.3	53	MET			
175	L/K/D	3.1	99	N/A		43	13
176	Bedroom	2.2	79	MET			
177	Living Room	2.1	90	MET		57	8
178	Bedroom	2.3	71	MET			
179	Living Room	2.5	78	MET		51	5
180	Bedroom	2.2	93	MET			
181	Living Room	2.7	92	MET		48	9
182	Bedroom	2.3	93	MET			
183	Bedroom	2.2	93	MET			
184	Living Room	2.2	90	MET		38	4
185	Bedroom	1.7	81	MET			
186	Bedroom	1.4	75	MET			
187	Living Room	2.7	86	MET			
188	Bedroom	1.9	85	MET			
189	Living Room	2.9	94	MET			
190	Living Room	2.7	94	MET			
191	Bedroom	1.7	82	MET			
192	Bedroom	1.2	27	MET			
193	Living Room	1.8	31	MET			
194	Living Room	1.7	30	MET			
195	Bedroom	2	28	MET			
196	Bedroom	2	29	MET			
197	Living Room	3.2	78	N/A			
198	Bedroom	1.6	34	MET			
199	Living Room	2.6	47	MET			
200	Bedroom	1.9	49	MET			
201	Bedroom	1.7	56	MET			
202	L/K/D	1.9	91	N/A			
203	Bedroom	3.1	99	MET			
204	Bedroom	3.1	99	MET			
205	L/K/D	3.6	100	N/A		84	29
206	Bedroom	3.9	99	MET			
207	Living Room	3.2	98	MET		74	26
208	Bedroom	3	96	MET			
209	Living Room	3.8	99	MET		70	26
210	Bedroom	2.8	95	MET			
211	Living Room	3.7	99	MET		72	28
212	Bedroom	3.4	98	MET			
213	Bedroom	3.5	98	MET			
214	Living Room	3.8	100	MET		77	27
215	Bedroom	3.2	97	MET			
216	Bedroom	3.2	97	MET			
217	Living Room	3.8	100	MET		75	28
218	Bedroom	2.2	93	MET			

Table 06: Assessment Data




Fig. 07: Floor Plan

