

**TOWN AND COUNTRY PLANNING ACT 1990
PLANNING AND COMPENSATION ACT 1991
THE TOWN & COUNTRY PLANNING
(DEVELOPMENT MANAGEMENT PROCEDURE) (ENGLAND) ORDER 2015**

APPLICATION FOR FULL PLANNING PERMISSION

To: DP9 Limited
100 Pall Mall
London
SW1Y 5NQ

Application No: 191104
Application type: Full Planning Approval

Applicant: Inception (Reading) Sarl

READING BOROUGH COUNCIL as Local Planning Authority **GRANT FULL** planning permission for the following development in accordance with the plans and supporting information submitted in connection with this application.

Proposal: Subdivision of retail unit (Class A1) and change of use to form 1x restaurant/hot food take-away (Class A3/A5) at part basement/part ground floor; and change of use (Class A2) with amalgamation of the rear of the unit at part basement/part ground floor with Metro Bank

At: Unit 207 - 211 Broad Street Mall Reading RG1 7QH

Subject to such conditions and for such reasons as may be attached

**OTHER STATUTORY CONSENTS MAY BE REQUIRED
PLEASE READ THE NOTES ISSUED WITH THIS DECISION NOTICE**

Date: 2 September 2019



Head of Planning, Development & Regulatory Services *RE*

Application At: Unit 207 - 211 Broad Street Mall Reading RG1 7QH

Application No: 191104

Application type: Full Planning Approval

CONDITIONS & REASONS

1. The development hereby permitted shall begin within three years from the date of this planning permission.

Reason: to prevent an accumulation of unimplemented planning permissions, and in accordance with Section 91 of the Town & Country Planning Act 1990 as amended by the Planning and Compulsory Purchase Act 2004.

2. The development hereby permitted shall be carried out in accordance with the following approved plans:

Drawing No:

0500 Rev P00 - Location Plan

Draft Lease Plan Option 2

Received 9th July 2019

Reason: because permission is granted in respect of the development as detailed in the approved plans only.

3. No mechanical plant shall be installed until a noise assessment of the proposed mechanical plant has been submitted and approved by this Council. The assessment shall be carried out for in accordance with BS4141:2014 methodology. The predicted specific sound level (LAeq,TR) as measured at a point 1 metre external to sensitive facades shall be at least 10dB below the existing background sound level, LA90,T when all plant/equipment (or any part of it) is in operation. The predicted rating level, LAr,Tr (specific sound level plus any adjustment for the characteristic features of the sound) as measured at a point 1 metre external to sensitive facades shall not exceed the existing background sound level, LA90,T when all plant/equipment (or any part of it) is in operation. The plant shall thereafter only be installed in accordance with the assessment.

Reason: To safeguard the amenities of the adjoining premises and the area generally, in accordance with Policy CS34 of the Reading Borough LDF Core Strategy 2008 (Altered 2015) and Policy DM4 of the Reading Borough LDF Sites and Detailed Policies Document 2012 (Altered 2015).

4. Prior to first operation of the hereby permitted development an odour assessment shall be carried out and a detailed Odour Management Plan to include scale plans, odour control specifications and a maintenance plan shall be submitted and approved by the Local Planning Authority. Reference shall be made to the Defra Guidance on the Control of Odour and Noise from Commercial Kitchen Exhaust Systems (January 2005)

Date: 2 September 2019



Head of Planning, Development & Regulatory Services *RE*

when assessing potential odours and selecting appropriate odour control methods. The agreed Odour Management Plan shall be implemented prior to first operation of the hereby permitted development, and thereafter the approved use shall not be carried out other than in accordance with the approved Odour Management Plan.

Reason: in order to protect the amenities of occupiers of nearby premises from odour disturbance. In accordance with Policy CS34 of the Reading Borough LDF Core Strategy 2008 (Altered 2015), Policy DM4 of the Reading Borough LDF Sites and Detailed Policies Document 2012 (Altered 2015).

5. The A3/ A5 premises shall not be used by members of the public outside the hours of 9:00- 23:00 on Sunday- Thursday; and 9:00-23:30 on Friday and Saturday. The A2 element of the unit shall have the same opening hours as the adjacent A2 unit which this application seeks to extend.

Reason: in order to protect existing local residents and users from unreasonable disturbance arising from the uses, in accordance with Policy CS34 of the Reading Borough LDF Core Strategy 2008 (Altered 2015) and Policy DM4 of the Reading Borough LDF Sites and Detailed Policies Document 2012 (Altered 2015).

6. Prior to first occupation of the A3/A5 mixed use development hereby permitted, a strategy for the management of litter resulting from the use shall be submitted to and approved in writing by the Local Planning Authority. The strategy shall include:

- i) details of the extent of the search area outside the premises for litter picking by staff associated with the use,
- ii) details of the frequency of litter picking by staff,
- iii) the location of litter bins within the premises, and
- iv) details of the design and location of customer advice signage relating to litter.

The use shall not be carried out other than in accordance with the approved strategy at all times thereafter.

Reason: To control litter resulting from the use in the interests of the visual amenity of the area. In accordance with Policy DM4 of the Sites and Detailed Policies Document 2012 (altered 2015) and Policy CS7 of the Core Strategy 2008 (altered 2015).

INFORMATIVES

1. No external works are approved. A separate planning application would be required for these.

2. This permission does not extend to permit the display of advertisements, which are subject to separate control under the Town and Country Planning (Control of Advertisements) (England) Regulations 2007 (as amended).

Date: 2 September 2019



Head of Planning, Development & Regulatory Services *RE*

3. Other statutory consents may be required, for instance under The Building Regulations or the Licensing Acts

4. Thames Water would advise that if the developer follows the sequential approach to the disposal of surface water we would have no objection. Where the developer proposes to discharge to a public sewer, prior approval from Thames Water Developer Services will be required. Should you require further information please refer to our website. <https://developers.thameswater.co.uk/Developing-a-large-site/Apply-and-pay-for-services/Wastewater-services>

5. As required by Building regulations part H paragraph 2.36, Thames Water requests that the Applicant should incorporate within their proposal, protection to the property to prevent sewage flooding, by installing a positive pumped device (or equivalent reflecting technological advances), on the assumption that the sewerage network may surcharge to ground level during storm conditions. If as part of the basement development there is a proposal to discharge ground water to the public network, this would require a Groundwater Risk Management Permit from Thames Water. Any discharge made without a permit is deemed illegal and may result in prosecution under the provisions of the Water Industry Act 1991. We would expect the developer to demonstrate what measures will be undertaken to minimise groundwater discharges into the public sewer. Permit enquiries should be directed to Thames Water's Risk Management Team by telephoning 02035779483 or by emailing wwriskmanagement@thameswater.co.uk. Application forms should be completed on line via

www.thameswater.co.uk. Please refer to the Wholesale; Business customers; Groundwater discharges section.

6. As per Building regulations part H paragraph 2.21, Drainage serving kitchens in commercial hot food premises should be fitted with a grease separator complying with BS EN 1825-2:2004 and designed in accordance with BS EN 1825-2:2002 or other effective means of grease removal. Thames Water further recommend, in line with best practice for the disposal of Fats, Oils and Grease, the collection of waste oil by a contractor, particularly to recycle for the production of bio diesel. Failure to implement these recommendations may result in this and other properties suffering blocked drains, sewage flooding and pollution to local watercourses. Please refer to our website for further information : www.thameswater.co.uk/advice

7. If you are planning on using mains water for construction purposes, it's important you let Thames Water know before you start using it, to avoid potential fines for improper usage. More information and how to apply can be found online at thameswater.co.uk/buildingwater.

Date: 2 September 2019



Head of Planning, Development & Regulatory Services *RE*

8. Thames Water will aim to provide customers with a minimum pressure of 10m head (approx 1 bar) and a flow rate of 9 litres/minute at the point where it leaves Thames Waters pipes. The developer should take account of this minimum pressure in the design of the proposed development.

9. The local planning authority has worked positively and proactively with the applicant to resolve relevant matters to allow permission to be granted within the prescribed target or agreed extended timescale for the decision to be issued.

Date: 2 September 2019



Head of Planning, Development & Regulatory Services *RE*

NOTES

APPEALS TO THE SECRETARY OF STATE

If you are aggrieved by the decision of the Council to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Secretary of State under section 78 of the Town and Country Planning Act 1990.

If this is a decision on a planning application relating to the same or substantially the same land and development as is already the subject of an enforcement notice, if you want to appeal against the Council's decision on the application you must do so within 28 days of the date of this notice.

If an enforcement notice is served relating to the same or substantially the same land and development as in your application and you want to appeal against the Council's decision on your application, you must do so within 28 days of the date of service of the enforcement notice, or within 6 months (or 12 weeks in the case of a householder appeal) of the date of this notice, whichever period expires earlier.

If the above circumstances do not apply, any appeal must be made within the following time limits.

If this is a householder application and you want to appeal against the Council's decision then you must do so within 12 weeks of the date of this notice. If this is an advertisement application and you want to appeal against your local planning authority's decision then you must do so within 8 weeks of the date of this notice. If you want to appeal against your local planning authority's decision for any other type of application (which is not a householder or advertisement application, or an application for a Certificate of Lawfulness) then you must do so within 6 months of the date of this notice.

Appeals can be made online at: <https://www.gov.uk/planning-inspectorate>.

If you are unable to access the online appeal form, please contact the Planning Inspectorate to obtain a paper copy of the appeal form on tel: 0303 444 5000.

The Secretary of State can allow a longer period for giving notice of an appeal but will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal.

The Secretary of State need not consider an appeal if it seems to the Secretary of State that the local planning authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any directions given under a development order.

If you intend to submit an appeal that you would like examined by inquiry then you must notify the Local Planning Authority and Planning Inspectorate (inquiryappeals@planninginspectorate.gov.uk) at least 10 days before submitting the appeal. Further details are on GOV.UK.

Purchase Notices

If either the Local Planning Authority or the Secretary of State refuses permission to develop land or grants it subject to conditions, the owner may claim that he can neither put the land to a reasonably beneficial use in its existing state nor render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted. In these circumstances, the owner may serve a purchase notice on the Council in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990.

Street Naming & Numbering

You must contact Reading Borough Council to:

- Name or number a new development
- Name a new street
- Get addresses for flat conversions
- Name or rename an existing building

Otherwise the following may occur:

- You will not have an official address or postcode. When your property goes through the official process it may be given a different address and Postcode than you are currently using.
- You may have difficulty receiving mail
- You may have problems when buying goods or services such as utilities and telecommunications
- The emergency services may have difficulty locating you.
- You may have problems accessing Council services such as Education, Parking Services and Electoral Registration.

The Council is responsible for assigning house names and numbers and street names. It is also responsible for updating the National Land and Property Gazetteer (NLPG) which is a list of addresses which meet a common standard (BS7666) used throughout the country.

When a new address or change of address is requested, the Council contacts Royal Mail who check the address on behalf of the Emergency Services, assign a postcode and add it to their Postal Address File (PAF). The PAF list is used by many companies and services to check addresses, authenticate transactions and order goods, as well as deliver mail, so it is in your interest for your address to be on that list. Royal Mail will not create an address until requested to do so by the Council.

How to apply:

Email us using streetnamingnumbering@reading.gov.uk

Or telephone us on 0118 9373737

What we need to complete your request:

For new addresses or flat conversions:

- Site layout plan containing plot numbers
- Location plan - No bigger than A3 size (hard copy, PDF, JPEG or AutoCAD) showing the site boundary, including the new development, together with surrounding buildings for reference
- Anticipated completion and occupation dates

For change of address:

- You must be, or have authorisation from, the owner to request a change of address.
- Floor plan of the existing property
- Reason for change

Once created, the Council informs various bodies of your new address including the Emergency Services, Council Tax, Land Registry and utility companies as well as adding it to the National Land and Property Gazetteer.

Please be advised that companies and services using the PAF file only update the addresses monthly, quarterly or even less frequently, therefore it may take a while for your address to be listed in some places. It will, however, appear on the Royal Mail website within a few days once it has been added to the live address file.

Reading Borough Council has no control over the frequency by which other organisations update their address files.