

Acknowledgement

Page 1 of 5



60 Love Rock Road
Reading
Berkshire
RG30 1DZ



Tel. 0118 957 6888

Window Worx
60 Love Lock Road
Reading
Berkshire
RG30 1DZ

Job no

Customer Ref : **LWW40286DW**


Creation Date : **13/06/2018**

		Frame Specification: REHAU 70 SYSTEM	Additional Frame Details:
Win Handle: Casements Handle White		Win Hinge: Heavy Duty Hinge	2100mm: 15mm Frame Extender - Smooth Anth/WH 1
Win Lock: Shoot Bolt Mech.		Cill: 150mm Rehau Cill - Smooth Anth	2200mm: 150mm Rehau Cill - Smooth Anth/Wh 1
Beading: 28mm Flat Bead White		Drainage: Concealed	T/vent in Outerframe 1
Reinforcing: Woodgrain Case't Reinforcing			2145mm: Reh Lge O/F 5 CH - Anth/Wh L/F 1
			Dummy Sash INT-Special Colour 1
			4000 Trickle Vent Anthracite/Wh 1
			16" Heavy Duty Egress Easy Clean (Pr) 2
			S/BOLT 1160 -1309 Pr 2
			Anthracite On White (smooth) 1
Glazing:		Dimensions:	
28mm Unglazed (R)		Overall Size: 2100 x 1300	
4/20/4 Softcoat Clear /Argon/Black Super Spacer		Actual Frame Size: 2100 x 1255	
Frame No: 1		Qty: 1	Rehau Small Outer Int. Anth/Wht
Location: BED 3			
		Frame Specification: REHAU 70 SYSTEM	Additional Frame Details:
Win Handle: Casements Handle White		Win Hinge: Heavy Duty Hinge	1400mm: 15mm Frame Extender - Smooth Anth/WH 1
Win Lock: Shoot Bolt Mech.		Cill: 150mm Rehau Cill - Smooth Anth	1500mm: 150mm Rehau Cill - Smooth Anth/Wh 1
Beading: 28mm Flat Bead White		Drainage: Concealed	T/vent in Outerframe 1
Reinforcing: Woodgrain Case't Reinforcing			1445mm: Reh Lge O/F 5 CH - Anth/Wh L/F 1
			Dummy Sash INT-Special Colour 1
			4000 Trickle Vent Anthracite/Wh 1
			16" Heavy Duty Egress Easy Clean (Pr) 1
			S/BOLT 1010 -1159 Pr 1
			Anthracite On White (smooth) 1
Glazing:		Dimensions:	
28mm Unglazed (R)		Overall Size: 1400 x 1200	
4/20/4 Softcoat Clear /Argon/Black Super Spacer		Actual Frame Size: 1400 x 1155	
Frame No: 2		Qty: 1	Rehau Small Outer Int. Anth/Wht
Location: BED 4			

Acknowledgement


Quoteno **WQ000109**
 Customer Ref : **LWW40286DW**
 Creation Date : **13/06/2018**

Page 2 of 5

	Frame Specification: REHAU 70 SYSTEM Win Handle: Casements Handle White Win Hinge: Standard Hinge Win Lock: Shoot Bolt Mech. Cill: 150mm Rehau Cill - Smooth Anth Beading: 28mm Flat Bead White Drainage: Concealed Reinforcing: Woodgrain Case't Reinforcing	Additional Frame Details: 1400mm: 15mm Frame Extender - Smooth Anth/WH 1 1500mm: 150mm Rehau Cill - Smooth Anth/Wh 1 T/vent in Outerframe 1 1445mm: Reh Lge O/F 5 CH - Anth/Wh/L/F 1 Dummy Sash INT-Special Colour 1 4000 Trickle Vent Anthracite/Wh 1 S/BOLT 1010 -1159 Pr 1 Anthracite On White (smooth) 1
--	---	---


Glazing: 28mm Unglazed (R) 4/20/4 Softcoat Clear /Argon/Black Super Spacer	Dimensions: Overall Size: 1400 x 1200 Actual Frame Size: 1400 x 1155
---	---

Frame No: 3	Qty: 1	Rehau Small Outer Int. Anth/Wh	Location: CORRIDOR
--------------------	---------------	---------------------------------------	---------------------------

	Frame Specification: REHAU 70 SYSTEM Win Handle: Casements Handle White Win Hinge: Standard Hinge Win Lock: Shoot Bolt Mech. Cill: 150mm Rehau Cill - Smooth Anth Beading: 28mm Flat Bead White Drainage: Concealed Reinforcing: Woodgrain Case't Reinforcing	Additional Frame Details: 700mm: 15mm Frame Extender - Smooth Anth/WH 1 800mm: 150mm Rehau Cill - Smooth Anth/Wh 1 T/vent in Outerframe 1 745mm: Reh Lge O/F 5 CH - Anth/Wh/L/F 1 4000 Trickle Vent Anthracite/Wh 1 S/BOLT 1010 -1159 Pr 1 Anthracite On White (smooth) 1
---	---	---

Glazing: 28mm Unglazed (R) 4/20/4 Softcoat Pattern/Argon/ Black Super Spacer Stippolyte	Dimensions: Overall Size: 700 x 1200 Actual Frame Size: 700 x 1155
--	---

Frame No: 4	Qty: 1	Rehau Small Outer Int. Anth/Wh	Location: ENSUITE
--------------------	---------------	---------------------------------------	--------------------------

	Frame Specification: REHAU 70 SYSTEM Door Handle: F/W Handle White Door Hinge: F/W Standard Hinge Door Lock: Maco Mrk1 French Window Lock Cill: 150mm Rehau Cill - Smooth Anth Beading: 28mm Flat Bead White Drainage: Concealed Reinforcing: Woodgrain Case't Reinforcing	Additional Frame Details: 1100mm: 15mm Frame Extender - Smooth Anth/WH 1 1200mm: 150mm Rehau Cill - Smooth Anth/Wh 1 T/vent in Outerframe 1 1145mm: Reh Lge O/F 5 CH - Anth/Wh/L/F 1 4000 Trickle Vent Anthracite/Wh 1 Case White (R) 15mm Spindle 1 Case White (L) 15mm Spindle 1 French Window Special Colour 2 Anthracite On White (smooth) 1
--	--	--


Glazing: 28mm Unglazed (R) 4/20/4 Softcoat Clear /Argon/Black Super Spacer	Dimensions: Overall Size: 1100 x 1000 Actual Frame Size: 1100 x 955
---	--

Frame No: 5	Qty: 1	Rehau Sm Outer French Window Anth/Wh	Location: MASTER BED
--------------------	---------------	---	-----------------------------

Acknowledgement

Quoteno **WQ000109**
Customer Ref : **LWW40286DW**
Creation Date : **13/06/2018**

Page 3 of 5



Frame Specification: REHAU 70 SYSTEM

Win Handle: Casements Handle White
Win Hinge: Standard Hinge
Win Lock: Shoot Bolt Mech.
Cill: 150mm Rehau Cill - Smooth Anth
Beading: 28mm Flat Bead White
Drainage: Concealed
Reinforcing: Woodgrain Case't Reinforcing

Additional Frame Details:

700mm: 15mm Frame Extender - Smooth Anth/WH 1
800mm: 150mm Rehau Cill - Smooth Anth/Wh 1
T/vent in Outerframe 1
745mm: Reh Lge O/F 5 CH - Anth/Wh L/F 1
4000 Trickle Vent Anthracite/Wh 1
S/BOLT 1010 -1159 Pr 1
Anthracite On White (smooth) 1

Glazing:

28mm Unglazed (R)
4/20/4 Softcoat Clear /Argon/Black Super Spacer


Dimensions:

Overall Size: 700 x 1200
Actual Frame Size: 700 x 1155

Frame No: 6

Qty: 1 Rehau Small Outer Int. Anth/Wh

Location: STAIRS



Frame Specification: REHAU 70 SYSTEM

Win Handle: Casements Handle White
Win Hinge: Fire Egress Hinges
Win Lock: Shoot Bolt Mech.
Cill: 150mm Rehau Cill - Smooth Anth
Beading: 28mm Flat Bead White
Drainage: Concealed
Reinforcing: Woodgrain Case't Reinforcing

Additional Frame Details:

1800mm: 15mm Frame Extender - Smooth Anth/WH 1
1900mm: 150mm Rehau Cill - Smooth Anth/Wh 1
T/vent in Outerframe 1
1845mm: Reh Lge O/F 5 CH - Anth/Wh L/F 1
Dummy Sash INT-Special Colour 1
4000 Trickle Vent Anthracite/Wh 1
12" Fire Egress Hinge (Pr) 2
S/BOLT 1010 -1159 Pr 2
Anthracite On White (smooth) 1

Glazing:

28mm Unglazed (R)
4/20/4 Softcoat Clear /Argon/Black Super Spacer


Dimensions:

Overall Size: 1800 x 1200
Actual Frame Size: 1800 x 1155

Frame No: 7

Qty: 1 Rehau Small Outer Int. Anth/Wh

Location: BED 2



Frame Specification: REHAU 70 SYSTEM

Win Handle: Casements Handle White
Win Hinge: Standard Hinge
Win Lock: Shoot Bolt Mech.
Cill: 150mm Rehau Cill - Smooth Anth
Beading: 28mm Flat Bead White
Drainage: Concealed
Reinforcing: Woodgrain Case't Reinforcing

Additional Frame Details:

1800mm: 15mm Frame Extender - Smooth Anth/WH 1
1900mm: 150mm Rehau Cill - Smooth Anth/Wh 1
T/vent in Outerframe 1
1845mm: Reh Lge O/F 5 CH - Anth/Wh L/F 1
Dummy Sash INT-Special Colour 1
4000 Trickle Vent Anthracite/Wh 1
S/BOLT 1010 -1159 Pr 2
Anthracite On White (smooth) 1

Glazing:

28mm Unglazed (R)
4/20/4 Softcoat Clear /Argon/Black Super Spacer

Dimensions:

Overall Size: 1800 x 1200
Actual Frame Size: 1800 x 1155

Frame No: 8


Qty: 1 Rehau Small Outer Int. Anth/Wh

Location: RECEPTION 2

Acknowledgement

Quoteno **WQ000109**
Customer Ref : **LWW40286DW**
Creation Date : **13/06/2018**

Page 4 of 5

	Frame Specification: REHAU 70 SYSTEM	Additional Frame Details:
	Win Handle: Casements Handle White	1800mm: 15mm Frame Extender - Smooth Anth/WH 1
	Win Hinge: Standard Hinge	1900mm: 150mm Rehau Cill - Smooth Anth/Wh 1
	Win Lock: Shoot Bolt Mech.	T/vent in Outerframe 1
	Cill: 150mm Rehau Cill - Smooth Anth	1845mm: Reh Lge O/F 5 CH - Anth/Wh/L/F 1
	Beading: 28mm Flat Bead White	Dummy Sash INT-Special Colour 1
	Drainage: Concealed	4000 Trickle Vent Anthracite/Wh 1
	Reinforcing: Woodgrain Case't Reinforcing	S/BOLT 1010 -1159 Pr 2
		Anthracite On White (smooth) 1

Glazing:


28mm Unglazed (R)
4/20/4 Softcoat Clear /Argon/Black Super Spacer

Dimensions:

Overall Size: 1800 x 1200
Actual Frame Size: 1800 x 1155

Frame No: 9 Qty: 1 Rehau Small Outer Int. Anth/Wh

Location: RECEPTION 1

	Frame Specification: REHAU 70 SYSTEM	Additional Frame Details:
	Win Handle: Casements Handle White	1200mm: 15mm Frame Extender - Smooth Anth/WH 1
	Win Hinge: Standard Hinge	1300mm: 150mm Rehau Cill - Smooth Anth/Wh 1
	Win Lock: Shoot Bolt Mech.	T/vent in Outerframe 1
	Cill: 150mm Rehau Cill - Smooth Anth	1245mm: Reh Lge O/F 5 CH - Anth/Wh/L/F 1
	Beading: 28mm Flat Bead White	Dummy Sash INT-Special Colour 1
	Drainage: Concealed	4000 Trickle Vent Anthracite/Wh 1
	Reinforcing: Woodgrain Case't Reinforcing	S/BOLT 1160 -1309 Pr 1
		Anthracite On White (smooth) 1

Glazing:


28mm Unglazed (R)
4/20/4 Softcoat Clear /Argon/Black Super Spacer

Dimensions:

Overall Size: 1200 x 1400
Actual Frame Size: 1200 x 1355

Frame No: 10 Qty: 1 Rehau Small Outer Int. Anth/Wh

Location: STUDY

	Frame Specification: REHAU 70 SYSTEM	Additional Frame Details:
	Door Handle: Fab & Fix Lev/Lev Chrome	1000mm: 150mm Rehau Cill - Smooth Anth/Wh 1
	Door Hinge: Paddock Door Hinges White x 3	T/vent in Outerframe 1
	Door Lock: Paddock 2Hk 2Roller	4000 Trickle Vent Anthracite/Wh 1
	Cill: 150mm Rehau Cill - Smooth Anth	CYLINDER GUARD OUTER 1
	Beading: 28mm Ovlo Bead Wh	Anthracite On White (smooth) 1
	Drainage: Concealed	629x676 28mm Flat Panel Anthracite(Smooth)/Wte/SqM 1
	Reinforcing: Full Door Reinforcing	Glazing charge (zero if unglazed) 1

Glazing:

28mm Unglazed (R)
4/20/4 Softcoat Clear /Argon/Black Super Spacer
28mm Flat Panel Anthracite(Smooth)/Wte/SqM

Dimensions:

Overall Size: 900 x 2100
Actual Frame Size: 900 x 2070


Frame No: 11 Qty: 1 Rehau Door Open Out Anth/Wh

Location: UTILITY DOOR

Acknowledgement

Quoteno **WQ000109**
Customer Ref : **LWW40286DW**
Creation Date : **13/06/2018**

Page 5 of 5



Frame Specification: REHAU 70 SYSTEM

Win Handle: Casements Handle White
Win Hinge: Standard Hinge
Win Lock: Shoot Bolt Mech.
Cill: 150mm Rehau Cill - Smooth Anth
Beading: 28mm Flat Bead White
Drainage: Concealed
Reinforcing: Woodgrain Case't Reinforcing

Additional Frame Details:

1400mm: 15mm Frame Extender - Smooth Anth/WH 1
1500mm: 150mm Rehau Cill - Smooth Anth/Wh 1
T/vent in Outerframe 1
1445mm: Reh Lge O/F 5 CH - Anth/Wh L/F 1
Dummy Sash INT-Special Colour 1
4000 Trickle Vent Anthracite/Wh 1
S/BOLT 1010 -1159 Pr 1
Anthracite On White (smooth) 1

Glazing:


28mm Unglazed (R)
4/20/4 Softcoat Clear /Argon/Black Super Spacer

Dimensions:

Overall Size: 1400 x 1200
Actual Frame Size: 1400 x 1155

Frame No: 12 Qty: 1 Rehau Small Outer Int. Anth/Wh

Location: Kitchen Window



Frame Specification: REHAU 70 SYSTEM

Win Handle: Casements Handle White
Win Hinge: Standard Hinge
Win Lock: Shoot Bolt Mech.
Cill: 150mm Rehau Cill - Smooth Anth
Beading: 28mm Flat Bead White
Drainage: Concealed
Reinforcing: Woodgrain Case't Reinforcing

Additional Frame Details:

1400mm: 15mm Frame Extender - Smooth Anth/WH 1
1500mm: 150mm Rehau Cill - Smooth Anth/Wh 1
T/vent in Outerframe 1
1445mm: Reh Lge O/F 5 CH - Anth/Wh L/F 1
Dummy Sash INT-Special Colour 1
4000 Trickle Vent Anthracite/Wh 1
S/BOLT 1010 -1159 Pr 1
Anthracite On White (smooth) 1

Glazing:

28mm Unglazed (R)
4/20/4 Softcoat Clear /Argon/Black Super Spacer

Dimensions:

Overall Size: 1400 x 1200
Actual Frame Size: 1400 x 1155

Frame No: 13 Qty: 1 Rehau Small Outer Int. Anth/Wh

Location: LIVING

Notes