

Door Schedule

Name      The Red Cow 50 Crown Street      Ref:      PCSR

| Date | Location          | Closer and<br>Smoke<br>Seals | Fire Rating | Glazing | Iron<br>mongery | Comment                                                                           |
|------|-------------------|------------------------------|-------------|---------|-----------------|-----------------------------------------------------------------------------------|
| D1   | Main Entrance     | No                           | No          | No      | New             | Retain existing door repair and redecorate.                                       |
| D2   | Flat Entrance     |                              |             | Yes     | New             | Retain and repair frame remove and replace door with purpose made and redecorate. |
| D3   | Boiler Room       |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D4   | Fire Exit Door    |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D5   | Fire Exit Door    |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D6   | Shed Door         |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D7   | Shed Door         |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D8   | Shed Door         |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D9   | Kitchen Back Door |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D10  | Bar 1             |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D11  | Basement          | No                           | Yes         |         |                 | Removed door and frame and replace with 30 min fire door and frame.               |
| D12  | Bar1              |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D13  | Bar2              |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D14  | Ladies WC         | No                           | No          | No      | New             | Removed door and frame and replace with 30 min fire door and frame.               |
| D15  | Boiler Room       |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D16  | Bar 2             |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D17  | Basement          | No                           | Yes         |         |                 | Removed door and frame and replace with 30 min fire door and frame.               |
| D18  | Mens WC           |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D19  | Bar1              |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D20  | Store             | No                           | Yes         | No      | New             | Removed door and frame and replace with 30 min fire door and frame.               |
| D21  | Corridor          |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D22  | Corridor          |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D23  | Store             |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D24  | Staff Room        |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D25  | Kitchen           | No                           | No          | No      | New             | Removed door and frame and replace with 30 min fire door and frame.               |
| D26  | Store             |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D27  | Shed Store        |                              |             |         |                 | Removed door and frame and make good opening.                                     |
| D28  |                   |                              |             |         |                 |                                                                                   |
| D29  |                   |                              |             |         |                 |                                                                                   |

## Door Schedule

**Name**      The Red Cow 50 Crown Street

**Ref:**        PCSR

| Date       | Location                      | Closer and<br>Smoke<br>Seals | Fire Rating | Glazing   | Iron<br>mongery | Comment                                                      |
|------------|-------------------------------|------------------------------|-------------|-----------|-----------------|--------------------------------------------------------------|
| D30        | Bedroom 1                     |                              |             |           |                 | Removed door and frame and make good opening.                |
| D31        | Bedroom 2                     |                              |             |           |                 | Removed door and frame and make good opening.                |
| D32        | Staircase Second Floor        |                              |             |           |                 | Removed door and frame and make good opening.                |
| D33        | Bedroom 4                     |                              |             |           |                 | Removed door and frame and make good opening.                |
| D34        | Bedroom 5                     |                              |             |           |                 | Removed door and frame and make good opening.                |
| D35        | Store Room                    |                              |             |           |                 | Removed door and frame and make good opening.                |
| D36        | Bathroom                      |                              |             |           |                 | Removed door and frame and make good opening.                |
| D37        | Bedroom7                      |                              |             |           |                 | Removed door and frame and make good opening.                |
| D38        | Roof Space                    |                              |             |           |                 | Removed door and frame and fit 30min access hatch.           |
| D39        | Cellar                        |                              |             |           |                 | Removed existing door and frame rehang doors opening out.    |
| <b>D40</b> | <b>Store Room</b>             | <b>Yes</b>                   | <b>Yes</b>  | <b>No</b> | <b>New</b>      | <b>New 30 min fire door and frame.</b>                       |
| D41        | Kitchen                       | No                           | No          | No        | <b>New</b>      | External paint grade plywood door.                           |
| D42        | Store Room                    | No                           | No          | No        | <b>New</b>      | External paint grade plywood door.                           |
| D43        | Dining Room 1                 | Yes                          | Yes         | No        | <b>New</b>      | External paint grade plywood door.                           |
| D44        | Staff Room                    | Yes                          | Yes         | No        | <b>New</b>      | External paint grade plywood door.                           |
| D45        | Staicase                      | Yes                          | Yes         | No        | <b>New</b>      | External paint grade plywood door.                           |
| D46        | Kitchen In                    | Yes                          | Yes         | Yes       | <b>New</b>      | External paint grade plywood door.                           |
| D47        | Kitchen Out                   | Yes                          | Yes         | Yes       | <b>New</b>      | External paint grade plywood door.                           |
| D48        | Mens Wc                       | No                           | No          | No        | <b>New</b>      | External paint grade plywood door.                           |
| D49        | Ladies Wc                     | No                           | No          | No        | <b>New</b>      | External paint grade plywood door.                           |
| D50        | Flat 1 Bathroom               | No                           | No          | No        | <b>New</b>      | External paint grade plywood door.                           |
| D51        | Flat 1 Kitchen                | No                           | No          | No        | <b>New</b>      | External paint grade plywood door.                           |
| D52        | Flat 1 Bedroom                | No                           | No          | No        | <b>New</b>      | External paint grade plywood door.                           |
| D53        | Flat 1 Entrance               | Yes                          | Yes         | No        | <b>New</b>      | External paint grade plywood door.                           |
| <b>D54</b> | <b>Staircase Second Floor</b> | <b>No</b>                    | <b>Yes</b>  | <b>No</b> | <b>New</b>      | <b>Replace with 30 min fire door and frame. Locked shut.</b> |
| D55        | Flat 2 Entrance               | Yes                          | Yes         | No        | <b>New</b>      | External paint grade plywood door.                           |
| D56        | Flat 2 Bathroom               | No                           | No          | No        | <b>New</b>      | External paint grade plywood door.                           |
| D57        | Flat 2 Bathroom               | No                           | No          | No        | <b>New</b>      | External paint grade plywood door.                           |
| D58        | Flat 3 Entrance               | Yes                          | Yes         | No        | <b>New</b>      | External paint grade plywood door.                           |

## Window Schedule

Name The Red Cow 50 Crown Street

Ref: PCSR

| Date | Location        | Window Lock | Secondary Glazing | Comment                                                                                    |
|------|-----------------|-------------|-------------------|--------------------------------------------------------------------------------------------|
| W1   | Bar 1           | Yes         | Yes               | Retain existing repair and redecorate inside and out.                                      |
| W2   | Bar 1           | Yes         | Yes               | Retain existing repair and redecorate inside and out.                                      |
| W3   | Bar 1           | Yes         | Yes               | Retain existing repair and redecorate inside and out.                                      |
| W4   | Bar 1           | Yes         | Yes               | Retain existing repair and redecorate inside and out.                                      |
| W5   | Bar 1           | Yes         | Yes               | Retain existing repair and redecorate inside and out.                                      |
| W6   | Bar 2           | Yes         | Yes               | Retain existing repair and redecorate inside and out.                                      |
| W7   | Ladies WC       | Yes         | Yes               | Retain existing repair and redecorate inside and out.                                      |
| W8   | Ladies WC       | Yes         | Yes               | Retain existing repair and redecorate inside and out.                                      |
| W9   | Ladies WC       | Yes         | Yes               | Window frame removed door opening added.                                                   |
| W10  | Mens WC         |             |                   | Window frame removed and opening blocked up and made good                                  |
| W11  | Staff Room      |             |                   | Retain existing repair and redecorate                                                      |
| W12  | Kitchen         |             |                   | Window frame removed                                                                       |
| W13  | Lounge          | Yes         | Yes               | Retain existing repair and redecorate inside and out.                                      |
| W14  | Lounge          | Yes         | Yes               | Retain existing repair and redecorate inside and out.                                      |
| W15  |                 |             |                   |                                                                                            |
| W16  |                 |             |                   |                                                                                            |
| W17  |                 |             |                   |                                                                                            |
| W18  |                 |             |                   |                                                                                            |
| W19  |                 |             |                   |                                                                                            |
| W20  | Flat 2          | No          | Yes               | Retain existing repair and redecorate inside and out. Escape window to ADB2 - 2.9.         |
| W21  | Flat 2 Bedroom  | No          | Yes               | Retain existing and modify to comply with ADB2 - 2.9 repair and redecorate inside and out. |
| W22  | Corridor        | No          | Yes               | Retain existing and repair and redecorate inside and out.                                  |
| W23  | Flat 3          | No          | Yes               | Retain existing and modify to comply with ADB2 - 2.9 repair and redecorate inside and out. |
| W24  | Flat 3 Bathroom | Yes         | Yes               | Retain existing repair and redecorate inside and out. Window lock fitted.                  |
| W25  | Roof Lights     | No          | Yes               | Retain existing and modify to comply with ADB2 - 2.9 repair and redecorate inside and out. |
| W26  | Flat 1          | No          | Yes               | Retain existing and modify to comply with ADB2 - 2.9 repair and redecorate inside and out. |
| W27  | Flat 1 Bedroom  | No          | Yes               | Retain existing and modify to comply with ADB2 - 2.9 repair and redecorate inside and out. |
| W28  | Dormer Window   | No          | Yes               | Retain, repair and redecorate inside and out.                                              |

## Window Schedule

**Name** The Red Cow 50 Crown Street

Ref: PCSR

[illegible]