

Appendix 4

Personal Injury Collision (PIC) Plot and Record

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

W1400213 19/02/2013 Time 0820 Vehicles 2 Casualties 1 Slight
E:467667 N: 173143 First Road: U 7201 Road Type Single carriageway
Speed limit: 30 Junction Detail: Crossroads Give way or controlled Unclassified 7201
Crossing: Control None Facilities: Pelican, puffin, toucan etc. Road surface Dry
Fine without high winds
Special Conditions at Site None Carriageway Hazards: None
Place accident reported: At scene DfT Special Projects:

Causation			
	Factor:	Participant:	Confidence:
1st:	Failed to look properly	Vehicle 1	Very Likely
2nd:	Poor turn or manoeuvre	Vehicle 1	Very Likely
3rd:	Failed to judge other persons path or speed	Vehicle 1	
4th:			
5th:			
6th:			

C1 TRAV SW TO NE INTO PATH OF PC2 TRAV NW TO SE. PC2 COLL/W C1
Occurred on THE MEADWAY JCT COMBE RD, READING

Vehicle Reference
Vehicle movement from to

Location at impact First impact Hit vehicle:
Hit object in road Off road:

Age of Driver

Breath test

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

W1170513 12/05/2013 Time 1130 Vehicles 3 Casualties 1 Serious

E:467451 N: 173683 First Road: U 7201 Road Type Single carriageway

Speed limit: 30 Junction Detail: Not within 20m of junction

Crossing: Control None Facilities: None within 50m Road surface Dry

Fine without high winds

Special Conditions at Site None

Carriageway Hazards: None

Place accident reported: At scene

DfT Special Projects:

Causation

	Factor:	Participant:	Confidence:
1st:	Sudden braking	Vehicle 1	Very Likely
2nd:	Stationary or parked vehicle	Vehicle 1	Very Likely
3rd:	Stationary or parked vehicle	Vehicle 2	Very Likely
4th:	Loss of control	Vehicle 1	Very Likely
5th:			
6th:			

MC1 TRAV E TO NW ON RHBEND (VIEW OBS BY PKD VEHS) BRKD FOR C2 TRAV NW TO E & LST CONT & DRVR FELL OFF. MC1 HIT C2 & C3 (PKD)

Occurred on CHICHESTER RD O/S 69 APROX 30M W CALDER CLOSE.READING

Vehicle Reference

Vehicle movement from to

Location at impact

Hit object in road

First impact

Off road:

Hit vehicle:

Age of Driver

Breath test

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

W0850613 07/06/2013 Time 1315 Vehicles 2 Casualties 2 Slight
E:467684 N: 173781 First Road: U 7201 Road Type Single carriageway
Speed limit: 30 Junction Detail: T & Stag Jct Give way or controlled Unclassified 7201
Crossing: Control None Facilities: None within 50m Road surface Dry
Fine without high winds
Special Conditions at Site None Carriageway Hazards: None
Place accident reported: At scene DfT Special Projects:

Causation

	Factor:	Participant:	Confidence:
1st:	Failed to judge other persons path or speed	Vehicle 1	Very Likely
2nd:	Inexperienced or learner driver/rider	Vehicle 1	Very Likely
3rd:			
4th:			
5th:			
6th:			

C1 TRNG RGT S TO E PULLED OUT INTO PATH PSV2 TRAV E TO W. PSV2 COLL/W C1
Occurred on NORCOT RD JCT CHURCH END LANE,READING

Vehicle Reference

Vehicle movement from to

Location at impact

Hit object in road

First impact

Off road:

Hit vehicle:

Age of Driver

Breath test

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

W2080913 30/09/2013 Time 1530 Vehicles 3 Casualties 1 Slight
E:467581 N: 173151 First Road: U 7201 Road Type Single carriageway
Speed limit: 30 Junction Detail: Not within 20m of junction
Crossing: Control None Facilities: Ped. phase at traffic signal junction Road surface Dry
Daylight:street lights present Fine without high winds
Special Conditions at Site None Carriageway Hazards: None
Place accident reported: At scene DfT Special Projects:

Causation

	Factor:	Participant:	Confidence:
1st:	Loss of control	Vehicle 1	Very Likely
2nd:	Failed to judge other persons path or speed	Vehicle 1	Possible
3rd:	Failed to judge other persons path or speed	Vehicle 2	
4th:			
5th:			
6th:			

LGV1 TRAV W LST CONT AT SLW SPEED & COLL/W REAR C2 CAUSG SHUNT INTO MC3

Occurred on MEADWAY APP 25M E J/W CHURCH END LANE READING

Vehicle Reference

Vehicle movement from to

Location at impact

Hit object in road

First impact

Off road:

Hit vehicle:

Age of Driver

Breath test

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

W1191013 16/10/2013 Time 1145 Vehicles 2 Casualties 2 Slight
E:467671 N: 173140 First Road: U 7201 Road Type Single carriageway
Speed limit: 30 Junction Detail: Crossroads Give way or controlled Unclassified 7201
Crossing: Control None Facilities: Pelican, puffin, toucan etc. Road surface Wet/Damp
Daylight:street lights present Raining without high winds
Special Conditions at Site None Carriageway Hazards: None
Place accident reported: At scene DfT Special Projects:

Causation			
	Factor:	Participant:	Confidence:
1st:	Failed to look properly	Vehicle 1	Possible
2nd:	Failed to judge other persons path or speed	Vehicle 1	Possible
3rd:	Vehicle blind spot	Vehicle 1	Possible
4th:	Rain, sleet, snow, or fog	Vehicle 1	Possible
5th:			
6th:			

C1 FAILED TO G/WAY, TRND RT S TO E & COLL/W C2 TRAV E
Occurred on THE MEADWAY J/W COMBE RD (MAPPING NOT UPDATED)READING

Vehicle Reference
Vehicle movement from to

Location at impact First impact Hit vehicle:
Hit object in road Off road:

Age of Driver
Breath test

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

W1821213 20/12/2013 Time 2002 Vehicles 2 Casualties 2 Serious
E:467790 N: 173077 First Road: U 7201 Road Type Single carriageway
Speed limit: 30 Junction Detail: Not within 20m of junction
Crossing: Control None Facilities: None within 50m Road surface Wet/Damp
Darkness: street lights present and lit Fine without high winds
Special Conditions at Site None Carriageway Hazards: None
Place accident reported: At scene DfT Special Projects:

Causation

Factor:	Participant:	Confidence:
1st: Impaired by alcohol	Vehicle 1	Very Likely
2nd:		
3rd:		
4th:		
5th:		
6th:		

C1 TRAV NW MOVED TO OVTK PSV2 STAT AT BUS STOP & COLL/W RR PSV2. DRIVER C1 INTOX.

Occurred on THE MEADWAY O/S NO.199 APPX 180M NW J/W DEE ROAD TILEHURST

Vehicle Reference

Vehicle movement from to

Location at impact

Hit object in road

First impact

Off road:

Hit vehicle:

Age of Driver

Breath test

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

W0390714 05/07/2014 Time 0835 Vehicles 2 Casualties 1 Slight
E:467934 N: 172966 First Road: U 7201 Road Type Single carriageway
Speed limit: 30 Junction Detail: T & Stag Jct Automatic traffic signal Unclassified 7201
Crossing: Control None Facilities: Pelican, puffin, toucan etc. Road surface Wet/Damp
Daylight:street lights present Raining without high winds
Special Conditions at Site None Carriageway Hazards: None
Place accident reported: At scene DfT Special Projects:

Causation

	Factor:	Participant:	Confidence:
1st:	Inexperienced or learner driver/rider	Vehicle 1	Very Likely
2nd:	Slippery road (due to weather)	Vehicle 1	Possible
3rd:			
4th:			
5th:			
6th:			

C1 TRAV SE CONTRAVND R/ATS & COLL/W C2 TRNG RT NE TO NW

Occurred on THE MEADWAY J/W DEE RD READING

Vehicle Reference 1 Car Parked
Vehicle movement from Park to Parked No tow / articulation On the main road
On main carriageway No skidding, jack-knifing or overturning
Location at impact Not at, or within 20M of Jct First impact Offside Hit vehicle:
Hit object in road None Off road: None
Did not leave carr Age of Driver 30 Male
Not hit and run Breath test Driver not contacted

Vehicle Reference 2 Pedal Cycle Going ahead other
Vehicle movement from SW to NE No tow / articulation On the main road
On main carriageway No skidding, jack-knifing or overturning
Location at impact Not at, or within 20M of Jct First impact Nearside Hit vehicle:
Hit object in road None Off road: None
Did not leave carr Age of Driver 34 Male
Not hit and run Breath test Not applicable

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

W0730115 13/01/2015 Time 1946 Vehicles 2 Casualties 1 Slight
E:467897 N: 172994 First Road: U 7201 Road Type Single carriageway
Speed limit: 30 Junction Detail: T & Stag Jct Give way or controlled Unclassified 7201
Crossing: Control None Facilities: None within 50m Road surface Wet/Damp
Darkness: street lights present but unlit Fine without high winds
Special Conditions at Site None Carriageway Hazards: None
Place accident reported: At scene DfT Special Projects:

Causation

Factor:	Participant:	Confidence:
1st: Failed to look properly	Vehicle 1	Very Likely
2nd:		
3rd:		
4th:		
5th:		
6th:		

C1 TRN RT SW TO SE COLL/W PC2 TRAV SE TO NW

Occurred on THE MEADWAY APPX 40M NW J/W DEE ROAD TILEHURST READING

Vehicle Reference 1 Car Going ahead other
Vehicle movement from SE to NW No tow / articulation On the main road
On main carriageway No skidding, jack-knifing or overturning
Location at impact Not at, or within 20M of Jct First impact Front Hit vehicle:
Hit object in road None Off road: None
Did not leave carr Age of Driver 55 Male
Not hit and run Breath test Negative

Vehicle Reference 2 Motor Cycle over 50 cc and up to 125cc Going ahead other
Vehicle movement from SE to NW No tow / articulation On the main road
On main carriageway Skidded
Location at impact Jct Approach First impact Offside Hit vehicle:
Hit object in road None Off road: None
Did not leave carr Age of Driver 38 Male
Not hit and run Breath test Driver not contacted

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

W0430215 06/02/2015 Time 1858 Vehicles 1 Casualties 1 Slight
E:467936 N: 172975 First Road: U 7201 Road Type Single carriageway
Speed limit: 30 Junction Detail: T & Stag Jct Give way or controlled Unclassified 7201
Crossing: Control None Facilities: None within 50m Road surface Wet/Damp
Darkness: street lights present and lit Fine without high winds
Special Conditions at Site None Carriageway Hazards: None
Place accident reported: Elsewhere DfT Special Projects:

Causation

	Factor:	Participant:	Confidence:
1st:	Failed to look properly	Casualty 1	Possible
2nd:	Failed to look properly	Vehicle 1	Possible
3rd:			
4th:			
5th:			
6th:			

C1 TRND LFT NW TO NE & COLL/W PED XING RD TO SE DRIV STOPPD BUT LFT W/OUT LEAVG DETAILS
Occurred on DEE RD J/W THE MEADWAY READING

Vehicle Reference 1 Car Turning left
Vehicle movement from S to NW No tow / articulation On the main road
On main carriageway No skidding, jack-knifing or overturning
Location at impact Entering main road First impact Did not impact Hit vehicle:
Hit object in road None Off road: None
Did not leave carr Age of Driver Female
Non-stop, not hit Breath test Driver not contacted

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

W1930215 27/02/2015 Time 0810 Vehicles 1 Casualties 1 Slight
E:467776 N: 173600 First Road: U 7201 Road Type Single carriageway
Speed limit: 30 Junction Detail: Not within 20m of junction
Crossing: Control None Facilities: None within 50m Road surface Dry
Daylight:street lights present Fine without high winds
Special Conditions at Site None Carriageway Hazards: None
Place accident reported: Elsewhere DfT Special Projects:

Causation

Factor:	Participant:	Confidence:
1st: Visor or windscreen dirty or scratched	Vehicle 1	Possible
2nd:		
3rd:		
4th:		
5th:		
6th:		

C1 ON F/WAY REVRSG IN N/K DIR COLL/W PED (CHILD) TRAV IN N/K DIR.

Occurred on RILEY ROAD APPX 25M NE J/W STANHAM ROAD READING

Vehicle Reference

Vehicle movement from to

Location at impact

Hit object in road

First impact

Off road:

Hit vehicle:

Age of Driver

Breath test

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

W0800415 13/04/2015 Time 1651 Vehicles 1 Casualties 1 Slight
E:467858 N: 173841 First Road: U 7201 Road Type 1
Speed limit: 30 Junction Detail: Roundabout Give way or controlled Unclassified 7201
Crossing: Control None Facilities: None within 50m Road surface Dry
Daylight:street lights present Fine without high winds
Special Conditions at Site None Carriageway Hazards: None
Place accident reported: At scene DfT Special Projects:

Causation

	Factor:	Participant:	Confidence:
1st:	Loss of control	Vehicle 1	Very Likely
2nd:	Deposit on road (eg oil, mud, chippings)	Vehicle 1	Very Likely
3rd:			
4th:			
5th:			
6th:			

MC1 TRAV N TO E TAKEN RBT TOO FAST & HIT CENTRL BOLL EXITG RBT WITH DEBRIS ON CWAY
Occurred on NORCOT ROAD RBT/W POTTERY ROAD TILEHURST

Vehicle Reference

Vehicle movement from to

Location at impact

Hit object in road

First impact

Off road:

Hit vehicle:

Age of Driver

Breath test

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

W0961015 14/10/2015 Time 1450 Vehicles 3 Casualties 1 Slight
E:467880 N: 173017 First Road: U 7201 Road Type Single carriageway
Speed limit: 30 Junction Detail: Not within 20m of junction
Crossing: Control None Facilities: None within 50m Road surface Dry
Daylight:street lights present Fine without high winds
Special Conditions at Site None Carriageway Hazards: None
Place accident reported: Elsewhere DfT Special Projects:

Causation

Factor:	Participant:	Confidence:
1st:		
2nd:		
3rd:		
4th:		
5th:		
6th:		

C2 TRAV SE HELD UP IN TRAFF & HIT IN REAR BY C1 CAUSG SHUNT INTO C3

Occurred on THE MEADWAY APP 65M NW J/W DEE ROAD READING

Vehicle Reference 1 Motor Cycle over 50 cc and up to 125cc Going ahead other
Vehicle movement from N to S No tow / articulation On the main road
On main carriageway Skidded
Location at impact Not at, or within 20M of Jct First impact Nearside Hit vehicle:
Hit object in road None Off road: None
Did not leave carr Age of Driver 22 Male
Not hit and run Breath test Not applicable

Vehicle Reference 2 Car Parked
Vehicle movement from Park to Parked No tow / articulation On the main road
On main carriageway No skidding, jack-knifing or overturning
Location at impact Not at, or within 20M of Jct First impact Nearside Hit vehicle:
Hit object in road None Off road: None
Did not leave carr Age of Driver Unknown
Not hit and run Breath test Driver not contacted

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

W1151015 15/10/2015 Time 0855 Vehicles 2 Casualties 1 Slight
E:467659 N: 173442 First Road: U 7201 Road Type Single carriageway
Speed limit: 20 Junction Detail: Not within 20m of junction
Crossing: Control None Facilities: None within 50m Road surface Dry
Daylight:street lights present Fine without high winds
Special Conditions at Site None Carriageway Hazards: None
Place accident reported: Elsewhere DfT Special Projects:

Causation

Factor:	Participant:	Confidence:
1st:		
2nd:		
3rd:		
4th:		
5th:		
6th:		

C1 REVSNG SW TO NE COLL/W C2 PRKD WAITNG TO MOVE OFF NE TO SW.

Occurred on CHURCH END LANE READING EX LOC N/K

Vehicle Reference

Vehicle movement from to

Location at impact

Hit object in road

First impact

Off road:

Hit vehicle:

Age of Driver

Breath test

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

W2531015 29/10/2015 Time 1703 Vehicles 2 Casualties 1 Slight
E:467299 N: 173333 First Road: U 7201 Road Type Single carriageway
Speed limit: 30 Junction Detail: T & Stag Jct Give way or controlled Unclassified 7201
Crossing: Control None Facilities: None within 50m Road surface Wet/Damp
Darkness: street lights present and lit Fine without high winds
Special Conditions at Site None Carriageway Hazards: None
Place accident reported: At scene DfT Special Projects:

Causation

	Factor:	Participant:	Confidence:
1st:	Inexperienced or learner driver/rider	Vehicle 1	Possible
2nd:	Nervous/Uncertain/Panic	Vehicle 1	Possible
3rd:	Distraction in vehicle	Vehicle 1	
4th:			
5th:			
6th:			

C1 TRAV E PKD BEHIND C2 & PUT CAR IN DRIVE (AUTO) ACCIDENTALLY & MVED OFF INTO REAR OF C2.
C2 HAS LEFT CWAY NSIDE HIT LAMP POST & PED (YOUNG BOY) ON PVMNT. C1 HAS NO INSURANCE
Occurred on TEVIOT ROAD J/W TEVIOT ROAD NORTHERN SPUR ROAD READING

Vehicle Reference

Vehicle movement from to

Location at impact

Hit object in road

First impact

Off road:

Hit vehicle:

Age of Driver

Breath test

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

W126111513/11/2015Time1334Vehicles2Casualties1Slight

E:467672N:173141First Road:U 7201Road TypeSingle carriageway

Speed limit:30Junction Detail:CrossroadsGive way or controlledUnclassified 7201

Crossing: ControlNoneFacilities: Pelican, puffin, toucan etc. Road surfaceDry

Daylight:street lights presentFine without high winds

Special Conditions at SiteNoneCarriageway Hazards:None

Place accident reported:At sceneDfT Special Projects:

	Causation		
Factor:	Participant:	Confidence:	
1st:			
2nd:			
3rd:			
4th:			
5th:			
6th:			

C1 TRN RT NE TO NW ENT MAIN C/WAY & COLL/W C2 TRAV NW TO SE.
Occurred on THE MEADWAY J/W COMBE ROAD TILEHURST READING

Vehicle Reference

Vehicle movement fromto

Location at impactFirst impactHit vehicle:

Hit object in roadOff road:

Breath testAge of Driver

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

W2301115 25/11/2015 Time 1830 Vehicles 2 Casualties 1 Slight
E:467529 N: 173145 First Road: U 7201 Road Type Single carriageway
Speed limit: 30 Junction Detail: T & Stag Jct Give way or controlled Unclassified 7201
Crossing: Control None Facilities: None within 50m Road surface Dry
Darkness: street lights present and lit Fine without high winds
Special Conditions at Site None Carriageway Hazards: None
Place accident reported: At scene DfT Special Projects:

Causation

	Factor:	Participant:	Confidence:
1st:	Distraction outside vehicle	Vehicle 1	Very Likely
2nd:	Failed to judge other persons path or speed	Vehicle 1	Very Likely
3rd:	Failed to judge other persons path or speed	Vehicle 2	
4th:			
5th:			
6th:			

C1 FAILED TO GWAY TRNG RT S TO E COLL/W C2 TRAV E
Occurred on THE MEADWAY J/W DUNSFOLD ROAD READING

Vehicle Reference

Vehicle movement from to

Location at impact

Hit object in road

First impact

Off road:

Hit vehicle:

Age of Driver

Breath test

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

160299429 19/10/2016 Time 0840 Vehicles 2 Casualties 1 Slight
E:467711 N: 172844 First Road: U 7201 Road Type Single carriageway
Speed limit: 20 Junction Detail: Not within 20m of junction
Crossing: Control None Facilities: None within 50m Road surface Dry
Daylight:street lights present Fine without high winds
Special Conditions at Site None Carriageway Hazards: None
Place accident reported: Elsewhere DfT Special Projects:

Causation

	Factor:	Participant:	Confidence:
1st:	Stationary or parked vehicle	Vehicle 1	Very Likely
2nd:	Failed to look properly	Vehicle 1	Very Likely
3rd:			
4th:			
5th:			
6th:			

C1 PRKD ON SIDE OF RD OPEND DOOR & HIT PC2 TRAV NE CAUSG INJ
Occurred on USK RD EX LOC NK BUT NR CHURCH END SCHOOL READING

Vehicle Reference

Vehicle movement from to

Location at impact

Hit object in road

First impact

Off road:

Hit vehicle:

Age of Driver

Breath test

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

160312404 01/11/2016 Time 1715 Vehicles 2 Casualties 1 Slight
E:467968 N: 173306 First Road: U 7201 Road Type Single carriageway
Speed limit: 30 Junction Detail: Pri Drive Give way or controlled Unclassified
Crossing: Control None Facilities: None within 50m Road surface Dry
Darkness: street lights present and lit Fine without high winds
Special Conditions at Site None Carriageway Hazards: None
Place accident reported: Elsewhere DfT Special Projects:

Causation			
	Factor:	Participant:	Confidence:
1st:	Failed to look properly	Vehicle 1	Very Likely
2nd:			
3rd:			
4th:			
5th:			
6th:			

C1 PULLD ONTO MAIN RD TO TRN LFT S TO NW CAUSG MC2 TRAV NW TO BRK HARD & FELL OFF BIKE.
NO COLL BTWN VEHS
Occurred on ELVASTON WAY APP 70M SE SAVERNAKE CLOSE AT GARAGE BLOCK READING

Vehicle Reference
Vehicle movement from to

Location at impact First impact Hit vehicle:
Hit object in road Off road:

Age of Driver

Breath test

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

170015373 02/01/2017 Time 1714 Vehicles 1 Casualties 1 Slight
E:467813 N: 173063 First Road: U 7201 Road Type Single carriageway
Speed limit: 30 Junction Detail: Not within 20m of junction
Crossing: Control None Facilities: None within 50m Road surface Dry
Darkness: street lights present and lit Fine without high winds
Special Conditions at Site None Carriageway Hazards: None
Place accident reported: At scene DfT Special Projects:

Causation

	Factor:	Participant:	Confidence:
1st:	Careless/Reckless/In a hurry	Casualty 1	Very Likely
2nd:	Crossed road masked by stationary veh	Casualty 1	Very Likely
3rd:	Failed to look properly	Casualty 1	
4th:			
5th:			
6th:			

PED (YOUNG CHILD) RAN INTO RD TO SW & COLL/W C1 TRAV NW
Occurred on THE MEADWAY O/S 191 APP 150M NW DEE RD READING

Vehicle Reference

Vehicle movement from to

Location at impact

Hit object in road

First impact

Off road:

Hit vehicle:

Age of Driver

Breath test

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

170163594 22/05/2017 Time 1930 Vehicles 2 Casualties 1 Serious
E:467316 N: 173763 First Road: U 7201 Road Type Single carriageway
Speed limit: 30 Junction Detail: Not within 20m of junction
Crossing: Control None Facilities: None within 50m Road surface Dry
Daylight:street lights present Fine without high winds
Special Conditions at Site Road surface defective Carriageway Hazards: None
Place accident reported: At scene DfT Special Projects:

Causation

	Factor:	Participant:	Confidence:
1st:	Travelling too fast for conditions	Vehicle 1	Very Likely
2nd:	Poor or defective road surface	Vehicle 1	Possible
3rd:			
4th:			
5th:			
6th:			

MC1 TRAV S AT SPEED HIT ROUGH BIT OF RD, LST CONT & COLL/W PRKD C2 ON N/S & CAME OFF BIKE
Occurred on BLUNDELLS RD O/S 5 APP 25M S TILEHURST READING

Vehicle Reference

Vehicle movement from to

Location at impact

Hit object in road

First impact

Off road:

Hit vehicle:

Age of Driver

Breath test

Accidents between dates 31/07/2012 and 31/07/2017 (60) months

Selection: Notes:

Selected using Build Query :

170211595 10/07/2017 Time 0022 Vehicles 2 Casualties 1 Slight
E:467363 N: 173107 First Road: U 7201 Road Type Single carriageway
Speed limit: 30 Junction Detail: T & Stag Jct Give way or controlled Unclassified 7201
Crossing: Control None Facilities: None within 50m Road surface Dry
Darkness: street lights present and lit Fine without high winds
Special Conditions at Site None Carriageway Hazards: None
Place accident reported: At scene DfT Special Projects:

Causation

	Factor:	Participant:	Confidence:
1st:	Careless/Reckless/In a hurry	Vehicle 1	Very Likely
2nd:	Other	Vehicle 2	Possible
3rd:			
4th:			
5th:			
6th:			

CYCLIST - NO LIGHTS OR HELMET

C1 TRNG RT E TO N COLL/W PC2 TRAV E WITHOUT LIGHTS ON. C1 FTS

Occurred on THE MEADWAY J/W CORWEN ROAD READING

Vehicle Reference

Vehicle movement from to

Location at impact

Hit object in road

First impact

Off road:

Hit vehicle:

Age of Driver

Breath test


Accidents involving:

	Fatal	Serious	Slight	Total
Motor vehicles only (excluding 2-wheels)	0	3	15	18
2-wheeled motor vehicles	0	0	2	2
Pedal cycles	0	0	1	1
Horses & other	0	3	14	17
Total	0	3	18	21

Casualties:

	Fatal	Serious	Slight	Total
Vehicle driver	0	0	0	0
Passenger	0	0	0	0
Motorcycle rider	0	0	0	0
Cyclist	0	0	0	0
Pedestrian	0	0	0	0
Other	0	0	0	0
Total	0	0	0	0

Selected Range of Accidents between dates 31/07/2012 and 31/07/2017
Selected using Manual Selection



+ Crown copyright. All rights reserved.
Licence No. 2017

Selected map area



SCALE	1 : 4710
DATE	04/10/2017
DRAWING No.	
DRAWN BY	

Appendix 5

Trip Generation calculations

TRIP GENERATION - PUPILS

Existing modal split (2017 survey)

Mode	0 - 400m	400 - 800m	800 - 1200m	1200 - 1600m	1600 - 2400m	over 2400m	total
walk	1	16	11	6	1	1	36
Car	0	4	5	9	6	6	30
Bus	0	0	1	0	1	4	6
Cycle or Scoot	0	1	0	2	0	0	3
Park & Stride	0	0	0	0	3	2	5

80

Mode	0 - 400m	400 - 800m	800 - 1200m	1200 - 1600m	1600 - 2400m	over 2400m
walk	100.00%	76.19%	64.71%	35.29%	9.09%	7.69%
Car	0.00%	19.05%	29.41%	52.94%	54.55%	46.15%
Bus	0.00%	0.00%	5.88%	0.00%	9.09%	30.77%
Cycle or Scoot	0.00%	4.76%	0.00%	11.76%	0.00%	0.00%
Park & Stride	0.00%	0.00%	0.00%	0.00%	27.27%	15.38%

% of site within each isochrone zone								
New developments	Number of new dwellings		0 - 5 Minutes Walk (0 - 400m)	5 - 10 Minutes Walk (400 - 800m)	10 - 15 Minutes Walk (800 - 1200m)	15 - 20 Minutes Walk (1200 - 1600m)	20 - 25 Minutes Walk (1600 - 2400m)	Over 2400m
SO001	0 not developable in next 15 years		0%	0%	67%	33%	0%	0%
SO002	106		0%	0%	0%	70%	30%	0%
SO003	20		0%	0%	0%	0%	100%	0%
SO006	0 - hotel		0%	0%	0%	0%	100%	0%
SO008	36		0%	0%	0%	0%	0%	100%
KE002	11		0%	0%	0%	0%	0%	100%
KE003	10		0%	0%	0%	0%	0%	100%
KE008	61		0%	0%	0%	0%	0%	100%
KE010	12		0%	0%	0%	0%	0%	100%
KE019	15		0%	0%	0%	0%	100%	0%
BA002	14		0%	0%	0%	0%	0%	100%
BA003	158		0%	0%	0%	0%	0%	100%
BA004	10		0%	0%	0%	0%	0%	100%
BA005	0 - industrial use planned							
TI002	0 - school							
TI003	52		0%	100%	0%	0%	0%	0%
NO001	142		0%	0%	20%	40%	40%	0%
NO002	0 - Meadway Centre							
NO005	11		0%	0%	0%	0%	100%	0%
NO009	34		0%	0%	0%	100%	0%	0%

Number of properties in each isochrone zone									
New developments	Number of new dwellings	Number of new pupils from each site	0 - 5 Minutes Walk (0 - 400m)	5 - 10 Minutes Walk (400 - 800m)	10 - 15 Minutes Walk (800 - 1200m)	15 - 20 Minutes Walk (1200 - 1600m)	20 - 25 Minutes Walk (1600 - 2400m)	Over 2400m	TOTAL
SO002	106	31.8	0	0	21.306	10.494	0	0	31.8
SO003	20	6	0	0	0	0	6	0	6
SO008	36	10.8	0	0	0	0	0	10.8	10.8
KE002	11	3.3	0	0	0	0	0	3.3	3.3
KE003	10	3	0	0	0	0	0	3	3
KE008	61	18.3	0	0	0	0	0	18.3	18.3
KE010	12	3.6	0	0	0	0	0	3.6	3.6
KE019	15	4.5	0	0	0	0	4.5	0	4.5
BA002	14	4.2	0	0	0	0	0	4.2	4.2
BA003	158	47.4	0	0	0	0	0	47.4	47.4
BA004	10	3	0	0	0	0	0	3	3
TI003	52	15.6	0	16	0	0	0	0	15.6
NO001	142	42.6	0	0	9	17	17	0	42.6
NO005	11	3.3	0	0	0	0	3	0	3.3
NO009	34	10.2	0	0	0	10	0	0	10.2
Total dwellings in each zone		208	0	16	30	38	31	94	208

Trip generation (mode split)			0 - 5 Minutes Walk (0 - 400m)	5 - 10 Minutes Walk (400 - 800m)	10 - 15 Minutes Walk (800 - 1200m)	15 - 20 Minutes Walk (1200 - 1600m)	20 - 25 Minutes Walk (1600 - 2400m)	Over 2400m	Total by mode
Walk			0	12	19	13	3	7	55
Car			0	3	9	20	17	43	92
Bus			0	0	2	0	3	29	33
Cycle or Scoot			0	1	0	4	0	0	5
Park & Stride			0	0	0	0	8	14	23
			0	16	30	38	31	94	208

Factored up to 210

Walk	54.51	55.14
Car	91.74	92.80
Bus	33.36	33.74
Cycle or Scoot	5.18	5.24
Park & Stride	22.81	23.07

Total new cars from new developments	115.88
--------------------------------------	--------

Reduction in current parking levels when bulge years work through (based on existing modal split)

14

Walk	6
Car	5
Bus	1
Cycle or Scoot	1
Park & Stride	1
Total bulge year children	14
Total cars associated with bulge years	6

Total trip generation by car

New cars from new developments minus cars from bulge years	110
Minimum estimated parking capacity within 200m band	158
Minimum estimated parking capacity within 400m band (including 200m band)	370

TRIP GENERATION -STAFF

	Walk	Cycle	Car Alone	Car Share	Bus	Other	Total
Existing modal split (2017 survey)	12.8	0	79.4	2.6	2.6	2.6	100%
Projected new staff per mode	2.82	0.00	17.47	0.57	0.57	0.57	22

Number of new staff
22

Appendix 6


Development proposals



Existing Site Key:

- Site Ownership Boundary
- Pedestrian Entrance
- Vehicular Entrance

- 1 Main Entrance & Admin Facilities
- 2 Staff & Visitor Parking
- 3 Early Years Play Space
- 4 Key Stage 1 Playground
- 5 Key Stage 2 Playground
- 6 School Playing Fields
- 7 Overspill Staff Parking
- 8 Public Car Park
- 9 Meadway Playing Fields
- 10 Tennis Courts
- 11 Skate Park
- Existing School Buildings



Expansion Exhibition

Notes					
1 This drawing is © copyright Hampshire County Council 2017. No unauthorised reproduction of any kind is permitted.					
2 No Dimensions to be scaled from this drawing					
3 This map is reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the controller of Her Majesty's Stationery Office © Crown copyright. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings. (100019180), (2017)					

 Reading Borough Council				HCC Property Services, Three Minsters House, 76 High Street, Winchester SO23 8UL. tel: (01962) 847801	
PROJECT Reading Borough Council Moorlands Primary School Expansion				SHEET CONTENTS Existing Block Plan	
SCALE 1:500@A1 1:1000@A3	DATE Sept 2017	DRAWN. HD	CHKD.	DRAWING No. E03153-DR-A-1050	REVISION

- ① Playground extended to compensate for loss to new buildings.
- ② Play equipment relocated with new safety surface beneath
- ③ Artificial grass soft play surface
- ④ Performance space to include tiered seating and planting to enclose area.
- ⑤ Existing playground marked for small games.
- ⑥ Additional cycle and scooter storage.
- ⑦ Pre-School entrance reconfigured to improve security, and to provide porous surfacing over tree roots and a variety of play surfaces.
- ⑧ Existing play equipment relocated.
- ⑨ One storage container relocated from environment area to accommodate PTA equipment.
- ⑩ Geocell sown with grass to provide emergency vehicle access.
- ⑪ Environmental education area including wildflower meadow and productive growing. Two conifers felled to improve light levels and views from reception. Small tree relocated from beneath new classroom canopy.
- ⑫ New fire escape path.
- ⑬ Improvements to school entrance including a replacement tree in a raised planter, and flag paving.
- ⑭ Asphalt car parking reconfigured to include 3 accessible spaces.
- ⑮ Gravel car parking spaces stabilised with geo-grid system. Through-route for emergency access.
- ⑯ Small enclosed staff garden.
- ⑰ Enlarged bin storage area; two spaces for powered two-wheelers.
- ⑱ Constrained beech tree replaced by new tree further from building, and surrounded with ground cover plants to create more attractive approach.
- ⑲ Replacement tree planting.

-  Slab paving
-  Asphalt
-  Natural grass
-  Wildflower meadow
-  Artificial grass
-  Shrub and herbaceous planting
-  Vehicular geocell over grass
-  Vehicular gravel-filled geocell
-  Rubber crumb / wet pour
-  Existing trees
-  Trees to be removed
-  New trees



**Hampshire County Council**

HCC Property Services,
Three Minsters House,
76 High Street, Winchester SO23 8UL.
Tel: 01962 847801

Property Services

Project Title
**Moorlands Primary School
1FE Expansion**

Client
Client

Drawing Title
**Landscape Plan
Proposed Layout
Proposals Only (existing not coloured)**

Scale 1:250 @ A1 1:500 @ A3	Date of Origin 22.01.18	Drawn PD	Checked
Drawing No. E03153-HCC-ZZ-00-GF-DR- L-7011A	Revision A		

Status
Planning Application

KEY:

- Asphalt
- Natural grass
- Shrub and herbaceous planting
- Vehicular geocell over grass
- Vehicular gravel-filled geocell
- Rubber crumb / wet pour
- Existing trees
- Trees to be removed
- New trees

- 1


New section of path, with timber knee rail and grounds maintenance access gate
- 2

Car park extension for 24 standard spaces
- 3

Bin and signage relocated. Pedestrian access retained across end of existing car park.
- 4

Replacement link between existing paths
- 5

Grass area at front of car park surfaced with reinforcement grid to allow recycling bins to be located here



**Hampshire
County Council**

HCC Property Services,
Three Minsters House,
76 High Street, Winchester SO23 8UL.
Tel: 01962 847801

Project Title

Moorlands Primary School
1FE Expansion

Client

Drawing Title

Landscape Plan
Landscape Proposals
Recreation Ground Car Park Extension

Scale

1:250 @ A1
1:500 @ A3

Date of Origin

18.01.18

Drawn

PD

Checked

Drawing No.

E03153-HCC-ZZ-00-GF-DR- L-7011B

Revision

Status

Planning Application

Appendix 7

Construction route plan

The Moor

Playing Field

Tennis Courts

CHURCH END LANE

General Notes

1 This drawing is © copyright Hampshire County Council 2016. No unauthorised reproduction of any kind is permitted.

2 No Dimensions to be scaled from this drawing

3 This map is reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the controller of Her Majesty's Stationary Office © Crown copyright. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings. (100019180), (2016)

Notes:

24

20

Phase 1 - KS2

2 Storey Teaching Block

Y6

GRP

GRP

GRP

Y4 x 3

GRP

Y3 x 3

GRP

Y1

Y1

Y1

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

YR

Phase 1 - KS1

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Y2

Phase 3a - Temp. Admin.

Phase 2 - Foundation

Nursery

Phase 3 - Admin

Phase 3 - Parking

- Proposed Contractor compound and access
- Phase 1 - KS1 & 2
- Phase 2 - Foundation
- Phase 3 - Admin & Parking

NOTE: Phasing based on recommendation for each area, indicative only

Rev	Date	Description	Drawn	Chkd
E	18.12.17	Phases 2 & 3 swapped	HD	HD
D	10.01.17	Phase 1 updated	HD	HD
C	21.11.16	Updated following client meeting 16.11.16.	HD	HD
B	07.11.16	Proposed contractor compound indicated	HD	HD
A	19.10.16	Phase 3 base information updated	HD	HD

**Hampshire County Council**

HCC Property Services,
Three Minsters House,
76 High Street, Winchester SO23 8UL.
Tel: 01962 847801



Project Title
Moorlands Primary School
Reading Borough Council

Client

Drawing Title
Proposed Phasing

Scale NTS@A1 NTS@A3	Date of Origin 20/09/16	Drawn CJ	Checked
Drawing No. E03153_SK_014			Revision E

Status