



Colin Dawson Associates

Architectural Design and Building Surveying

Malvern House,
1 Malvern Way,
Twyford, Reading,
Berkshire. RG10 9PY

tel: **0118 9343322**
cdadesign@malvernhse.eu

68 SWAINSTONE ROAD, READING, BERKSHIRE.

PLANNING CONSENT 151942 - 23/02/2017

CONDITION 12

CONSTRUCTION METHOD STATEMENT (Noise and Dust Control)

15/08/2017

References refer to sequencing of Condition 12 appended to Planning Consent 151942.

Responsible person: Site Forman

A. Noise Reduction

- No deliveries of plant and materials outside approved hours.
- Noisy operation's such as cutting and grinding to be undertaken under supervision to the rear of the site.
- All plant and machinery fitted with manufactures silencers or baffles, which are to be checked prior to use that they are in full working order.
- Use of radios in external areas to be restricted and the level minimised for internal use.
- Site operative to be briefed by responsible person, regarding limiting shouting and language.

B. Dust Control.

- Scaffolding dust control netting to be provided and fixed to application site fencing to North and West boundaries for the full duration of the building works including external works. .

- Dust producing operation's such as cutting and grinding to be undertaken under supervision to the rear of the site.
- Saws and/or grinders to be fitted the dust collection pouches.
- Water is to be available at all times for damping down
- Covers sheet to be used in the transportation of waste from the site
- All plant and machinery fitted with manufactures silencers or baffles, which are to be checked prior to use that they are in full working order.