

APPENDIX B

-

AVERAGE DAYLIGHT FACTOR ('ADF') TABLE

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Scheme Dated : 24.04.2017

Parameters Used for ADF : Glazing Transmittance = 0.68 Maintenance Factor = 8% Frame Correction = 0.8					Wall Reflectance = 0.81 Floor Reflectance = 0.4 Ceiling Reflectance = 0.85	
Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
Block F						
1st Floor						
R1/11	RESIDENTIAL		LKD	W1/11	3.28	
R1/11	RESIDENTIAL		LKD	W2/11	0.56	3.84
R2/11	RESIDENTIAL		BEDROOM	W3/11	1.21	1.21
R3/11	RESIDENTIAL		BEDROOM	W6/11	1.33	1.33
R4/11	RESIDENTIAL		LKD	W7/11	1.51	1.51
R5/11	RESIDENTIAL		BEDROOM	W8/11	1.36	1.36
R6/11	RESIDENTIAL		LKD	W9/11	1.58	1.58
R7/11	RESIDENTIAL		BEDROOM	W10/11	1.44	1.44
R8/11	RESIDENTIAL		LKD	W11/11	1.69	1.69
R9/11	RESIDENTIAL		BEDROOM	W13/11	2.67	2.67
R10/11	RESIDENTIAL		BEDROOM	W14/11	1.72	1.72
R11/11	RESIDENTIAL		LKD	W15/11	0.72	
R11/11	RESIDENTIAL		LKD	W16/11	3.08	3.8
R12/11	RESIDENTIAL		LKD	W17/11	0.65	
R12/11	RESIDENTIAL		LKD	W18/11	2.36	
R12/11	RESIDENTIAL		LKD	W19/11	1.84	4.84
R13/11	RESIDENTIAL		BEDROOM	W20/11	1.93	1.93
R14/11	RESIDENTIAL		BEDROOM	W21/11	1.64	1.64
R15/11	RESIDENTIAL		LKD	W22/11	2.23	2.23
R16/11	RESIDENTIAL		BEDROOM	W23/11	2.03	2.03

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
R17/11	RESIDENTIAL		BEDROOM	W24/11	1.82	1.82
R18/11	RESIDENTIAL		LKD	W25/11	1.86	1.86
R19/11	RESIDENTIAL		BEDROOM	W26/11	1.9	1.9
R20/11	RESIDENTIAL		BEDROOM	W27/11	1.71	1.71
R21/11	RESIDENTIAL		LKD	W28/11	1.99	1.99
R22/11	RESIDENTIAL		BEDROOM	W29/11	1.56	1.56
R23/11	RESIDENTIAL		BEDROOM	W31/11	1.46	1.46
R24/11	RESIDENTIAL		BEDROOM	W32/11	1.74	1.74
R25/11	RESIDENTIAL		LKD	W33/11	1.4	
R25/11	RESIDENTIAL		LKD	W34/11	1.97	
R25/11	RESIDENTIAL		LKD	W35/11	0.56	3.93
2nd Floor						
R1/12	RESIDENTIAL		LKD	W1/12	3.12	
R1/12	RESIDENTIAL		LKD	W2/12	0.54	3.66
R2/12	RESIDENTIAL		BEDROOM	W3/12	1.51	1.51
R3/12	RESIDENTIAL		BEDROOM	W4/12	2.37	2.37
R4/12	RESIDENTIAL		BEDROOM	W7/12	1.38	1.38
R5/12	RESIDENTIAL		LKD	W8/12	1.5	1.5
R6/12	RESIDENTIAL		BEDROOM	W9/12	1.41	1.41
R7/12	RESIDENTIAL		LKD	W10/12	1.56	1.56
R8/12	RESIDENTIAL		BEDROOM	W11/12	1.48	1.48
R9/12	RESIDENTIAL		LKD	W12/12	1.67	1.67
R10/12	RESIDENTIAL		BEDROOM	W15/12	2.75	2.75
R11/12	RESIDENTIAL		BEDROOM	W16/12	1.77	1.77
R12/12	RESIDENTIAL		LKD	W17/12	0.74	
R12/12	RESIDENTIAL		LKD	W18/12	2.92	3.66

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
R13/12	RESIDENTIAL		LKD	W19/12	0.65	
R13/12	RESIDENTIAL		LKD	W20/12	2.18	
R13/12	RESIDENTIAL		LKD	W21/12	1.8	4.64
R14/12	RESIDENTIAL		BEDROOM	W22/12	1.99	1.99
R15/12	RESIDENTIAL		BEDROOM	W23/12	1.69	1.69
R16/12	RESIDENTIAL		LKD	W24/12	2.2	2.2
R17/12	RESIDENTIAL		BEDROOM	W25/12	2.09	2.09
R18/12	RESIDENTIAL		BEDROOM	W26/12	1.89	1.89
R19/12	RESIDENTIAL		LKD	W27/12	1.88	1.88
R20/12	RESIDENTIAL		BEDROOM	W28/12	1.97	1.97
R21/12	RESIDENTIAL		BEDROOM	W29/12	1.79	1.79
R22/12	RESIDENTIAL		LKD	W30/12	1.82	1.82
R23/12	RESIDENTIAL		BEDROOM	W31/12	1.92	1.92
R24/12	RESIDENTIAL		BEDROOM	W32/12	1.76	1.76
R25/12	RESIDENTIAL		BEDROOM	W33/12	1.54	1.54
R26/12	RESIDENTIAL		BEDROOM	W34/12	1.82	1.82
R27/12	RESIDENTIAL		LKD	W35/12	1.47	
R27/12	RESIDENTIAL		LKD	W36/12	1.85	
R27/12	RESIDENTIAL		LKD	W37/12	0.57	3.89
3rd Floor						
R1/13	RESIDENTIAL		LKD	W1/13	3.22	
R1/13	RESIDENTIAL		LKD	W2/13	0.56	3.78
R2/13	RESIDENTIAL		BEDROOM	W3/13	1.57	1.57
R3/13	RESIDENTIAL		BEDROOM	W4/13	2.47	2.47
R4/13	RESIDENTIAL		BEDROOM	W7/13	1.44	1.44
R5/13	RESIDENTIAL		LKD	W8/13	1.58	1.58
R6/13	RESIDENTIAL		BEDROOM	W9/13	1.47	1.47

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
R7/13	RESIDENTIAL		LKD	W10/13	1.64	1.64
R8/13	RESIDENTIAL		BEDROOM	W11/13	1.53	1.53
R9/13	RESIDENTIAL		LKD	W12/13	1.75	1.75
R10/13	RESIDENTIAL		BEDROOM	W15/13	2.82	2.82
R11/13	RESIDENTIAL		BEDROOM	W16/13	1.82	1.82
R12/13	RESIDENTIAL		LKD	W17/13	0.75	
R12/13	RESIDENTIAL		LKD	W18/13	2.92	3.68
R13/13	RESIDENTIAL		LKD	W19/13	0.65	
R13/13	RESIDENTIAL		LKD	W20/13	2.18	
R13/13	RESIDENTIAL		LKD	W21/13	1.84	4.68
R14/13	RESIDENTIAL		BEDROOM	W22/13	2.04	2.04
R15/13	RESIDENTIAL		BEDROOM	W23/13	1.73	1.73
R16/13	RESIDENTIAL		LKD	W24/13	2.27	2.27
R17/13	RESIDENTIAL		BEDROOM	W25/13	2.17	2.17
R18/13	RESIDENTIAL		BEDROOM	W26/13	1.96	1.96
R19/13	RESIDENTIAL		LKD	W27/13	1.96	1.96
R20/13	RESIDENTIAL		BEDROOM	W28/13	2.06	2.06
R21/13	RESIDENTIAL		BEDROOM	W29/13	1.88	1.88
R22/13	RESIDENTIAL		LKD	W30/13	1.92	1.92
R23/13	RESIDENTIAL		BEDROOM	W31/13	2.02	2.02
R24/13	RESIDENTIAL		BEDROOM	W32/13	1.85	1.85
R25/13	RESIDENTIAL		BEDROOM	W33/13	1.61	1.61
R26/13	RESIDENTIAL		BEDROOM	W34/13	1.91	1.91
R27/13	RESIDENTIAL		LKD	W35/13	1.55	
R27/13	RESIDENTIAL		LKD	W36/13	1.9	
R27/13	RESIDENTIAL		LKD	W37/13	0.58	4.03

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
5th Floor						
R1/15	RESIDENTIAL		LKD	W1/15	3.4	
R1/15	RESIDENTIAL		LKD	W2/15	0.61	4
R2/15	RESIDENTIAL		BEDROOM	W3/15	1.71	1.71
R3/15	RESIDENTIAL		BEDROOM	W4/15	2.7	2.7
R4/15	RESIDENTIAL		BEDROOM	W7/15	1.58	1.58
R5/15	RESIDENTIAL		LKD	W8/15	1.79	1.79
R6/15	RESIDENTIAL		BEDROOM	W9/15	1.6	1.6
R7/15	RESIDENTIAL		LKD	W10/15	1.85	1.85
R8/15	RESIDENTIAL		BEDROOM	W11/15	1.66	1.66
R9/15	RESIDENTIAL		LKD	W12/15	1.94	1.94
R10/15	RESIDENTIAL		BEDROOM	W15/15	3	3
R11/15	RESIDENTIAL		BEDROOM	W16/15	1.93	1.93
R12/15	RESIDENTIAL		LKD	W17/15	0.79	
R12/15	RESIDENTIAL		LKD	W18/15	2.92	3.72
R13/15	RESIDENTIAL		LKD	W19/15	0.65	
R13/15	RESIDENTIAL		LKD	W20/15	2.18	
R13/15	RESIDENTIAL		LKD	W21/15	1.92	4.75
R14/15	RESIDENTIAL		BEDROOM	W22/15	2.14	2.14
R15/15	RESIDENTIAL		BEDROOM	W23/15	1.83	1.83
R16/15	RESIDENTIAL		LKD	W24/15	2.41	2.41
R17/15	RESIDENTIAL		BEDROOM	W25/15	2.33	2.33
R18/15	RESIDENTIAL		BEDROOM	W26/15	2.11	2.11
R19/15	RESIDENTIAL		LKD	W27/15	2.11	2.11
R20/15	RESIDENTIAL		BEDROOM	W28/15	2.24	2.24
R21/15	RESIDENTIAL		BEDROOM	W29/15	2.05	2.05

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
R22/15	RESIDENTIAL		LKD	W30/15	2.09	2.09
R23/15	RESIDENTIAL		BEDROOM	W31/15	2.22	2.22
R24/15	RESIDENTIAL		BEDROOM	W32/15	2.04	2.04
R25/15	RESIDENTIAL		BEDROOM	W33/15	1.77	1.77
R26/15	RESIDENTIAL		BEDROOM	W34/15	2.1	2.1
R27/15	RESIDENTIAL		LKD	W35/15	1.7	
R27/15	RESIDENTIAL		LKD	W36/15	1.99	
R27/15	RESIDENTIAL		LKD	W37/15	0.6	4.29
7th Floor						
R1/17	RESIDENTIAL		LKD	W1/17	3.49	
R1/17	RESIDENTIAL		LKD	W2/17	0.48	
R1/17	RESIDENTIAL		LKD	W3/17	0.49	4.46
R2/17	RESIDENTIAL		BEDROOM	W4/17	3.27	3.27
R3/17	RESIDENTIAL		BEDROOM	W7/17	1.75	1.75
R4/17	RESIDENTIAL		LKD	W8/17	2.64	2.64
R5/17	RESIDENTIAL		BEDROOM	W9/17	1.78	1.78
R6/17	RESIDENTIAL		LKD	W10/17	2.69	2.69
R7/17	RESIDENTIAL		BEDROOM	W11/17	1.82	1.82
R8/17	RESIDENTIAL		LKD	W12/17	2.74	2.74
R9/17	RESIDENTIAL		BEDROOM	W15/17	3.1	3.1
R10/17	RESIDENTIAL		BEDROOM	W16/17	1.98	1.98
R11/17	RESIDENTIAL		LKD	W17/17	0.81	
R11/17	RESIDENTIAL		LKD	W18/17	3.1	3.91
R12/17	RESIDENTIAL		LKD	W19/17	0.64	
R12/17	RESIDENTIAL		LKD	W20/17	2.43	
R12/17	RESIDENTIAL		LKD	W21/17	2.57	5.63
R13/17	RESIDENTIAL		BEDROOM	W22/17	2.25	2.25
R14/17	RESIDENTIAL		BEDROOM	W23/17	1.85	1.85

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
R15/17	RESIDENTIAL		LKD	W24/17	3.16	3.16
R16/17	RESIDENTIAL		BEDROOM	W25/17	2.46	2.46
R17/17	RESIDENTIAL		BEDROOM	W26/17	2.18	2.18
R18/17	RESIDENTIAL		LKD	W27/17	2.81	2.81
R19/17	RESIDENTIAL		BEDROOM	W28/17	2.4	2.4
R20/17	RESIDENTIAL		BEDROOM	W29/17	2.12	2.12
R21/17	RESIDENTIAL		LKD	W30/17	2.81	2.81
R22/17	RESIDENTIAL		BEDROOM	W31/17	2.4	2.4
R23/17	RESIDENTIAL		BEDROOM	W32/17	2.12	2.12
R24/17	RESIDENTIAL		BEDROOM	W33/17	1.85	1.85
R25/17	RESIDENTIAL		BEDROOM	W34/17	2.19	2.19
R26/17	RESIDENTIAL		LKD	W35/17	2.34	
R26/17	RESIDENTIAL		LKD	W36/17	2.24	
R26/17	RESIDENTIAL		LKD	W37/17	0.59	5.17
Block G						
1st Floor						
R1/21	RESIDENTIAL		LKD	W1/21	0.51	
R1/21	RESIDENTIAL		LKD	W2/21	1.83	
R1/21	RESIDENTIAL		LKD	W3/21	1.16	3.51
R2/21	RESIDENTIAL		BEDROOM	W4/21	1.44	1.44
R3/21	RESIDENTIAL		BEDROOM	W5/21	1.22	1.22
R4/21	RESIDENTIAL		BEDROOM	W7/21	1.37	1.37
R5/21	RESIDENTIAL		LKD	W8/21	1.61	1.61
R6/21	RESIDENTIAL		BEDROOM	W9/21	1.46	1.46
R7/21	RESIDENTIAL		BEDROOM	W10/21	1.62	1.62
R8/21	RESIDENTIAL		LKD	W11/21	1.57	1.57

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
R9/21	RESIDENTIAL		BEDROOM	W12/21	1.6	1.6
R10/21	RESIDENTIAL		BEDROOM	W13/21	1.8	1.8
R11/21	RESIDENTIAL		LKD	W14/21	1.89	1.89
R12/21	RESIDENTIAL		LKD	W15/21	1.96	1.96
R13/21	RESIDENTIAL		BEDROOM	W16/21	1.76	1.76
R14/21	RESIDENTIAL		BEDROOM	W17/21	1.59	1.59
R15/21	RESIDENTIAL		BEDROOM	W18/21	1.89	1.89
R16/21	RESIDENTIAL		LKD	W19/21	1.78	
R16/21	RESIDENTIAL		LKD	W20/21	2.38	
R16/21	RESIDENTIAL		LKD	W21/21	0.65	4.81
R17/21	RESIDENTIAL		LKD	W22/21	3.07	
R17/21	RESIDENTIAL		LKD	W23/21	0.83	3.9
R18/21	RESIDENTIAL		BEDROOM	W24/21	2	2
R19/21	RESIDENTIAL		BEDROOM	W25/21	3.11	3.11
R20/21	RESIDENTIAL		BEDROOM	W26/21	1.8	1.8
R21/21	RESIDENTIAL		LKD	W27/21	2.07	2.07
R22/21	RESIDENTIAL		LKD	W29/21	1.96	1.96
R23/21	RESIDENTIAL		BEDROOM	W30/21	1.64	1.64
R24/21	RESIDENTIAL		LKD	W31/21	1.84	1.84
R25/21	RESIDENTIAL		BEDROOM	W32/21	1.57	1.57
R26/21	RESIDENTIAL		LKD	W33/21	1.76	1.76
R27/21	RESIDENTIAL		BEDROOM	W34/21	1.53	1.53
R28/21	RESIDENTIAL		BEDROOM	W37/21	1.36	1.36
R29/21	RESIDENTIAL		LKD	W38/21	0.63	
R29/21	RESIDENTIAL		LKD	W39/21	3.08	3.71
2nd Floor						

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
R1/22	RESIDENTIAL		LKD	W1/22	0.53	
R1/22	RESIDENTIAL		LKD	W2/22	1.78	
R1/22	RESIDENTIAL		LKD	W3/22	1.18	3.49
R2/22	RESIDENTIAL		BEDROOM	W4/22	1.51	1.51
R3/22	RESIDENTIAL		BEDROOM	W5/22	1.27	1.27
R4/22	RESIDENTIAL		BEDROOM	W6/22	1.45	1.45
R5/22	RESIDENTIAL		BEDROOM	W7/22	1.58	1.58
R6/22	RESIDENTIAL		LKD	W8/22	1.43	1.43
R7/22	RESIDENTIAL		BEDROOM	W9/22	1.52	1.52
R8/22	RESIDENTIAL		BEDROOM	W10/22	1.69	1.69
R9/22	RESIDENTIAL		LKD	W11/22	1.56	1.56
R10/22	RESIDENTIAL		BEDROOM	W12/22	1.67	1.67
R11/22	RESIDENTIAL		BEDROOM	W13/22	1.87	1.87
R12/22	RESIDENTIAL		LKD	W14/22	1.87	1.87
R13/22	RESIDENTIAL		LKD	W15/22	1.93	1.93
R14/22	RESIDENTIAL		BEDROOM	W16/22	1.83	1.83
R15/22	RESIDENTIAL		BEDROOM	W17/22	1.65	1.65
R16/22	RESIDENTIAL		BEDROOM	W18/22	1.95	1.95
R17/22	RESIDENTIAL		LKD	W19/22	1.74	
R17/22	RESIDENTIAL		LKD	W20/22	2.18	
R17/22	RESIDENTIAL		LKD	W21/22	0.65	4.58
R18/22	RESIDENTIAL		LKD	W22/22	2.92	
R18/22	RESIDENTIAL		LKD	W23/22	0.84	3.75
R19/22	RESIDENTIAL		BEDROOM	W24/22	2.04	2.04
R20/22	RESIDENTIAL		BEDROOM	W25/22	3.19	3.19
R21/22	RESIDENTIAL		BEDROOM	W26/22	1.85	1.85

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
R22/22	RESIDENTIAL		LKD	W27/22	2.04	2.04
R23/22	RESIDENTIAL		LKD	W30/22	1.95	1.95
R24/22	RESIDENTIAL		BEDROOM	W31/22	1.69	1.69
R25/22	RESIDENTIAL		LKD	W32/22	1.87	1.87
R26/22	RESIDENTIAL		BEDROOM	W33/22	1.62	1.62
R27/22	RESIDENTIAL		LKD	W34/22	1.8	1.8
R28/22	RESIDENTIAL		BEDROOM	W35/22	1.6	1.6
R29/22	RESIDENTIAL		BEDROOM	W38/22	2.69	2.69
R30/22	RESIDENTIAL		BEDROOM	W39/22	1.71	1.71
R31/22	RESIDENTIAL		LKD	W40/22	0.61	
R31/22	RESIDENTIAL		LKD	W41/22	2.99	3.61
3rd Floor						
R1/23	RESIDENTIAL		LKD	W1/23	0.56	
R1/23	RESIDENTIAL		LKD	W2/23	1.84	
R1/23	RESIDENTIAL		LKD	W3/23	1.22	3.62
R2/23	RESIDENTIAL		BEDROOM	W4/23	1.56	1.56
R3/23	RESIDENTIAL		BEDROOM	W5/23	1.32	1.32
R4/23	RESIDENTIAL		BEDROOM	W6/23	1.5	1.5
R5/23	RESIDENTIAL		BEDROOM	W7/23	1.64	1.64
R6/23	RESIDENTIAL		LKD	W8/23	1.48	1.48
R7/23	RESIDENTIAL		BEDROOM	W9/23	1.58	1.58
R8/23	RESIDENTIAL		BEDROOM	W10/23	1.74	1.74
R9/23	RESIDENTIAL		LKD	W11/23	1.61	1.61
R10/23	RESIDENTIAL		BEDROOM	W12/23	1.71	1.71
R11/23	RESIDENTIAL		BEDROOM	W13/23	1.92	1.92
R12/23	RESIDENTIAL		LKD	W14/23	1.92	1.92

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
R13/23	RESIDENTIAL		LKD	W15/23	1.98	1.98
R14/23	RESIDENTIAL		BEDROOM	W16/23	1.86	1.86
R15/23	RESIDENTIAL		BEDROOM	W17/23	1.67	1.67
R16/23	RESIDENTIAL		BEDROOM	W18/23	1.98	1.98
R17/23	RESIDENTIAL		LKD	W19/23	1.77	
R17/23	RESIDENTIAL		LKD	W20/23	2.18	
R17/23	RESIDENTIAL		LKD	W21/23	0.65	4.6
R18/23	RESIDENTIAL		LKD	W22/23	2.92	
R18/23	RESIDENTIAL		LKD	W23/23	0.85	3.77
R19/23	RESIDENTIAL		BEDROOM	W24/23	2.09	2.09
R20/23	RESIDENTIAL		BEDROOM	W25/23	3.26	3.26
R21/23	RESIDENTIAL		BEDROOM	W26/23	1.89	1.89
R22/23	RESIDENTIAL		LKD	W27/23	2.12	2.12
R23/23	RESIDENTIAL		LKD	W30/23	2.04	2.04
R24/23	RESIDENTIAL		BEDROOM	W31/23	1.75	1.75
R25/23	RESIDENTIAL		LKD	W32/23	1.97	1.97
R26/23	RESIDENTIAL		BEDROOM	W33/23	1.69	1.69
R27/23	RESIDENTIAL		LKD	W34/23	1.91	1.91
R28/23	RESIDENTIAL		BEDROOM	W35/23	1.67	1.67
R29/23	RESIDENTIAL		BEDROOM	W38/23	2.82	2.82
R30/23	RESIDENTIAL		BEDROOM	W39/23	1.79	1.79
R31/23	RESIDENTIAL		LKD	W40/23	0.64	
R31/23	RESIDENTIAL		LKD	W41/23	3.13	3.77
5th Floor						
R1/25	RESIDENTIAL		LKD	W1/25	0.6	
R1/25	RESIDENTIAL		LKD	W2/25	1.97	
R1/25	RESIDENTIAL		LKD	W3/25	1.34	3.91

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
R2/25	RESIDENTIAL		BEDROOM	W4/25	1.69	1.69
R3/25	RESIDENTIAL		BEDROOM	W5/25	1.43	1.43
R4/25	RESIDENTIAL		BEDROOM	W6/25	1.64	1.64
R5/25	RESIDENTIAL		BEDROOM	W7/25	1.78	1.78
R6/25	RESIDENTIAL		LKD	W8/25	1.64	1.64
R7/25	RESIDENTIAL		BEDROOM	W9/25	1.7	1.7
R8/25	RESIDENTIAL		BEDROOM	W10/25	1.87	1.87
R9/25	RESIDENTIAL		LKD	W11/25	1.76	1.76
R10/25	RESIDENTIAL		BEDROOM	W12/25	1.81	1.81
R11/25	RESIDENTIAL		BEDROOM	W13/25	2.02	2.02
R12/25	RESIDENTIAL		LKD	W14/25	2.05	2.05
R13/25	RESIDENTIAL		LKD	W15/25	2.09	2.09
R14/25	RESIDENTIAL		BEDROOM	W16/25	1.92	1.92
R15/25	RESIDENTIAL		BEDROOM	W17/25	1.72	1.72
R16/25	RESIDENTIAL		BEDROOM	W18/25	2.03	2.03
R17/25	RESIDENTIAL		LKD	W19/25	1.82	
R17/25	RESIDENTIAL		LKD	W20/25	2.18	
R17/25	RESIDENTIAL		LKD	W21/25	0.65	4.66
R18/25	RESIDENTIAL		LKD	W22/25	2.92	
R18/25	RESIDENTIAL		LKD	W23/25	0.88	3.8
R19/25	RESIDENTIAL		BEDROOM	W24/25	2.17	2.17
R20/25	RESIDENTIAL		BEDROOM	W25/25	3.42	3.42
R21/25	RESIDENTIAL		BEDROOM	W26/25	2	2
R22/25	RESIDENTIAL		LKD	W27/25	2.25	2.25
R23/25	RESIDENTIAL		LKD	W30/25	2.2	2.2

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
R24/25	RESIDENTIAL		BEDROOM	W31/25	1.89	1.89
R25/25	RESIDENTIAL		LKD	W32/25	2.17	2.17
R26/25	RESIDENTIAL		BEDROOM	W33/25	1.85	1.85
R27/25	RESIDENTIAL		LKD	W34/25	2.14	2.14
R28/25	RESIDENTIAL		BEDROOM	W35/25	1.84	1.84
R29/25	RESIDENTIAL		BEDROOM	W38/25	3.11	3.11
R30/25	RESIDENTIAL		BEDROOM	W39/25	1.97	1.97
R31/25	RESIDENTIAL		LKD	W40/25	0.7	
R31/25	RESIDENTIAL		LKD	W41/25	3.38	4.09
7th Floor						
R1/27	RESIDENTIAL		LKD	W1/27	0.6	
R1/27	RESIDENTIAL		LKD	W2/27	2	
R1/27	RESIDENTIAL		LKD	W3/27	1.49	4.09
R2/27	RESIDENTIAL		BEDROOM	W4/27	1.84	1.84
R3/27	RESIDENTIAL		BEDROOM	W5/27	1.55	1.55
R4/27	RESIDENTIAL		BEDROOM	W6/27	1.79	1.79
R5/27	RESIDENTIAL		BEDROOM	W7/27	1.95	1.95
R6/27	RESIDENTIAL		LKD	W8/27	1.84	1.84
R7/27	RESIDENTIAL		BEDROOM	W9/27	1.84	1.84
R8/27	RESIDENTIAL		BEDROOM	W10/27	2.02	2.02
R9/27	RESIDENTIAL		LKD	W11/27	1.92	1.92
R10/27	RESIDENTIAL		BEDROOM	W12/27	1.93	1.93
R11/27	RESIDENTIAL		BEDROOM	W13/27	2.15	2.15
R12/27	RESIDENTIAL		LKD	W14/27	2.19	2.19
R13/27	RESIDENTIAL		LKD	W15/27	2.2	2.2
R14/27	RESIDENTIAL		BEDROOM	W16/27	2	2

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
R15/27	RESIDENTIAL		BEDROOM	W17/27	1.78	1.78
R16/27	RESIDENTIAL		BEDROOM	W18/27	2.09	2.09
R17/27	RESIDENTIAL		LKD	W19/27	1.87	
R17/27	RESIDENTIAL		LKD	W20/27	2.18	
R17/27	RESIDENTIAL		LKD	W21/27	0.65	4.71
R18/27	RESIDENTIAL		LKD	W22/27	2.92	
R18/27	RESIDENTIAL		LKD	W23/27	0.91	3.83
R19/27	RESIDENTIAL		BEDROOM	W24/27	2.26	2.26
R20/27	RESIDENTIAL		BEDROOM	W25/27	3.57	3.57
R21/27	RESIDENTIAL		BEDROOM	W26/27	2.09	2.09
R22/27	RESIDENTIAL		LKD	W27/27	2.37	2.37
R23/27	RESIDENTIAL		LKD	W30/27	2.34	2.34
R24/27	RESIDENTIAL		BEDROOM	W31/27	2.03	2.03
R25/27	RESIDENTIAL		LKD	W32/27	2.33	2.33
R26/27	RESIDENTIAL		BEDROOM	W33/27	2.01	2.01
R27/27	RESIDENTIAL		LKD	W34/27	2.32	2.32
R28/27	RESIDENTIAL		BEDROOM	W35/27	2.02	2.02
R29/27	RESIDENTIAL		BEDROOM	W38/27	3.43	3.43
R30/27	RESIDENTIAL		BEDROOM	W39/27	2.17	2.17
R31/27	RESIDENTIAL		LKD	W40/27	0.77	
R31/27	RESIDENTIAL		LKD	W41/27	3.42	4.2
Block H						
1st Floor						
R1/41	RESIDENTIAL		LKD	W1/41	0.58	
R1/41	RESIDENTIAL		LKD	W2/41	1.57	
R1/41	RESIDENTIAL		LKD	W3/41	1.98	4.13
R2/41	RESIDENTIAL		BEDROOM	W4/41	3.67	3.67

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
R3/41	RESIDENTIAL		BEDROOM	W5/41	1.45	1.45
R4/41	RESIDENTIAL		LKD	W6/41	1.52	1.52
R5/41	RESIDENTIAL		BEDROOM	W7/41	1.78	1.78
R6/41	RESIDENTIAL		BEDROOM	W8/41	1.37	1.37
R7/41	RESIDENTIAL		LKD	W9/41	2.18	2.18
R8/41	RESIDENTIAL		BEDROOM	W10/41	1.71	1.71
R9/41	RESIDENTIAL		BEDROOM	W11/41	1.45	1.45
R10/41	RESIDENTIAL		BEDROOM	W12/41	3.26	3.26
R11/41	RESIDENTIAL		BEDROOM	W13/41	1.68	1.68
R12/41	RESIDENTIAL		LKD	W14/41	2.02	
R12/41	RESIDENTIAL		LKD	W15/41	1.8	
R12/41	RESIDENTIAL		LKD	W16/41	0.62	4.44
R13/41	RESIDENTIAL		LKD	W17/41	0.89	
R13/41	RESIDENTIAL		LKD	W18/41	0.63	
R13/41	RESIDENTIAL		LKD	W19/41	1.87	
R13/41	RESIDENTIAL		LKD	W20/41	0.58	3.97
R14/41	RESIDENTIAL		BEDROOM	W21/41	1.24	1.24
R15/41	RESIDENTIAL		BEDROOM	W22/41	2.29	2.29
R16/41	RESIDENTIAL		BEDROOM	W24/41	1.24	1.24
R17/41	RESIDENTIAL		LKD	W25/41	0.99	0.99
R18/41	RESIDENTIAL		BEDROOM	W26/41	0.97	0.97
R19/41	RESIDENTIAL		BEDROOM	W27/41	1.53	1.53
R20/41	RESIDENTIAL		LKD	W28/41	0.98	0.98
R21/41	RESIDENTIAL		BEDROOM	W30/41	2.28	2.28
R22/41	RESIDENTIAL		LKD	W31/41	0.54	
R22/41	RESIDENTIAL		LKD	W32/41	0.9	
R22/41	RESIDENTIAL		LKD	W33/41	0.54	
R22/41	RESIDENTIAL		LKD	W34/41	1.59	3.57

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
2nd Floor						
R1/42	RESIDENTIAL		LKD	W1/42	0.59	
R1/42	RESIDENTIAL		LKD	W2/42	1.66	
R1/42	RESIDENTIAL		LKD	W3/42	2.03	4.28
R2/42	RESIDENTIAL		BEDROOM	W4/42	3.74	3.74
R3/42	RESIDENTIAL		BEDROOM	W5/42	1.47	1.47
R4/42	RESIDENTIAL		LKD	W6/42	1.48	1.48
R5/42	RESIDENTIAL		BEDROOM	W7/42	1.8	1.8
R6/42	RESIDENTIAL		BEDROOM	W8/42	1.39	1.39
R7/42	RESIDENTIAL		LKD	W9/42	2.2	2.2
R8/42	RESIDENTIAL		BEDROOM	W10/42	1.72	1.72
R9/42	RESIDENTIAL		BEDROOM	W11/42	1.45	1.45
R10/42	RESIDENTIAL		BEDROOM	W12/42	3.28	3.28
R11/42	RESIDENTIAL		BEDROOM	W13/42	1.69	1.69
R12/42	RESIDENTIAL		LKD	W14/42	2.04	
R12/42	RESIDENTIAL		LKD	W15/42	1.82	
R12/42	RESIDENTIAL		LKD	W16/42	0.61	4.47
R13/42	RESIDENTIAL		LKD	W17/42	0.95	
R13/42	RESIDENTIAL		LKD	W18/42	0.69	
R13/42	RESIDENTIAL		LKD	W19/42	2.09	
R13/42	RESIDENTIAL		LKD	W20/42	0.63	4.36
R14/42	RESIDENTIAL		BEDROOM	W21/42	1.31	1.31
R15/42	RESIDENTIAL		BEDROOM	W22/42	2.43	2.43
R16/42	RESIDENTIAL		BEDROOM	W24/42	1.28	1.28
R17/42	RESIDENTIAL		LKD	W25/42	1	1
R18/42	RESIDENTIAL		BEDROOM	W26/42	1.02	1.02
R19/42	RESIDENTIAL		BEDROOM	W27/42	1.58	1.58

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
R20/42	RESIDENTIAL		LKD	W28/42	0.99	0.99
R21/42	RESIDENTIAL		BEDROOM	W30/42	2.38	2.38
R22/42	RESIDENTIAL		LKD	W31/42	0.57	
R22/42	RESIDENTIAL		LKD	W32/42	0.96	
R22/42	RESIDENTIAL		LKD	W33/42	0.58	
R22/42	RESIDENTIAL		LKD	W34/42	1.69	3.8
3rd Floor						
R1/43	RESIDENTIAL		LKD	W1/43	0.61	
R1/43	RESIDENTIAL		LKD	W2/43	1.75	
R1/43	RESIDENTIAL		LKD	W3/43	2.07	4.43
R2/43	RESIDENTIAL		BEDROOM	W4/43	3.81	3.81
R3/43	RESIDENTIAL		BEDROOM	W5/43	1.5	1.5
R4/43	RESIDENTIAL		LKD	W6/43	1.5	1.5
R5/43	RESIDENTIAL		BEDROOM	W7/43	1.82	1.82
R6/43	RESIDENTIAL		BEDROOM	W8/43	1.39	1.39
R7/43	RESIDENTIAL		LKD	W9/43	2.21	2.21
R8/43	RESIDENTIAL		BEDROOM	W10/43	1.73	1.73
R9/43	RESIDENTIAL		BEDROOM	W11/43	1.46	1.46
R10/43	RESIDENTIAL		BEDROOM	W12/43	3.3	3.3
R11/43	RESIDENTIAL		BEDROOM	W13/43	1.69	1.69
R12/43	RESIDENTIAL		LKD	W14/43	2.04	
R12/43	RESIDENTIAL		LKD	W15/43	1.82	
R12/43	RESIDENTIAL		LKD	W16/43	0.61	4.48
R13/43	RESIDENTIAL		LKD	W17/43	0.95	
R13/43	RESIDENTIAL		LKD	W18/43	0.69	
R13/43	RESIDENTIAL		LKD	W19/43	2.09	
R13/43	RESIDENTIAL		LKD	W20/43	0.65	4.38
R14/43	RESIDENTIAL		BEDROOM	W21/43	1.36	1.36
R15/43	RESIDENTIAL		BEDROOM	W22/43	2.52	2.52

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
R16/43	RESIDENTIAL		BEDROOM	W24/43	1.33	1.33
R17/43	RESIDENTIAL		LKD	W25/43	1.07	1.07
R18/43	RESIDENTIAL		BEDROOM	W26/43	1.07	1.07
R19/43	RESIDENTIAL		BEDROOM	W27/43	1.65	1.65
R20/43	RESIDENTIAL		LKD	W28/43	1.04	1.04
R21/43	RESIDENTIAL		BEDROOM	W30/43	2.49	2.49
R22/43	RESIDENTIAL		LKD	W31/43	0.59	
R22/43	RESIDENTIAL		LKD	W32/43	1.02	
R22/43	RESIDENTIAL		LKD	W33/43	0.62	
R22/43	RESIDENTIAL		LKD	W34/43	1.78	4.01
5th Floor						
R1/45	RESIDENTIAL		LKD	W1/45	0.64	
R1/45	RESIDENTIAL		LKD	W2/45	1.89	
R1/45	RESIDENTIAL		LKD	W3/45	2.15	4.68
R2/45	RESIDENTIAL		BEDROOM	W4/45	3.95	3.95
R3/45	RESIDENTIAL		BEDROOM	W5/45	1.54	1.54
R4/45	RESIDENTIAL		LKD	W6/45	1.53	1.53
R5/45	RESIDENTIAL		BEDROOM	W7/45	1.85	1.85
R6/45	RESIDENTIAL		BEDROOM	W8/45	1.41	1.41
R7/45	RESIDENTIAL		LKD	W9/45	2.24	2.24
R8/45	RESIDENTIAL		BEDROOM	W10/45	1.75	1.75
R9/45	RESIDENTIAL		BEDROOM	W11/45	1.47	1.47
R10/45	RESIDENTIAL		BEDROOM	W12/45	3.33	3.33
R11/45	RESIDENTIAL		BEDROOM	W13/45	1.7	1.7
R12/45	RESIDENTIAL		LKD	W14/45	2.06	
R12/45	RESIDENTIAL		LKD	W15/45	1.82	
R12/45	RESIDENTIAL		LKD	W16/45	0.61	4.49
R13/45	RESIDENTIAL		LKD	W17/45	0.95	

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
R13/45	RESIDENTIAL		LKD	W18/45	0.69	
R13/45	RESIDENTIAL		LKD	W19/45	2.09	
R13/45	RESIDENTIAL		LKD	W20/45	0.69	4.42
R14/45	RESIDENTIAL		BEDROOM	W21/45	1.46	1.46
R15/45	RESIDENTIAL		BEDROOM	W22/45	2.71	2.71
R16/45	RESIDENTIAL		BEDROOM	W24/45	1.45	1.45
R17/45	RESIDENTIAL		LKD	W25/45	1.23	1.23
R18/45	RESIDENTIAL		BEDROOM	W26/45	1.18	1.18
R19/45	RESIDENTIAL		BEDROOM	W27/45	1.83	1.83
R20/45	RESIDENTIAL		LKD	W28/45	1.2	1.2
R21/45	RESIDENTIAL		BEDROOM	W30/45	2.74	2.74
R22/45	RESIDENTIAL		LKD	W31/45	0.65	
R22/45	RESIDENTIAL		LKD	W32/45	1.11	
R22/45	RESIDENTIAL		LKD	W33/45	0.69	
R22/45	RESIDENTIAL		LKD	W34/45	1.93	4.39
7th Floor						
R1/47	RESIDENTIAL		LKD	W1/47	0.65	
R1/47	RESIDENTIAL		LKD	W2/47	1.91	
R1/47	RESIDENTIAL		LKD	W3/47	2.17	4.73
R2/47	RESIDENTIAL		BEDROOM	W4/47	3.97	3.97
R3/47	RESIDENTIAL		BEDROOM	W5/47	1.55	1.55
R4/47	RESIDENTIAL		LKD	W6/47	1.54	1.54
R5/47	RESIDENTIAL		BEDROOM	W7/47	1.85	1.85
R6/47	RESIDENTIAL		BEDROOM	W8/47	1.41	1.41
R7/47	RESIDENTIAL		LKD	W9/47	2.25	2.25
R8/47	RESIDENTIAL		BEDROOM	W10/47	1.75	1.75
R9/47	RESIDENTIAL		BEDROOM	W11/47	1.47	1.47
R10/47	RESIDENTIAL		BEDROOM	W12/47	3.33	3.33

TABLE P7
AVERAGE DAYLIGHT FACTOR (ADF)
WITHIN PROPOSED ACCOMODATION

Room ref.	Property type	Flat no.	Room use	Window ref.	ADF%	
					Contrib.	Total
R11/47	RESIDENTIAL		BEDROOM	W13/47	1.7	1.7
R12/47	RESIDENTIAL		LKD	W14/47	2.06	
R12/47	RESIDENTIAL		LKD	W15/47	1.82	
R12/47	RESIDENTIAL		LKD	W16/47	0.61	4.49
R13/47	RESIDENTIAL		LKD	W17/47	0.95	
R13/47	RESIDENTIAL		LKD	W18/47	0.69	
R13/47	RESIDENTIAL		LKD	W19/47	2.09	
R13/47	RESIDENTIAL		LKD	W20/47	0.73	4.46
R14/47	RESIDENTIAL		BEDROOM	W21/47	1.55	1.55
R15/47	RESIDENTIAL		BEDROOM	W22/47	2.89	2.89
R16/47	RESIDENTIAL		BEDROOM	W24/47	1.57	1.57
R17/47	RESIDENTIAL		LKD	W25/47	1.36	1.36
R18/47	RESIDENTIAL		BEDROOM	W26/47	1.29	1.29
R19/47	RESIDENTIAL		BEDROOM	W27/47	2.01	2.01
R20/47	RESIDENTIAL		LKD	W28/47	1.34	1.34
R21/47	RESIDENTIAL		BEDROOM	W30/47	2.99	2.99
R22/47	RESIDENTIAL		LKD	W31/47	0.71	
R22/47	RESIDENTIAL		LKD	W32/47	1.12	
R22/47	RESIDENTIAL		LKD	W33/47	0.7	
R22/47	RESIDENTIAL		LKD	W34/47	1.96	4.5

APPENDIX C

-

ANNUAL PROBABLE SUNLIGHT HOURS ('APSH') TABLE

TABLE P9
ANNUAL PROBABLE SUNLIGHT HOURS (APSH)
WITHIN PROPOSED ACCOMMODATION

Scheme Dated : 24.04.2017

PROPERTY						WINDOW	
						ANNUAL SUNLIGHT	WINTER SUNLIGHT
Room ref.	Property type	Flat no.	Room use	Window ref.	Orientation	Proposed (% APSH)	Proposed (% APSH)
Block F							
1st Floor							
R1/11			LKD	W1/11	Southerly	31	20
R1/11			LKD	W2/11	Southerly	11	3
R2/11			BEDROOM	W3/11	Southerly	12	3
R3/11			BEDROOM	W6/11	Southerly	12	0
R4/11			LKD	W7/11	Southerly	17	9
R5/11			BEDROOM	W8/11	Southerly	17	0
R6/11			LKD	W9/11	Southerly	19	5
R7/11			BEDROOM	W10/11	Southerly	21	0
R8/11			LKD	W11/11	Southerly	18	2
R9/11			BEDROOM	W13/11	Southerly	28	1
R10/11			BEDROOM	W14/11	Southerly	30	3
R11/11			LKD	W15/11	Southerly	28	2
R25/11			LKD	W34/11	Southerly	52	19
R25/11			LKD	W35/11	Southerly	28	9
2nd Floor							
R1/12			LKD	W1/12	Southerly	32	21
R1/12			LKD	W2/12	Southerly	11	3
R2/12			BEDROOM	W3/12	Southerly	13	3
R3/12			BEDROOM	W4/12	Southerly	25	11
R4/12			BEDROOM	W7/12	Southerly	15	0
R5/12			LKD	W8/12	Southerly	21	9
R6/12			BEDROOM	W9/12	Southerly	21	0
R7/12			LKD	W10/12	Southerly	21	5
R8/12			BEDROOM	W11/12	Southerly	22	0
R9/12			LKD	W12/12	Southerly	20	3
R10/12			BEDROOM	W15/12	Southerly	30	1
R11/12			BEDROOM	W16/12	Southerly	32	3
R12/12			LKD	W17/12	Southerly	30	2
R27/12			LKD	W36/12	Southerly	56	23

TABLE P9
ANNUAL PROBABLE SUNLIGHT HOURS (APSH)
WITHIN PROPOSED ACCOMMODATION

PROPERTY						WINDOW	
						ANNUAL SUNLIGHT	WINTER SUNLIGHT
Room ref.	Property type	Flat no.	Room use	Window ref.	Orientation	Proposed (% APSH)	Proposed (% APSH)
R27/12			LKD	W37/12	Southerly	30	11
3rd Floor							
R1/13			LKD	W1/13	Southerly	32	21
R1/13			LKD	W2/13	Southerly	13	3
R2/13			BEDROOM	W3/13	Southerly	15	3
R3/13			BEDROOM	W4/13	Southerly	26	11
R4/13			BEDROOM	W7/13	Southerly	18	0
R5/13			LKD	W8/13	Southerly	23	9
R6/13			BEDROOM	W9/13	Southerly	22	0
R7/13			LKD	W10/13	Southerly	23	5
R8/13			BEDROOM	W11/13	Southerly	25	0
R9/13			LKD	W12/13	Southerly	23	3
R10/13			BEDROOM	W15/13	Southerly	33	3
R11/13			BEDROOM	W16/13	Southerly	35	5
R12/13			LKD	W17/13	Southerly	31	3
R27/13			LKD	W36/13	Southerly	58	25
R27/13			LKD	W37/13	Southerly	30	11
5th Floor							
R1/15			LKD	W1/15	Southerly	33	22
R1/15			LKD	W2/15	Southerly	19	3
R2/15			BEDROOM	W3/15	Southerly	20	3
R3/15			BEDROOM	W4/15	Southerly	35	11
R4/15			BEDROOM	W7/15	Southerly	25	1
R5/15			LKD	W8/15	Southerly	30	10
R6/15			BEDROOM	W9/15	Southerly	28	1
R7/15			LKD	W10/15	Southerly	27	6
R8/15			BEDROOM	W11/15	Southerly	31	2
R9/15			LKD	W12/15	Southerly	29	6
R10/15			BEDROOM	W15/15	Southerly	37	5
R11/15			BEDROOM	W16/15	Southerly	39	7
R12/15			LKD	W17/15	Southerly	34	5
R27/15			LKD	W36/15	Southerly	62	25
R27/15			LKD	W37/15	Southerly	30	11

TABLE P9
ANNUAL PROBABLE SUNLIGHT HOURS (APSH)
WITHIN PROPOSED ACCOMMODATION

PROPERTY						WINDOW	
						ANNUAL SUNLIGHT	WINTER SUNLIGHT
Room ref.	Property type	Flat no.	Room use	Window ref.	Orientation	Proposed (% APSH)	Proposed (% APSH)
7th Floor							
R1/17			LKD	W1/17	Southerly	63	23
R1/17			LKD	W2/17	Southerly	29	5
R1/17			LKD	W3/17	Southerly	30	3
R2/17			BEDROOM	W4/17	Southerly	41	11
R3/17			BEDROOM	W7/17	Southerly	30	3
R4/17			LKD	W8/17	Southerly	43	12
R5/17			BEDROOM	W9/17	Southerly	32	3
R6/17			LKD	W10/17	Southerly	43	11
R7/17			BEDROOM	W11/17	Southerly	33	3
R8/17			LKD	W12/17	Southerly	43	10
R9/17			BEDROOM	W15/17	Southerly	41	8
R10/17			BEDROOM	W16/17	Southerly	42	10
R11/17			LKD	W17/17	Southerly	36	7
R26/17			LKD	W36/17	Southerly	69	25
R26/17			LKD	W37/17	Southerly	30	11
Block G							
1st Floor							
R1/21			LKD	W1/21	Southerly	27	9
R1/21			LKD	W2/21	Southerly	47	16
R1/21			LKD	W3/21	Southerly	23	13
R2/21			BEDROOM	W4/21	Southerly	20	5
R3/21			BEDROOM	W5/21	Southerly	19	4
R4/21			BEDROOM	W7/21	Southerly	28	3
R5/21			LKD	W8/21	Southerly	28	11
R6/21			BEDROOM	W9/21	Southerly	24	2
R7/21			BEDROOM	W10/21	Southerly	32	2
R8/21			LKD	W11/21	Southerly	31	9
R9/21			BEDROOM	W12/21	Southerly	29	5
R10/21			BEDROOM	W13/21	Southerly	39	6
R11/21			LKD	W14/21	Southerly	34	9
R12/21			LKD	W15/21	Southerly	32	8

TABLE P9
ANNUAL PROBABLE SUNLIGHT HOURS (APSH)
WITHIN PROPOSED ACCOMMODATION

PROPERTY						WINDOW	
						ANNUAL SUNLIGHT	WINTER SUNLIGHT
Room ref.	Property type	Flat no.	Room use	Window ref.	Orientation	Proposed (% APSH)	Proposed (% APSH)
R13/21			BEDROOM	W16/21	Southerly	35	8
R14/21			BEDROOM	W17/21	Southerly	36	9
R15/21			BEDROOM	W18/21	Southerly	36	9
R16/21			LKD	W19/21	Southerly	39	13
R29/21			LKD	W39/21	Southerly	34	13
2nd Floor							
R1/22			LKD	W1/22	Southerly	29	11
R1/22			LKD	W2/22	Southerly	49	18
R1/22			LKD	W3/22	Southerly	25	14
R2/22			BEDROOM	W4/22	Southerly	23	5
R3/22			BEDROOM	W5/22	Southerly	22	4
R4/22			BEDROOM	W6/22	Southerly	22	3
R5/22			BEDROOM	W7/22	Southerly	32	3
R6/22			LKD	W8/22	Southerly	31	11
R7/22			BEDROOM	W9/22	Southerly	24	2
R8/22			BEDROOM	W10/22	Southerly	34	2
R9/22			LKD	W11/22	Southerly	33	9
R10/22			BEDROOM	W12/22	Southerly	31	5
R11/22			BEDROOM	W13/22	Southerly	40	6
R12/22			LKD	W14/22	Southerly	35	10
R13/22			LKD	W15/22	Southerly	33	9
R14/22			BEDROOM	W16/22	Southerly	36	9
R15/22			BEDROOM	W17/22	Southerly	38	11
R16/22			BEDROOM	W18/22	Southerly	38	11
R17/22			LKD	W19/22	Southerly	41	15
R31/22			LKD	W41/22	Southerly	36	15
3rd Floor							
R1/23			LKD	W1/23	Southerly	29	11
R1/23			LKD	W2/23	Southerly	50	19
R1/23			LKD	W3/23	Southerly	26	14
R2/23			BEDROOM	W4/23	Southerly	24	5
R3/23			BEDROOM	W5/23	Southerly	25	4
R4/23			BEDROOM	W6/23	Southerly	24	3

TABLE P9
ANNUAL PROBABLE SUNLIGHT HOURS (APSH)
WITHIN PROPOSED ACCOMMODATION

PROPERTY						WINDOW	
						ANNUAL SUNLIGHT	WINTER SUNLIGHT
Room ref.	Property type	Flat no.	Room use	Window ref.	Orientation	Proposed (% APSH)	Proposed (% APSH)
R5/23			BEDROOM	W7/23	Southerly	32	3
R6/23			LKD	W8/23	Southerly	33	11
R7/23			BEDROOM	W9/23	Southerly	27	2
R8/23			BEDROOM	W10/23	Southerly	35	2
R9/23			LKD	W11/23	Southerly	35	10
R10/23			BEDROOM	W12/23	Southerly	32	5
R11/23			BEDROOM	W13/23	Southerly	40	6
R12/23			LKD	W14/23	Southerly	36	11
R13/23			LKD	W15/23	Southerly	35	11
R14/23			BEDROOM	W16/23	Southerly	38	11
R15/23			BEDROOM	W17/23	Southerly	38	11
R16/23			BEDROOM	W18/23	Southerly	38	11
R17/23			LKD	W19/23	Southerly	42	16
R31/23			LKD	W41/23	Southerly	38	17
5th Floor							
R1/25			LKD	W1/25	Southerly	30	12
R1/25			LKD	W2/25	Southerly	52	21
R1/25			LKD	W3/25	Southerly	31	14
R2/25			BEDROOM	W4/25	Southerly	29	5
R3/25			BEDROOM	W5/25	Southerly	29	4
R4/25			BEDROOM	W6/25	Southerly	29	3
R5/25			BEDROOM	W7/25	Southerly	38	4
R6/25			LKD	W8/25	Southerly	38	13
R7/25			BEDROOM	W9/25	Southerly	31	4
R8/25			BEDROOM	W10/25	Southerly	38	4
R9/25			LKD	W11/25	Southerly	39	14
R10/25			BEDROOM	W12/25	Southerly	35	8
R11/25			BEDROOM	W13/25	Southerly	44	10
R12/25			LKD	W14/25	Southerly	41	16
R13/25			LKD	W15/25	Southerly	39	15
R14/25			BEDROOM	W16/25	Southerly	40	13

TABLE P9
ANNUAL PROBABLE SUNLIGHT HOURS (APSH)
WITHIN PROPOSED ACCOMMODATION

PROPERTY						WINDOW	
						ANNUAL SUNLIGHT	WINTER SUNLIGHT
Room ref.	Property type	Flat no.	Room use	Window ref.	Orientation	Proposed (% APSH)	Proposed (% APSH)
R15/25			BEDROOM	W17/25	Southerly	39	12
R16/25			BEDROOM	W18/25	Southerly	39	12
R17/25			LKD	W19/25	Southerly	44	18
R31/25			LKD	W41/25	Southerly	38	17
7th Floor							
R1/27			LKD	W1/27	Southerly	30	12
R1/27			LKD	W2/27	Southerly	52	21
R1/27			LKD	W3/27	Southerly	37	15
R2/27			BEDROOM	W4/27	Southerly	34	7
R3/27			BEDROOM	W5/27	Southerly	34	7
R4/27			BEDROOM	W6/27	Southerly	35	8
R5/27			BEDROOM	W7/27	Southerly	42	8
R6/27			LKD	W8/27	Southerly	41	16
R7/27			BEDROOM	W9/27	Southerly	35	8
R8/27			BEDROOM	W10/27	Southerly	43	9
R9/27			LKD	W11/27	Southerly	44	19
R10/27			BEDROOM	W12/27	Southerly	38	11
R11/27			BEDROOM	W13/27	Southerly	46	12
R12/27			LKD	W14/27	Southerly	43	18
R13/27			LKD	W15/27	Southerly	41	17
R14/27			BEDROOM	W16/27	Southerly	43	16
R15/27			BEDROOM	W17/27	Southerly	41	14
R16/27			BEDROOM	W18/27	Southerly	41	14
R17/27			LKD	W19/27	Southerly	47	21
R31/27			LKD	W41/27	Southerly	38	17
Block H							
1st Floor							
R1/41			LKD	W1/41	Southerly	31	7
R1/41			LKD	W2/41	Southerly	31	10
R1/41			LKD	W3/41	Southerly	50	23
R2/41			BEDROOM	W4/41	Southerly	62	21
R3/41			BEDROOM	W5/41	Southerly	53	21

TABLE P9
ANNUAL PROBABLE SUNLIGHT HOURS (APSH)
WITHIN PROPOSED ACCOMMODATION

PROPERTY						WINDOW	
						ANNUAL SUNLIGHT	WINTER SUNLIGHT
Room ref.	Property type	Flat no.	Room use	Window ref.	Orientation	Proposed (% APSH)	Proposed (% APSH)
R4/41			LKD	W6/41	Southerly	47	25
R5/41			BEDROOM	W7/41	Southerly	50	23
R6/41			BEDROOM	W8/41	Southerly	45	21
R7/41			LKD	W9/41	Southerly	51	27
R8/41			BEDROOM	W10/41	Southerly	46	24
R9/41			BEDROOM	W11/41	Southerly	47	21
R10/41			BEDROOM	W12/41	Southerly	64	26
R11/41			BEDROOM	W13/41	Southerly	48	21
R12/41			LKD	W14/41	Southerly	59	27
R22/41			LKD	W32/41	Southerly	15	4
R22/41			LKD	W33/41	Southerly	10	4
R22/41			LKD	W34/41	Southerly	18	4
2nd Floor							
R1/42			LKD	W1/42	Southerly	29	6
R1/42			LKD	W2/42	Southerly	34	11
R1/42			LKD	W3/42	Southerly	51	24
R2/42			BEDROOM	W4/42	Southerly	64	23
R3/42			BEDROOM	W5/42	Southerly	57	25
R4/42			LKD	W6/42	Southerly	48	26
R5/42			BEDROOM	W7/42	Southerly	51	24
R6/42			BEDROOM	W8/42	Southerly	46	21
R7/42			LKD	W9/42	Southerly	51	27
R8/42			BEDROOM	W10/42	Southerly	47	24
R9/42			BEDROOM	W11/42	Southerly	47	21
R10/42			BEDROOM	W12/42	Southerly	64	26
R11/42			BEDROOM	W13/42	Southerly	48	21
R12/42			LKD	W14/42	Southerly	59	27
R22/42			LKD	W32/42	Southerly	19	6
R22/42			LKD	W33/42	Southerly	15	6
R22/42			LKD	W34/42	Southerly	23	6
3rd Floor							
R1/43			LKD	W1/43	Southerly	30	7
R1/43			LKD	W2/43	Southerly	39	15
R1/43			LKD	W3/43	Southerly	55	28
R2/43			BEDROOM	W4/43	Southerly	67	26

TABLE P9
ANNUAL PROBABLE SUNLIGHT HOURS (APSH)
WITHIN PROPOSED ACCOMMODATION

PROPERTY						WINDOW	
						ANNUAL SUNLIGHT	WINTER SUNLIGHT
Room ref.	Property type	Flat no.	Room use	Window ref.	Orientation	Proposed (% APSH)	Proposed (% APSH)
R3/43			BEDROOM	W5/43	Southerly	57	25
R4/43			LKD	W6/43	Southerly	48	26
R5/43			BEDROOM	W7/43	Southerly	51	24
R6/43			BEDROOM	W8/43	Southerly	46	21
R7/43			LKD	W9/43	Southerly	51	27
R8/43			BEDROOM	W10/43	Southerly	47	24
R9/43			BEDROOM	W11/43	Southerly	47	21
R10/43			BEDROOM	W12/43	Southerly	64	26
R11/43			BEDROOM	W13/43	Southerly	48	21
R12/43			LKD	W14/43	Southerly	59	27
R22/43			LKD	W32/43	Southerly	21	8
R22/43			LKD	W33/43	Southerly	19	9
R22/43			LKD	W34/43	Southerly	26	8
5th Floor							
R1/45			LKD	W1/45	Southerly	30	7
R1/45			LKD	W2/45	Southerly	39	15
R1/45			LKD	W3/45	Southerly	55	28
R2/45			BEDROOM	W4/45	Southerly	67	26
R3/45			BEDROOM	W5/45	Southerly	57	25
R4/45			LKD	W6/45	Southerly	48	26
R5/45			BEDROOM	W7/45	Southerly	51	24
R6/45			BEDROOM	W8/45	Southerly	46	21
R7/45			LKD	W9/45	Southerly	51	27
R8/45			BEDROOM	W10/45	Southerly	47	24
R9/45			BEDROOM	W11/45	Southerly	47	21
R10/45			BEDROOM	W12/45	Southerly	64	26
R11/45			BEDROOM	W13/45	Southerly	48	21
R12/45			LKD	W14/45	Southerly	60	28
R22/45			LKD	W32/45	Southerly	22	9
R22/45			LKD	W33/45	Southerly	19	9
R22/45			LKD	W34/45	Southerly	26	8
7th Floor							
R1/47			LKD	W1/47	Southerly	30	7
R1/47			LKD	W2/47	Southerly	39	15

TABLE P9
ANNUAL PROBABLE SUNLIGHT HOURS (APSH)
WITHIN PROPOSED ACCOMMODATION

PROPERTY						WINDOW	
						ANNUAL SUNLIGHT	WINTER SUNLIGHT
Room ref.	Property type	Flat no.	Room use	Window ref.	Orientation	Proposed (% APSH)	Proposed (% APSH)
R1/47			LKD	W3/47	Southerly	55	28
R2/47			BEDROOM	W4/47	Southerly	67	26
R3/47			BEDROOM	W5/47	Southerly	57	25
R4/47			LKD	W6/47	Southerly	48	26
R5/47			BEDROOM	W7/47	Southerly	51	24
R6/47			BEDROOM	W8/47	Southerly	46	21
R7/47			LKD	W9/47	Southerly	51	27
R8/47			BEDROOM	W10/47	Southerly	47	24
R9/47			BEDROOM	W11/47	Southerly	47	21
R10/47			BEDROOM	W12/47	Southerly	64	26
R11/47			BEDROOM	W13/47	Southerly	48	21
R12/47			LKD	W14/47	Southerly	60	28
R22/47			LKD	W32/47	Southerly	22	9
R22/47			LKD	W33/47	Southerly	19	9
R22/47			LKD	W34/47	Southerly	26	8