

52-55 Friar Street

Daylight and Sunlight Analysis Results Job 6 04-Nov-16

Room/Floor	Room Use	Window			No Sky	%Sun		
			%VSC	%ADF	% of Room	Summer	Winter	Total
12 Greyfriars Road - BRE34, 35								
Ground Floor								
R14/229	LKD	W16/229	8.12	0.85	0.47%	N/A	N/A	N/A
		W17/229	4.90			N/A	N/A	N/A
R15/229	BEDROOM	W18/229	8.83	0.82	16.50%	N/A	N/A	N/A
First Floor								
R1/230	LKD	W1/230	26.43	2.77	99.38%	20.00	6.00	26.00
R2/230	LKD	W2/230	36.33	3.58	99.58%	27.00	14.00	41.00
R3/230	BEDROOM	W3/230	37.02	2.32	96.66%	25.00	9.00	34.00
R4/230	BEDROOM	W4/230	36.20	2.27	97.78%	25.00	9.00	34.00
R5/230	LKD	W5/230	34.13	3.40	98.52%	27.00	12.00	39.00
R6/230	BEDROOM	W6/230	32.57	2.56	94.08%	23.00	6.00	29.00
R7/230	BEDROOM	W7/230	34.31	2.96	86.20%	26.00	7.00	33.00
R8/230	LKD	W8/230	31.49	4.38	99.58%	26.00	7.00	33.00
		W9/230	34.11			25.00	7.00	32.00
R9/230	BEDROOM	W10/230	31.31	3.42	93.07%	23.00	5.00	28.00
R10/230	BEDROOM	W11/230	33.17	2.54	93.53%	25.00	7.00	32.00
R11/230	LKD	W12/230	6.85	0.56	21.71%	N/A	N/A	N/A
R12/230	LKD	W13/230	9.18	1.01	21.72%	N/A	N/A	N/A
		W14/230	6.25			N/A	N/A	N/A
R13/230	BEDROOM	W15/230	9.87	0.93	17.68%	N/A	N/A	N/A
R14/230	LKD	W16/230	9.56	1.02	22.43%	N/A	N/A	N/A
		W17/230	6.27			N/A	N/A	N/A
R15/230	BEDROOM	W18/230	10.39	0.96	20.22%	N/A	N/A	N/A
R16/230	BEDROOM	W19/230	9.49	1.48	29.51%	N/A	N/A	N/A
R17/230	BEDROOM	W20/230	10.61	1.16	22.53%	N/A	N/A	N/A

Room/Floor	Room Use	Window			No Sky % of Room	%Sun		
			%VSC	%ADF		Summer	Winter	Total
Second Floor								
R1/231	LKD	W1/231	27.25	2.83	99.38%	21.00	6.00	27.00
R2/231	LKD	W2/231	37.79	3.71	99.58%	28.00	14.00	42.00
R3/231	BEDROOM	W3/231	38.95	2.42	96.66%	27.00	9.00	36.00
R4/231	BEDROOM	W4/231	38.78	2.41	97.78%	27.00	9.00	36.00
R5/231	LKD	W5/231	37.34	3.68	98.52%	28.00	14.00	42.00
R6/231	BEDROOM	W6/231	36.13	2.79	94.08%	25.00	7.00	32.00
R7/231	BEDROOM	W7/231	38.09	3.24	86.20%	27.00	9.00	36.00
R8/231	LKD	W8/231	35.19	4.80	99.58%	27.00	9.00	36.00
		W9/231	37.95			27.00	9.00	36.00
R9/231	BEDROOM	W10/231	35.00	3.72	93.07%	25.00	7.00	32.00
R10/231	BEDROOM	W11/231	36.99	2.77	93.61%	27.00	9.00	36.00
R11/231	LKD	W12/231	8.39	0.81	25.16%	N/A	N/A	N/A
R12/231	LKD	W13/231	10.83	1.19	24.44%	N/A	N/A	N/A
		W14/231	7.78			N/A	N/A	N/A
R13/231	BEDROOM	W15/231	11.47	1.07	21.33%	N/A	N/A	N/A
R14/231	LKD	W16/231	11.38	1.23	26.75%	N/A	N/A	N/A
		W17/231	7.89			N/A	N/A	N/A
R15/231	BEDROOM	W18/231	12.25	1.09	23.87%	N/A	N/A	N/A
R16/231	BEDROOM	W19/231	11.40	1.67	34.26%	N/A	N/A	N/A
R17/231	BEDROOM	W20/231	12.73	1.32	26.43%	N/A	N/A	N/A
Third Floor								
R1/232	LKD	W1/232	27.46	2.84	99.38%	21.00	6.00	27.00
R2/232	LKD	W2/232	39.61	4.02	99.58%	30.00	14.00	44.00
R3/232	BEDROOM	W3/232	39.61	2.45	96.66%	27.00	9.00	36.00
R4/232	BEDROOM	W4/232	39.61	2.45	97.78%	27.00	9.00	36.00
R5/232	LKD	W5/232	39.61	4.02	98.52%	30.00	14.00	44.00
R6/232	BEDROOM	W6/232	37.04	2.84	94.08%	25.00	7.00	32.00
R7/232	BEDROOM	W7/232	39.07	3.31	86.20%	27.00	9.00	36.00
R8/232	LKD	W8/232	37.04	5.13	99.58%	24.00	9.00	33.00
		W9/232	39.08			27.00	9.00	36.00
R9/232	BEDROOM	W10/232	36.30	3.80	93.07%	25.00	7.00	32.00
R10/232	BEDROOM	W11/232	38.72	2.84	93.61%	27.00	9.00	36.00
R11/232	LKD	W12/232	12.67	1.72	30.98%	N/A	N/A	N/A
R12/232	LKD	W13/232	13.20	2.11	28.83%	N/A	N/A	N/A
		W14/232	12.90			N/A	N/A	N/A
R13/232	BEDROOM	W15/232	13.40	1.22	25.22%	N/A	N/A	N/A
R14/232	LKD	W16/232	13.99	2.24	33.68%	N/A	N/A	N/A
		W17/232	13.67			N/A	N/A	N/A
R15/232	BEDROOM	W18/232	14.39	1.23	28.76%	N/A	N/A	N/A
R16/232	BEDROOM	W19/232	13.95	1.92	39.79%	N/A	N/A	N/A
R17/232	BEDROOM	W20/232	15.25	1.49	32.41%	N/A	N/A	N/A

Room/Floor	Room Use	Window			No Sky	%Sun		
			%VSC	%ADF	% of Room	Summer	Winter	Total
52-55 Friar Street - BRE36								
Ground Floor								
R1/240	LKD	W1/240	14.37	2.52	52.23%	14.00	2.00	16.00
R2/240	BEDROOM	W2/240	15.39	1.75	70.35%	11.00	0.00	11.00
R3/240	BEDROOM	W3/240	14.71	1.40	68.79%	7.00	0.00	7.00
R4/240	LKD	W4/240	15.61	1.93	80.69%	9.00	3.00	12.00
R5/240	LKD	W5/240	14.64	1.84	39.51%	8.00	0.00	8.00
R6/240	BEDROOM	W6/240	14.71	1.29	29.88%	4.00	0.00	4.00
R7/240	LKD	W7/240	13.63	2.07	29.60%	9.00	2.00	11.00
R8/240	BEDROOM	W8/240	13.68	1.19	23.40%	6.00	0.00	6.00
R9/240	LKD	W9/240	11.86	1.96	38.83%	11.00	3.00	14.00
R10/240	BEDROOM	W10/240	13.14	1.34	31.98%	9.00	1.00	10.00
R11/240	BEDROOM	W11/240	12.49	1.28	32.26%	9.00	0.00	9.00
R12/240	LKD	W12/240	11.41	1.54	18.24%	6.00	0.00	6.00
Second Floor								
R1/242	LKD	W1/242	8.90	1.16	86.43%	8.00	4.00	12.00
R2/242	BEDROOM	W2/242	21.78	1.98	92.60%	18.00	1.00	19.00
R3/242	BEDROOM	W3/242	23.49	2.01	74.27%	18.00	0.00	18.00
R4/242	BEDROOM	W4/242	20.87	1.76	82.44%	19.00	1.00	20.00
R5/242	LKD	W5/242	17.44	1.72	87.69%	15.00	4.00	19.00
R6/242	LKD	W6/242	16.06	1.56	43.56%	8.00	1.00	9.00
R7/242	BEDROOM	W7/242	20.41	1.64	43.19%	8.00	1.00	9.00
R8/242	LKD	W8/242	13.74	1.58	35.65%	7.00	4.00	11.00
R9/242	BEDROOM	W9/242	18.41	1.50	32.50%	9.00	1.00	10.00
R10/242	LKD	W10/242	6.40	0.83	40.03%	3.00	2.00	5.00
R11/242	BEDROOM	W11/242	17.36	2.40	50.48%	14.00	2.00	16.00
R12/242	BEDROOM	W12/242	18.02	1.69	41.62%	14.00	2.00	16.00
R13/242	BEDROOM	W13/242	17.47	1.70	43.22%	14.00	1.00	15.00
R14/242	BEDROOM	W14/242	15.39	1.89	47.55%	9.00	0.00	9.00
R15/242	LKD	W15/242	2.07	0.57	15.74%	1.00	0.00	1.00
R16/242	BEDROOM	W16/242	12.19	1.45	34.64%	10.00	0.00	10.00
R17/242	BEDROOM	W17/242	13.53	1.52	38.90%	6.00	0.00	6.00
R18/242	LKD	W18/242	7.96	0.91	17.27%	3.00	0.00	3.00
R19/242	LKD	W19/242	6.36	0.60	13.49%	0.00	0.00	0.00
R20/242	BEDROOM	W20/242	7.88	1.02	23.56%	0.00	0.00	0.00
R21/242	BEDROOM	W21/242	11.91	1.38	73.48%	N/A	N/A	N/A
R22/242	BEDROOM	W22/242	11.50	1.69	52.17%	N/A	N/A	N/A
R23/242	BEDROOM	W23/242	8.85	1.34	67.46%	N/A	N/A	N/A
R24/242	LKD	W24/242	29.15	3.32	99.59%	21.00	24.00	45.00
R25/242	BEDROOM	W28/242	35.51	2.90	97.39%	35.00	27.00	62.00
R26/242	LKD	W25/242	28.76	3.33	98.64%	21.00	24.00	45.00
R27/242	BEDROOM	W26/242	35.55	2.87	97.37%	35.00	28.00	63.00
R28/242	LKD	W27/242	28.93	3.29	99.09%	21.00	24.00	45.00