



TIMBER
WINDOWS

MRS DEBBIE DAVIS





IT'S THE DETAIL THAT MAKES THE DIFFERENCE!

We are passionate about wood and since our launch, our suite of products has led the market in the breadth of application, uniqueness of design, quality of construction and performance in use. Established in 1984, we have served the Oxfordshire and Gloucestershire areas, enhancing the homes of many thousands of satisfied customers.

Attention to detail is a hallmark we are proud of. Our collection has been carefully and sensitively tailored to complement the English home - whether you live in a period villa, a barn conversion or a more modern property in need of contemporary flair. Unlike timber windows of old, our products will not twist, will not rot and require very little maintenance. High levels of insulation and security ensure there is no need to sacrifice beauty for comfort.

The Timber Windows service is delivered with care by knowledgeable local specialists whose reputation is built on providing an attentive service from initial enquiry to the completion of your project.

Installing well-made, well-specified timber windows can really enhance the beauty and value of your home. We look forward to working with you on your exciting project!

CONTENTS

Entrance Doors	3
Casement Windows	4
Sash Windows	5
Overview	6
Item Summary	7
Products at a Glance	8
Itemised Product Specifications	12
What makes our products special?	33



ENTRANCE DOORS

By looking at front door designs around the country we built a collection suitable for every kind of home, from traditional styles and those suitable for conservation, to sharper, more contemporary designs.

Whichever style you choose, security is assured with robust, multi-point locking mechanisms, featuring hook bolts and deadlock.

The options for personalisation are vast, with hundreds of traditional colour and stain finishes available, that include the RAL colour chart as well those complementary to the Farrow & Ball and Fired Earth ranges. There's also the option to vary the colour on the inside of the door, so that it can match your internal décor.

Ironmongery options include stylish handles, escutcheons, knockers, letter plates, knobs and many more in a range of finishes, and why not consider decorative glazing in a range of stained, patterned, leaded, sandblasted and etched designs.

All of our doors use multi-layered, warp and twist resistant timber throughout their construction, with high specification glazing fitted as a standard. Factory applied paint finishes ensure a long life with very low maintenance.





CASEMENT WINDOWS

Smooth to open and beautiful to the touch, the Timber Windows range of Casement Windows provide an appearance that can only be achieved with genuine timber.

With a wide range of designs available, we are confident you will find the perfect Casement Windows for your home - whether you are after a traditional look or something sharper and more contemporary.

Warm, quiet and secure, with timber guaranteed for decades, our casement windows incorporate a host of technical innovations for absolute peace of mind.

The range is presented in a wide variety of colours and stains, including shades complementary to Farrow & Ball or Fired Earth palettes.

Working closely with our customers, we ensure that the designs suit the character, age and construction of their homes; tailoring proportions, sightlines and paint colours to suit.

All of our windows use engineered multi-layered, warp and twist resistant timber throughout their construction.

Beautiful handles and fasteners, in a range of finishes and styles can be selected for the perfect accompaniment to your new Casement Windows.





SASH WINDOWS

Sash windows grace some of the most beautiful homes in the country - and replacing these originals, when the time comes, is a Timber Windows speciality, with experience in restoring properties from all of the key historical periods.

Our unique collection of sash windows faithfully replicate these timeless designs down to the finest details and includes the slimmest traditional box sash available in the UK, as well as more specialised solutions for listed buildings and conservation areas.

Glorious to behold, easy to slide and constructed to deliver the highest standards of insulation, security and longevity, our Sash Windows are available with traditional chains, cords or a hidden spring mechanism.

Working together with homeowners, we have ensured that the history of their properties is respected and the overall appearance enhanced.

Engineered, multi-layer twist and warp resistant timber minimises the jamming found on windows of lesser quality during wet weather. Triple draught strips stop rattles and extremely high insulation glazing units minimise heat loss.



QUOTE PREPARED FOR	SITE ADDRESS	PREPARED BY	LEAD TIME	TERMS
Mrs Debbie Davis 31 Kendrick Road Reading Berkshire RG1 5DU	(Same as quote address)	Paul Hopkins Designer Showroom: Henley	Approximately 12-14 weeks from sign off of final detail.	• Deposit with Order 50%. • Stage payment approximately two weeks prior to installation 40%. • On day of completion to installers 10%.

SCOPE OF PROJECT

Replacement - Carefully remove existing items, prepare openings and supply and fit replacements. To include all making good of aperture ready for final decoration by others. All installed in full compliance with Building Regulations Document L (2021 edition incorporating 2023 amendments) by our trained and experienced installers.

TECHNICAL SPECIFICATION

All products in multi-layer Finger Jointed Redwood sections for added stability. Internally beaded throughout for security. Factory glazed with krypton gas filled double glazed units featuring soft-coat energy saving glass. Drained and vented sections to protect against sealed unit failure. Fully factory finished with high performance, micro-porous paint treatments. Entrance doors fitted with multi-point claw locks and robust, adjustable hinges.

PRICE

Net Price:	£59,892.09
VAT (20%):	£11,978.42
Total Purchase Price:	£71,870.51

Your quotation is valid for 30 days from Tuesday 30th April 2024

Your project is covered by:



Your deposit guarantee and insurance backed warranty policy
Valid upon registration. Ask for full details.

GUARANTEES

 30 YEARS GUARANTEE	 10 YEARS* GUARANTEE	 10 YEARS GUARANTEE	 10 YEARS GUARANTEE	 12 YEARS GUARANTEE	 6 YEARS* GUARANTEE
* 5 years for 14mm double glazed units.		* 6 years for Meranti & Redwood. 1 year for Oak. Not applicable to putty finished products.			




All products that are made from redwood are FSC® certified. Where FSC® is shown against an item, joinery is supplied as FSC® Mix Credit under Chain of Custody Registration No TT-COC-005135


ITEM SUMMARY FOR: Mrs Debbie Davis
QUOTE REF: 8268/1 V1

ITEM	QTY	ITEM REFERENCE	PRODUCT	REMARKS
1	1	Top Floor Front Bedroom	Deco Casement Window	Peardrop - Polished Chrome handle. Astragal Squares. Off White Finished. FSC®.
2	1	Top Floor R/H Side	Deco Casement Window	Peardrop - Polished Chrome handle. Astragal Squares. Off White Finished. FSC®.
3	1	First Floor Front En-Suite	Deco Casement Window	Peardrop - Polished Chrome handle. Astragal Squares. Off White Finished. FSC®.
4	1	Front Bedroom Bay	Deco Casement Window	Peardrop - Polished Chrome handle. Astragal Squares. Off White Finished. FSC®.
5	1	Front Bedroom Bay	Deco Casement Window	Peardrop - Polished Chrome handle. Astragal Squares. Off White Finished. FSC®.
6	1	Front Bedroom Bay	Deco Casement Window	Peardrop - Polished Chrome handle. Astragal Squares. Off White Finished. FSC®.
7	1	Rear Bedroom	Deco Casement Window	Peardrop - Polished Chrome handle. Astragal Squares. Off White Finished. FSC®.
8	1	Side Bathroom	Deco Casement Window	Peardrop - Polished Chrome handle. Astragal Squares. Off White Finished. FSC®.
9	1	Side Bathroom	Deco Casement Window	Peardrop - Polished Chrome handle. Astragal Squares. Off White Finished. FSC®.
10	1	Rear Bedroom Bay	Bay Window	
10	1		Deco Casement Window Facet T	Astragal Squares. Off White Finished. FSC®.
10	1		Deco Casement Window Facet U	Peardrop - Polished Chrome handle. Astragal Squares. Off White Finished. FSC®.
10	1		Deco Casement Window Facet V	Astragal Squares. Off White Finished. FSC®.
11	1	Side G/F Playroom	Deco Casement Window	Peardrop - Polished Chrome handle. Astragal Squares. Off White Finished. FSC®.
12	1	Front Lounge	Slim Sash Window	Special Item. Astragal Squares. Off White Finished. FSC®.
13	1	Front Lounge Bay	Slim Sash Window	Special Item. Astragal Squares. Off White Finished. FSC®.
14	1	Front Lounge Bay	Slim Sash Window	Special Item. Astragal Squares. Off White Finished. FSC®.
15	1	Rear Kitchen	Deco Casement Window	Peardrop - Polished Chrome handle. Astragal Squares. Off White Finished. FSC®.
16	1	Rear Kitchen	Deco Casement Window	Peardrop - Polished Chrome handle. Astragal Squares. Off White Finished. FSC®.
17	1	Rear Kitchen	Entrance Door	Special Item. Newbury - Polished Chrome Lever/Lever handle. Dual Colour.
FA	3		Trim: Liner - 17x50	Off White Finished. Finger Jointed Redwood FSC. Profile: 
FA	3		Trim: Ogee Architrave - 20x56	Off White Finished. Finger Jointed Redwood FSC. Profile: 
FA	3		Trim: Liner - 17x50	Off White Finished. Finger Jointed Redwood FSC. Profile: 
FA	3		Trim: Ogee Architrave - 20x56	Off White Finished. Finger Jointed Redwood FSC. Profile: 
FA	3		Trim: Liner - 17x50	Off White Finished. Finger Jointed Redwood FSC. Profile: 
FA	3		Trim: Ogee Architrave - 20x56	Off White Finished. Finger Jointed Redwood FSC. Profile: 


1. Deco Casement Window (Top Floor Front Bedroom)




2. Deco Casement Window (Top Floor R/H Side)




3. Deco Casement Window (First Floor Front En-Suite)




4. Deco Casement Window (Front Bedroom Bay)




5. Deco Casement Window (Front Bedroom Bay)




6. Deco Casement Window (Front Bedroom Bay)




7. Deco Casement Window (Rear Bedroom)



8. Deco Casement Window (Side Bathroom)




9. Deco Casement Window (Side Bathroom)




10. Bay Window (Rear Bedroom Bay)




11. Deco Casement Window




12. Deco Casement Window




13. Deco Casement Window




14. Deco Casement Window (Side G/F Playroom)




15. Slim Sash Window (Front Lounge)




16. Slim Sash Window (Front Lounge Bay)




17. Slim Sash Window (Front Lounge Bay)




18. Deco Casement Window (Rear Kitchen)



19. Deco Casement Window (Rear Kitchen)




20. Entrance Door (Rear Kitchen)



DECO CASEMENT WINDOW
FINGER JOINTED REDWOOD



QUOTE REF: 8268/1 V1
ITEM REFERENCE: Top Floor Front Bedroom



Drawing Notes: Viewed from outside. Point of arrow denotes opening position.

IRONMONGERY OPTIONS



Peardrop - Polished
Chrome Handle

Peardrop - Polished
Chrome Pegstay

COLOUR CHOICES



Colour
Off White
(RAL 9010)

SIZE SPECIFICATIONS

Cill	165mm x 68mm (Ext 75mm x 38mm) (external)
Frame Head Size	75mm
Height	1600mm
Size Of Bar	27mm
Transom Drop	650mm
Width	1450mm

TECHNICAL SPECIFICATIONS

Add Ons Required	No
Bottom Glass Type	4mm Toughened (24mm Unit)
Cill Horns	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
Equalise Glass Widths	Yes
External Grille Colour	White - RAL 9003
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glazing Features	Astragal Squares
Head Drip	Yes
Head Drip Horns	No
Hinge System	Pivot with Seigenia locks (no night vent)
Peg Stay Alignment	Opening end pointing to handle
Style Option	Dummy Sash
Top Glass Type	4mm Annealed (24mm Unit)
Transom Drip	No
Trickle Vent Location	Head of Frame
Trickle Vent Quantity	1
Trickle Vent Size	EA 3000
Window Board Required	No


NOTES

27mm Astragal bars to match the existing glazing bars as discussed.

DECO CASEMENT WINDOW
FINGER JOINTED REDWOOD



QUOTE REF: 8268/1 V1
ITEM REFERENCE: Top Floor R/H Side



Drawing Notes: Viewed from outside. Point of arrow denotes opening position.

IRONMONGERY OPTIONS



Peardrop - Polished
Chrome Handle

Peardrop - Polished
Chrome Pegstay

COLOUR CHOICES



Colour
Off White
(RAL 9010)

SIZE SPECIFICATIONS	
Cill	165mm x 68mm (Ext 75mm x 38mm) (external)
Frame Head Size	75mm
Height	1600mm
Size Of Bar	27mm
Transom Drop	650mm
Width	900mm


TECHNICAL SPECIFICATIONS	
Add Ons Required	No
Bottom Glass Type	4mm Toughened (24mm Unit)
Cill Horns	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
External Grille Colour	White - RAL 9003
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glazing Features	Astragal Squares
Head Drip	Yes
Head Drip Horns	No
Hinge System	Pivot with Seigenia locks (no night vent)
Peg Stay Alignment	Opening end pointing to handle
Style Option	Dummy Sash
Top Glass Type	4mm Annealed (24mm Unit)
Transom Drip	No
Trickle Vent Location	Head of Frame
Trickle Vent Quantity	1
Trickle Vent Size	EA 3000
Window Board Required	No

NOTES	
27mm Astragal bars to match the existing glazing bars as discussed.	

DECO CASEMENT WINDOW
FINGER JOINTED REDWOOD



QUOTE REF: 8268/1 V1
ITEM REFERENCE: First Floor Front En-Suite



Drawing Notes: Viewed from outside. Point of arrow denotes opening position.

IRONMONGERY OPTIONS



Peardrop - Polished
Chrome Handle



Peardrop - Polished
Chrome Pegstay

COLOUR CHOICES



Colour
Off White
(RAL 9010)

GLASS & FRAME CHOICES



Bottom Glass Pattern
Sandblasted Glass
(Obscure Glass)

SIZE SPECIFICATIONS

Cill	165mm x 68mm (Ext 75mm x 38mm) (external)
Frame Head Size	75mm
Height	1850mm
Size Of Bar	27mm
Transom Drop	600mm
Width	1350mm

TECHNICAL SPECIFICATIONS

Add Ons Required	No
Bottom Glass Type	4mm Toughened (24mm Unit)
Cill Horns	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
Equalise Glass Widths	Yes
External Grille Colour	White - RAL 9003
FSC® Certified	Yes
Feature Mould	Ovolo
Glazing Features	Astragal Squares
Head Drip	Yes
Head Drip Horns	No
Hinge System	Pivot with Seigenia locks (no night vent)
Peg Stay Alignment	Opening end pointing to handle
Style Option	Dummy Sash
Top Glass Pattern	Clear
Top Glass Type	4mm Annealed (24mm Unit)
Transom Drip	No
Trickle Vent Location	Head of Frame
Trickle Vent Quantity	1
Trickle Vent Size	EA 3000
Window Board Required	No


NOTES

27mm Astragal bars to match the existing glazing bars as discussed. Sandblasted glass to lower sections and clear in top.

DECO CASEMENT WINDOW
FINGER JOINTED REDWOOD



QUOTE REF: 8268/1 V1
ITEM REFERENCE: Front Bedroom Bay



Drawing Notes: Viewed from outside. Point of arrow denotes opening position.

IRONMONGERY OPTIONS



Peardrop - Polished
Chrome Handle

Peardrop - Polished
Chrome Pegstay

COLOUR CHOICES



Colour
Off White
(RAL 9010)

SIZE SPECIFICATIONS

Cill	165mm x 68mm (Ext 75mm x 38mm) (external)
Frame Head Size	75mm
Height	1850mm
Size Of Bar	27mm
Transom Drop	600mm
Width	800mm

TECHNICAL SPECIFICATIONS

Add Ons Required	No
Bottom Glass Type	4mm Toughened (24mm Unit)
Cill Horns	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
External Grille Colour	White - RAL 9003
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glazing Features	Astragal Squares
Head Drip	Yes
Head Drip Horns	No
Hinge System	Pivot with Seigenia locks (no night vent)
Peg Stay Alignment	Opening end pointing to handle
Style Option	Dummy Sash
Top Glass Type	4mm Annealed (24mm Unit)
Transom Drip	No
Trickle Vent Location	Head of Frame
Trickle Vent Quantity	1
Trickle Vent Size	EA 3000
Window Board Required	No


NOTES

27mm Astragal bars to match the existing glazing bars as discussed.

DECO CASEMENT WINDOW
FINGER JOINTED REDWOOD



QUOTE REF: 8268/1 V1
ITEM REFERENCE: Front Bedroom Bay



Drawing Notes: Viewed from outside. Point of arrow denotes opening position.

IRONMONGERY OPTIONS



Peardrop - Polished
Chrome Handle

Peardrop - Polished
Chrome Pegstay

COLOUR CHOICES



Colour
Off White
(RAL 9010)

SIZE SPECIFICATIONS

Cill	165mm x 68mm (Ext 75mm x 38mm) (external)
Frame Head Size	75mm
Height	1850mm
Size Of Bar	27mm
Transom Drop	600mm
Width	800mm

TECHNICAL SPECIFICATIONS

Add Ons Required	No
Bottom Glass Type	4mm Toughened (24mm Unit)
Cill Horns	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
External Grille Colour	White - RAL 9003
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glazing Features	Astragal Squares
Head Drip	Yes
Head Drip Horns	No
Hinge System	Pivot with Seigenia locks (no night vent)
Peg Stay Alignment	Opening end pointing to handle
Style Option	Dummy Sash
Top Glass Type	4mm Annealed (24mm Unit)
Transom Drip	No
Trickle Vent Location	Head of Frame
Trickle Vent Quantity	1
Trickle Vent Size	EA 3000
Window Board Required	No


NOTES

27mm Astragal bars to match the existing glazing bars as discussed.

DECO CASEMENT WINDOW
FINGER JOINTED REDWOOD



QUOTE REF: 8268/1 V1
ITEM REFERENCE: Front Bedroom Bay



Drawing Notes: Viewed from outside. Point of arrow denotes opening position.

IRONMONGERY OPTIONS



Peardrop - Polished
Chrome Handle

Peardrop - Polished
Chrome Pegstay

COLOUR CHOICES



Colour
Off White
(RAL 9010)

SIZE SPECIFICATIONS

Cill	165mm x 68mm (Ext 75mm x 38mm) (external)
Frame Head Size	75mm
Height	1850mm
Size Of Bar	18mm
Transom Drop	600mm
Width	3000mm

TECHNICAL SPECIFICATIONS

Add Ons Required	No
Bottom Glass Type	4mm Toughened (24mm Unit)
Cill Horns	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
Equalise Glass Widths	Yes
External Grille Colour	White - RAL 9003
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glazing Features	Astragal Squares
Head Drip	Yes
Head Drip Horns	No
Hinge System	Pivot with Seigenia locks (no night vent)
Peg Stay Alignment	Opening end pointing to handle
Style Option	Dummy Sash
Top Glass Type	4mm Annealed (24mm Unit)
Transom Drip	No
Trickle Vent Location	Head of Frame
Trickle Vent Quantity	1
Trickle Vent Size	EA 3000
Window Board Required	No


NOTES

27mm Astragal bars to match the existing glazing bars as discussed.

DECO CASEMENT WINDOW
FINGER JOINTED REDWOOD



QUOTE REF: 8268/1 V1
ITEM REFERENCE: Rear Bedroom



Drawing Notes: Viewed from outside. Point of arrow denotes opening position.

IRONMONGERY OPTIONS



Peardrop - Polished
Chrome Handle

Peardrop - Polished
Chrome Pegstay

COLOUR CHOICES



Colour
Off White
(RAL 9010)

SIZE SPECIFICATIONS

Cill	165mm x 68mm (Ext 75mm x 38mm) (external)
Frame Head Size	75mm
Height	1850mm
Size Of Bar	27mm
Transom Drop	600mm
Width	1350mm

TECHNICAL SPECIFICATIONS

Add Ons Required	No
Bottom Glass Type	4mm Toughened (24mm Unit)
Cill Horns	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
Equalise Glass Widths	Yes
External Grille Colour	White - RAL 9003
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glazing Features	Astragal Squares
Head Drip	Yes
Head Drip Horns	No
Hinge System	Pivot with Seigenia locks (no night vent)
Peg Stay Alignment	Opening end pointing to handle
Style Option	Dummy Sash
Top Glass Type	4mm Annealed (24mm Unit)
Transom Drip	No
Trickle Vent Location	Head of Frame
Trickle Vent Quantity	1
Trickle Vent Size	EA 3000
Window Board Required	No


NOTES

27mm Astragal bars to match the existing glazing bars as discussed.

DECO CASEMENT WINDOW
FINGER JOINTED REDWOOD



QUOTE REF: 8268/1 V1
ITEM REFERENCE: Side Bathroom



Drawing Notes: Viewed from outside. Point of arrow denotes opening position.

IRONMONGERY OPTIONS



Peardrop - Polished
Chrome Handle



Peardrop - Polished
Chrome Pegstay

COLOUR CHOICES



Colour
Off White
(RAL 9010)

GLASS & FRAME CHOICES



Glass Pattern
Sandblasted Glass
(Obscure Glass)

SIZE SPECIFICATIONS

Cill	165mm x 68mm (Ext 75mm x 38mm) (external)
Frame Head Size	75mm
Height	1250mm
Size Of Bar	27mm
Width	1250mm

TECHNICAL SPECIFICATIONS

Add Ons Required	No
Cill Horns	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
Equalise Glass Widths	Yes
External Grille Colour	White - RAL 9003
FSC® Certified	Yes
Feature Mould	Ovolo
Floating Mullion	No
Glass Type	4mm Toughened (24mm Unit)
Glazing Features	Astragal Squares
Head Drip	Yes
Head Drip Horns	No
Hinge System	Pivot with Seigenia locks (no night vent)
Peg Stay Alignment	Opening end pointing to handle
Trickle Vent Location	Head of Frame
Trickle Vent Quantity	1
Trickle Vent Size	EA 3000
Window Board Required	No


NOTES

27mm Astragal bars to match the existing glazing bars as discussed. Sandblasted glass to the four lower sections and clear in top two sections.

DECO CASEMENT WINDOW
FINGER JOINTED REDWOOD



QUOTE REF: 8268/1 V1
ITEM REFERENCE: Side Bathroom



Drawing Notes: Viewed from outside. Point of arrow denotes opening position.

IRONMONGERY OPTIONS



Peardrop - Polished
Chrome Handle



Peardrop - Polished
Chrome Pegstay

COLOUR CHOICES



Colour
Off White
(RAL 9010)

GLASS & FRAME CHOICES



Glass Pattern
Sandblasted Glass
(Obscure Glass)

SIZE SPECIFICATIONS

Cill	165mm x 68mm (Ext 75mm x 38mm) (external)
Frame Head Size	75mm
Height	1250mm
Size Of Bar	27mm
Width	650mm

TECHNICAL SPECIFICATIONS

Add Ons Required	No
Cill Horns	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
External Grille Colour	White - RAL 9003
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Type	4mm Toughened (24mm Unit)
Glazing Features	Astragal Squares
Head Drip	Yes
Head Drip Horns	No
Hinge System	Pivot with Seigenia locks (no night vent)
Peg Stay Alignment	Opening end pointing to handle
Trickle Vent Location	Head of Frame
Trickle Vent Quantity	1
Trickle Vent Size	EA 3000
Window Board Required	No

NOTES

27mm Astragal bars to match the existing glazing bars as discussed. Sandblasted glass to the four lower sections and clear in top two sections.


Item: 10

BAY WINDOW

Quantity: 1

Item Reference: Rear Bedroom Bay


Quote Ref: 8268/1 V1



DECO CASEMENT WINDOW FACET T
FINGER JOINTED REDWOOD



QUOTE REF: 8268/1 V1
ITEM REFERENCE:



Drawing Notes: Viewed from outside. Point of arrow denotes opening position.

COLOUR CHOICES



Colour
Off White
(RAL 9010)

GLASS & FRAME CHOICES



Bottom Glass Pattern
Sandblasted Glass
(Obscure Glass)

SIZE SPECIFICATIONS

Cill	165mm x 38mm (inc. in overall ht) (external)
Frame Head Size	75mm
Height	1850mm
Size Of Bar	18mm
Transom Drop	600mm
Width	980mm

TECHNICAL SPECIFICATIONS

Add Ons Required	No
Bottom Glass Type	4mm Toughened (24mm Unit)
Cill Horns	No
Cill Species	Engineered European Redwood
External Grille Colour	White - RAL 9003
FSC® Certified	Yes
Feature Mould	Ovolo
Glazing Features	Astragal Squares
Head Drip	Yes
Head Drip Horns	No
Style Option	Dummy Sash
Top Glass Pattern	Clear
Top Glass Type	4mm Annealed (24mm Unit)
Transom Drip	No
Trickle Vent Location	Head of Frame
Trickle Vent Quantity	1
Trickle Vent Size	EA 3000
Window Board Required	No


NOTES

Sandblasted glass in lower section and clear in the top.

DECO CASEMENT WINDOW FACET U
FINGER JOINTED REDWOOD



QUOTE REF: 8268/1 V1
ITEM REFERENCE:



Drawing Notes: Viewed from outside. Point of arrow denotes opening position.

IRONMONGERY OPTIONS



Peardrop - Polished
Chrome Handle

Peardrop - Polished
Chrome Pegstay

COLOUR CHOICES



Colour
Off White
(RAL 9010)

SIZE SPECIFICATIONS

Cill	165mm x 38mm (inc. in overall ht) (external)
Frame Head Size	75mm
Height	1850mm
Size Of Bar	27mm
Transom Drop	600mm
Width	3200mm


TECHNICAL SPECIFICATIONS

Add Ons Required	No
Bottom Glass Type	4mm Toughened (24mm Unit)
Cill Horns	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
Equalise Glass Widths	Yes
External Grille Colour	White - RAL 9003
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glazing Features	Astragal Squares
Head Drip	Yes
Head Drip Horns	No
Hinge System	Pivot with Seigenia locks (no night vent)
Peg Stay Alignment	Opening end pointing to handle
Style Option	Dummy Sash
Top Glass Type	4mm Annealed (24mm Unit)
Transom Drip	No
Trickle Vent Location	Head of Frame
Trickle Vent Quantity	2
Trickle Vent Size	EA 3000
Window Board Required	No

DECO CASEMENT WINDOW FACET V
FINGER JOINTED REDWOOD



QUOTE REF: 8268/1 V1
ITEM REFERENCE:



Drawing Notes: Viewed from outside. Point of arrow denotes opening position.

COLOUR CHOICES



Colour
Off White
(RAL 9010)

GLASS & FRAME CHOICES



Bottom Glass Pattern
Sandblasted Glass
(Obscure Glass)

SIZE SPECIFICATIONS

Cill	165mm x 38mm (inc. in overall ht) (external)
Frame Head Size	75mm
Height	1850mm
Size Of Bar	18mm
Transom Drop	600mm
Width	980mm

TECHNICAL SPECIFICATIONS

Add Ons Required	No
Bottom Glass Type	4mm Toughened (24mm Unit)
Cill Horns	No
Cill Species	Engineered European Redwood
External Grille Colour	White - RAL 9003
FSC® Certified	Yes
Feature Mould	Ovolo
Glazing Features	Astragal Squares
Head Drip	Yes
Head Drip Horns	No
Style Option	Dummy Sash
Top Glass Pattern	Clear
Top Glass Type	4mm Annealed (24mm Unit)
Transom Drip	No
Trickle Vent Location	Head of Frame
Trickle Vent Quantity	1
Trickle Vent Size	EA 3000
Window Board Required	No


NOTES

Sandblasted glass in lower section and clear in the top.

DECO CASEMENT WINDOW
FINGER JOINTED REDWOOD



QUOTE REF: 8268/1 V1
ITEM REFERENCE: Side G/F Playroom



Drawing Notes: Viewed from outside. Point of arrow denotes opening position.

IRONMONGERY OPTIONS



Peardrop - Polished
Chrome Handle

Peardrop - Polished
Chrome Pegstay

COLOUR CHOICES



Colour
Off White
(RAL 9010)

SIZE SPECIFICATIONS

Cill	165mm x 68mm (Ext 75mm x 38mm) (external)
Frame Head Size	75mm
Height	1850mm
Size Of Bar	27mm
Transom Drop	610mm
Width	1050mm

TECHNICAL SPECIFICATIONS

Add Ons Required	No
Bottom Glass Type	4mm Toughened (24mm Unit)
Cill Horns	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
Equalise Glass Widths	Yes
External Grille Colour	White - RAL 9003
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glazing Features	Astragal Squares
Head Drip	Yes
Head Drip Horns	No
Hinge System	Pivot with Seigenia locks (no night vent)
Peg Stay Alignment	Opening end pointing to handle
Style Option	Dummy Sash
Top Glass Type	4mm Annealed (24mm Unit)
Transom Drip	No
Trickle Vent Location	Head of Frame
Trickle Vent Quantity	1
Trickle Vent Size	EA 3000
Window Board Required	No


NOTES

27mm Astragal bars to match the existing glazing bars as discussed.

SLIM SASH WINDOW
FINGER JOINTED REDWOOD



QUOTE REF: 8268/1 V1
ITEM REFERENCE: Front Lounge



Drawing Notes: Viewed from outside.

IRONMONGERY OPTIONS



Polished Chrome Hook
Fastener & Lift



Polished Chrome Limit
Stop

COLOUR CHOICES



Colour
Off White
(RAL 9010)

GLASS & FRAME CHOICES



Rounded Horned Sash

SIZE SPECIFICATIONS

Box Depth	Slim - 142mm
Depth of Liner	50mm
Frame Head Size	110mm
Frame Width	110mm
Height	2000mm
Maximum Opening	100mm
Meeting Rail Split	880mm
Size Of Bar	27mm
Width	900mm
Window Board Length	900mm
Window Board Width	95mm


TECHNICAL SPECIFICATIONS

Bottom Glass Type	4mm Toughened (18mm Unit)
Cill	Standard (external)
Cill Horns	No
Cill Species	Finger Jointed Redwood
D Handles	None
Equal Glass Heights	No
FSC® Certified	Yes
Feature Mould	Ovolo
Finishing Assembly	Standard
Finishing Assembly Colour	Off White
Glass Pattern	Clear
Glazing Features	Astragal Squares
Hanging Method	Cords and Weights
Sash Horn Style	Rounded
Sash Horns	Top Sash
Sash Pulley Face Plate Colour	Polished Chrome
Sash Style	Single
Slider Style	Both
Swept Heads to Bottom Sash	No
Swept Heads to Top Sash	No
Top Glass Type	4mm Annealed (18mm Unit)
Trickle Vent Quantity	1
Trickle Vent Size	EA 3000
Window Board Colour	Off White
Window Board Required	Yes (internal)
Window Board Species	Finger Jointed Redwood

SLIM SASH WINDOW
FINGER JOINTED REDWOOD



QUOTE REF: 8268/1 V1
ITEM REFERENCE: Front Lounge Bay



Drawing Notes: Viewed from outside.

IRONMONGERY OPTIONS



Polished Chrome Hook
Fastener & Lift



Polished Chrome Limit
Stop

COLOUR CHOICES



Colour
Off White
(RAL 9010)

GLASS & FRAME CHOICES



Rounded Horned Sash

SIZE SPECIFICATIONS

Box Depth	Slim - 142mm
Depth of Liner	50mm
Frame Head Size	110mm
Frame Width	110mm
Height	2000mm
Maximum Opening	100mm
Meeting Rail Split	880mm
Size Of Bar	27mm
Width	1450mm
Window Board Length	1450mm
Window Board Width	95mm


TECHNICAL SPECIFICATIONS

Bottom Glass Type	4mm Toughened (18mm Unit)
Cill	Standard (external)
Cill Horns	No
Cill Species	Finger Jointed Redwood
D Handles	None
Equal Glass Heights	No
FSC® Certified	Yes
Feature Mould	Ovolo
Finishing Assembly	Standard
Finishing Assembly Colour	Off White
Glass Pattern	Clear
Glazing Features	Astragal Squares
Hanging Method	Cords and Weights
Sash Horn Style	Rounded
Sash Horns	Top Sash
Sash Pulley Face Plate Colour	Polished Chrome
Sash Style	Single
Slider Style	Both
Swept Heads to Bottom Sash	No
Swept Heads to Top Sash	No
Top Glass Type	4mm Annealed (18mm Unit)
Trickle Vent Quantity	1
Trickle Vent Size	EA 3000
Window Board Colour	Off White
Window Board Required	Yes (internal)
Window Board Species	Finger Jointed Redwood

SLIM SASH WINDOW
FINGER JOINTED REDWOOD



QUOTE REF: 8268/1 V1
ITEM REFERENCE: Front Lounge Bay



Drawing Notes: Viewed from outside.

IRONMONGERY OPTIONS



Polished Chrome Hook
Fastener & Lift



Polished Chrome Limit
Stop

COLOUR CHOICES



Colour
Off White
(RAL 9010)

GLASS & FRAME CHOICES



Rounded Horned Sash

SIZE SPECIFICATIONS

Box Depth	Slim - 142mm
Depth of Liner	50mm
Frame Head Size	110mm
Frame Width	110mm
Height	2000mm
Maximum Opening	100mm
Meeting Rail Split	880mm
Size Of Bar	27mm
Width	1450mm
Window Board Length	1450mm
Window Board Width	95mm


TECHNICAL SPECIFICATIONS

Bottom Glass Type	4mm Toughened (18mm Unit)
Cill	Standard (external)
Cill Horns	No
Cill Species	Finger Jointed Redwood
D Handles	None
Equal Glass Heights	No
FSC® Certified	Yes
Feature Mould	Ovolo
Finishing Assembly	Standard
Finishing Assembly Colour	Off White
Glass Pattern	Clear
Glazing Features	Astragal Squares
Hanging Method	Cords and Weights
Sash Horn Style	Rounded
Sash Horns	Top Sash
Sash Pulley Face Plate Colour	Polished Chrome
Sash Style	Single
Slider Style	Both
Swept Heads to Bottom Sash	No
Swept Heads to Top Sash	No
Top Glass Type	4mm Annealed (18mm Unit)
Trickle Vent Quantity	1
Trickle Vent Size	EA 3000
Window Board Colour	Off White
Window Board Required	Yes (internal)
Window Board Species	Finger Jointed Redwood

DECO CASEMENT WINDOW
FINGER JOINTED REDWOOD



QUOTE REF: 8268/1 V1
ITEM REFERENCE: Rear Kitchen



Drawing Notes: Viewed from outside. Point of arrow denotes opening position.

IRONMONGERY OPTIONS



Peardrop - Polished
Chrome Handle

Peardrop - Polished
Chrome Pegstay

COLOUR CHOICES



Colour
Off White
(RAL 9010)

SIZE SPECIFICATIONS

Cill	165mm x 68mm (Ext 75mm x 38mm) (external)
Frame Head Size	75mm
Height	1850mm
Size Of Bar	27mm
Transom Drop	600mm
Width	1050mm


TECHNICAL SPECIFICATIONS

Add Ons Required	No
Cill Horns	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
Equalise Glass Widths	Yes
External Grille Colour	White - RAL 9003
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glass Type	4mm Toughened (24mm Unit)
Glazing Features	Astragal Squares
Head Drip	Yes
Head Drip Horns	No
Hinge System	Pivot with Seigenia locks (no night vent)
Peg Stay Alignment	Opening end pointing to handle
Style Option	Dummy Sash
Transom Drip	No
Trickle Vent Location	Head of Frame
Trickle Vent Quantity	1
Trickle Vent Size	EA 3000
Window Board Required	No

DECO CASEMENT WINDOW
FINGER JOINTED REDWOOD



QUOTE REF: 8268/1 V1
ITEM REFERENCE: Rear Kitchen



Drawing Notes: Viewed from outside. Point of arrow denotes opening position.

IRONMONGERY OPTIONS



Peardrop - Polished
Chrome Handle

Peardrop - Polished
Chrome Pegstay

COLOUR CHOICES



Colour
Off White
(RAL 9010)

SIZE SPECIFICATIONS

Cill	165mm x 68mm (Ext 75mm x 38mm) (external)
Frame Head Size	75mm
Height	1850mm
Size Of Bar	27mm
Transom Drop	600mm
Width	1050mm


TECHNICAL SPECIFICATIONS

Add Ons Required	No
Cill Horns	No
Cill Species	Engineered European Redwood
Dummy Hinges	None
Equalise Glass Widths	Yes
External Grille Colour	White - RAL 9003
FSC® Certified	Yes
Feature Mould	Ovolo
Glass Pattern	Clear
Glass Type	4mm Toughened (24mm Unit)
Glazing Features	Astragal Squares
Head Drip	Yes
Head Drip Horns	No
Hinge System	Pivot with Seigenia locks (no night vent)
Peg Stay Alignment	Opening end pointing to handle
Style Option	Dummy Sash
Transom Drip	No
Trickle Vent Location	Head of Frame
Trickle Vent Quantity	1
Trickle Vent Size	EA 3000
Window Board Required	No

ENTRANCE DOOR
FINGER JOINTED REDWOOD



QUOTE REF: 8268/1 V1
ITEM REFERENCE: Rear Kitchen



Drawing Notes: Viewed from outside. Arrow denotes opening position.
Drawings do not depict knockers, spy holes, security chains or doorknobs. Refer to brochure for full glazing configurations.

IRONMONGERY OPTIONS



Newbury - Polished
Chrome Lever/Lever
Handle (Kaba)

COLOUR CHOICES



Frame Colour
Off White
(RAL 9010)



Sash Colour
Off White
(RAL 9010)



Top Light Sash Colour
Off White
(RAL 9010)



Internal Cill Colour
Off White
(RAL 9010)



External Cill Colour
Rosewood

SIZE SPECIFICATIONS

Add On to Bottom	100mm (included in overall size)
Cill	145mm x 60mm (inc. in overall ht)
Frame Head Size	60mm
Mid-Rail Height	900mm
Overall Height	2800mm
Overall Width	1000mm
Size Of Bar	18mm
Stiles & Rails	110mm
Transom Drop	600mm

TECHNICAL SPECIFICATIONS

Add On to Bottom Position	Below Cill
Add On to Head	None
Add On to Left	None
Add On to Right	None
Catflap	None
Cill Horns	No
Cill Species	Engineered Meranti
Cill Type	Projecting Cill
Door Knocker	No
Door Opens	In
Door Panel(s)	Flat Panel
Door Sash Glass Pattern	Clear
Door Sash Glazing Features	Astragal Squares
Door Sash Style	Belbroughton
Door Sash Toplights	Astragal Squares
Dummy Vents Toplights	Yes
External Access	Yes
FSC® Certified	No
Feature Mould	Ovolo
Glass Type	4mm Toughened (24mm Unit)
Head Drip	None
Hinge Colour	Polished Chrome
Hinge Side	Right
Letterbox	None
Security Chain	None
Threshold Colour	Black
Toplights Glass Pattern	Clear
Trickle Vents Required	No

NOTES

Flat Panels agreed. Top light fixed otherwise will need to be manufactured as seperate frames (Have allowed fanlights in adjoining windows instead (TBC) Door glass to line through with adjoining windows.



WHAT MAKES OUR PRODUCTS SPECIAL?

All of our windows and doors are bespoke; this means they are made to the exact requirements of you the customer and of your home. They combine traditional or contemporary appearance with 21st century advances in security and insulation.



Frames are manufactured using quality, seasoned engineered timber – which provides resistance against twisting and jamming as the opposing grains even out natural moisture movement.



Comprehensive insurance backed guarantees of up to 30 years – covering your deposits and your installation for added piece of mind.



Four stage factory sprayed micro-porous coatings – ensure a pristine, low maintenance finish with a guarantee to the term of 12 years on paint finishes and up to 6 years on stained without the need for redecoration.



Factory fitted energy saving double glazed units – which are almost twice as effective at retaining heat as regular double glazing. Heat reflective coatings and argon filled units provide a class leading U-value of 1.1 W/m²K.



Internally beaded glass – means more secure windows and doors as the glazing cannot be removed from the outside. The bead of externally glazed products is always a point for water ingress, rot and can lead to premature unit failure.



Windows are fitted with perimeter locking systems – which pull the opening window tight against the seals for security, heat insulation and noise insulation. All window handles are key locking to meet current insurance requirements.



Doors are fitted with full height locking systems – and solid brass or stainless steel hinges for security and weather tightness. Cylinders are snap-safe, anti-bump, anti-pick and anti-drill to combat modern methods of burglary.



Vented and drained double glazed units – allow moisture to escape and air to flow around the seals to prevent premature misting and failure of the glass. Units carry a 10 year guarantee.



Dual colour and colour matching available – we are able to offer a range of colours that complement those from well-known paint brands such as Farrow & Ball, Fired Earth and RAL colours.



A huge choice of traditional and contemporary hardware – to suit all types of property. Choose from a purpose designed suite from Samuel Heath and a range of traditional ironmongery designed by 'Timber Windows'.



Selection of astragal glazing bar sizes – to choose from. Bars are manufactured as a separate cassette which is preassembled and jointed with screws and staples. It is then bonded to the glass, pinned into the frame and sealed with a 'flexi-seal'. This avoids the problems associated with joinery products when bars are mitred and individually double-sided taped to the glass with no additional protection.

SERVING GLOUCESTERSHIRE & OXFORDSHIRE SINCE 1984