

NOTES:
DO NOT SCALE FROM DRAWING
NOT FOR CONSTRUCTION, FOR PLANNING
PURPOSES ONLY

Legend	
	Existing trees to be retained and protected during construction
	Proposed tree planting within soft landscape. See detail on sheet 13. It is recommended that resin is placed around the tree stems after planting to prevent the overheating of the trunks. Wire supports should be put back to ensure they do not restrict trunk growth.
	Proposed specimen shrub planting to receive short angular staking on half standards with expendable tree nets. Irrigation tubing to root system of <i>Aemelencher</i> , <i>Laurus</i> and <i>Osmarthus</i> specimens as required
	Proposed climbing plants to be trained up adjacent wall / fenestration with galvanised wires and hooks set at 500mm intervals with support canes removed prior to planting
	Proposed hedge planting to be planted in a single row at 300mm centres
	Proposed shrub planting to receive 75mm bark mulch after planting operations
	Proposed planted native hedge planting to be planted in a double staggered row 300mm apart and at 500mm centres in each row. To be maintained at 1m height and 1/2 height adjacent to site boundaries
	Native scrub mix
	Hoggin path to be no-dig - refer to detail on sheet 8. Green board edges secured with wooden pegs
	Existing grassland to be retained where possible. Any bare patches to be seeded with EMI6 Chalk Meadow mix as supplied by Emsgate and sown at 4 grams per msq, or similar and approved.
	Proposed front garden areas to receive good quality evenly grass turves and proposed grass verges to be seeded with amenity seed mix in line with good horticultural practices
	Existing grassland to be retained where possible. Any bare patches to be seeded with EMI1 Woodland mix as supplied by Emsgate and sown at 4 grams per msq, or similar and approved
	Proposed tussocky grass areas, to be seeded with EMI10 supplied by Emsgate and sown at 4 grams per msq, or similar and approved
	Proposed SuDs to be SuDs-WFT-SUD-37 Wildflower turf or similar and approved
	Proposed EMI6 seed mix as supplied by Emsgate Seeds and sown at 4 grams per msq, or similar and approved
	Proposed hard planting in grass. SuDs to be planted in clumps of 3, 5 or 7 of the same species, in natural drifts.
	Public art piece from Green Steel sculptures
	Mown grass path
	0.45m High Timber Trip Rail to protect veteran oak
	Proposed light columns
	Refer to lighting layout for details
	Proposed root barrier see tree pit detail on Sheet 13
	Proposed 1.2m high rounded post and rail fencing to reinforce hedge to have cross bar and dog proof netting
	Cut lines

Planting Schedule on Sheet 4

K	22.07.24	Reinforced hedged added plot 72.7% south of plot 93	LS		
D	27.03.24	Layout revised	LS		
	10.01.24	Comments - note added	LS		
H	24.08.23	Comments - root barriers added			
G	21.07.23	Topo added	JH		
C	18.07.23	Comments	LS		
E	12.05.23	Comments	LS		
	16.03.23	Tree sites amended	LS		
Dev	Date	Details	Drawn		



Rodbourn Rail Business Centre, Grange Lane,
Malmesbury, SN16 0ES
Tel: 01666 825646

4 & 5 The Old Mill, Fry's Yard, Bridge Street,
Godalming, GU7 1HP
Tel: 01483 425714

Suite 6, Crescent House, Yonge Close,
Eastleigh, SO50 9SX
Tel: 02382 026300

email: mail@acdenv.co.uk
www.acdenvironmental.co.uk

Vistry Homes

scheme: Reading Golf Club,
Reading

client: Vistry Homes

drawing: Soft Landscape Proposa

date: June 22

scale: 1:200@A1 Sheet 9 of 14

drawing no: VYH23781 11

drawn: LS/RK checked: DKM

Copyright of ACD Environmental Ltd. All rights described in Chapter IV of the Copyright, Designs and Patents Act 1988 have been generally asserted: 2011. Copyright of this plan