












Note:
90mm mullion only available as fixed
90mm lodpost findes kun som fast post.



VELFAC® VELFAC is a trademark of DOVISTA A/S	System: VELFAC 200 Energy	Scale: 1:2,5 / 1:40
	English: Standard details	Edition No. 11
	Dansk: Standard snit	02.23 © 2013, 2023

© DOVISTA A/S, CVR-no. 21147583. All intellectual property rights, copyright as well as all rights in know-how vest in DOVISTA A/S. This drawing may not be reproduced, stored, or transmitted in any form by any means (electronic, mechanical, photocopying, recording or otherwise) without the prior written consent of DOVISTA A/S. This drawing is to be used only for the purposes specified by DOVISTA A/S and for no other purpose. We reserve all rights to change the product and product range without notice.



1:40

VELFAC®

VELFAC is a trademark of DOVISTA A/S

System: VELFAC 200 Energy

English: Glazing bars




Dansk: Sprosser

Scale: 1:2,5 / 1:40

Edition No. 11

02.23 © 2013, 2023









© DOVISTA A/S, CVR-no. 21147583. All intellectual property rights, copyright as well as all rights in know-how vest in DOVISTA A/S.
This drawing may not be reproduced, stored, or transmitted in any form by any means (electronic, mechanical, photocopying, recording or otherwise) without the prior written consent of DOVISTA A/S. This drawing is to be used only for the purposes specified by DOVISTA A/S and for no other purpose.
We reserve all rights to change the product and product range without notice.




Ⓐ Ⓒ = as standard V200 Energy, see "Standard Details"

VELFAC® VELFAC is a trademark of DOVISTA A/S	System: VELFAC 200 Energy	Scale: 1:2,5 / 1:40
	English: Reversible window	Edition No. 11
	Dansk: Vendevindue	02.23 © 2013, 2023



© DOVISTA A/S, CVR-no. 21147583. All intellectual property rights, copyright as well as all rights in know-how vest in DOVISTA A/S. This drawing may not be reproduced, stored, or transmitted in any form by any means (electronic, mechanical, photocopying, recording or otherwise) without the prior written consent of DOVISTA A/S. This drawing is to be used only for the purposes specified by DOVISTA A/S and for no other purpose. We reserve all rights to change the product and product range without notice.



To ensure alignment:
fixed sidelight with 24mm threshold.
(For at opnå rammeflugt:
fast sideparti med 24mm bundstykke)



To ensure alignment:
fixed sidelight with 24mm threshold.
(For at opnå rammeflugt:
fast sideparti med 24mm bundstykke)



(M) = see sliding casement door with 24mm threshold
(A) (B) = as standard V200 Energy, see "Standard Details"

VELFAC®

VELFAC is a trademark of DOVISTA A/S

System: VELFAC 200 Energy

English: Casement door




Dansk: Terrassedør

Scale: 1:2,5 / 1:40

Edition No. 11



02.23 © 2013, 2023

© DOVISTA A/S, CVR-no. 21147583. All intellectual property rights, copyright as well as all rights in know-how vest in DOVISTA A/S. This drawing may not be reproduced, stored, or transmitted in any form by any means (electronic, mechanical, photocopying, recording or otherwise) without the prior written consent of DOVISTA A/S. This drawing is to be used only for the purposes specified by DOVISTA A/S and for no other purpose. We reserve all rights to change the product and product range without notice.







French casement (2-fløjet skydedør)

VELFAC 200 ENERGY, 1-leaf sliding casement door, 24mm threshold









INSTALLATION TIP






Ⓐ Ⓑ Ⓓ = as standard V200 Energy, see "Standard Details"

VELFAC® VELFAC is a trademark of DOVISTA A/S	System: VELFAC 200 Energy	Scale: 1:2,5 / 1:20 / 1:50
	English: Sliding casement door, 24mm threshold	Edition No. 11
	Dansk: Skydedør, 24mm bundkarm	02.23 © 2013, 2023

© DOVISTA A/S, CVR-no. 21147583. All intellectual property rights, copyright as well as all rights in know-how vest in DOVISTA A/S. This drawing may not be reproduced, stored, or transmitted in any form by any means (electronic, mechanical, photocopying, recording or otherwise) without the prior written consent of DOVISTA A/S. This drawing is to be used only for the purposes specified by DOVISTA A/S and for no other purpose. We reserve all rights to change the product and product range without notice.



VELFAC 200 ENERGY, sliding casement door, 70mm threshold



Ⓑ Ⓓ = as standard V200 Energy, see "Standard Details"
Ⓜ = see sliding casement door with 24mm threshold

VELFAC®

VELFAC is a trademark of DOVISTA A/S

System: VELFAC 200 Energy

English: Sliding casement door. 70mm threshold

Dansk: Skydedør, 70mm bundkarm

Scale: 1:2,5 / 1:20 / 1:50

Edition No. 11

02.23 © 2013, 2023

© DOVISTA A/S, CVR-no. 21147583. All intellectual property rights, copyright as well as all rights in know-how vest in DOVISTA A/S. This drawing may not be reproduced, stored, or transmitted in any form by any means (electronic, mechanical, photocopying, recording or otherwise) without the prior written consent of DOVISTA A/S. This drawing is to be used only for the purposes specified by DOVISTA A/S and for no other purpose. We reserve all rights to change the product and product range without notice.