

T.O.R. 55.920

T.O.P. 53.645

Level 4 52.370

Level 3 49.520

Level 2 46.670

Level 1 43.820

Level 0 40.520

Level B 37.070

Proposed new 200mm ID / 264mm OD twin wall insulated stainless steel flue system rising up external face of building to termination. The current proposal is for this new external riser to be self coloured stainless steel however this can be powder coated if required to satisfy planning conditions.

To comply with teh requirements setout under the Clean Air Act, the flue system will need to terminate at least 3m above balcony floor level and at lease 2.3m away from any higher structures.

Flue exits wall of main building at this level and connects into a base tee complete with drain point.

ChimFlue Ltd

Tel: 01264 332878 Fax: 01264 366647

Unit 5, Viscount Court,
South Way,
Walworth Ind. Estate,
ANDOVER,
Hampshire SP10 5NW

Title: Century Place - Proposed West & North Elevations

Client: Homes for Students

Drawn by: S.F.

Dimensions: mm

Projection: 

Tolerances: Dia. decimal + 1mm lengths decimal + 2mm angles +1'30"

Fractions ± 1/25" Fractions ± 1/12"

Issue No. 1

Checked by:

DRG. No.

Scale: NTS

Date: 26/07/24

CHIM-2403071-102

1:1

