




Fig. 11: Floor Plan




Fifth Floor

		DAYLIGHT					SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY					HOURS:MIN		
		percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours)							
		Weather File: GBR_Gatwick					1 FEB	25 FEB	21 MAR
		100	150	200	TARGET	RELEVANT ENSDA			
NP - LEVEL 05									
364	BEDROOM	100.0	82.6	63.9	100	100.0	00:03	00:03	00:13
365	BEDROOM	100.0	77.8	48.1	100	100.0	00:00	00:00	00:12
366	L/K/D	98.2	77.7	63.9	200	63.9	00:00	00:00	00:00
367	L/K/D	93.2	81.2	64.7	200	64.7	00:00	00:00	00:18
368	BEDROOM	100.0	100.0	96.7	100	100.0	00:00	00:00	00:16
369	BEDROOM	100.0	92.9	71.6	100	100.0	00:00	00:00	00:29
370	BEDROOM	100.0	95.6	69.2	100	100.0	00:00	00:00	00:40
371	BEDROOM	100.0	100.0	100.0	100	100.0	00:00	00:00	00:43
372	BEDROOM	100.0	100.0	100.0	100	100.0	00:00	00:00	00:47
373	L/K/D	100.0	100.0	99.8	200	99.8	00:00	00:00	00:50
374	BEDROOM	100.0	69.0	47.1	100	100.0	00:00	00:00	00:00
375	L/K/D	100.0	100.0	100.0	200	100.0	00:40	01:38	03:27
376	BEDROOM	100.0	100.0	100.0	100	100.0	01:31	02:24	03:27
377	BEDROOM	100.0	72.5	51.8	100	100.0	00:25	01:38	02:39
378	L/K/D	63.0	43.0	33.1	200	33.1	00:00	01:22	02:24
379	BEDROOM	70.3	38.0	24.7	100	70.3	00:00	00:05	01:15
380	BEDROOM	98.5	66.4	44.3	100	98.5	00:00	00:08	01:11
381	L/K/D	72.0	53.6	42.6	200	42.6	00:15	00:49	02:04
382	BEDROOM	85.4	61.4	43.7	100	85.4	00:29	00:41	01:23
383	BEDROOM	100.0	73.5	52.3	100	100.0	00:14	01:03	01:55
384	L/K/D	70.7	53.3	41.7	200	41.7	00:00	01:02	01:43
385	BEDROOM	82.9	62.7	44.9	100	82.9	00:00	00:44	01:31
386	BEDROOM	100.0	79.5	55.3	100	100.0	00:00	00:26	01:31
387	L/K/D	75.1	56.4	44.8	200	44.8	00:00	00:02	01:14
388	STUDIO	88.5	67.2	46.5	200	46.5	00:00	00:00	00:00
389	BEDROOM	100.0	63.4	35.0	100	100.0	00:00	00:00	00:00
390	L/K/D	99.3	72.5	55.2	200	55.2	00:00	00:00	00:00
391	BEDROOM	100.0	82.6	49.6	100	100.0	00:00	00:00	00:00
392	L/K/D	78.9	58.0	45.7	200	45.7	00:00	00:00	00:00
393	BEDROOM	100.0	86.2	52.0	100	100.0	00:00	00:00	00:00
394	L/K/D	84.0	63.9	50.5	200	50.5	00:00	00:00	00:00
395	BEDROOM	100.0	98.7	75.0	100	100.0	00:00	00:00	00:00
396	L/K/D	87.8	71.3	56.9	200	56.9	00:00	00:00	00:00
397	BEDROOM	100.0	100.0	89.4	100	100.0	00:00	00:00	00:00
398	BEDROOM	100.0	100.0	100.0	100	100.0	00:00	00:00	00:00
399	BEDROOM	100.0	100.0	95.9	100	100.0	00:00	00:00	00:00

Table 11: Assessment Data



Fig. 12: Floor Plan




Fifth Floor (Continued)

		DAYLIGHT					SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY					HOURS:MIN		
		percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours)							
		Weather File: GBR_Gatwick					1 FEB	25 FEB	21 MAR
		100	150	200	TARGET	RELEVANT ENSDA			
400	L/K/D	100.0	100.0	95.7	200	95.7	00:00	00:00	00:00
401	STUDIO	100.0	100.0	98.1	200	98.1	01:04	03:18	05:28
402	BEDROOM	100.0	100.0	87.9	100	100.0	00:49	01:50	04:40
403	L/K/D	91.4	78.3	63.1	200	63.1	01:42	02:32	04:14
404	L/K/D	85.0	71.8	56.8	200	56.8	01:48	02:31	03:30
405	BEDROOM	100.0	92.7	61.2	100	100.0	01:06	01:49	02:47
406	BEDROOM	100.0	89.6	67.0	100	100.0	01:22	01:58	02:49
407	L/K/D	100.0	100.0	97.9	200	97.9	02:34	02:58	03:37
408	BEDROOM	100.0	99.1	56.6	100	100.0	00:00	00:00	00:00
409	BEDROOM	100.0	100.0	100.0	100	100.0	02:43	02:39	03:24
410	BEDROOM	100.0	100.0	97.6	100	100.0	02:59	02:44	03:34
411	BEDROOM	100.0	100.0	100.0	100	100.0	03:16	02:59	03:41
412	L/K/D	100.0	100.0	98.7	200	98.7	09:00	09:19	08:49
413	BEDROOM	100.0	100.0	100.0	100	100.0	06:57	07:12	06:29
414	L/K/D	100.0	92.0	81.8	200	81.8	07:03	07:14	06:30
415	BEDROOM	100.0	100.0	100.0	100	100.0	06:36	06:44	06:03
416	L/K/D	100.0	91.9	81.9	200	81.9	07:03	07:05	06:21
417	BEDROOM	100.0	100.0	100.0	100	100.0	06:31	06:35	05:55
418	L/K/D	100.0	99.7	88.7	200	88.7	06:52	06:55	06:12
419	L/K/D	100.0	91.9	83.2	200	83.2	08:57	08:30	07:38
420	BEDROOM	100.0	100.0	100.0	100	100.0	06:03	05:37	05:03
421	BEDROOM	100.0	100.0	100.0	100	100.0	06:03	05:33	04:59
422	L/K/D	100.0	100.0	97.3	200	97.3	06:00	05:28	04:55
423	BEDROOM	100.0	92.3	66.3	100	100.0	00:40	00:37	00:33
424	BEDROOM	100.0	94.4	74.5	100	100.0	00:35	00:33	00:30
425	L/K/D	85.2	72.9	58.7	200	58.7	01:30	01:23	01:15
426	BEDROOM	99.4	81.1	61.6	100	99.4	00:26	00:24	00:21
427	BEDROOM	100.0	95.4	70.6	100	100.0	00:22	00:21	00:18
428	L/K/D	85.1	71.6	59.4	200	59.4	01:18	01:12	01:07
429	STUDIO	96.2	75.6	65.8	200	65.8	01:15	01:09	01:07

Table 12: Assessment Data



Fig. 13: Floor Plan




Sixth Floor

		DAYLIGHT					SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY					HOURS:MIN		
		percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours)							
		Weather File: GBR_Gatwick					1 FEB	25 FEB	21 MAR
		100	150	200	TARGET	RELEVANT ENSDA			
NP - LEVEL 06									
430	BEDROOM	100.0	85.2	67.1	100	100.0	00:03	00:03	00:16
431	BEDROOM	100.0	82.9	52.5	100	100.0	00:00	00:00	00:15
432	L/K/D	100.0	79.8	67.0	200	67.0	00:00	00:00	00:00
433	L/K/D	95.3	83.0	67.0	200	67.0	00:00	00:00	00:38
434	BEDROOM	100.0	100.0	97.6	100	100.0	00:00	00:00	00:36
435	BEDROOM	100.0	96.5	74.5	100	100.0	00:00	00:00	00:41
436	BEDROOM	100.0	98.7	72.3	100	100.0	00:00	00:00	00:45
437	BEDROOM	100.0	100.0	100.0	100	100.0	00:00	00:00	00:48
438	BEDROOM	100.0	100.0	100.0	100	100.0	00:00	00:00	00:55
439	L/K/D	100.0	100.0	100.0	200	100.0	00:00	00:00	01:02
440	BEDROOM	100.0	93.5	63.2	100	100.0	00:00	00:00	00:00
441	L/K/D	100.0	100.0	100.0	200	100.0	01:31	02:30	04:26
442	BEDROOM	100.0	100.0	100.0	100	100.0	02:22	03:16	04:26
443	BEDROOM	100.0	97.4	69.9	100	100.0	01:31	02:30	03:31
444	L/K/D	76.5	54.7	43.1	200	43.1	01:15	02:14	03:17
445	BEDROOM	90.5	55.7	33.5	100	90.5	00:00	00:59	02:09
446	BEDROOM	100.0	91.2	60.3	100	100.0	00:00	00:56	02:06
447	L/K/D	81.8	63.7	52.7	200	52.7	00:15	01:58	03:01
448	BEDROOM	98.1	78.8	58.9	100	98.1	00:40	01:32	02:11
449	BEDROOM	100.0	97.0	71.6	100	100.0	00:30	01:24	02:04
450	L/K/D	79.5	61.2	50.3	200	50.3	00:11	01:20	02:48
451	BEDROOM	94.3	76.6	58.9	100	94.3	00:00	01:02	01:55
452	BEDROOM	100.0	97.0	72.7	100	100.0	00:00	00:45	01:38
453	L/K/D	82.8	65.4	52.2	200	52.2	00:00	00:21	01:34
454	STUDIO	96.4	76.5	56.9	200	56.9	00:00	00:00	00:00
455	BEDROOM	100.0	86.2	49.6	100	100.0	00:00	00:00	00:00
456	L/K/D	100.0	89.1	66.2	200	66.2	00:00	00:00	00:00
457	BEDROOM	100.0	97.5	65.7	100	100.0	00:00	00:00	00:00
458	L/K/D	83.9	66.9	53.3	200	53.3	00:00	00:00	00:00
459	BEDROOM	100.0	92.6	70.6	100	100.0	00:00	00:00	00:00
460	L/K/D	90.0	74.6	60.8	200	60.8	00:00	00:00	00:00
461	BEDROOM	100.0	100.0	95.1	100	100.0	00:00	00:00	00:00
462	L/K/D	96.3	80.6	67.2	200	67.2	00:00	00:00	00:00
463	BEDROOM	100.0	100.0	100.0	100	100.0	00:00	00:00	00:00
464	BEDROOM	100.0	100.0	100.0	100	100.0	00:00	00:00	00:06
465	BEDROOM	100.0	100.0	98.3	100	100.0	00:00	00:00	00:00
466	L/K/D	100.0	100.0	100.0	200	100.0	00:00	00:00	00:00
467	STUDIO	100.0	100.0	100.0	200	100.0	02:32	04:12	05:28
468	BEDROOM	100.0	100.0	99.4	100	100.0	01:45	03:23	05:28
469	L/K/D	99.7	86.6	76.9	200	76.9	02:35	03:31	05:31

Table 13: Assessment Data



Fig. 14: Floor Plan



Sixth Floor (Continued)

		DAYLIGHT					SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY					HOURS:MIN		
		percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours)							
		Weather File: GBR_Gatwick					1 FEB	25 FEB	21 MAR
		100	150	200	TARGET	RELEVANT ENSDA			
470	L/K/D	96.3	80.3	72.4	200	72.4	02:37	03:28	04:57
471	BEDROOM	100.0	100.0	89.1	100	100.0	01:50	02:42	03:47
472	BEDROOM	100.0	100.0	88.4	100	100.0	01:58	02:46	03:43
473	L/K/D	100.0	100.0	100.0	200	100.0	03:02	03:39	04:24
474	BEDROOM	100.0	100.0	89.8	100	100.0	00:00	00:00	00:00
475	BEDROOM	100.0	100.0	100.0	100	100.0	02:43	03:07	03:59
476	BEDROOM	100.0	100.0	100.0	100	100.0	02:59	03:06	04:05
477	BEDROOM	100.0	100.0	100.0	100	100.0	03:16	03:06	04:07
478	L/K/D	100.0	100.0	100.0	200	100.0	09:00	09:19	09:15
479	BEDROOM	100.0	100.0	100.0	100	100.0	06:57	07:12	06:29
480	L/K/D	100.0	97.8	82.7	200	82.7	07:03	07:14	06:30
481	BEDROOM	100.0	100.0	100.0	100	100.0	06:36	06:44	06:03
482	L/K/D	100.0	97.5	83.1	200	83.1	07:03	07:05	06:21
483	BEDROOM	100.0	100.0	100.0	100	100.0	06:36	06:35	05:55
484	L/K/D	100.0	100.0	94.7	200	94.7	07:12	07:03	06:20
485	L/K/D	100.0	98.3	84.7	200	84.7	09:00	08:30	07:38
486	BEDROOM	100.0	100.0	100.0	100	100.0	06:03	05:37	05:03
487	BEDROOM	100.0	100.0	100.0	100	100.0	06:03	05:33	04:59
488	L/K/D	100.0	100.0	98.2	200	98.2	06:00	05:28	04:55
489	BEDROOM	100.0	95.6	70.7	100	100.0	00:40	00:37	00:33
490	BEDROOM	100.0	96.3	78.3	100	100.0	00:35	00:33	00:30
491	L/K/D	86.3	75.5	61.4	200	61.4	01:30	01:23	01:15
492	BEDROOM	100.0	83.0	66.0	100	100.0	00:26	00:24	00:22
493	BEDROOM	100.0	96.9	75.6	100	100.0	00:22	00:21	00:21
494	L/K/D	86.9	75.1	61.2	200	61.2	01:18	01:12	01:10
495	STUDIO	98.6	77.7	67.2	200	67.2	01:15	01:09	01:10

Table 14: Assessment Data

Seventh Floor

		DAYLIGHT					SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY					HOURS:MIN		
		percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours)							
		Weather File: GBR_Gatwick					1 FEB	25 FEB	21 MAR
		100	150	200	TARGET	RELEVANT ENSDA			
NP - LEVEL 07									
496	BEDROOM	100.0	89.0	71.0	100	100.0	00:12	00:11	00:28
497	BEDROOM	100.0	88.6	57.0	100	100.0	00:00	00:00	00:19
498	L/K/D	100.0	82.1	69.4	200	69.4	00:00	00:00	00:11
499	L/K/D	97.6	84.1	70.4	200	70.4	00:00	00:00	00:58
500	BEDROOM	100.0	100.0	98.4	100	100.0	00:00	00:00	00:43
501	BEDROOM	100.0	98.6	77.3	100	100.0	00:00	00:00	00:46
502	BEDROOM	100.0	99.4	75.6	100	100.0	00:00	00:00	00:50
503	BEDROOM	100.0	100.0	100.0	100	100.0	00:00	00:00	00:53
504	BEDROOM	100.0	100.0	100.0	100	100.0	00:00	00:00	01:04
505	L/K/D	100.0	100.0	100.0	200	100.0	00:00	00:00	01:07
506	BEDROOM	100.0	94.8	64.2	100	100.0	00:00	00:00	00:00
507	L/K/D	100.0	100.0	100.0	200	100.0	02:23	03:27	05:21
508	BEDROOM	100.0	100.0	100.0	100	100.0	03:14	04:13	05:21
509	BEDROOM	100.0	100.0	93.8	100	100.0	02:32	03:19	04:26
510	L/K/D	94.4	70.5	54.5	200	54.5	02:16	03:13	04:06
511	BEDROOM	100.0	82.3	50.6	100	100.0	00:57	02:00	03:02
512	BEDROOM	100.0	100.0	86.3	100	100.0	00:55	01:59	03:01
513	L/K/D	91.7	78.9	64.9	200	64.9	01:34	03:04	04:04
514	BEDROOM	100.0	92.4	77.2	100	100.0	00:40	02:11	03:17
515	BEDROOM	100.0	100.0	97.7	100	100.0	00:46	02:11	03:14
516	L/K/D	88.4	75.9	61.9	200	61.9	00:27	02:11	03:52
517	BEDROOM	100.0	89.9	73.4	100	100.0	00:06	01:26	03:01
518	BEDROOM	100.0	100.0	95.5	100	100.0	00:00	01:04	02:13
519	L/K/D	90.8	76.0	60.2	200	60.2	00:00	00:38	02:13
520	STUDIO	99.3	82.3	64.4	200	64.4	00:00	00:00	00:00
521	BEDROOM	100.0	100.0	67.5	100	100.0	00:00	00:00	00:00
522	L/K/D	100.0	99.3	81.3	200	81.3	00:00	00:00	00:00
523	BEDROOM	100.0	100.0	86.8	100	100.0	00:00	00:00	00:00
524	L/K/D	91.0	76.1	60.9	200	60.9	00:00	00:00	00:01
525	BEDROOM	100.0	99.3	90.1	100	100.0	00:00	00:00	00:00
526	L/K/D	100.0	84.6	71.5	200	71.5	00:00	00:00	00:10
527	BEDROOM	100.0	100.0	100.0	100	100.0	00:00	00:00	00:00
528	L/K/D	100.0	87.8	78.8	200	78.8	00:00	00:00	00:19
529	BEDROOM	100.0	100.0	100.0	100	100.0	00:00	00:00	00:00

Table 15: Assessment Data