

Document: **Outline Hard Landscape Schedule**
Project: **Dee Park Play Area**
Doc Ref: RBC-DPR_HTA-L_SH-0001
Status: For Information
Stage: Planning
Issue date: 20.11.2024
Rev: F



Note: To be read in conjunction with all other landscape information

Ref	Description	Suggested Supplier	Type	Colour	Size	Notes
H1A	Wet pour/ rubbercrumb surfacing		Wet pour safety surfacing - permeable	Colour to be finalised at next stage	Depth: varies by critical fall height, refer to manufacturer's information for depth required	Depths to comply with Critical Fall Heights of play equipment. Material to comply with all requirements of BS EN 7188:1998
H1B	Rubber mulch safety surface		Rubber mulch shredded surface - permeable	Colour to be finalised at next stage	Depth: min. 40mm, varies by critical fall height, refer to manufacturer's information for depth required	5 year warranty, non toxic and odourless, prevents weed growth while allowing water to permeate into the ground.
H2	Permeable clay brick inspired paving		Pre-cast concrete block paving (brick style) - permeable	Colour to be finalised at next stage	Size to be finalised at next stage	Material selection to be agreed with Reading Borough Councils (RBC) highways department to ensure future maintenance compatability.
H3	Polymeric surfacing		Polymeric surface suitable for football and tennis - permeable	Colour to be finalised at next stage		Material to comply with all requirements of BS EN 7044
H4	Ashpalt surfacing	Contractor's proposal	Asphalt to match existing			Material selection to be agreed with Reading Borough Councils (RBC) highways department to ensure future maintenance compatability.
H5	Permeable Tar with chip surfacing	Contractor's proposal	Tar & chip surface - permeable	Colour to be finalised at next stage		Bold graphic/ pattern to be applied to surface. Details to be developed at next stage.
E1	Timber sleeper retaining wall	Contractor's proposal	Treated FSC certified timber		Timber sleepers 250 x 125mm. Wall height approx. 450mm	

Ref	Description	Suggested Supplier	Type	Colour	Size	Notes
E2	Edging		Standard flat top edging	Standard grey	50mm wide x 914mm long, 2mm joint. Straight. Depth to engineer's specification.	
B1	Double metal gate		Solid flat bar railings - double leaf, self closing pedestrian gate. Galvanized steel, ppc.	Colour to be finalised at next stage	Height 1150mm. Width to be confirmed at next stage	Pro-safe hydraulic self-closing gate, manufactured to comply with BS EN 1176 for playground equipment, with Locinox or equal approved lock. To match railings B3. Gates to open inwards into park.

Ref	Description	Suggested Supplier	Type	Colour	Size	Notes
B2	Single metal gate		Solid flat bar railings - single leaf, self closing pedestrian gate. Galvanized steel, ppc.	Colour to be finalised at next stage	Height 1150mm. Width to be confirmed at next stage	Pro-safe hydraulic self-closing gate, manufactured to comply with BS EN 1176 for playground equipment, with Locinox or equal approved lock. To match railings B3. Gates to open inwards into park.
B3	Metal fence to playgroud		Solid flat bar railings. Galvanized steel, ppc.	Colour to be finalised at next stage	Height 1150mm, standard panel widths 1550mm	Single and double gates with matching infill panel (B1 and B2). Fence specification to be agreed with Reading Borough Councils (RBC) highways department to ensure future maintenance compatability.
B4	Rebound mesh fence to ball sports area		Rebound/ Sports mesh fencing. Galvanised steel, ppc.	Colour to be finalised at next stage	Height 2.03m from playing surface level.	50 x 66.6mm mesh at the base to 1200mm then reverts to 200 x 50mm above up to 2030mm. Posts 80 x 60mm subject to height of fence. Rebound fencing suitable for football and basketball. Fence specification to be agreed with Reading Borough Councils (RBC) highways department to ensure future maintenance compatability.
F1	Bench		Single beam with backrest	FSC hardwood bench with powder coated galvanised steel legs.	Length 300cm x width 30cm.	
F2	Pebble seat		Pebble seat	Polished Cornish granite aggregate Concrete. Colour to be finalised at next stage	XL 195 x 98 x 46cm (1300kg) L 155 x 85 x 42cm (740kg) M 105 x 70 x 38cm (360kg)	3 no. pebble seats to be supplied, one XL, one L and one M.
F3	Litter bin		Bin with 2 compartments - one for waste, one for recycling.	Hot dipped galvanized steel and aluminium throughout with powder coated finish	Height 1102mm, width 800mm, depth 390mm. Capacity 2 x 97L. Weight 79Kg. (including inner galvanized steel liner)	Full length hinged door with heavy duty stainless steel hinges and box section reinforcing. Heavy duty slam latch. Two 97L galvanized liners. Two apertures to front of bin for different waste streams. Root fixed to manufacturer's recommendations and engineer's specification.
F4	Reclaimed metal arch	NA	NA	Colour to be finalised at next stage	As existing.	Existing metal arch from Lyons Square to be sandblasted, repaired and re-sprayed by metalwork specialist. Details to be developed at next stage.
F5	Tree grille	GreenBlueUrban 01580 830 800 https://greenblue.com/gb/products/zeta/	Tel: Zeta horizontal tree grille. GBUZETA20A	As supplied	2m square with 600mm opening	Zeta is a new, unique tree grille boasting a completely invisible structure allowing interruption-free paving right up to the tree. To be installed as per manufacturers details
F6	Picnic table & benches		Picnic Set	FSC hardwood bench (upcycled) with powder coated galvanised steel legs.	Table 940mm wide, 3m long. To be supplied with 2 no. single beam benches, 3m long.	Root fixed to manufacturer's recommendations

Ref	Description	Suggested Supplier	Type	Colour	Size	Notes
F7	Bisuit tin seats	NA	Bespoke seating elements inspired by Huntley & Palmer biscuit tins	Material to be finalised at next stage	To be detailed at next stage.	These bespoke seating elements provide an opportunity for artist involvement. See Design & Access Statement for design intent.
F8	Cycle stands		Sheffield style cycle stand with cross bar	Powder coated aluminium. Colour to be finalised at next stage		Casting in ground - fixing to manufacturer's recommendations.
P1	Cantilever Play Frame	PlayEquip Tel: 0177 383 0069 https://playequip.com/wooden-playhouses/wooden-teepee/	Cantilever Play Frame	Larch and Oak timbers, stainless steel, steel core net, rope	Length 4.3m, width 3m , height 3m	Play design indicative/ bespoke to be developed and detailed in conjunction with Play Equip. Installed as per manufacturer's recommendations.
P2	Spring discs	PlayEquip Tel: 0177 383 0069 https://playequip.com/trim-trails/spring-disks/	Spring discs	Oak timber, stainless steel fixings	900mm diameter, 300mm high	Play design indicative and to be bespoke developed and detailed in conjunction with Play Equip. Installed as per manufacturer's recommendations.
P3	Target Wall	Numuga Tel: 07904238886 https://numuga.com/targetwall	Target Wall Ref: NM008	As supplied	2440mm wide x 2440mm high	Play design indicative/ bespoke to be developed and detailed in conjunction with Play Equip and Numuga. Installed as per manufacturer's recommendations. Installed with steel shoe embedded into concrete foundation.
P4	4-Way Basket Ball Stand	Numuga Tel: 07904238886 https://numuga.com/4waybasketballnet	4-way basketball net. Ref: NM023	As supplied	2800mm wide x 4050mm high x 2800mm depth	Play design indicative/ bespoke to be developed and detailed in conjunction with Play Equip and Numuga. Installed as per manufacturer's recommendations. Installed with steel shoe embedded into concrete foundation.
P5	Timber deck/stage	PlayEquip Tel: 0177 383 0069 https://playequip.com/outdoor-playground-equipment/playground-stage/	Playground Stage with shelter	Timber deck: FSC all-weather grip deck with steel shelter to engineers specification	Detailed design to be developed in conjunction with PlayEquip.	Play design indicative and to be bespoke developed and detailed in conjunction with Play Equip. Installed as per manufacturer's recommendations.
P6	Bespoke play structure	PlayEquip Tel: 0177 383 0069 https://playequip.com	Bespoke metal frame multi-use play structure with swings, monkey bars, see-saw and up-and-over bars	Powder coated steel to engineers specification	As per General Arrangement drawing	Play design indicative/ bespoke to be developed and detailed in conjunction with Play Equip. Installed as per manufacturer's recommendations. Installed with steel shoe embedded into concrete foundation.

Ref	Description	Suggested Supplier	Type	Colour	Size	Notes
P7	Hexagon Stumps	PlayEquip Tel: 0177 383 0069 https://playequip.com/trim-trails/hexagon-stumps/	Hexagon Stumps	FSC solid oak	0.3 x 0.3 x 0.4m	Play design indicative and to be bespoke developed and detailed in conjunction with Play Equip. Installed as per manufacturer's recommendations.
P8	Nursery swing	PlayEquip Tel: 0177 383 0069 https://playequip.com/playground-swings/nursery-swing/	Nursery swing	FSC solid oak and stainless steel	Width 2.5m, height 1.5m, depth 1m	Play design indicative/ bespoke to be developed and detailed in conjunction with Play Equip. Installed as per manufacturer's recommendations. Installed with steel shoe embedded into concrete foundation.
P9	Trampoline	PlayEquip Tel: 0177 383 0069 https://playequip.com/outdoor-gym-equipment/playground-trampoline/	Playground trampoline	Galvanised steel ground structure, weather proof jumping mat	1500 x 1500mm	Play design indicative and to be bespoke developed and detailed in conjunction with Play Equip. Installed as per manufacturer's recommendations. Installation subject to confirmation of suitable ground conditions.
P10	Bike rocker	PlayEquip Tel: 0177 383 0069 https://playequip.com/outdoor-playground-equipment/bike-rocker/	Bike rocker	Stainless steel and larch	As supplied, 700mm high x 500mm wide	Play design indicative and to be bespoke developed and detailed in conjunction with Play Equip. Installed as per manufacturer's recommendations.
P11	Roundabout	PlayEquip Tel: 0177 383 0069 https://playequip.com/outdoor-playground-equipment/inclusive-roundabout/	Inclusive roundabout	Stainless steel	2250mm diameter x 1m high	Play design indicative and to be bespoke developed and detailed in conjunction with Play Equip. Installed as per manufacturer's recommendations.
	Recessed Service Covers	Contractor's choice	Galvanised steel recessed service cover with locking mechanism	As supplied. To be infilled with paving to match adjacent surface finish.	To fit existing services access covers	