




Triple Glazing:
9.5mm glass - 6mm airgap - 4mm glass -14mm airgap - 4mm glass
Secondary Glazing:
200mm airgap - 6mm acoustic laminated glass
Ventilation:
No atmospheric termination on the roof.
All atmospheric termination on the facade.

B045

Plot Number correlating to Accommodation Schedule



Ground Floor
1:500



First Floor
1:500




Second Floor
1:500




Third Floor
1:500




Fourth Floor
1:500




Fifth Floor
1:500




Sixth Floor
1:500




Seventh Floor
1:500




Eighth Floor
1:500



Ninth Floor
1:500



Tenth Floor
1:500



Location of Roof Top Plant
1:500



revision	date	prepared	description
A	13.11.23	EE	Fire Strategy update
B	05.01.24	EE	Fire Strategy update
C	02.02.25	QA	Workshop update

Berkeley
Designed for life

Berkeley House
Farnham Lane
Farnham Royal
SL2 3RQ

T: 01753 784400
F: 01753 646855
www.berkeleygroup.co.uk

project
Vastern Road
Reading

drawing
Block B and C - MVHR Proposal
Glazing and Ventilation Plans

date	scale @ a1	drawn
November 2021	1:500	EE

drawing number	revision
448.PL.BC.V.100	C