


NOTES
The copyright of this drawing and design is from TNM and must not be copied or reproduced without written consent.
All dimensions to be checked and verified on site via a responsible contractor prior to commencement of any works
This drawing to be read in conjunction with the specification and other drawings
Do not scale to ascertain dimensions.



North East Elevation as Existing
1 : 50



North East Elevation as Proposed
1 : 50

- 1 Cottage mixture brick
- 2 Windows, doors, soffits, facias and RWP in RAL 9006
- 3 White Render (through colour)
- 4 Pre patinated Zinc standing seam
- 5 Pre patinated Zinc standing seam dormer window
- 6 Frameless glass balustrade
- 7 Grey tiles roof
- 8 Chimney retained as existing
- 9 Brickwork detail retained as existing to Bay Window
- 10 Square section Aluminium downpipes and gutters
- 11 4 x wienerberger integrated bat box to warmer southern elevations plus 1 x wienerberger bat access tile
- 12 5 x Integrated swift bricks (Ibstock Swift Eco Habitat) Proposed position to avoid overheating - Northern Elevations

B	PLANNERS EMAIL 08.07.25 UPDATES TO BAT AND SWIFT BOX INTEGRATION	NC	08.07.25
A	RWP ADDED AT PLANNERS REQUEST - BAT AND SWIFT BOXES INDICATED - DORMER AT REAR NOW TILED VERTICALLY	NC	09.02.25
Rev	Detail of Change	Alt.	Date/Check
CLIENT NAME		SCALE	SUB
NAAM INVESTMENTS		1 : 50	A1
PROJECT NUMBER		DATE	DATE
NC		TR	TR
PROJECT NAME		24-019	30.06.25
142-144 WHITLEY WOOD ROAD, READING		05(ML)01	B
DRAWING NUMBER		REVISION	REVISION
EXISTING AND PROPOSED NORTH EAST ELEVATION		FOR COMMENT	FOR COMMENT
DRAWING TITLE		Interface	ISO 9001
EXISTING AND PROPOSED NORTH EAST ELEVATION		CERTIFICATION	UKAS