




Sources of information

Cloud 10 Ltd
0659 Forbury Retail Park Reading 13-09-21.dwg
Received 13/09/2021

Squire & Partners
18111-SQP-ZZ-05-DR-A-PL00013.dwg
Received 23/02/2023

EB7 Ltd
Site Photographs
Ordnance Survey

Key:

 Existing


Project Forbury Retail Park
Reading

Title Existing Condition
3D View

Drawn DC Checked AP

Date 16/02/2023 Project 4142

Rel no. 04 Prefix DS01 Page no. 02



Sources of information

Cloud 10 Ltd
0659 Forbury Retail Park Reading 13-09-
21.dwg
Received 13/09/2021

Squire & Partners
RP-SQP-ZZ-ZZ-M3-A-00001_EXPORTD-
WG-MAX PARAMETER MODEL.dwg
18111-SQP-ZZ-GF-DR-A-SK00042.dwg
Received 07/07/2025

EB7 Ltd
Site Photographs
Ordnance Survey

Key:

	Existing Building
	Surrounding Context
	Proposed Development

NORTH 


Project Forbury Retail Park
Reading

Title Proposed Development
Plan View

Drawn VR Checked --

Date 16/09/2025 Project 4142

Rel no. 06 Prefix DS01 Page no. 03



Sources of information

Cloud 10 Ltd
0659 Forbury Retail Park Reading 13-09-21.dwg
Received 13/09/2021

Squire & Partners
RP-SQP-ZZ-ZZ-M3-A-00001_EXPORTD-WG-MAX PARAMETER MODEL.dwg
18111-SQP-ZZ-GF-DR-A-SK00042.dwg
Received 07/07/2025

EB7 Ltd
Site Photographs
Ordnance Survey

Key:

Existing Building

Surrounding Context

Proposed Development

Project Forbury Retail Park
Reading

Title Proposed Development
3D View


Drawn	VR	Checked	--
-------	----	---------	----

Date	16/09/2025	Project	4142
------	------------	---------	------

Rel no.	Prefix	Page no.
06	DS01	04



Illustrative Massing



Sources of information

Cloud 10 Ltd
0659 Forbury Retail Park Reading 13-09-21.dwg
Received 13/09/2021

Squire & Partners
All models.dwg
18111-SQP-01-ZZ-M3-A-00001.rvt
18111-SQP-02-ZZ-M3-A-00002.rvt
18111-SQP-03-ZZ-M3-A-00003.rvt
18111-SQP-04-ZZ-M3-A-00004.rvt
18111-SQP-05-ZZ-M3-A-00005_Op 2.rvt
18111-SQP-06-ZZ-M3-A-00006_Op 2.rvt
18111-SQP-07-ZZ-M3-A-00007_Op 2.rvt
18111-SQP-10-ZZ-M3-A-00010.rvt
18111-SQP-12-ZZ-M3-A-00012_V3.rvt
18111-SQP-LG-ZZ-M3-A-00011.rvt
Received 21/08/2025

EB7 Ltd
Site Photographs
Ordnance Survey

Key:

Existing Building

Surrounding Context

Proposed Development

NORTH




Project Forbury Retail Park Reading

Title Proposed Development Plan View

Drawn	VR	Checked	--
-------	----	---------	----

Date	15/09/2025	Project	4142
------	------------	---------	------

Rel no.	Prefix	Page no.
07	DS02	03



4th Floor, Holborn Tower
137-144 High Holborn
London WC1V 6PL
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk



Sources of information

Cloud 10 Ltd
0659 Forbury Retail Park Reading 13-09-21.dwg
Received 13/09/2021

EB7 Ltd
Site Photographs
Ordnance Survey


Project Forbury Retail Park
Reading

Title Huntley Wharf
Window Map

Drawn AD Checked --

Date 11/10/2021 Project 4142

Rel no. Prefix Page no.
WM01 07



4th Floor, Holborn Tower
137-144 High Holborn
London WC1V 6PL
T: +44(0)20 7148 6290
E: info@eb7.co.uk
W: eb7.co.uk



Sources of information

Cloud 10 Ltd
0659 Forbury Retail Park Reading 13-09-21.dwg
Received 13/09/2021

EB7 Ltd
Site Photographs
Ordnance Survey




Project Forbury Retail Park
Reading

Title Huntley Wharf
Window Map

Drawn AD Checked --

Date 11/10/2021 Project 4142

Rel no. Prefix Page no.
WM01 09



Sources of information

Cloud 10 Ltd
0659 Forbury Retail Park Reading 13-09-21.dwg
Received 13/09/2021

EB7 Ltd
Site Photographs
Ordnance Survey

Project Forbury Retail Park
Reading

Title H M Young Offender Institution
Reading
Window Map

Drawn AD Checked --


Date 11/10/2021 Project 4142

Rel no. Prefix Page no.
WM01 10

Sources of information

Cloud 10 Ltd
0659 Forbury Retail Park Reading 13-09-21.dwg
Received 13/09/2021

EB7 Ltd
Site Photographs
Ordnance Survey



Project Forbury Retail Park
Reading

Title H M Young Offender Institution
Reading
Window Map



Drawn AD Checked --

Date 11/10/2021 Project 4142

Rel no. Prefix Page no.
WM01 11

Cloud 10 Ltd

EB7 Ltd




Sources of information

Cloud 10 Ltd

0659 Forbury Retail Park Reading 13-09-21.dwg
Received 13/09/2021

EB7 Ltd

Site Photographs
Ordnance Survey



St James Roman Catholic Church

Forbury Gardens Day Nursery

Project Forbury Retail Park
Reading

Title Forbury Gardens Day Nursery and
St James Roman Catholic Church
Window Map

Drawn AD Checked --


Date 11/10/2021 Project 4142

Rel no. Prefix Page no.
WM01 13

Sources of information


Cloud 10 Ltd
0659 Forbury Retail Park Reading 13-09-21.dwg
Received 13/09/2021

EB7 Ltd
Site Photographs
Ordnance Survey



Forbury Gardens Day Nursery

St James Roman Catholic Church



Project Forbury Retail Park
Reading

Title Forbury Gardens Day Nursery and
St James Roman Catholic Church
Window Map

Drawn AD Checked --

Date 11/10/2021 Project 4142


Rel no. Prefix Page no.
WM01 14

Sources of information


Cloud 10 Ltd
0659 Forbury Retail Park Reading 13-09-21.dwg
Received 13/09/2021

EB7 Ltd
Site Photographs
Ordnance Survey

Forbury Gardens Day Nursery



St James Roman Catholic Church



Project Forbury Retail Park
Reading

Title Forbury Gardens Day Nursery and
St James Roman Catholic Church
Window Map

Drawn AD Checked --

Date 11/10/2021 Project 4142

Rel no. Prefix Page no.
WM01 15

Appendix K.2 Results of the Daylight and Sunlight Assessments within Neighbouring Properties



Appendix K.2

Results of the daylight and sunlight assessments
within neighbouring properties

Address	Room	Window	Room use	Vertical Sky Component (VSC)				Room Area	No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room					
				Existing VSC	Proposed VSC	Loss VSC	Loss %		Existing NSL		Proposed NSL		Loss m²	Loss %	Existing APSH		Proposed APSH		% Reduction	
									m²	%	m²	%			Total	Winter	Total	Winter	Total	Winter
Ground	R16	W18	Commercial	22.9	22.9	0.0	0.0%	23.8	23.8	100%	23.8	100%	0.0	0.0%	64	12	64	12	0.0%	0.0%
		W19		24.1	24.1	0.0	0.0%													
		W20		24.9	24.9	0.0	0.0%													
		W21		31.9	31.2	0.7	2.1%													
		W22		30.2	30.0	0.2	0.6%													
Ground	R17	W23	Commercial	13.7	13.1	0.7	4.8%	24.1	23.3	97%	23.3	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R18	W24	Commercial	30.1	29.7	0.4	1.4%	22.4	22.4	100%	22.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W25		30.6	30.4	0.2	0.7%													
		W26		30.0	29.9	0.1	0.2%													
Ground	R19	W27	Commercial	24.7	24.6	0.0	0.1%	20.7	14.8	71%	14.7	71%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
		W28		24.7	24.7	0.0	0.1%													
Ground	R20	W29	Commercial	24.7	24.6	0.0	0.1%	21.3	15.2	71%	15.2	71%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
		W30		24.7	24.6	0.0	0.1%													
Ground	R21	W31	Commercial	24.6	24.6	0.0	0.1%	20.7	14.7	71%	14.7	71%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W32		24.6	24.6	0.0	0.1%													
Ground	R22	W33	Commercial	24.5	24.5	0.0	0.1%	21.2	14.7	69%	14.7	69%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W34		26.4	26.2	0.1	0.6%													
Ground	R23	W35	Commercial	24.2	24.1	0.0	0.1%	20.7	14.7	71%	14.7	71%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W36		23.9	23.9	0.0	0.1%													
Ground	R24	W37	Commercial	19.0	12.8	6.2	32.7%	24.5	24.5	100%	24.2	99%	0.3	1.3%	N/F	N/F	N/F	N/F	N/F	N/F
		W38		35.5	30.2	5.3	15.0%													
		W39		23.7	22.0	1.7	7.2%													
First	R1	W1	Commercial	35.9	33.0	2.9	8.0%	7.8	6.6	86%	6.6	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2	Commercial	35.9	33.0	3.0	8.3%	8.5	7.3	85%	7.3	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R3	W3	Commercial	35.9	32.8	3.1	8.5%	8.7	7.5	85%	7.5	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R4	W4	Commercial	35.7	32.6	3.0	8.5%	8.2	7.0	85%	7.0	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R5	W5	Commercial	35.4	32.5	3.0	8.4%	8.6	7.4	86%	7.4	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R6	W6	Commercial	35.1	32.2	2.9	8.3%	8.4	7.1	85%	7.1	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R7	W7	Commercial	34.6	31.8	2.9	8.2%	8.3	7.1	85%	7.1	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R8	W8	Commercial	34.0	31.2	2.8	8.2%	8.3	7.0	85%	7.0	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R9	W9	Commercial	33.2	30.4	2.7	8.2%	8.6	7.3	85%	7.3	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R10	W10	Commercial	32.0	29.4	2.6	8.2%	8.6	7.3	85%	7.3	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R11	W11	Commercial	30.2	27.7	2.5	8.2%	8.7	7.3	85%	7.3	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R12	W12	Commercial	11.8	11.1	0.8	6.6%	10.7	4.3	40%	4.3	40%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R14	W14	Office	21.0	19.9	1.2	5.5%	8.9	4.7	53%	4.7	53%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room						
				Existing	Proposed	Loss	Loss	Room Area	Existing NSL		Proposed NSL		Loss m²	Loss %	Existing APSH		Proposed APSH		% Reduction	
				VSC	VSC	VSC	%		m²	%	m²	%			Total	Winter	Total	Winter	Total	Winter
First	R15	W15	Office	24.6	23.3	1.2	5.0%	7.4	6.2	84%	6.2	84%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R16	W16	Office	27.4	26.1	1.3	4.6%	16.6	15.7	95%	15.7	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W17		29.3	28.0	1.3	4.3%													
First	R17	W18	Office	30.4	29.1	1.3	4.2%	7.7	7.4	97%	7.4	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R18	W19	Office	30.9	29.7	1.2	3.9%	7.9	7.5	95%	7.5	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R19	W20	Office	30.5	29.5	1.1	3.4%	16.0	14.9	93%	14.9	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R21	W22	Commercial	32.8	32.1	0.7	2.2%	32.4	32.0	99%	32.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W23		25.2	25.1	0.0	0.1%													
First	R22	W24	Commercial	27.1	27.1	0.0	0.0%	23.8	23.8	100%	23.8	100%	0.0	0.0%	80	20	79	20	1.3%	0.0%
		W25		28.3	28.3	0.0	0.0%													
		W26		29.0	29.0	0.0	0.0%													
		W27		35.7	33.5	2.2	6.1%													
First	R23	W28	Commercial	36.3	33.8	2.5	6.8%	24.1	22.2	92%	22.2	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R24	W29	Commercial	36.1	33.5	2.6	7.2%	22.4	22.2	99%	22.2	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W30		36.6	33.7	2.9	7.8%													
		W31		36.7	33.7	3.0	8.1%													
		W32		37.9	31.9	6.0	15.8%													
		W33		37.9	31.9	6.0	15.7%													
First	R25	W34	Commercial	37.1	31.7	5.5	14.7%	20.7	20.7	100%	20.7	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W35		37.1	31.6	5.5	14.8%													
First	R26	W36	Commercial	37.0	31.6	5.5	14.8%	21.3	21.3	100%	21.3	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W37		37.0	31.6	5.4	14.5%													
First	R27	W38	Commercial	37.0	31.6	5.3	14.4%	20.7	20.7	100%	20.7	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W39		36.9	31.6	5.3	14.4%													
First	R28	W40	Commercial	36.9	31.6	5.3	14.2%	21.2	21.2	100%	21.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W41		36.8	31.6	5.2	14.1%													
First	R29	W42	Commercial	36.7	31.7	5.0	13.6%	20.7	20.7	100%	20.7	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W43		36.7	31.8	4.9	13.4%													
First	R30	W44	Commercial	36.5	31.8	4.8	13.0%	22.6	22.6	100%	22.6	100%	0.0	0.0%	54	14	53	14	1.9%	0.0%
		W45		36.3	31.6	4.7	12.8%													
		W46		33.5	33.3	0.2	0.6%													
First	R31	W47	Commercial	23.2	22.7	0.5	2.3%	30.8	22.1	72%	22.1	72%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R32	W49	Commercial	36.0	31.1	4.9	13.7%	24.5	18.6	76%	13.2	54%	5.4	28.9%	N/F	N/F	N/F	N/F	N/F	N/F
First	R33	W48	Commercial	22.2	22.1	0.1	0.6%	20.0	15.3	76%	15.3	76%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R1	W1	Commercial	37.3	34.0	3.2	8.7%	7.8	6.6	86%	6.6	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R2	W2	Commercial	37.2	34.0	3.2	8.7%	8.5	7.3	85%	7.3	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R3	W3	Commercial	37.1	33.9	3.2	8.7%	8.7	7.5	85%	7.5	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room						
				Existing	Proposed	Loss	Loss	Room Area	Existing NSL		Proposed NSL		Loss m²	Loss %	Existing APSH		Proposed APSH		% Reduction	
				VSC	VSC	VSC	%		m²	%	m²	%			Total	Winter	Total	Winter	Total	Winter
Second	R4	W4	Commercial	37.0	33.8	3.2	8.6%	8.2	7.0	85%	7.0	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R5	W5	Commercial	36.8	33.7	3.1	8.5%	8.6	7.4	86%	7.4	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R6	W6	Commercial	36.5	33.5	3.0	8.3%	8.4	7.1	85%	7.1	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R7	W7	Commercial	36.3	33.3	3.0	8.3%	8.3	7.1	85%	7.1	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R8	W8	Commercial	35.9	32.9	3.0	8.2%	8.3	7.0	85%	7.0	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R9	W9	Commercial	35.4	32.5	3.0	8.3%	8.6	7.3	85%	7.3	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R10	W10	Commercial	34.7	31.8	2.9	8.4%	8.6	7.3	85%	7.3	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R11	W11	Commercial	33.4	30.7	2.7	8.2%	8.7	7.3	85%	7.3	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R12	W12	Commercial	16.2	15.3	0.9	5.4%	10.7	6.1	57%	6.1	57%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R14	W14	Commercial	19.9	18.8	1.1	5.6%	13.7	10.6	77%	10.6	77%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R15	W15	Commercial	29.0	27.8	1.2	4.1%													
		W16		33.1	31.9	1.3	3.8%													
		W17		34.5	33.2	1.3	3.8%													
		W18		34.0	32.8	1.1	3.4%													
		W24		34.2	34.2	0.0	0.0%													
		W25		34.3	34.3	0.0	0.1%													
		W26		32.7	32.7	0.0	0.1%													
		W27		28.7	28.6	0.0	0.1%													
		W28		44.0	43.1	0.8	1.9%													
		W29		44.2	43.3	0.8	1.9%													
		W30		44.2	43.4	0.8	1.7%													
		W31		44.0	43.3	0.7	1.6%													
		W32		36.2	35.5	0.8	2.1%													
		W33		36.1	35.5	0.6	1.6%													
		W34		43.7	43.7	0.0	0.1%													
		W35		43.7	43.7	0.1	0.1%													
		W36		43.6	43.6	0.0	0.1%													
		W37		43.4	43.4	0.0	0.0%													
		W38		28.8	28.8	0.0	0.0%													
		W39		28.7	28.7	0.0	0.0%													
				217.8	217.8	100%	217.8	100%	0.0	0.0%	98	28	98	28	0.0%	0.0%				
Second	R16	W20-L	Commercial	35.5	33.8	1.8	5.0%	32.4	31.7	98%	31.7	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W20-U																		
		W21-L W21-U		37.4	33.6	3.8	10.1%													
Second	R18	W23-L W23-U	Commercial	37.1	33.6	3.5	9.4%	30.8	28.0	91%	28.0	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R19	W19	Unknown	22.0	22.0	0.0	0.0%	10.1	9.1	89%	9.1	89%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R1	W1	Commercial	37.2	34.4	2.8	7.4%	7.8	6.6	86%	6.6	86%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R2	W2	Commercial	37.1	34.4	2.7	7.4%	8.5	7.3	85%	7.3	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R3	W3	Commercial	37.1	34.4	2.7	7.3%	8.7	7.5	85%	7.5	85%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

[illegible]

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room														
				Existing	Proposed	Loss	Loss	Room Area	Existing NSL		Proposed NSL		Loss m²	Loss %	Existing APSH		Proposed APSH		% Reduction									
				VSC	VSC	VSC	%		m²	%	m²	%			Total	Winter	Total	Winter	Total	Winter								
First	R31	W35-U	Bedroom	36.1	34.1	2.0	5.6%	10.7	10.5	97%	10.5	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F								
		10.6						10.3	98%	10.3	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F									
First	R32	W37-L W37-U	LKD	36.0	34.1	1.9	5.3%	23.0	22.4	98%	22.4	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F								
First	R33	W38-L W38-U	LKD	34.0	32.4	1.5	4.5%	29.9	15.6	52%	15.6	52%	0.1	0.4%	N/F	N/F	N/F	N/F	N/F	N/F								
First	R37	W8-L W8-U	LKD	34.8	30.0	4.9	14.0%	28.0	27.9	100%	27.9	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F								
Second	R1	W1-L	LKD	37.8	35.4	2.4	6.2%	21.4	21.1	98%	21.1	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F								
		W1-U W2-L W2-U		38.4	35.8	2.6	6.8%																					
Second	R3	W4-L W4-U	Bedroom	28.3	25.1	3.2	11.4%	10.6	10.2	97%	10.2	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F								
		Second		R4	W5-L W5-U	LKD	35.7	32.1	3.5	9.8%	25.3	24.6	97%	24.6	97%	0.0	0.0%	N/F	N/F	N/F	N/F							
Second	R5	W6-L W6-U	Bedroom	37.3	33.5	3.8	10.3%	14.0	13.7	98%	13.7	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F								
		Second		R6	W7-L W7-U	Bedroom	35.2	31.0	4.2	11.9%	14.0	14.0	100%	14.0	100%	0.0	0.0%	N/F	N/F	N/F	N/F							
Second	R7	W8-L W8-U	LKD	28.1	23.5	4.6	16.3%	28.7	28.2	98%	28.0	98%	0.1	0.5%	N/F	N/F	N/F	N/F	N/F	N/F								
		Second		R12	W13-L W13-U W14-L W14-U W15-L W15-U	LKD	37.7	31.1	6.6	17.4%	4.0	3.5	0.5	11.5%	13.9	13.9	0.0	0.0%	30.9	7.8	25%	7.8	25%	0.1	0.8%	34	9	33
Second	R13	W16-L W16-U	Bedroom	14.4	14.4	0.0	0.0%	10.3	9.7	95%	9.7	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F								
		Second		R14	W17-L W17-U W18-L W18-U W19-L W19-U	LKD	5.3	5.3	0.0	0.0%	35.6	33.4	2.1	6.0%	38.6	27.6	11.0	28.5%	25.0	24.8	99%	24.6	99%	0.1	0.5%	31	3	29
Second	R15	W20-L W20-U	Bedroom	38.5	27.1	11.4	29.7%	15.0	14.0	93%	11.5	77%	2.5	17.8%	N/F	N/F	N/F	N/F	N/F	N/F								
Second	R16	W21-L W21-U	Bedroom	37.6	25.9	11.7	31.2%	10.3	9.7	93%	8.6	83%	1.1	11.3%	N/F	N/F	N/F	N/F	N/F	N/F								

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room						
				Existing	Proposed	Loss	Loss	Room Area	Existing NSL		Proposed NSL		Loss m²	Loss %	Existing APSH		Proposed APSH		% Reduction	
				VSC	VSC	VSC	%		m²	%	m²	%			Total	Winter	Total	Winter	Total	Winter
Second	R35	W42-U	LKD	37.0	35.3	1.8	4.7%	10.6	10.3	98%	10.3	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W43-L W43-U						23.0	22.5	98%	22.5	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R1	W1-L W1-U	Bedroom	28.8	26.6	2.2	7.6%	9.8	9.6	98%	9.6	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R2	W2-L W2-U	Bedroom	36.6	34.2	2.4	6.4%	8.9	8.5	96%	8.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R4	W4-L W4-U	LKD	36.3	33.3	3.0	8.2%	25.3	24.3	96%	24.3	96%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R5	W5-L W5-U	Bedroom	28.3	25.1	3.3	11.5%	10.6	10.2	96%	10.2	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R6	W6-L W6-U	Bedroom	34.8	31.3	3.5	10.1%	14.2	13.5	95%	13.5	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R7	W8-L W8-U W39 W40 W41	LKD	35.6	31.4	4.3	12.0%	28.7	28.6	100%	28.6	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R8	W9-L W9-U	Bedroom	24.4	21.0	3.4	13.9%													
		23.7		20.5	3.2	13.5%														
		22.8		19.9	2.9	12.7%														
		15.1		15.1	0.0	0.0%	10.3	9.8	95%	9.8	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F	
Third	R9	W10-L W10-U W11-L W11-U W12-L W12-U	LKD	6.2	6.2	0.0	0.0%	25.0	24.9	99%	24.7	99%	0.1	0.5%	31	3	29	3	6.5%	0.0%
Third	R10	W13-L W13-U	Bedroom	36.4	34.4	2.0	5.5%													
		39.0		28.9	10.1	25.9%														
		39.0		28.5	10.5	26.8%	15.0	14.0	93%	11.5	77%	2.5	17.7%	N/F	N/F	N/F	N/F	N/F	N/F	
Third	R11	W14-L W14-U	Bedroom	38.1	27.6	10.5	27.5%	10.3	9.7	93%	9.6	92%	0.1	1.1%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R12	W15-L W15-U	LKD	12.9	12.7	0.2	1.3%	24.7	21.4	87%	21.4	87%	0.0	0.0%	23	4	23	4	0.0%	0.0%
Third	R13	W16-L W16-U W17-L W17-U	Bedroom	37.1	29.5	7.6	20.4%	15.8	15.2	96%	15.2	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R14	W18-L W18-U	Bedroom	37.3	29.8	7.5	20.0%													
		36.6		29.2	7.4	20.1%	8.2	7.6	93%	7.6	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F	
Third	R15	W19-L W19-U	LKD	27.9	20.8	7.1	25.6%	22.2	22.0	99%	21.9	99%	0.2	0.7%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R16	W20	Bedroom	36.6	29.9	6.7	18.3%	13.4	13.3	99%	13.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room						
				Existing	Proposed	Loss	Loss	Room Area	Existing NSL		Proposed NSL		Loss m²	Loss %	Existing APSH		Proposed APSH		% Reduction	
				VSC	VSC	VSC	%		m²	%	m²	%			Total	Winter	Total	Winter	Total	Winter
Fourth	R3	W2-U	Bedroom	28.6	26.1	2.6	9.0%	21.4	21.1	98%	21.1	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W4-L W4-U						10.6	10.2	97%	10.2	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R4	W5-L W5-U	LKD	36.2	33.4	2.8	7.8%	25.3	24.6	97%	24.6	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R5	W6-L W6-U	Bedroom	37.8	34.7	3.1	8.2%	14.0	13.7	98%	13.7	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R6	W7-L W7-U	Bedroom	35.8	32.5	3.4	9.4%	14.0	14.0	100%	14.0	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R7	W8-L	LKD	28.5	24.8	3.7	12.9%	28.7	28.5	100%	28.5	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W8-U		26.7	23.4	3.3	12.4%													
		W9-L		25.6	22.7	2.9	11.4%													
		W9-U		24.8	22.2	2.6	10.4%													
		W10-L																		
		W10-U																		
		W11-L																		
		W11-U																		
Fourth	R8	W12-L W12-U	Bedroom	15.1	15.1	0.0	0.0%	10.3	9.9	96%	9.9	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R9	W13-L	LKD	6.9	6.9	0.0	0.0%	25.0	24.9	99%	24.7	99%	0.1	0.5%	32	3	31	3	3.1%	0.0%
		W13-U		37.1	35.3	1.8	4.8%													
		W14-L		39.0	30.2	8.7	22.4%													
		W14-U																		
		W15-L																		
		W15-U																		
Fourth	R10	W16-L W16-U	Bedroom	39.0	30.0	9.0	23.0%	15.0	14.0	93%	11.7	78%	2.3	16.6%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R11	W17-L W17-U	Bedroom	38.2	29.4	8.7	22.9%	10.3	9.7	94%	9.7	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R12	W18-L W18-U	LKD	14.2	14.1	0.1	0.8%	24.7	21.7	88%	21.7	88%	0.0	0.0%	25	5	25	5	0.0%	0.0%
Fourth	R13	W19-L	Bedroom	37.2	30.9	6.4	17.1%	15.8	15.1	96%	15.1	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W19-U		37.5	31.2	6.3	16.7%													
		W20-L W20-U																		
Fourth	R14	W21-L W21-U	Bedroom	36.8	30.5	6.2	16.9%	8.2	7.6	93%	7.6	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R15	W22-L W22-U	LKD	28.0	22.0	6.0	21.4%	22.2	22.0	99%	22.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R16	W23	Bedroom	36.8	31.2	5.6	15.3%	13.4	13.3	99%	13.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R17	W24-L W24-U	Bedroom	22.9	18.0	4.8	21.1%	9.7	9.6	99%	9.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room						
				Existing	Proposed	Loss	Loss	Room Area	Existing NSL		Proposed NSL		Loss m²	Loss %	Existing APSH		Proposed APSH		% Reduction	
				VSC	VSC	VSC	%		m²	%	m²	%			Total	Winter	Total	Winter	Total	Winter
Fourth	R18	W25-L W25-U	Bedroom	38.7	33.2	5.5	14.3%	13.5	12.7	94%	12.6	93%	0.1	0.8%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R19	W26-L W26-U	Bedroom	38.8	33.5	5.3	13.7%	11.3	10.6	94%	10.6	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R20	W27-L W27-U	Bedroom	38.8	33.6	5.3	13.5%	10.7	9.8	91%	9.8	91%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R21	W28-L W28-U	Bedroom	38.9	33.8	5.1	13.1%	10.7	10.3	96%	10.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R22	W29-L	LKD	38.9	33.9	5.0	12.8%	24.0	23.9	100%	23.9	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W29-U W30-L W30-U		38.6	36.2	2.4	6.1%													
Fourth	R23	W31-L W31-U	Bedroom	38.5	36.4	2.2	5.7%	12.8	12.8	100%	12.8	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R24	W32-L W32-U	LKD	38.5	36.5	2.0	5.3%	21.0	18.9	90%	18.9	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R25	W33-L	Studio	38.5	36.6	1.9	5.0%	24.7	24.6	100%	24.6	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W33-U W34-L W34-U		38.5	36.6	1.8	4.8%													
Fourth	R26	W35-L W35-U	Bedroom	38.4	36.7	1.7	4.5%	12.0	12.0	100%	12.0	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R27	W36-L W36-U	LKD	38.4	36.8	1.6	4.2%	22.2	20.8	94%	20.8	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R28	W37-L W37-U	Bedroom	38.4	36.8	1.5	4.0%	10.7	10.3	96%	10.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R29	W38-L W38-U	Bedroom	38.4	36.9	1.5	3.8%	10.6	10.3	98%	10.3	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R30	W39-L	LKD	38.3	36.9	1.4	3.6%	23.0	22.9	100%	22.9	100%	0.0	0.0%	82	24	82	24	0.0%	0.0%
		W39-U		33.1	33.1	0.0	0.0%													
		W40-L W40-U W41-L W41-U		32.0	32.0	0.0	0.0%													
Fifth	R1	W1-L W1-U	Bedroom	39.1	37.5	1.6	4.0%	9.8	9.6	98%	9.6	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R2	W2-L W2-U	Bedroom	39.4	37.7	1.7	4.3%	8.9	8.5	96%	8.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R4	W4-L W4-U	LKD	38.0	35.8	2.2	5.7%	25.3	24.3	96%	24.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

[illegible]

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room						
				Existing VSC	Proposed VSC	Loss VSC	Loss %	Room Area	Existing NSL		Proposed NSL		Loss m²	Loss %	Existing APSH		Proposed APSH		% Reduction	
									m²	%	m²	%			Total	Winter	Total	Winter	Total	Winter
		W27-U						10.7	10.2	95%	10.2	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R21	W28-L W28-U	Bedroom	39.0	34.7	4.3	10.9%	10.7	9.9	92%	9.9	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R22	W29-L W29-U W30-L W30-U	LKD	39.0	34.9	4.1	10.5%													
				38.9	36.9	2.0	5.1%	24.0	23.9	100%	23.9	100%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R23	W31-L W31-U	Bedroom	38.8	37.0	1.8	4.7%	11.9	11.6	97%	11.6	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R24	W32-L W32-U	LKD	38.8	37.1	1.7	4.4%	22.2	21.2	96%	21.2	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R25	W33-L W33-U W34-L W34-U	Studio	38.8	37.2	1.6	4.1%													
				38.8	37.3	1.5	3.9%	24.7	24.6	100%	24.6	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R26	W35-L W35-U	Bedroom	38.8	37.4	1.4	3.7%	12.0	11.7	97%	11.7	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R27	W36-L W36-U	LKD	38.8	37.4	1.3	3.4%	22.2	21.7	98%	21.7	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R28	W37-L W37-U	Bedroom	38.8	37.6	1.2	3.1%	10.7	10.5	97%	10.5	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R29	W38-L W38-U	Bedroom	38.8	37.6	1.2	3.0%	10.6	10.3	98%	10.3	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R30	W39-L W39-U W40-L W40-U W41-L W41-U	LKD	38.8	37.6	1.1	2.9%													
				35.6	35.6	0.0	0.0%													
				34.6	34.6	0.0	0.0%	23.0	22.9	100%	22.9	100%	0.0	0.0%	84	26	84	26	0.0%	0.0%
Fifth	R37	W7-L W7-U	Bedroom	28.6	25.7	2.9	10.0%	14.0	13.6	97%	13.6	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R1	W1-L W1-U	LKD	31.5	30.9	0.6	1.9%	22.1	20.5	93%	20.5	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R2	W2-L W2-U	Study	39.5	38.2	1.4	3.5%	4.6	4.3	95%	4.3	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R4	W4-L W4-U	Bedroom	24.7	23.6	1.1	4.3%	9.2	7.2	78%	7.2	78%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R5	W5-L W5-U	LKD	39.5	37.6	1.9	4.8%	20.2	20.2	100%	20.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R6	W6-L W6-U	Bedroom	39.5	37.4	2.1	5.2%	13.5	13.3	98%	13.3	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F



Balcs-Off Assessment - Huntley Wharf

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room						
				Existing	Proposed	Loss	Loss	Room Area	Existing NSL		Proposed NSL		Loss m²	Loss %	Existing APSH		Proposed APSH		% Reduction	
				VSC	VSC	VSC	%		m²	%	m²	%			Total	Winter	Total	Winter	Total	Winter
Huntley Wharf																				
Ground	R1	W1 W2	LKD	38.2 38.2	35.6 35.4	2.6 2.9	6.9% 7.6%	26.9	26.7	99%	26.7	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R3	W4	Bedroom	26.8	23.3	3.5	13.0%	10.8	9.8	91%	9.8	91%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R4	W5	LKD	38.1	34.1	4.0	10.4%	20.9	20.8	100%	20.8	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R5	W6	Bedroom	38.0	33.7	4.3	11.2%	11.6	11.5	99%	11.5	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R6	W7	Bedroom	37.9	33.2	4.7	12.3%	8.8	8.6	99%	8.6	98%	0.0	0.4%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R7	W8	LKD	24.1	19.6	4.5	18.7%	27.2	25.8	95%	23.3	86%	2.5	9.5%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R8	W9 W10	Nursery	36.5 32.8	29.3 25.6	7.3 7.2	19.9% 22.0%	86.2	86.2	100%	86.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ground	R9	W11 W12 W13 W14	Nursery	36.8 36.8 36.3 25.6	24.8 24.1 22.9 23.4	12.0 12.6 13.4 2.2	32.6% 34.4% 37.0% 8.4%	209.0	206.4	99%	203.5	97%	2.9	1.4%	38	5	36	5	5.3%	0.0%
First	R1	W1	Bedroom	38.7	36.2	2.5	6.5%	9.8	9.6	98%	9.6	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R2	W2	Bedroom	38.9	36.2	2.7	7.0%	8.9	8.5	96%	8.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R4	W4	LKD	38.8	35.4	3.4	8.8%	25.3	24.3	96%	24.3	96%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
First	R5	W5	Bedroom	38.8	35.0	3.8	9.7%	10.6	10.2	96%	10.2	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R6	W6	Bedroom	38.7	34.7	4.0	10.4%	14.2	13.5	95%	13.5	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R7	W7	Bedroom	38.7	34.2	4.5	11.5%	14.0	13.6	97%	13.6	97%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
First	R8	W9 W41 W42	LKD	38.3 12.1 10.3	32.6 12.1 10.3	5.7 0.0 0.0	14.9% 0.0% 0.0%	34.5	30.8	89%	25.5	74%	5.3	17.3%	30	5	28	5	6.7%	0.0%
First	R9	W10 W39 W40	LKD	37.9 13.3 13.5	31.4 13.3 13.5	6.5 0.0 0.0	17.1% 0.0% 0.0%	34.6	30.4	88%	24.0	69%	6.4	21.1%	32	7	31	7	3.1%	0.0%
First	R10	W11	Bedroom	22.5	22.5	0.0	0.0%	10.2	9.6	94%	9.6	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
First	R11	W12 W13 W14	LKD	8.8 34.7 37.9	8.8 32.5 26.3	0.0 2.2 11.6	0.0% 6.3% 30.6%	25.0	24.8	99%	24.6	98%	0.2	0.8%	28	3	26	3	7.1%	0.0%
First	R12	W15	Bedroom	37.8	25.7	12.1	32.0%	15.0	14.0	93%	11.4	76%	2.5	18.2%	N/F	N/F	N/F	N/F	N/F	N/F
First	R13	W16	Bedroom	36.9	24.2	12.6	34.3%	10.3	9.7	93%	7.6	74%	2.1	21.3%	N/F	N/F	N/F	N/F	N/F	N/F
First	R14	W17	LKD	19.2	18.9	0.3	1.6%	24.7	21.2	86%	21.2	86%	0.0	0.0%	26	2	25	2	3.8%	0.0%
First	R15	W18	Bedroom	36.0	26.8	9.2	25.5%	15.8	13.7	87%	11.9	75%	1.9	13.5%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room						
				Existing	Proposed	Loss	Loss	Room Area	Existing NSL		Proposed NSL		Loss m²	Loss %	Existing APSH		Proposed APSH		% Reduction	
				VSC	VSC	VSC	%		m²	%	m²	%			Total	Winter	Total	Winter	Total	Winter
Second	R13	W16	Bedroom	23.4	23.4	0.0	0.0%	10.3	9.8	95%	9.8	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R14	W17	LKD	9.6	9.6	0.0	0.0%	25.0	24.8	99%	24.6	99%	0.1	0.5%	31	3	29	3	6.5%	0.0%
		W18		35.6	33.5	2.1	6.0%													
		W19		38.6	27.6	11.0	28.5%													
Second	R15	W20	Bedroom	38.5	27.1	11.4	29.7%	15.0	14.0	93%	11.5	77%	2.5	17.8%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R16	W21	Bedroom	37.6	25.9	11.7	31.2%	10.3	9.7	93%	8.6	83%	1.1	11.3%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R17	W22	LKD	20.2	20.0	0.2	1.1%	24.7	21.3	86%	21.3	86%	0.0	0.0%	28	3	28	3	0.0%	0.0%
Second	R18	W23	Bedroom	36.5	28.2	8.4	22.9%	15.8	15.1	96%	15.1	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W24		36.9	28.7	8.2	22.3%													
Second	R19	W25	Bedroom	37.2	29.1	8.1	21.8%	8.2	7.6	93%	7.6	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R20	W26	LKD	37.5	29.7	7.8	20.9%	22.2	22.0	99%	20.6	93%	1.4	6.4%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R21	W27	Bedroom	37.8	30.4	7.5	19.7%	13.4	13.3	99%	13.2	98%	0.1	0.7%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R22	W28	Bedroom	28.6	22.4	6.2	21.8%	9.7	9.6	99%	9.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R23	W29	Bedroom	38.0	30.9	7.2	18.8%	13.5	12.7	94%	12.2	90%	0.6	4.4%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R24	W30	Bedroom	38.1	31.2	6.9	18.1%	11.3	10.6	94%	10.6	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R25	W31	Bedroom	38.2	31.3	6.8	17.9%	10.7	9.8	91%	9.8	91%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R26	W32	Bedroom	38.2	31.5	6.7	17.4%	10.7	10.3	96%	10.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R27	W33	LKD	38.2	31.7	6.5	17.1%	24.0	23.9	100%	23.8	99%	0.1	0.5%	N/F	N/F	N/F	N/F	N/F	N/F
		W34		37.6	34.5	3.1	8.2%													
Second	R28	W35	LKD	37.5	34.7	2.9	7.6%	22.3	21.7	97%	21.6	97%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R29	W36	Bedroom	37.5	34.8	2.7	7.1%	12.0	11.6	97%	11.6	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R30	W37	Studio	37.4	34.9	2.5	6.6%	24.7	24.6	100%	24.6	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
		W38		37.4	35.0	2.4	6.3%													
Second	R31	W39	LKD	37.3	35.1	2.2	6.0%	22.2	21.7	98%	21.7	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R32	W40	Bedroom	37.2	35.1	2.1	5.5%	12.0	11.6	97%	11.6	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R33	W41	Bedroom	37.1	35.2	1.9	5.2%	10.7	10.3	96%	10.3	96%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R34	W42	Bedroom	37.1	35.2	1.8	5.0%	10.6	10.3	98%	10.3	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Second	R35	W43	LKD	37.0	35.3	1.8	4.7%	23.0	22.5	98%	22.5	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R1	W1	Bedroom	39.2	37.1	2.2	5.6%	9.8	9.6	98%	9.6	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R2	W2	Bedroom	39.5	37.1	2.4	6.0%	8.9	8.5	96%	8.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R4	W4	LKD	39.4	36.5	3.0	7.5%	25.3	24.3	96%	24.3	96%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room						
				Existing	Proposed	Loss	Loss	Room Area	Existing NSL		Proposed NSL		Loss m²	Loss %	Existing APSH		Proposed APSH		% Reduction	
				VSC	VSC	VSC	%		m²	%	m²	%			Total	Winter	Total	Winter	Total	Winter
Third	R5	W5	Bedroom	39.4	36.2	3.3	8.3%	10.6	10.2	96%	10.2	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R6	W6	Bedroom	39.4	35.9	3.5	8.9%	14.2	13.5	95%	13.5	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R7	W8	LKD	39.4	35.2	4.3	10.8%													
		W39		24.4	21.1	3.4	13.8%													
		W40		23.7	20.5	3.2	13.6%													
		W41		22.8	19.9	2.9	12.7%													
Third	R8	W9	Bedroom	24.1	24.1	0.0	0.0%	10.3	9.9	96%	9.9	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R9	W10	LKD	10.4	10.4	0.0	0.0%													
		W11		36.4	34.4	2.0	5.5%													
		W12		39.0	28.9	10.1	25.9%													
Third	R10	W13	Bedroom	39.0	28.5	10.5	26.8%	15.0	14.0	93%	11.5	77%	2.5	17.7%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R11	W14	Bedroom	38.1	27.6	10.5	27.5%	10.3	9.7	93%	9.6	92%	0.1	1.1%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R12	W15	LKD	21.6	21.4	0.2	0.7%	24.7	21.5	87%	21.5	87%	0.0	0.0%	31	4	31	4	0.0%	0.0%
Third	R13	W16	Bedroom	37.1	29.5	7.6	20.4%													
		W17		37.5	30.0	7.5	19.9%													
Third	R14	W18	Bedroom	37.7	30.4	7.4	19.5%	8.2	7.6	93%	7.6	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R15	W19	LKD	38.1	30.9	7.1	18.8%	22.2	22.0	99%	21.9	99%	0.2	0.7%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R16	W20	Bedroom	38.3	31.6	6.7	17.6%	13.4	13.3	99%	13.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R17	W21	Bedroom	29.1	23.4	5.7	19.7%	9.7	9.6	99%	9.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R18	W22	Bedroom	38.6	32.2	6.4	16.6%	13.5	13.1	97%	12.6	93%	0.5	3.6%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R19	W23	Bedroom	38.6	32.2	6.3	16.4%	11.3	10.4	92%	10.4	92%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R20	W24	Bedroom	38.7	32.5	6.1	15.9%	10.7	10.2	95%	10.2	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R21	W25	Bedroom	38.7	32.6	6.1	15.8%	10.7	9.9	92%	9.9	92%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R22	W26	LKD	38.8	32.9	5.9	15.1%													
		W27		38.2	35.4	2.8	7.2%													
Third	R23	W28	Bedroom	38.1	35.6	2.6	6.8%	11.9	11.6	97%	11.6	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R24	W29	LKD	38.1	35.7	2.4	6.3%	22.2	21.2	96%	21.2	95%	0.0	0.2%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R25	W30	Studio	38.1	35.8	2.3	5.9%													
		W31		38.0	35.9	2.1	5.6%													
Third	R26	W32	Bedroom	38.0	36.0	2.0	5.3%	12.0	11.7	97%	11.7	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R27	W33	LKD	37.9	36.0	1.9	5.0%	22.2	21.7	98%	21.7	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R28	W34	Bedroom	37.9	36.1	1.7	4.6%	10.7	10.5	97%	10.5	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Third	R29	W35	Bedroom	37.8	36.1	1.7	4.5%	10.6	10.3	98%	10.3	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room						
				Existing	Proposed	Loss	Loss	Room Area	Existing NSL		Proposed NSL		Loss m²	Loss %	Existing APSH		Proposed APSH		% Reduction	
				VSC	VSC	VSC	%		m²	%	m²	%			Total	Winter	Total	Winter	Total	Winter
Fourth	R23	W31	Bedroom	38.5	36.4	2.2	5.7%	12.8	12.8	100%	12.8	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R24	W32	LKD	38.5	36.5	2.0	5.3%	21.0	18.9	90%	18.9	90%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R25	W33 W34	Studio	38.5	36.6	1.9	5.0%	24.7	24.6	100%	24.6	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
				38.5	36.6	1.8	4.8%													
Fourth	R26	W35	Bedroom	38.4	36.7	1.7	4.5%	12.0	12.0	100%	12.0	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R27	W36	LKD	38.4	36.8	1.6	4.2%	22.2	20.8	94%	20.8	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R28	W37	Bedroom	38.4	36.8	1.5	4.0%	10.7	10.3	96%	10.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R29	W38	Bedroom	38.4	36.9	1.5	3.8%	10.6	10.3	98%	10.3	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fourth	R30	W39 W40 W41	LKD	38.3	36.9	1.4	3.6%	23.0	22.9	100%	22.9	100%	0.0	0.0%	82	24	82	24	0.0%	0.0%
				33.1	33.1	0.0	0.0%													
				32.0	32.0	0.0	0.0%													
Fifth	R1	W1	Bedroom	39.1	37.5	1.6	4.0%	9.8	9.6	98%	9.6	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R2	W2	Bedroom	39.4	37.7	1.7	4.3%	8.9	8.5	96%	8.5	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R4	W4	LKD	39.5	37.4	2.2	5.4%	25.3	24.3	96%	24.3	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R5	W5	Bedroom	39.5	37.1	2.4	6.0%	10.6	10.2	96%	10.2	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R6	W6	Bedroom	39.5	37.0	2.5	6.4%	14.2	13.5	95%	13.5	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R7	W8 W9 W10 W11	LKD	39.5	36.4	3.1	7.9%	28.7	28.6	100%	28.6	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
				28.4	25.7	2.7	9.4%													
				27.9	25.5	2.5	8.8%													
				27.4	25.2	2.2	7.9%													
Fifth	R8	W12	Bedroom	24.4	24.4	0.0	0.0%	10.3	9.9	96%	9.9	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R9	W13 W14 W15	LKD	12.0	12.0	0.0	0.0%	25.0	25.0	100%	24.8	99%	0.1	0.5%	34	4	33	4	2.9%	0.0%
				37.8	36.3	1.5	4.0%													
				39.0	31.6	7.3	18.8%													
Fifth	R10	W16	Bedroom	39.0	31.5	7.5	19.2%	15.0	14.0	93%	11.8	79%	2.2	15.6%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R11	W17	Bedroom	38.2	31.2	7.0	18.4%	10.3	9.7	94%	9.7	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R12	W18	LKD	24.7	24.6	0.1	0.3%	24.7	22.8	92%	22.8	92%	0.0	0.0%	36	8	36	8	0.0%	0.0%
Fifth	R13	W19 W20	Bedroom	37.4	32.2	5.2	13.8%	15.8	15.2	96%	15.2	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
				37.7	32.6	5.1	13.5%													
Fifth	R14	W21	Bedroom	38.0	32.9	5.1	13.3%	8.2	7.6	93%	7.6	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R15	W22	LKD	38.4	33.5	4.9	12.8%	22.2	22.0	99%	22.0	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R16	W23	Bedroom	38.6	34.0	4.6	11.9%	13.4	13.3	99%	13.3	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R17	W24	Bedroom	29.3	25.3	3.9	13.5%	9.7	9.6	99%	9.6	99%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room						
				Existing	Proposed	Loss	Loss	Room Area	Existing NSL		Proposed NSL		Loss m²	Loss %	Existing APSH		Proposed APSH		% Reduction	
				VSC	VSC	VSC	%		m²	%	m²	%			Total	Winter	Total	Winter	Total	Winter
Fifth	R18	W25	Bedroom	38.8	34.4	4.5	11.5%	13.5	13.1	97%	13.1	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R19	W26	Bedroom	38.9	34.5	4.4	11.3%	11.3	10.4	92%	10.4	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R20	W27	Bedroom	39.0	34.7	4.3	11.0%	10.7	10.2	95%	10.2	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R21	W28	Bedroom	39.0	34.7	4.3	10.9%	10.7	9.9	92%	9.9	92%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R22	W29 W30	LKD	39.0 38.9	34.9 36.9	4.1 2.0	10.5% 5.1%	24.0	23.9	100%	23.9	100%	0.0	0.1%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R23	W31	Bedroom	38.8	37.0	1.8	4.7%	11.9	11.6	97%	11.6	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R24	W32	LKD	38.8	37.1	1.7	4.4%	22.2	21.2	96%	21.2	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R25	W33 W34	Studio	38.8 38.8	37.2 37.3	1.6 1.5	4.1% 3.9%	24.7	24.6	100%	24.6	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R26	W35	Bedroom	38.8	37.4	1.4	3.7%	12.0	11.7	97%	11.7	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R27	W36	LKD	38.8	37.4	1.3	3.4%	22.2	21.7	98%	21.7	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R28	W37	Bedroom	38.8	37.6	1.2	3.1%	10.7	10.5	97%	10.5	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R29	W38	Bedroom	38.8	37.6	1.2	3.0%	10.6	10.3	98%	10.3	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Fifth	R30	W39 W40 W41	LKD	38.8 35.6 34.6	37.6 35.6 34.6	1.1 0.0 0.0	2.9% 0.0% 0.0%	23.0	22.9	100%	22.9	100%	0.0	0.0%	84	26	84	26	0.0%	0.0%
Fifth	R37	W7	Bedroom	39.5	36.6	2.8	7.2%	14.0	13.6	97%	13.6	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R1	W1	LKD	31.5	30.9	0.6	1.9%	22.1	20.5	93%	20.5	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R2	W2	Study	39.5	38.2	1.4	3.5%	4.6	4.3	95%	4.3	95%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R4	W4	Bedroom	24.7	23.6	1.1	4.3%	9.2	7.2	78%	7.2	78%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R5	W5	LKD	39.5	37.6	1.9	4.8%	20.2	20.2	100%	20.2	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R6	W6	Bedroom	39.5	37.4	2.1	5.2%	13.5	13.3	98%	13.3	98%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R7	W7 W8 W9 W10	LKD	39.5 22.7 24.3 30.5	37.2 20.5 21.9 28.5	2.3 2.2 2.4 2.0	5.7% 9.6% 9.9% 6.5%	27.4	27.4	100%	27.4	100%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R8	W11	Bedroom	24.6	24.6	0.0	0.0%	10.3	9.9	96%	9.9	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R9	W12 W13 W14	LKD	12.7 38.5 39.0	12.7 37.2 33.1	0.0 1.3 5.9	0.0% 3.2% 15.1%	25.0	25.0	100%	24.9	100%	0.1	0.2%	36	6	35	6	2.8%	0.0%
Sixth	R10	W15	Bedroom	39.0	33.0	6.0	15.4%	15.0	14.0	93%	12.4	83%	1.6	11.5%	N/F	N/F	N/F	N/F	N/F	N/F
Sixth	R11	W16	Bedroom	38.2	32.8	5.4	14.1%	10.3	9.7	94%	9.7	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F

Address	Room	Window	Room use	Vertical Sky Component (VSC)				No-Sky Line (NSL)						Annual Probable Sunlight Hours (APSH) by Room						
				Existing	Proposed	Loss	Loss	Room Area	Existing NSL		Proposed NSL		Loss m²	Loss %	Existing APSH		Proposed APSH		% Reduction	
				VSC	VSC	VSC	%		m²	%	m²	%			Total	Winter	Total	Winter	Total	Winter
		W3		39.0	38.3	0.7	1.8%	25.0	25.0	100%	25.0	100%	0.0	0.0%	36	6	36	6	0.0%	0.0%
		W4		39.0	36.0	3.0	7.7%													
Eighth	R3	W5	Bedroom	39.0	36.0	3.0	7.7%	15.0	14.0	93%	14.0	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R4	W6	Bedroom	38.3	35.8	2.6	6.7%	10.3	9.7	94%	9.7	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Eighth	R5	W7	LKD	27.7	27.7	0.0	0.0%	24.7	23.0	93%	23.0	93%	0.0	0.0%	38	10	38	10	0.0%	0.0%
Ninth	R1	W1	Bedroom	25.8	25.8	0.0	0.0%	10.3	9.9	96%	9.9	96%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R2	W2	LKD	14.1	14.1	0.0	0.0%	25.0	25.0	100%	25.0	100%	0.0	0.0%	37	6	37	6	0.0%	0.0%
		W3		39.1	38.7	0.4	1.1%													
		W4		39.1	37.3	1.8	4.5%													
Ninth	R3	W5	Bedroom	39.0	37.3	1.7	4.4%	15.0	14.0	93%	14.0	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R4	W6	Bedroom	38.4	37.0	1.4	3.7%	10.3	9.7	94%	9.7	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Ninth	R5	W7	LKD	27.7	27.7	0.0	0.0%	24.7	23.0	93%	23.0	93%	0.0	0.0%	38	10	38	10	0.0%	0.0%
Tenth	R1	W1	Bedroom	34.1	34.0	0.1	0.4%	11.3	10.9	97%	10.9	97%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R2	W2	LKD	39.4	39.2	0.2	0.5%	19.4	17.2	89%	17.2	89%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R3	W3	Bedroom	39.1	38.4	0.6	1.7%	15.0	14.0	93%	14.0	93%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R4	W4	Bedroom	38.5	37.9	0.5	1.4%	10.3	9.7	94%	9.7	94%	0.0	0.0%	N/F	N/F	N/F	N/F	N/F	N/F
Tenth	R5	W5	LKD	29.6	29.6	0.0	0.0%	24.7	23.0	93%	23.0	93%	0.0	0.0%	41	10	41	10	0.0%	0.0%

Appendix K.3 Results of the Solar Glare Assessment




Fig. 14: Solar Glare - HOURS - Close-up




Fig. 15: Solar Glare - MONTHS - Close-up




Fig. 16: Solar Glare - HOURS - 180 degrees view






Fig. 17: Solar Glare - MONTHS - 180 degrees view






Fig. 18: Solar Glare - HOURS - Close-up




Fig. 19: Solar Glare - MONTHS - Close-up




Fig. 20: Solar Glare - HOURS - 180 degrees view






Fig. 21: Solar Glare - MONTHS - 180 degrees view






Fig. 22: Solar Glare - HOURS - Close-up




Fig. 23: Solar Glare - MONTHS - Close-up




Fig. 24: Solar Glare - HOURS - 180 degrees view






Fig. 25: Solar Glare - MONTHS - 180 degrees view






Fig. 26: Solar Glare - HOURS - Close-up




Fig. 27: Solar Glare - MONTHS - Close-up




Fig. 28: Solar Glare - HOURS - 180 degrees view





Fig. 29: Solar Glare - MONTHS - 180 degrees view

