

					VSC (WINDOW)				NSL			APSH (WINDOW)						APSH (ROOM)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX %	CUM %	LOSS	LOSS %	EX %	CUM %	LOSS %	EX		CUM		LOSS %		EX		CUM		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
30 GARRARD STREET (CONTINUED)																							
213	R8**	RESIDENTIAL	LIVING ROOM	W14/213	7.3	7.1	0.2	2.7	84.0	84.0	0												
	R9**	RESIDENTIAL	LIVING ROOM	W15/213	7.6	7.3	0.3	3.9	98.0	98.0	0												
				W16/213	8.6	8.2	0.4	4.7															
	R10	RESIDENTIAL	BEDROOM	W17/213	8.8	8.4	0.4	4.5	71.3	71.3	0												
	R11**	RESIDENTIAL	LIVING ROOM	W18/213	8.0	8.0	0.0	0.0	98.1	98.1	0												
				W19/213	8.7	8.3	0.4	4.6															
	R12	RESIDENTIAL	BEDROOM	W20/213	9.5	9.0	0.5	5.3	71.6	71.6	0												
	R13	RESIDENTIAL	BEDROOM	W21/213	9.8	9.2	0.6	6.1	82.5	82.5	0												
	R14	RESIDENTIAL	LIVING ROOM	W22/213	8.7	8.7	0.0	0.0	73.5	72.4	14	2	0	2	0	0.0	0.0	8.0	0.0	4.0	0.0	50.0	0.0
				W23/213	9.0	8.4	0.6	6.7				6	0	2	0	66.7	0.0						
				W24/213	4.9	3.7	1.2	24.5				1	0	0	0	100.0	0.0						
	R15	RESIDENTIAL	BEDROOM	W25/213	5.4	5.4	0.0	0.0	34.5	34.5	0												
				W26/213	2.3	2.3	0.0	0.0															
	R16**	RESIDENTIAL	LIVING ROOM	W27/213	6.2	5.4	0.8	12.9	45.0	45.0	0												
				W28/213	4.8	4.6	0.2	4.2															
	R17	RESIDENTIAL	LIVING ROOM	W29/213	5.7	4.7	1.0	17.5	16.8	15.8	6.1												
				W30/213	6.2	5.1	1.1	17.7															
	R18	RESIDENTIAL	BEDROOM	W31/213	6.3	5.1	1.2	19.0	99.2	97.9	1.3	9	0	5	0	44.4	0.0	28.0	7.0	23.0	6.0	17.9	14.3
				W32/213	5.3	4.5	0.8	15.1				3	0	2	0	33.3	0.0						
				W33/213	6.7	5.2	1.5	22.4				11	0	7	0	36.4	0.0						
				W34/213	13.8	9.5	4.3	31.2				22	6	17	6	22.7	0.0						
				W35/213	13.5	9.0	4.5	33.3				24	7	19	6	20.8	14.3						
	R20	RESIDENTIAL	BEDROOM	W37/213	10.7	6.9	3.8	35.5	51.4	31.7	38.2	21	8	17	6	19.0	25.0	21.0	8.0	17.0	6.0	19.0	25.0
	R21	RESIDENTIAL	LIVING ROOM	W38/213	8.3	5.3	3.0	36.1	53.7	31.3	41.7	9	3	6	1	33.3	66.7	23.0	10.0	19.0	7.0	17.4	30.0
				W39/213	8.6	6.0	2.6	30.2				22	10	19	7	13.6	30.0						
	R22	RESIDENTIAL	LIVING ROOM	W40/213	8.0	5.6	2.4	30.0	29.1	16.1	44.8	20	9	16	6	20.0	33.3	34.0	12.0	32.0	10.0	5.9	16.7
				W41/213	8.4	6.3	2.1	25.0				26	10	23	8	11.5	20.0						
				W42/213	15.8	14.1	1.7	10.8				34	12	32	10	5.9	16.7						
	R23	RESIDENTIAL	BEDROOM	W44/213	11.8	10.8	1.0	8.5	30.5	21.6	29.2	26	5	23	2	11.5	60.0	26.0	5.0	23.0	2.0	11.5	60.0
	R24	RESIDENTIAL	LIVING ROOM	W45/213	14.0	12.7	1.3	9.3	63.9	46.5	27.2	21	3	17	0	19.0	100.0	21.0	3.0	17.0	0.0	19.0	100.0
	R25	RESIDENTIAL	BEDROOM	W46/213	15.1	13.6	1.5	9.9	91.7	90.2	1.6	23	3	19	0	17.4	100.0	23.0	3.0	19.0	0.0	17.4	100.0
	R26	RESIDENTIAL	LIVING ROOM	W47/213	15.6	14.0	1.6	10.3	71.1	60.7	14.7	22	3	18	0	18.2	100.0	23.0	3.0	19.0	0.0	17.4	100.0
				W48/213	15.6	13.7	1.9	12.2				19	3	15	0	21.1	100.0						
	R27	RESIDENTIAL	BEDROOM	W49/213	15.0	13.1	1.9	12.7	90.4	81.0	10.4	16	1	14	0	12.5	100.0	16.0	1.0	14.0	0.0	12.5	100.0
				W50/213	11.7	10.5	1.2	10.3				11	0	10	0	9.1	0.0						
				W51/213	3.8	3.3	0.5	13.2				8	0	7	0	12.5	0.0						
214	R1	RESIDENTIAL	BEDROOM	W1/214	3.7	3.7	0.0	0.0	40.6	40.6	0												
				W2/214	4.3	4.2	0.1	2.3															
				W35/214	17.4	17.4	0.0	0.0															
	R2	RESIDENTIAL	LIVING ROOM	W3/214	4.4	4.2	0.2	4.5	7.4	7.4	0												
				W4/214	4.3	4.1	0.2	4.7															
	R3	RESIDENTIAL	BEDROOM	W5/214	3.9	3.7	0.2	5.1	4.9	4.9	0												
	R4	RESIDENTIAL	LIVING ROOM	W6/214	3.8	3.6	0.2	5.3	7.2	7.2	0												
				W7/214	4.1	3.9	0.2	4.9															
	R5**	RESIDENTIAL	LIVING ROOM	W8/214	4.1	3.9	0.2	4.9	9.1	9.1	0												

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm

					VSC (WINDOW)				NSL			APSH (WINDOW)						APSH (ROOM)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX %	CUM %	LOSS	LOSS %	EX %	CUM %	LOSS %	EX		CUM		LOSS %		EX		CUM		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
30 GARRARD STREET (CONTINUED)																							
214	R5**	RESIDENTIAL	LIVING ROOM	W9/214	4.0	3.8	0.2	5.0	9.1	9.1	0												
	R6	RESIDENTIAL	BEDROOM	W10/214	4.1	3.9	0.2	4.9	12.1	12.1	0												
	R7**	RESIDENTIAL	BEDROOM	W20/214	10.3	9.7	0.6	5.8	86.1	86.1	0												
				W21/214	9.3	9.3	0.0	0.0															
	R8	RESIDENTIAL	BEDROOM	W22/214	6.9	6.9	0.0	0.0	58.4	58.4	0												
	R9**	RESIDENTIAL	LKD	W23/214	6.2	5.7	0.5	8.1	46.8	46.6	0.5												
	R10	RESIDENTIAL	BEDROOM	W24/214	6.9	5.8	1.1	15.9	69.6	68.8	1.2												
	R11	RESIDENTIAL	BEDROOM	W25/214	6.7	5.6	1.1	16.4	88.4	87.0	1.6	4	0	2	0	50.0	0.0	25.0	8.0	21.0	7.0	16.0	12.5
				W26/214	13.5	8.9	4.6	34.1				23	8	19	7	17.4	12.5						
	R12	RESIDENTIAL	BEDROOM	W28/214	9.4	5.9	3.5	37.2	49.8	45.0	9.8	7	3	5	2	28.6	33.3	7.0	3.0	5.0	2.0	28.6	33.3
	R13	RESIDENTIAL	LKD	W30/214	9.4	6.6	2.8	29.8	50.6	43.3	14.4	14	6	13	5	7.1	16.7	14.0	6.0	13.0	5.0	7.1	16.7
	R14	RESIDENTIAL	BEDROOM	W31/214	23.7	22.4	1.3	5.5	98.8	98.8	0	52	11	50	9	3.8	18.2	52.0	11.0	50.0	9.0	3.8	18.2
	R15	RESIDENTIAL	BEDROOM	W32/214	23.2	22.0	1.2	5.2	96.4	96.3	0	55	12	51	8	7.3	33.3	55.0	12.0	51.0	8.0	7.3	33.3
	R16	RESIDENTIAL	LKD	W33/214	18.7	17.7	1.0	5.3	92.3	89.1	3.5	43	11	40	8	7.0	27.3	43.0	11.0	40.0	8.0	7.0	27.3
	R17	RESIDENTIAL	BEDROOM	W34/214	7.5	6.8	0.7	9.3	72.3	72.2	0.1	13	2	12	1	7.7	50.0	13.0	2.0	12.0	1.0	7.7	50.0
	R19	RESIDENTIAL	BEDROOM	W11/214	4.7	4.4	0.3	6.4	16.7	16.7	0												
	R20**	RESIDENTIAL	LIVING ROOM	W12/214	6.0	5.8	0.2	3.3	84.0	84.0	0												
				W13/214	7.9	7.6	0.3	3.8															
	R21	RESIDENTIAL	LIVING ROOM	W14/214	8.0	7.7	0.3	3.8	98.0	98.0	0												
				W15/214	9.0	8.7	0.3	3.3															
	R22	RESIDENTIAL	BEDROOM	W16/214	9.2	8.9	0.3	3.3	68.7	68.7	0												
	R23**	RESIDENTIAL	LIVING ROOM	W17/214	8.5	8.4	0.1	1.2	98.2	98.2	0												
				W18/214	9.2	8.8	0.4	4.3															
	R24	RESIDENTIAL	BEDROOM	W19/214	10.0	9.5	0.5	5.0	70.8	70.8	0												
215	R1	RESIDENTIAL	BEDROOM	W1/215	4.0	3.9	0.1	2.5	18.3	18.1	1												
	R2	RESIDENTIAL	LKD	W2/215	3.9	3.9	0.0	0.0	10.3	10.3	0.1												
	R3	RESIDENTIAL	BEDROOM	W3/215	3.7	3.5	0.2	5.4	12.6	12.6	0												
	R4	RESIDENTIAL	BEDROOM	W4/215	3.9	3.8	0.1	2.6	19.2	19.2	0												
	R5**	RESIDENTIAL	LKD	W5/215	4.3	4.0	0.3	7.0	13.3	13.3	0												
	R6	RESIDENTIAL	BEDROOM	W6/215	6.8	6.8	0.0	0.0	91.6	91.6	0												
	R7**	RESIDENTIAL	LKD	W7/215	8.9	8.5	0.4	4.5	96.0	96.0	0												
	R8	RESIDENTIAL	BEDROOM	W8/215	9.3	9.2	0.1	1.1	96.5	96.5	0												
	R9	RESIDENTIAL	BEDROOM	W9/215	10.3	9.8	0.5	4.9	92.4	92.4	0												
	R10**	RESIDENTIAL	LKD	W10/215	10.4	10.2	0.2	1.9	74.3	74.3	0												
	R11	RESIDENTIAL	UNKNOWN	W11/215	8.0	8.0	0.0	0.0	72.7	72.4	0.4												
	R12**	RESIDENTIAL	LKD	W12/215	7.6	7.0	0.6	7.9	48.5	48.2	0.6												
	R13	RESIDENTIAL	BEDROOM	W13/215	7.8	6.7	1.1	14.1	62.8	62.3	0.7												
	R14	RESIDENTIAL	BEDROOM	W14/215	7.9	6.6	1.3	16.5	96.9	95.4	1.5	4	0	2	0	50.0	0.0	27.0	8.0	22.0	7.0	18.5	12.5
				W15/215	15.0	10.5	4.5	30.0				25	8	20	7	20.0	12.5						
	R15	RESIDENTIAL	BEDROOM	W27/215	12.6	8.5	4.1	32.5	77.0	58.2	24.4	21	8	18	7	14.3	12.5	21.0	8.0	18.0	7.0	14.3	12.5
	R16	RESIDENTIAL	LKD	W29/215	10.5	7.7	2.8	26.7	50.0	36.2	27.8	17	6	16	5	5.9	16.7	17.0	6.0	16.0	5.0	5.9	16.7
	R17	RESIDENTIAL	BEDROOM	W16/215	26.3	24.9	1.4	5.3	99.0	99.0	0	57	16	55	14	3.5	12.5	57.0	16.0	55.0	14.0	3.5	12.5
	R18	RESIDENTIAL	BEDROOM	W17/215	25.9	24.7	1.2	4.6	98.1	98.1	0	59	15	56	12	5.1	20.0	59.0	15.0	56.0	12.0	5.1	20.0
	R19	RESIDENTIAL	LKD	W18/215	21.0	19.9	1.1	5.2	92.3	88.1	4.5	46	14	43	11	6.5	21.4	46.0	14.0	43.0	11.0	6.5	21.4
	R20	RESIDENTIAL	BEDROOM	W19/215	7.2	6.8	0.4	5.6	63.9	63.6	0.4	10	1	10	1	0.0	0.0	10.0	1.0	10.0	1.0	0.0	0.0

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm

					VSC (WINDOW)				NSL			APSH (WINDOW)						APSH (ROOM)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX %	CUM %	LOSS	LOSS %	EX %	CUM %	LOSS %	EX		CUM		LOSS %		EX		CUM		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
30 GARRARD STREET (CONTINUED)																							
216	R1	RESIDENTIAL	BEDROOM	W1/216	0.9	0.7	0.2	22.2	15.0	11.9	20.5												
	R2	RESIDENTIAL	LKD	W2/216	1.7	1.7	0.0	0.0	10.3	10.3	0.7												
	R3**	RESIDENTIAL	LKD	W3/216	1.6	1.3	0.3	18.8	7.7	7.4	3.5												
	R4	RESIDENTIAL	BEDROOM	W4/216	1.7	1.7	0.0	0.0	13.6	13.6	0												
	R5	RESIDENTIAL	BEDROOM	W5/216	2.2	1.9	0.3	13.6	27.0	27.0	0												
	R6**	RESIDENTIAL	LKD	W6/216	4.8	4.7	0.1	2.1	97.6	97.5	0												
	R7**	RESIDENTIAL	LKD	W7/216	6.9	6.5	0.4	5.8	99.6	99.6	0												
	R8	RESIDENTIAL	BEDROOM	W8/216	7.4	7.3	0.1	1.4	100.0	100.0	0												
	R9	RESIDENTIAL	BEDROOM	W9/216	8.3	7.8	0.5	6.0	98.1	98.1	0												
	R10**	RESIDENTIAL	LKD	W10/216	8.6	8.4	0.2	2.3	76.8	76.8	0												
	R11	RESIDENTIAL	BEDROOM	W11/216	11.2	10.4	0.8	7.1	91.5	91.5	0												
	R12	RESIDENTIAL	BEDROOM	W12/216	10.1	9.2	0.9	8.9	74.2	73.4	1												
	R13	RESIDENTIAL	LKD	W13/216	9.7	8.3	1.4	14.4	94.8	88.4	6.7	11	0	7	0	36.4	0.0	29.0	9.0	25.0	9.0	13.8	0.0
				W14/216	15.9	11.5	4.4	27.7				22	9	18	9	18.2	0.0						
	R14	RESIDENTIAL	BEDROOM	W15/216	14.2	10.5	3.7	26.1	88.7	80.1	9.7	22	10	19	9	13.6	10.0	22.0	10.0	19.0	9.0	13.6	10.0
	R15	RESIDENTIAL	BEDROOM	W16/216	13.7	10.7	3.0	21.9	89.0	85.8	3.7	26	12	24	10	7.7	16.7	26.0	12.0	24.0	10.0	7.7	16.7
	R16	RESIDENTIAL	BEDROOM	W17/216	26.7	25.6	1.1	4.1	98.3	98.2	0.1	69	20	67	18	2.9	10.0	69.0	20.0	67.0	18.0	2.9	10.0
	R17	RESIDENTIAL	LKD	W18/216	21.5	20.5	1.0	4.7	83.6	80.3	3.9	49	18	47	16	4.1	11.1	49.0	18.0	47.0	16.0	4.1	11.1
	R18	RESIDENTIAL	BEDROOM	W19/216	7.9	7.6	0.3	3.8	63.6	63.5	0.1	10	1	10	1	0.0	0.0	10.0	1.0	10.0	1.0	0.0	0.0
MALCOM PLACE																							
F00	R1	RESIDENTIAL	UNKNOWN	W1/F00	13.6	12.1	1.5	11.0	64.0	60.5	5.5	30	15	29	15	3.3	0.0	30.0	15.0	29.0	15.0	3.3	0.0
	R2	RESIDENTIAL	UNKNOWN	W2/F00	26.7	25.2	1.5	5.6	80.7	76.7	4.9	46	12	45	12	2.2	0.0	46.0	12.0	45.0	12.0	2.2	0.0
	R3	RESIDENTIAL	UNKNOWN	W3/F00	13.6	11.9	1.7	12.5	67.8	63.1	7	29	14	27	14	6.9	0.0	29.0	14.0	27.0	14.0	6.9	0.0
	R4	RESIDENTIAL	UNKNOWN	W4/F00	26.9	25.0	1.9	7.1	88.2	82.7	6.3	48	13	46	13	4.2	0.0	48.0	13.0	46.0	13.0	4.2	0.0
	R5	RESIDENTIAL	UNKNOWN	W5/F00	26.6	24.5	2.1	7.9	86.0	79.7	7.4	49	14	47	14	4.1	0.0	49.0	14.0	47.0	14.0	4.1	0.0
	R6	RESIDENTIAL	UNKNOWN	W6/F00	13.3	11.0	2.3	17.3	74.5	64.9	12.9	31	14	28	14	9.7	0.0	31.0	14.0	28.0	14.0	9.7	0.0
	R7	RESIDENTIAL	UNKNOWN	W7/F00	14.1	11.8	2.3	16.3	56.9	38.5	32.4	12	0	9	0	25.0	0.0	12.0	0.0	9.0	0.0	25.0	0.0
	R8	RESIDENTIAL	UNKNOWN	W8/F00	23.7	21.3	2.4	10.1	86.4	54.9	36.4	36	11	32	11	11.1	0.0	36.0	11.0	32.0	11.0	11.1	0.0
F01	R1	RESIDENTIAL	BEDROOM	W1/F01	29.7	27.5	2.2	7.4	94.1	83.0	11.8	52	17	50	17	3.8	0.0	52.0	17.0	50.0	17.0	3.8	0.0
	R2**	RESIDENTIAL	LKD	W2/F01	29.4	27.1	2.3	7.8	73.4	62.6	14.7	52	17	50	17	3.8	0.0	52.0	17.0	50.0	17.0	3.8	0.0
	R3	RESIDENTIAL	BEDROOM	W3/F01	29.5	27.0	2.5	8.5	89.0	77.7	12.8	51	17	49	17	3.9	0.0	51.0	17.0	49.0	17.0	3.9	0.0
	R4**	RESIDENTIAL	LKD	W4/F01	29.2	26.7	2.5	8.6	77.8	65.7	15.6	52	17	49	17	5.8	0.0	52.0	17.0	49.0	17.0	5.8	0.0
	R5**	RESIDENTIAL	LKD	W5/F01	28.9	26.3	2.6	9.0	88.9	77.4	12.9	52	17	49	17	5.8	0.0	52.0	17.0	49.0	17.0	5.8	0.0
	R6	RESIDENTIAL	BEDROOM	W6/F01	28.7	26.0	2.7	9.4	89.4	77.2	13.7	52	17	49	17	5.8	0.0	52.0	17.0	49.0	17.0	5.8	0.0
	R7	RESIDENTIAL	BEDROOM	W7/F01	15.4	12.8	2.6	16.9	66.5	58.7	11.7	15	0	12	0	20.0	0.0	15.0	0.0	12.0	0.0	20.0	0.0
	R8	RESIDENTIAL	BEDROOM	W8/F01	27.1	24.3	2.8	10.3	94.5	74.4	21.2	38	12	34	12	10.5	0.0	38.0	12.0	34.0	12.0	10.5	0.0
F02	R1	RESIDENTIAL	BEDROOM	W1/F02	31.9	29.2	2.7	8.5	94.1	85.2	9.5	56	18	53	17	5.4	5.6	56.0	18.0	53.0	17.0	5.4	5.6
	R2**	RESIDENTIAL	LKD	W2/F02	31.6	28.8	2.8	8.9	92.6	66.7	28	51	17	50	17	2.0	0.0	51.0	17.0	50.0	17.0	2.0	0.0
	R3	RESIDENTIAL	BEDROOM	W3/F02	31.6	28.7	2.9	9.2	93.0	83.2	10.6	52	17	50	17	3.8	0.0	52.0	17.0	50.0	17.0	3.8	0.0
	R4**	RESIDENTIAL	LKD	W4/F02	31.3	28.3	3.0	9.6	94.0	67.4	28.3	52	17	50	17	3.8	0.0	52.0	17.0	50.0	17.0	3.8	0.0
	R5**	RESIDENTIAL	LKD	W5/F02	30.9	27.9	3.0	9.7	95.9	81.1	15.5	52	17	50	17	3.8	0.0	52.0	17.0	50.0	17.0	3.8	0.0
	R6	RESIDENTIAL	BEDROOM	W6/F02	30.8	27.6	3.2	10.4	92.5	82.0	11.4	52	17	50	17	3.8	0.0	52.0	17.0	50.0	17.0	3.8	0.0
	R7	RESIDENTIAL	BEDROOM	W7/F02	16.6	13.9	2.7	16.3	66.5	60.0	9.8	16	0	14	0	12.5	0.0	16.0	0.0	14.0	0.0	12.5	0.0
	R8	RESIDENTIAL	BEDROOM	W8/F02	29.1	26.0	3.1	10.7	94.5	80.0	15.3	41	12	38	12	7.3	0.0	41.0	12.0	38.0	12.0	7.3	0.0
F03	R1	RESIDENTIAL	BEDROOM	W1/F03	33.7	30.6	3.1	9.2	94.1	86.8	7.7	56	18	53	17	5.4	5.6	56.0	18.0	53.0	17.0	5.4	5.6

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm

					VSC (WINDOW)				NSL			APSH (WINDOW)						APSH (ROOM)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX %	CUM %	LOSS	LOSS %	EX %	CUM %	LOSS %	EX		CUM		LOSS %		EX		CUM		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
19 SACKVILLE STREET (CONTINUED)																							
F01	R1	RESIDENTIAL	UNKNOWN	W1/F01	34.0	30.4	3.6	10.6	98.5	82.7	16.1												
F02	R1	RESIDENTIAL	UNKNOWN	W1/F02*	79.2	75.7	3.5	4.4	79.0	64.1	18.8												
21 SACKVILLE STREET																							
F00	R1	RESIDENTIAL	UNKNOWN	W1/F00	18.8	18.6	0.2	11	61.8	49.7	19.5												
F01	R1	RESIDENTIAL	UNKNOWN	W1/F01	34.0	30.5	3.5	10.3	94.2	68.7	27												
F02	R1	RESIDENTIAL	UNKNOWN	W1/F02*	79.6	76.2	3.4	4.3	77.0	67.7	12.1												
23 SACKVILLE STREET																							
F00	R1	RESIDENTIAL	UNKNOWN	W1/F00	29.8	27.0	2.8	9.4	99.1	88.4	10.7												
F01	R1	RESIDENTIAL	UNKNOWN	W1/F01	34.3	30.8	3.5	10.2	90.5	86.9	4												
	R2	RESIDENTIAL	UNKNOWN	W2/F01	34.0	30.6	3.4	10.0	99.1	93.1	6.1												
F02	R1	RESIDENTIAL	UNKNOWN	W1/F02*	79.9	76.5	3.4	4.3	74.6	59.8	19.8												
25 SACKVILLE STREET																							
F00	R1	RESIDENTIAL	UNKNOWN	W1/F00	22.0	20.1	1.9	8.6	92.0	91.1	1	27	0	26	0	3.7	0.0	27.0	0.0	26.0	0.0	3.7	0.0
				W3/F00	15.5	14.1	1.4	9.0				9	0	9	0	0.0	0.0						
	R2	RESIDENTIAL	UNKNOWN	W2/F00	20.7	20.2	0.5	2.4	77.1	57.6	25.3												
F01	R1	RESIDENTIAL	UNKNOWN	W1/F01	34.0	30.7	3.3	9.7	93.0	93.0	0												
	R2	RESIDENTIAL	UNKNOWN	W2/F01	33.8	30.5	3.3	9.8	98.6	97.6	1												
F02	R1	RESIDENTIAL	UNKNOWN	W1/F02*	79.2	76.0	3.2	4.0	72.4	63.0	13												

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm

Masterplan & Future Receptors

		DAYLIGHT QUANTUM			DAYLIGHT DISTRIBUTION		
ROOM REF.	ROOM USE	CONSENTED ADF (%)	CONSENTED ADF (%)	ABSOLUTE REDUCTION (%)	CONSENTED NSL (%)	CONSENTED NSL (%)	ABSOLUTE REDUCTION (%)
BLOCK E - LEVEL 00							
8	Bedroom	0.3	0.8	-0.5	3	74	-71
9	Living Room	0.3	0.9	-0.6	9	80	-71
10	Bedroom	0.3	0.9	-0.6	3	72	-69
11	Bedroom	0.3	1.1	-0.8	7	85	-78
12	Living Room	0.2	0.7	-0.5	1	68	-67
13	L/K/D	0.7	1	-0.3	69	85	-16
14	Bedroom	0.8	0.9	-0.1	69	70	-1
15	Bedroom	0.2	0.3	-0.1	6	25	-19
16	Living Room	0.3	0.5	-0.2	12	30	-18
17	Bedroom	0.3	0.5	-0.2	15	30	-15
18	Bedroom	0.3	0.6	-0.3	16	32	-16
19	Living Room	0.7	1	-0.3	40	45	-5
20	Bedroom	0.3	0.5	-0.2	14	41	-27
21	L/K/D	0.3	0.5	-0.2	16	41	-25
BLOCK E - LEVEL 01							
62	Bedroom	0.4	0.9	-0.5	2	74	-72
63	Living Room	0.4	0.9	-0.5	8	80	-72
64	Bedroom	0.3	1	-0.7	4	72	-68
65	Bedroom	0.4	1.2	-0.8	7	84	-77
66	Living Room	0.4	1.1	-0.7	14	74	-60
67	L/K/D	1	1.4	-0.4	73	88	-15
68	Bedroom	1	1.2	-0.2	73	73	0
69	Bedroom	0.2	0.4	-0.2	7	24	-17
70	Living Room	0.4	0.6	-0.2	14	34	-20
71	Bedroom	0.4	0.6	-0.2	17	32	-15
72	Bedroom	0.4	0.7	-0.3	19	35	-16
73	Living Room	0.9	1.3	-0.4	43	49	-6
74	Bedroom	0.3	0.6	-0.3	16	44	-28
75	L/K/D	0.4	0.6	-0.2	19	41	-22
76	Bedroom	0.5	0.9	-0.4	26	44	-18
77	Bedroom	0.3	0.4	-0.1	9	20	-11
78	L/K/D	1.1	1.4	-0.3	81	83	-2
79	Bedroom	0.9	0.9	0	30	31	-1
80	Bedroom	0.8	0.8	0	21	22	-1
81	L/K/D	1.7	1.7	0	73	73	0
82	Bedroom	1.1	1.1	0	51	51	0
BLOCK E - LEVEL 02							
149	Bedroom	0.4	1.1	-0.7	4	76	-72
150	Living Room	0.4	1.1	-0.7	9	80	-71
151	Bedroom	0.4	1.1	-0.7	7	75	-68
152	Bedroom	0.5	1.3	-0.8	9	82	-73
153	Living Room	0.4	1.1	-0.7	14	74	-60
154	L/K/D	0.9	1.2	-0.3	68	85	-17
155	Bedroom	1	1.1	-0.1	73	73	0
156	Bedroom	0.2	0.4	-0.2	3	23	-20
157	Living Room	0.4	0.6	-0.2	12	33	-21
158	Bedroom	0.4	0.6	-0.2	14	30	-16
159	Bedroom	0.4	0.7	-0.3	16	32	-16
160	Living Room	0.9	1.2	-0.3	43	49	-6
161	Bedroom	0.3	0.6	-0.3	14	41	-27
162	L/K/D	0.3	0.6	-0.3	19	39	-20
163	Bedroom	0.5	0.9	-0.4	23	43	-20
164	Bedroom	0.3	0.4	-0.1	8	18	-10
165	L/K/D	1.1	1.4	-0.3	81	83	-2
166	Bedroom	0.9	0.9	0	27	27	0
167	Bedroom	0.8	0.8	0	18	19	-1
168	L/K/D	1.8	1.8	0	73	73	0
169	Bedroom	1.2	1.2	0	48	48	0

		DAYLIGHT QUANTUM			DAYLIGHT DISTRIBUTION		
ROOM REF.	ROOM USE	CONSENTED ADF (%)	CONSENTED ADF (%)	ABSOLUTE REDUCTION (%)	CONSENTED NSL (%)	CONSENTED NSL (%)	ABSOLUTE REDUCTION (%)
BLOCK E - LEVEL 03							
249	Bedroom	0.5	1.1	-0.6	4	76	-72
250	Living Room	0.4	1.1	-0.7	11	80	-69
251	Bedroom	0.4	1.2	-0.8	7	76	-69
252	Bedroom	0.5	1.4	-0.9	10	82	-72
253	Living Room	0.4	1.1	-0.7	17	74	-57
254	L/K/D	1	1.3	-0.3	70	86	-16
255	Bedroom	1.1	1.2	-0.1	73	73	0
256	Bedroom	0.2	0.4	-0.2	4	25	-21
257	Living Room	0.4	0.6	-0.2	11	36	-25
258	Bedroom	0.4	0.7	-0.3	14	30	-16
259	Bedroom	0.5	0.7	-0.2	18	35	-17
260	Living Room	0.9	1.3	-0.4	43	47	-4
261	Bedroom	0.4	0.6	-0.2	15	43	-28
262	L/K/D	0.4	0.6	-0.2	22	41	-19
263	Bedroom	0.6	0.9	-0.3	27	44	-17
264	Bedroom	0.3	0.4	-0.1	9	19	-10
265	L/K/D	1.2	1.5	-0.3	84	86	-2
266	Bedroom	1	1	0	29	29	0
267	Bedroom	0.9	0.9	0	19	20	-1
268	L/K/D	1.8	1.9	-0.1	73	73	0
269	Bedroom	1.3	1.3	0	52	52	0
BLOCK E - LEVEL 04							
349	Bedroom	0.5	1.1	-0.6	3	75	-72
350	Living Room	0.5	1.1	-0.6	10	81	-71
351	Bedroom	0.4	1.1	-0.7	6	75	-69
352	Bedroom	0.5	1.4	-0.9	9	82	-73
353	Living Room	0.5	1.1	-0.6	17	74	-57
354	L/K/D	1.1	1.4	-0.3	72	87	-15
355	Bedroom	1.1	1.2	-0.1	73	73	0
356	Bedroom	0.3	0.3	0	4	27	-23
357	Living Room	0.4	0.7	-0.3	13	39	-26
358	Bedroom	0.5	0.7	-0.2	16	34	-18
359	Bedroom	0.5	0.8	-0.3	20	37	-17
360	Living Room	1	1.4	-0.4	45	49	-4
361	Bedroom	0.4	0.7	-0.3	16	44	-28
362	L/K/D	0.4	0.6	-0.2	23	42	-19
363	Bedroom	0.6	0.9	-0.3	30	46	-16
364	Bedroom	0.3	0.4	-0.1	10	20	-10
365	L/K/D	1.3	1.5	-0.2	87	89	-2
366	Bedroom	0.9	0.9	0	33	33	0
367	Bedroom	0.8	0.9	-0.1	23	23	0
368	L/K/D	2	2.1	-0.1	74	74	0
369	Bedroom	1.2	1.2	0	54	54	0
BLOCK E - LEVEL 05							
449	Bedroom	0.6	1.2	-0.6	6	77	-71
450	Living Room	0.6	1.2	-0.6	11	81	-70
451	Bedroom	0.5	1.2	-0.7	8	77	-69
452	Bedroom	0.6	1.5	-0.9	12	84	-72
453	Living Room	0.5	1.2	-0.7	18	75	-57
454	L/K/D	1.1	1.5	-0.4	73	88	-15
455	Bedroom	1.1	1.3	-0.2	75	75	0
456	Bedroom	0.3	0.3	0	5	29	-24
457	Living Room	0.4	0.7	-0.3	14	41	-27
458	Bedroom	0.5	0.8	-0.3	20	36	-16
459	Bedroom	0.6	0.9	-0.3	21	40	-19
460	Living Room	1	1.4	-0.4	45	51	-6
461	Bedroom	0.4	0.6	-0.2	15	46	-31
462	L/K/D	0.4	0.6	-0.2	24	44	-20
463	Bedroom	0.7	1	-0.3	32	48	-16
464	Bedroom	0.3	0.5	-0.2	11	20	-9
465	L/K/D	1.4	1.6	-0.2	91	92	-1
466	Bedroom	1	1.1	-0.1	37	38	-1
467	Bedroom	1	1	0	28	28	0
468	L/K/D	2.2	2.2	0	75	75	0
469	Bedroom	1.3	1.3	0	58	58	0

		DAYLIGHT QUANTUM			DAYLIGHT DISTRIBUTION		
ROOM REF.	ROOM USE	CONSENTED ADF (%)	CONSENTED ADF (%)	ABSOLUTE REDUCTION (%)	CONSENTED NSL (%)	CONSENTED NSL (%)	ABSOLUTE REDUCTION (%)
BLOCK E - LEVEL 06							
549	Bedroom	0.6	1.2	-0.6	7	77	-70
550	Living Room	0.5	1.2	-0.7	12	81	-69
551	Bedroom	0.5	1.3	-0.8	9	77	-68
552	Bedroom	0.7	1.6	-0.9	12	84	-72
553	Living Room	0.4	0.8	-0.4	17	75	-58
554	L/K/D	0.9	1.2	-0.3	71	87	-16
555	Bedroom	1.2	1.3	-0.1	78	78	0
556	Bedroom	0.3	0.3	0	6	32	-26
557	Living Room	0.3	0.4	-0.1	4	19	-15
558	Bedroom	0.6	0.8	-0.2	21	39	-18
559	Bedroom	0.6	1	-0.4	25	43	-18
560	Living Room	0.9	1.1	-0.2	47	52	-5
561	Bedroom	0.4	0.6	-0.2	16	47	-31
562	L/K/D	0.3	0.4	-0.1	20	42	-22
563	Bedroom	0.8	1	-0.2	33	50	-17
564	Bedroom	0.4	0.5	-0.1	12	21	-9
565	L/K/D	1.3	1.5	-0.2	95	96	-1
566	Bedroom	1.2	1.2	0	43	44	-1
567	Bedroom	1.1	1.1	0	34	35	-1
568	L/K/D	1.9	1.9	0	73	73	0
569	Bedroom	1.5	1.5	0	62	62	0
BLOCK E - LEVEL 07							
646	Bedroom	0.6	1.2	-0.6	7	77	-70
647	Living Room	0.5	0.8	-0.3	12	79	-67
648	Bedroom	0.6	1.3	-0.7	9	77	-68
649	Bedroom	0.7	1.6	-0.9	11	84	-73
650	Living Room	0.5	0.9	-0.4	18	75	-57
651	L/K/D	1	1.3	-0.3	73	89	-16
652	Bedroom	1.3	1.4	-0.1	80	80	0
653	Bedroom	0.3	0.4	-0.1	6	34	-28
654	Living Room	0.4	0.5	-0.1	4	23	-19
655	Bedroom	0.6	0.9	-0.3	24	44	-20
656	Bedroom	0.7	1	-0.3	27	48	-21
657	Living Room	1	1.3	-0.3	48	55	-7
658	Bedroom	0.5	0.7	-0.2	17	48	-31
659	L/K/D	0.4	0.5	-0.1	23	44	-21
660	Bedroom	0.9	1.1	-0.2	34	51	-17
661	Bedroom	0.4	0.5	-0.1	13	22	-9
662	L/K/D	1.6	1.7	-0.1	95	96	-1
663	Bedroom	1.4	1.5	-0.1	49	49	0
664	Bedroom	1.3	1.4	-0.1	40	41	-1
665	L/K/D	2.2	2.2	0	73	73	0
666	Bedroom	1.7	1.6	0.1	68	68	0
BLOCK E - LEVEL 08							
715	Bedroom	0.7	1.4	-0.7	11	79	-68
716	Living Room	0.6	1	-0.4	14	80	-66
717	Bedroom	0.7	1.4	-0.7	13	79	-66
718	Bedroom	0.8	1.8	-1	14	84	-70
719	Living Room	0.5	0.9	-0.4	19	75	-56
720	L/K/D	1.1	1.5	-0.4	78	93	-15
721	Bedroom	1.4	1.5	-0.1	81	81	0
722	Bedroom	0.4	0.4	0	10	34	-24
723	Living Room	0.4	0.6	-0.2	5	26	-21
724	Bedroom	0.8	1	-0.2	28	50	-22
725	Bedroom	0.8	1.1	-0.3	32	53	-21
726	Living Room	1.2	1.4	-0.2	50	60	-10
727	Bedroom	0.6	0.7	-0.1	19	50	-31
728	L/K/D	0.4	0.6	-0.2	26	47	-21
729	Bedroom	1	1.2	-0.2	34	51	-17
730	Bedroom	0.5	0.6	-0.1	13	23	-10
731	L/K/D	1.7	1.9	-0.2	95	96	-1
732	Bedroom	1.7	1.7	0	58	58	0
733	Bedroom	1.6	1.6	0	53	53	0
734	L/K/D	2.6	2.6	0	75	75	0
735	Bedroom	1.9	1.9	0	79	79	0

		DAYLIGHT QUANTUM			DAYLIGHT DISTRIBUTION		
ROOM REF.	ROOM USE	CONSENTED ADF (%)	CONSENTED ADF (%)	ABSOLUTE REDUCTION (%)	CONSENTED NSL (%)	CONSENTED NSL (%)	ABSOLUTE REDUCTION (%)
BLOCK E - LEVEL 09							
785	Bedroom	0.8	1.5	-0.7	15	81	-66
786	Living Room	0.7	1.1	-0.4	16	80	-64
787	Bedroom	0.8	1.5	-0.7	15	82	-67
788	Bedroom	0.9	1.9	-1	16	84	-68
789	Living Room	0.6	1	-0.4	18	75	-57
790	L/K/D	1.2	1.5	-0.3	80	94	-14
791	Bedroom	1.4	1.6	-0.2	81	81	0
792	Bedroom	0.4	0.5	-0.1	13	39	-26
793	Living Room	0.5	0.7	-0.2	8	33	-25
794	Bedroom	0.9	1.2	-0.3	32	56	-24
795	Bedroom	1	1.3	-0.3	35	58	-23
796	Living Room	1.3	1.5	-0.2	54	66	-12
797	Bedroom	0.7	0.9	-0.2	20	51	-31
798	L/K/D	0.5	0.6	-0.1	29	51	-22
799	Bedroom	1	1.3	-0.3	35	51	-16
800	Bedroom	0.5	0.6	-0.1	14	23	-9
801	L/K/D	2	2.1	-0.1	95	96	-1
802	Bedroom	2	2.1	-0.1	67	67	0
803	Bedroom	2	2	0	69	69	0
804	L/K/D	3.1	3	0.1	83	83	0
805	Bedroom	2.2	2.1	0.1	98	98	0
BLOCK E - LEVEL 10							
855	Bedroom	0.9	1.7	-0.8	19	84	-65
856	Living Room	1.1	2	-0.9	20	86	-66
857	Bedroom	0.9	1.7	-0.8	17	83	-66
858	Bedroom	1.1	2.1	-1	19	85	-66
859	Living Room	0.6	1	-0.4	16	70	-54
860	L/K/D	1.5	1.8	-0.3	81	92	-11
861	Bedroom	1.8	1.9	-0.1	91	91	0
862	Bedroom	0.5	0.7	-0.2	15	46	-31
863	Living Room	0.6	0.8	-0.2	14	50	-36
864	Bedroom	1.1	1.3	-0.2	36	61	-25
865	Bedroom	1.1	1.4	-0.3	39	61	-22
866	Living Room	1.5	1.7	-0.2	59	73	-14
867	Bedroom	0.8	1	-0.2	25	53	-28
868	L/K/D	0.6	0.7	-0.1	33	56	-23
869	Bedroom	1.2	1.4	-0.2	35	52	-17
870	Bedroom	0.6	0.7	-0.1	15	24	-9
871	L/K/D	2.3	2.4	-0.1	96	97	-1
872	Bedroom	2.4	2.4	0	89	90	-1
873	Bedroom	2.4	2.4	0	88	88	0
874	L/K/D	3.5	3.6	-0.1	100	100	0
875	Bedroom	2.4	2.4	0	98	98	0
BLOCK E - LEVEL 11							
921	Bedroom	1.4	2.5	-1.1	23	86	-63
922	L/K/D	1.9	2.3	-0.4	88	96	-8
923	Bedroom	2.1	2.2	-0.1	96	97	-1
924	Bedroom	0.7	0.9	-0.2	21	61	-40
925	Living Room	1.7	2.1	-0.4	59	88	-29
926	Bedroom	1.2	1.5	-0.3	39	63	-24
927	Bedroom	1.3	1.6	-0.3	40	64	-24
928	Living Room	2.3	2.7	-0.4	61	80	-19
929	Bedroom	1	1.2	-0.2	29	47	-18
930	L/K/D	0.9	1.2	-0.3	38	59	-21
931	Bedroom	1.3	1.6	-0.3	36	53	-17
932	Bedroom	0.6	0.7	-0.1	17	25	-8
933	L/K/D	3.1	3.3	-0.2	98	99	-1
934	Bedroom	2.8	2.8	0	97	98	-1
935	Bedroom	2.8	2.8	0	97	98	-1
936	L/K/D	5.3	5.4	-0.1	100	100	0
937	Bedroom	2.6	2.6	0	98	98	0

		DAYLIGHT QUANTUM			DAYLIGHT DISTRIBUTION		
ROOM REF.	ROOM USE	Consented ADF (%)	Consented ADF (%)	Absolute Reduction (%)	Consented NSL (%)	Consented NSL (%)	Absolute Reduction (%)
BLOCK F - MEZZANINE							
980	Bedroom	0.6	0.7	-0.1	46	51	-5
981	Living Room	0.4	0.4	0	49	54	-5
982	Bedroom	0.5	0.7	-0.2	44	48	-4
983	Living Room	0.6	0.7	-0.1	64	68	-4
984	Bedroom	0.6	0.7	-0.1	61	69	-8
985	Bedroom	0.6	0.7	-0.1	66	73	-7
986	Living Room	0.6	0.8	-0.2	74	83	-9
987	Bedroom	0.5	0.7	-0.2	63	75	-12
988	Bedroom	0.4	0.5	-0.1	14	39	-25
989	Living Room	0.4	0.5	-0.1	10	22	-12
990	Bedroom	0.3	0.4	-0.1	7	9	-2
BLOCK F - LEVEL 00							
991	Living Room	0.5	0.6	-0.1	62	68	-6
992	Bedroom	0.5	0.6	-0.1	57	65	-8
993	Bedroom	0.5	0.7	-0.2	61	68	-7
994	Living Room	0.6	0.8	-0.2	73	82	-9
995	Bedroom	0.5	0.7	-0.2	60	71	-11
996	Living Room	0.6	0.7	-0.1	16	45	-29
997	Bedroom	0.5	0.5	0	7	14	-7
998	Living Room	0.6	0.6	0	13	26	-13
999	Bedroom	0.4	0.5	-0.1	7	14	-7
BLOCK F - LEVEL 01							
1022	Bedroom	1.1	1.2	-0.1	74	74	0
1023	L/K/D	1	1.1	-0.1	59	65	-6
1024	Bedroom	0.7	0.9	-0.2	40	44	-4
1025	Bedroom	0.7	0.8	-0.1	47	51	-4
1026	Living Room	0.7	0.8	-0.1	65	72	-7
1027	Bedroom	0.7	0.8	-0.1	59	67	-8
1028	Bedroom	0.7	0.8	-0.1	60	67	-7
1029	Living Room	0.7	0.9	-0.2	74	82	-8
1030	Bedroom	0.6	0.8	-0.2	62	74	-12
1031	Living Room	0.8	1	-0.2	23	36	-13
1032	Bedroom	0.6	0.7	-0.1	15	19	-4
1033	Living Room	0.6	0.7	-0.1	17	28	-11
1034	Bedroom	0.5	0.6	-0.1	12	17	-5
BLOCK F - LEVEL 02							
1060	Bedroom	1.2	1.3	-0.1	74	74	0
1061	L/K/D	1	1.2	-0.2	60	65	-5
1062	Bedroom	0.7	0.9	-0.2	40	45	-5
1063	Bedroom	0.7	0.9	-0.2	48	51	-3
1064	Living Room	0.7	0.9	-0.2	65	71	-6
1065	Bedroom	0.7	0.9	-0.2	60	68	-8
1066	Bedroom	0.7	0.8	-0.1	61	69	-8
1067	Living Room	0.7	1	-0.3	74	83	-9
1068	Bedroom	0.6	0.8	-0.2	62	74	-12
1069	Living Room	0.8	1	-0.2	26	38	-12
1070	Bedroom	0.6	0.7	-0.1	16	21	-5
1071	Living Room	0.7	0.8	-0.1	19	31	-12
1072	Bedroom	0.5	0.6	-0.1	13	18	-5
BLOCK F - LEVEL 03							
1094	Bedroom	1.2	1.4	-0.2	77	77	0
1095	L/K/D	1.1	1.2	-0.1	61	66	-5
1096	Bedroom	0.8	0.9	-0.1	40	45	-5
1097	Bedroom	0.7	0.9	-0.2	48	52	-4
1098	Living Room	0.7	0.9	-0.2	65	72	-7
1099	Bedroom	0.7	0.9	-0.2	60	70	-10
1100	Bedroom	0.6	0.8	-0.2	59	66	-7
1101	Living Room	0.7	0.9	-0.2	74	82	-8
1102	Bedroom	0.6	0.8	-0.2	60	72	-12
1103	Living Room	0.8	0.9	-0.1	20	36	-16
1104	Bedroom	0.5	0.6	-0.1	12	18	-6
1105	Living Room	0.6	0.7	-0.1	15	28	-13
1106	Bedroom	0.5	0.6	-0.1	11	17	-6

		DAYLIGHT QUANTUM			DAYLIGHT DISTRIBUTION		
ROOM REF.	ROOM USE	CONSENTED ADF (%)	CONSENTED ADF (%)	ABSOLUTE REDUCTION (%)	CONSENTED NSL (%)	CONSENTED NSL (%)	ABSOLUTE REDUCTION (%)
BLOCK F - LEVEL 04							
I128	Bedroom	1.4	1.5	-0.1	78	79	-1
I129	L/K/D	1.2	1.3	-0.1	62	67	-5
I130	Bedroom	0.8	1	-0.2	40	46	-6
I131	Bedroom	0.7	0.9	-0.2	48	52	-4
I132	Living Room	0.8	0.9	-0.1	65	72	-7
I133	Bedroom	0.8	1	-0.2	60	72	-12
I134	Bedroom	0.7	0.9	-0.2	61	70	-9
I135	Living Room	0.8	1.1	-0.3	75	85	-10
I136	Bedroom	0.7	0.9	-0.2	64	75	-11
I137	Living Room	1	1.1	-0.1	31	44	-13
I138	Bedroom	0.7	0.8	-0.1	19	23	-4
I139	Living Room	0.8	0.9	-0.1	23	34	-11
I140	Bedroom	0.7	0.7	0	17	20	-3
BLOCK F - LEVEL 05							
I162	Bedroom	1.5	1.6	-0.1	80	81	-1
I163	L/K/D	1.2	1.4	-0.2	64	68	-4
I164	Bedroom	0.8	1	-0.2	40	47	-7
I165	Bedroom	0.8	0.9	-0.1	48	53	-5
I166	Living Room	0.8	0.9	-0.1	65	74	-9
I167	Bedroom	0.8	1	-0.2	60	72	-12
I168	Bedroom	0.7	0.9	-0.2	62	71	-9
I169	Living Room	0.8	1	-0.2	75	86	-11
I170	Bedroom	0.7	0.9	-0.2	63	75	-12
I171	Living Room	0.9	1.1	-0.2	33	47	-14
I172	Bedroom	0.7	0.8	-0.1	20	23	-3
I173	Living Room	0.8	0.9	-0.1	25	37	-12
I174	Bedroom	0.7	0.8	-0.1	17	20	-3
BLOCK F - LEVEL 06							
I196	Bedroom	1.7	1.8	-0.1	80	81	-1
I197	L/K/D	1	1.1	-0.1	63	67	-4
I198	Bedroom	0.8	1	-0.2	40	47	-7
I199	Bedroom	0.6	0.8	-0.2	47	50	-3
I200	Living Room	0.5	0.5	0	63	70	-7
I201	Bedroom	0.6	0.8	-0.2	59	69	-10
I202	Bedroom	0.7	0.9	-0.2	60	70	-10
I203	Living Room	0.5	0.6	-0.1	74	77	-3
I204	Bedroom	0.7	0.9	-0.2	61	75	-14
I205	Living Room	0.7	0.9	-0.2	21	43	-22
I206	Bedroom	0.7	0.7	0	16	21	-5
I207	Living Room	0.5	0.6	-0.1	16	30	-14
I208	Bedroom	0.7	0.7	0	14	18	-4
BLOCK F - LEVEL 07							
I230	Bedroom	2	2.1	-0.1	82	82	0
I231	L/K/D	1.1	1.3	-0.2	65	70	-5
I232	Bedroom	0.9	1.1	-0.2	42	48	-6
I233	Bedroom	0.8	0.9	-0.1	45	52	-7
I234	Living Room	0.5	0.6	-0.1	62	63	-1
I235	Bedroom	0.8	1	-0.2	61	70	-9
I236	Bedroom	0.8	0.9	-0.1	62	72	-10
I237	Living Room	0.5	0.7	-0.2	64	68	-4
I238	Bedroom	0.9	1.1	-0.2	65	78	-13
I239	Living Room	0.9	1	-0.1	29	49	-20
I240	Bedroom	0.8	0.9	-0.1	22	25	-3
I241	Living Room	0.6	0.6	0	20	31	-11
I242	Bedroom	0.8	0.9	-0.1	20	22	-2

		DAYLIGHT QUANTUM			DAYLIGHT DISTRIBUTION		
ROOM REF.	ROOM USE	CONSENTED ADF (%)	CONSENTED ADF (%)	ABSOLUTE REDUCTION (%)	CONSENTED NSL (%)	CONSENTED NSL (%)	ABSOLUTE REDUCTION (%)
BLOCK F - LEVEL 08							
1264	Bedroom	2.3	2.5	-0.2	82	82	0
1265	L/K/D	1.3	1.4	-0.1	66	71	-5
1266	Bedroom	1	1.2	-0.2	42	49	-7
1267	Bedroom	0.8	1	-0.2	46	53	-7
1268	Living Room	0.5	0.6	-0.1	63	64	-1
1269	Bedroom	0.9	1	-0.1	62	72	-10
1270	Bedroom	0.8	1	-0.2	63	73	-10
1271	Living Room	0.6	0.7	-0.1	64	70	-6
1272	Bedroom	0.9	1.1	-0.2	66	78	-12
1273	Living Room	0.9	1	-0.1	32	52	-20
1274	Bedroom	0.9	1	-0.1	25	27	-2
1275	Living Room	0.6	0.6	0	24	33	-9
1276	Bedroom	0.9	1	-0.1	22	23	-1
BLOCK F - LEVEL 09							
1298	Bedroom	2.5	2.6	-0.1	87	87	0
1299	L/K/D	1.3	1.4	-0.1	67	72	-5
1300	Bedroom	0.9	1.1	-0.2	40	49	-9
1301	Bedroom	0.8	1.1	-0.3	46	56	-10
1302	Living Room	1.1	1.3	-0.2	65	74	-9
1303	Bedroom	0.9	1.1	-0.2	63	75	-12
1304	Bedroom	0.9	1.1	-0.2	63	74	-11
1305	Living Room	0.6	0.7	-0.1	64	72	-8
1306	Bedroom	0.9	1.1	-0.2	64	78	-14
1307	Living Room	0.9	1.1	-0.2	30	50	-20
1308	Bedroom	0.9	0.9	0	22	24	-2
1309	Living Room	0.6	0.7	-0.1	23	34	-11
1310	Bedroom	0.9	0.9	0	19	22	-3
BLOCK F - LEVEL 10							
1332	Bedroom	3.1	3.2	-0.1	98	99	-1
1333	L/K/D	3.2	3.4	-0.2	90	93	-3
1334	Bedroom	0.6	0.7	-0.1	40	51	-11
1335	Bedroom	0.7	0.8	-0.1	44	51	-7
1336	Living Room	0.7	0.9	-0.2	62	70	-8
1337	Bedroom	0.7	0.9	-0.2	58	70	-12
1338	Bedroom	1	1.2	-0.2	65	75	-10
1339	Living Room	0.7	0.8	-0.1	64	75	-11
1340	Bedroom	1	1.2	-0.2	67	78	-11
1341	Living Room	1	1.1	-0.1	34	51	-17
1342	Bedroom	1	1	0	26	27	-1
1343	Living Room	0.7	0.8	-0.1	25	35	-10
1344	Bedroom	1	1.1	-0.1	22	24	-2
BLOCK F - LEVEL 11							
1366	Bedroom	3.4	3.4	0	99	99	0
1367	L/K/D	3.4	3.6	-0.2	90	93	-3
1368	Bedroom	0.6	0.7	-0.1	41	55	-14
1369	Bedroom	1.1	1.2	-0.1	50	61	-11
1370	Living Room	1.2	1.3	-0.1	66	79	-13
1371	Bedroom	1.1	1.3	-0.2	66	78	-12
1372	Bedroom	1.2	1.4	-0.2	71	78	-7
1373	Living Room	0.8	0.9	-0.1	66	80	-14
1374	Bedroom	1.3	1.5	-0.2	70	80	-10
1375	Living Room	1.2	1.3	-0.1	45	61	-16
1376	Bedroom	1.2	1.3	-0.1	34	35	-1
1377	Living Room	0.8	0.9	-0.1	31	37	-6
1378	Bedroom	1.2	1.3	-0.1	28	30	-2

		DAYLIGHT QUANTUM			DAYLIGHT DISTRIBUTION		
ROOM REF.	ROOM USE	CONSENTED ADF (%)	CONSENTED ADF (%)	ABSOLUTE REDUCTION (%)	CONSENTED NSL (%)	CONSENTED NSL (%)	ABSOLUTE REDUCTION (%)
BLOCK F – LEVEL 12							
1388	Bedroom	11	13	-0.2	51	68	-17
1389	Living Room	12	14	-0.2	66	82	-16
1390	Bedroom	12	14	-0.2	66	83	-17
1391	Bedroom	12	14	-0.2	69	78	-9
1392	Living Room	16	19	-0.3	75	88	-13
1393	Bedroom	12	14	-0.2	70	79	-9
1394	Living Room	17	19	-0.2	56	69	-13
1395	Bedroom	12	13	-0.1	33	35	-2
1396	Living Room	16	17	-0.1	40	44	-4
1397	Bedroom	12	13	-0.1	26	28	-2

			DAYLIGHT MEDIAN DAYLIGHT ILLUMINANCE/MDI					
ROOM REF.	FLAT	ROOM USE	TARGET (lux)	BASELINE (lux)	CONSENTED (lux)	PROPOSED (lux)	ABSOLUTE REDUCTION Baseline v Proposed (lux)	ABSOLUTE REDUCTION Consented v Proposed (lux)
20-30 GREYFRIARS ROAD - LEVEL 01								
1	A	STUDY	150	140	109	121	19	-12
2	B	STUDY	150	206	85	118	88	-33
3	C	STUDY	150	127	33	52	75	-19
4	D	STUDY	150	152	33	56	96	-23
5	E	STUDY	150	164	28	49	115	-21
6	F	STUDY	150	190	25	43	147	-18
7	G	STUDY	150	193	22	45	148	-23
20-30 GREYFRIARS ROAD - LEVEL 02								
8	H	STUDY	150	187	125	154	33	-29
9	I	STUDY	150	67	18	29	38	-11
10	J	STUDY	150	73	17	28	45	-11
11	K	STUDY	150	79	14	24	55	-10
12	L	STUDY	150	95	12	21	74	-9
13	M	STUDY	150	97	11	21	76	-10
20-30 GREYFRIARS ROAD - LEVEL 03								
14	N	STUDY	150	229	162	193	36	-31
15	O	STUDY	150	77	20	31	46	-11
16	P	STUDY	150	87	18	30	57	-12
17	Q	STUDY	150	93	14	25	68	-11
18	R	STUDY	150	106	13	22	84	-9
19	S	STUDY	150	106	11	21	85	-10
20-30 GREYFRIARS ROAD - LEVEL 04								
20	T	STUDY	150	279	205	233	46	-28
21	U	STUDY	150	97	22	34	63	-12
22	V	STUDY	150	111	20	32	79	-12
23	W	STUDY	150	110	16	27	83	-11
24	X	STUDY	150	121	14	24	97	-10
25	Y	STUDY	150	118	12	23	95	-11
20-30 GREYFRIARS ROAD - LEVEL 05								
26	Z	STUDY	150	315	231	260	55	-29
27	AA	STUDY	150	112	24	36	76	-12
28	AB	STUDY	150	130	22	34	96	-12
29	AC	STUDY	150	128	18	28	100	-10
30	AD	STUDY	150	134	15	25	109	-10
31	AE	STUDY	150	130	14	24	106	-10
20-30 GREYFRIARS ROAD - LEVEL 06								
32	AF	STUDY	150	339	250	280	59	-30
33	AG	STUDY	150	121	27	39	82	-12
34	AH	STUDY	150	140	25	37	103	-12
35	AI	STUDY	150	138	21	31	107	-10
36	AJ	STUDY	150	142	18	28	114	-10
37	AK	STUDY	150	138	15	26	112	-11

20-30 GREYFRIARS ROAD - LEVEL 07

38	AL	STUDY	150	355	262	288	67	-26
39	AM	STUDY	150	126	29	42	84	-13
40	AN	STUDY	150	146	27	40	106	-13
41	AO	STUDY	150	144	23	33	111	-10
42	AP	STUDY	150	146	20	30	116	-10
43	AQ	STUDY	150	143	18	29	114	-11

20-30 GREYFRIARS ROAD - LEVEL 08

44	AR	STUDY	150	369	272	301	68	-29
45	AS	STUDY	150	132	32	46	86	-14
46	AT	STUDY	150	153	31	44	109	-13
47	AU	STUDY	150	150	26	37	113	-11
48	AV	STUDY	150	153	23	34	119	-11
49	AW	STUDY	150	149	21	31	118	-10

20-30 GREYFRIARS ROAD - LEVEL 09

50	AX	STUDY	150	379	284	311	68	-27
51	AY	STUDY	150	137	36	49	88	-13
52	AZ	STUDY	150	158	34	47	111	-13
53	BA	STUDY	150	154	29	41	113	-12
54	BB	STUDY	150	156	27	37	119	-10
55	BC	STUDY	150	152	25	35	117	-10

20-30 GREYFRIARS ROAD - LEVEL 10

56	BD	STUDY	150	391	296	322	69	-26
57	BE	STUDY	150	142	41	53	89	-12
58	BF	STUDY	150	164	40	52	112	-12
59	BG	STUDY	150	160	36	46	114	-10
60	BH	STUDY	150	162	33	41	121	-8
61	BI	STUDY	150	160	30	39	121	-9

20-30 GREYFRIARS ROAD - LEVEL 11

62	BJ	STUDY	150	400	308	330	70	-22
63	BK	STUDY	150	145	45	58	87	-13
64	BL	STUDY	150	169	46	58	111	-12
65	BM	STUDY	150	165	42	49	116	-7
66	BN	STUDY	150	168	39	44	124	-5
67	BO	STUDY	150	163	36	43	120	-7

20-30 GREYFRIARS ROAD - LEVEL 12

68	BP	STUDY	150	169	49	56	113	-7
69	BQ	STUDY	150	172	46	50	122	-4
70	BR	STUDY	150	167	44	48	119	-4