

					VSC (WINDOW)				NSL			APSH (WINDOW)						APSH (ROOM)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX %	PR %	LOSS	LOSS %	EX %	PR %	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
MONTROSE HOUSE (CONTINUED)																							
F01	R4	RESIDENTIAL	UNKNOWN	W4/F01	33.8	28.9	4.9	14.5	99.0	95.2	3.9												
F02	R1	RESIDENTIAL	UNKNOWN	W1/F02	29.3	26.1	3.2	10.9	97.8	96.9	1												
	R2	RESIDENTIAL	UNKNOWN	W2/F02	33.8	28.6	5.2	15.4	94.9	82.9	12.6												
	R3	RESIDENTIAL	UNKNOWN	W3/F02	34.8	29.6	5.2	14.9	96.4	88.4	8.3												
	R4	RESIDENTIAL	UNKNOWN	W4/F02	35.0	30.0	5.0	14.3	99.0	95.6	3.5												
F03	R1	RESIDENTIAL	UNKNOWN	W1/F03	30.7	27.4	3.3	10.7	98.3	97.6	0.7												
	R2	RESIDENTIAL	UNKNOWN	W2/F03	35.2	29.9	5.3	15.1	95.8	84.2	12.1												
	R3	RESIDENTIAL	UNKNOWN	W3/F03	35.9	30.6	5.3	14.8	96.4	88.9	7.8												
	R4	RESIDENTIAL	UNKNOWN	W4/F03	36.0	31.0	5.0	13.9	99.1	95.9	3.2												
F04	R1	RESIDENTIAL	UNKNOWN	W1/F04*	50.4	46.8	3.6	7.1	91.2	82.6	9.4												
	R2	RESIDENTIAL	UNKNOWN	W2/F04*	55.0	48.6	6.4	11.6	92.2	78.9	14.3												
	R3	RESIDENTIAL	UNKNOWN	W3/F04*	55.2	49.1	6.1	11.1	91.2	81.7	10.4												
	R4	RESIDENTIAL	UNKNOWN	W4/F04*	54.8	49.0	5.8	10.6	91.7	81.0	11.7												
49-51 GREYFRIARS ROAD																							
1210	R1	RESIDENTIAL	BEDROOM	W1/1210	20.3	2.7	17.6	86.7	75.9	16.7	78	19	4	0	0	100.0	100.0	19.0	4.0	0.0	0.0	100.0	100.0
	R2	RESIDENTIAL	LKD	W2/1210	21.1	3.1	18.0	85.3	50.8	9.0	82.2	22	5	1	0	95.5	100.0	23.0	6.0	2.0	1.0	91.3	83.3
				W3/1210	22.1	3.6	18.5	83.7				22	6	2	1	90.9	83.3						
	R4**	RESIDENTIAL	LKD	W6/1210	25.7	6.5	19.2	74.7	78.7	39.9	49.3	31	3	2	0	93.5	100.0	35.0	5.0	4.0	0.0	88.6	100.0
				W7/1210	26.3	7.2	19.1	72.6				35	5	3	0	91.4	100.0						
	R5	RESIDENTIAL	BEDROOM	W8/1210	26.5	7.9	18.6	70.2	73.6	8.7	88.1	36	6	4	1	88.9	83.3	36.0	6.0	4.0	1.0	88.9	83.3
1211	R1**	RESIDENTIAL	LKD	W1/1211	23.5	2.9	20.6	87.7	32.3	5.1	84.1	25	4	1	0	96.0	100.0	25.0	4.0	1.0	0.0	96.0	100.0
	R2	RESIDENTIAL	BEDROOM	W2/1211	24.2	3.4	20.8	86.0	73.2	5.1	93	28	5	2	0	92.9	100.0	28.0	5.0	2.0	0.0	92.9	100.0
	R3	RESIDENTIAL	BEDROOM	W3/1211	25.4	4.1	21.3	83.9	82.2	9.4	88.5	35	6	6	1	82.9	83.3	35.0	6.0	6.0	1.0	82.9	83.3
	R4	RESIDENTIAL	BEDROOM	W4/1211	16.4	10.1	6.3	38.4	33.8	19.3	42.8												
	R5	RESIDENTIAL	LKD	W5/1211	25.0	4.7	20.3	81.2	47.4	3.1	93.4	27	2	0	0	100.0	100.0	34.0	4.0	1.0	0.0	97.1	100.0
				W6/1211	26.2	5.1	21.1	80.5				30	2	1	0	96.7	100.0						
				W7/1211	27.0	5.5	21.5	79.6				34	4	1	0	97.1	100.0						
	R6	RESIDENTIAL	LKD	W8/1211	28.0	6.9	21.1	75.4	77.5	29.4	62.1	40	6	6	1	85.0	83.3	42.0	6.0	8.0	1.0	81.0	83.3
				W9/1211	28.2	7.6	20.6	73.0				42	6	7	1	83.3	83.3						
	R7	RESIDENTIAL	BEDROOM	W10/1211	28.3	8.2	20.1	71.0	88.1	8.9	89.9	42	6	7	1	83.3	83.3	42.0	6.0	7.0	1.0	83.3	83.3
1212	R1**	RESIDENTIAL	LKD	W1/1212	26.8	3.2	23.6	88.1	45.1	5.2	88.5	34	6	1	0	97.1	100.0	34.0	6.0	1.0	0.0	97.1	100.0
	R2	RESIDENTIAL	BEDROOM	W2/1212	27.4	3.7	23.7	86.5	87.7	5.7	93.5	35	7	2	0	94.3	100.0	35.0	7.0	2.0	0.0	94.3	100.0
	R3	RESIDENTIAL	BEDROOM	W3/1212	28.2	4.5	23.7	84.0	88.1	10.0	88.6	39	7	7	1	82.1	85.7	39.0	7.0	7.0	1.0	82.1	85.7
	R4	RESIDENTIAL	BEDROOM	W4/1212	19.0	12.5	6.5	34.2	17.3	9.3	46.2												
	R5	RESIDENTIAL	LKD	W5/1212	28.0	5.6	22.4	80.0	32.7	1.7	94.8	33	2	2	0	93.9	100.0	33.0	2.0	2.0	0.0	93.9	100.0
	R6	RESIDENTIAL	LKD	W6/1212	29.8	7.5	22.3	74.8	82.4	28.8	65	43	6	9	1	79.1	83.3	44.0	7.0	10.0	2.0	77.3	71.4
				W7/1212	30.0	8.1	21.9	73.0				44	7	9	2	79.5	71.4						
	R7	RESIDENTIAL	BEDROOM	W8/1212	30.1	8.8	21.3	70.8	93.0	9.2	90.1	46	9	10	3	78.3	66.7	46.0	9.0	10.0	3.0	78.3	66.7
1213	R1	RESIDENTIAL	BEDROOM	W1/1213	29.7	3.8	25.9	87.2	88.5	13.7	84.6	37	5	3	0	91.9	100.0	37.0	5.0	3.0	0.0	91.9	100.0
	R2**	RESIDENTIAL	LKD	W2/1213	30.4	4.1	26.3	86.5	78.4	5.0	93.7	42	8	4	0	90.5	100.0	47.0	10.0	8.0	1.0	83.0	90.0
				W3/1213	30.8	4.7	26.1	84.7				47	10	8	1	83.0	90.0						
	R3	RESIDENTIAL	BEDROOM	W4/1213	30.9	5.0	25.9	83.8	79.4	4.2	94.6	48	11	9	2	81.2	81.8	48.0	11.0	9.0	2.0	81.2	81.8
	R4	RESIDENTIAL	LKD	W5/1213*	46.6	16.1	30.5	65.5	90.0	52.3	41.9	39	5	6	0	84.6	100.0	51.0	9.0	14.0	0.0	72.5	100.0
				W6/1213*	48.8	17.7	31.1	63.7				51	9	14	0	72.5	100.0						
	R5	RESIDENTIAL	LKD	W7/1213*	49.7	19.8	29.9	60.2	95.2	57.6	39.5	56	12	19	3	66.1	75.0	57.0	13.0	20.0	4.0	64.9	69.2

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm

					VSC (WINDOW)				NSL			APSH (WINDOW)						APSH (ROOM)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX %	PR %	LOSS	LOSS %	EX %	PR %	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
49-51 GREYFRIARS ROAD (CONTINUED)																							
1213	R5	RESIDENTIAL	LKD	W8/1213*	49.4	20.0	29.4	59.5	95.2	57.6	39.5	56	12	20	4	64.3	66.7	57.0	13.0	20.0	4.0	64.9	69.2
	R6	RESIDENTIAL	BEDROOM	W9/1213*	48.1	19.4	28.7	59.7	86.6	25.5	70.5	57	13	21	5	63.2	61.5	57.0	13.0	21.0	5.0	63.2	61.5
13 VACHEL ROAD																							
B01	R1	RESIDENTIAL	UNKNOWN	W1/B01	14.2	14.1	0.1	0.7	32.5	32.3	0.5												
F00	R1	RESIDENTIAL	UNKNOWN	W1/F00	18.4	18.0	0.4	2.2	38.9	38.4	1.3												
F01	R1	RESIDENTIAL	UNKNOWN	W1/F01	21.9	20.7	1.2	5.5	56.4	56.0	0.6												
	R2	RESIDENTIAL	UNKNOWN	W2/F01	22.1	20.8	1.3	5.9	55.7	51.9	6.8												
F02	R1	RESIDENTIAL	UNKNOWN	W1/F02	24.8	22.2	2.6	10.5	95.5	95.2	0.4												
	R2	RESIDENTIAL	UNKNOWN	W2/F02	25.3	22.7	2.6	10.3	93.8	85.6	8.8												
15 VACHEL ROAD																							
B01	R1	RESIDENTIAL	UNKNOWN	W1/B01	14.3	14.2	0.1	0.7	32.3	32.1	0.5												
F00	R1	RESIDENTIAL	UNKNOWN	W1/F00	18.6	18.1	0.5	2.7	39.8	39.1	1.9												
F01	R1	RESIDENTIAL	UNKNOWN	W1/F01	22.4	21.0	1.4	6.3	55.2	52.6	4.7												
F02	R1	RESIDENTIAL	UNKNOWN	W1/F02	26.4	23.7	2.7	10.2	92.3	84.4	8.6												
	R2	RESIDENTIAL	UNKNOWN	W2/F02	26.0	23.3	2.7	10.4	92.6	92.3	0.4												
17 VACHEL ROAD																							
B01	R1	RESIDENTIAL	LD	W1/B01	6.9	6.9	0.0	0.0	27.7	27.6	0.4												
				W2/B01	12.2	12.2	0.0	0.0															
				W3/B01	5.7	5.7	0.0	0.0															
F00	R2	RESIDENTIAL	LKD	W2/F00	15.4	15.0	0.4	2.6	40.0	38.9	2.8												
				W3/F00	17.6	17.4	0.2	1.1															
				W4/F00	17.6	17.6	0.0	0.0															
F01	R1	RESIDENTIAL	LKD	W1/F01	18.1	16.8	1.3	7.2	59.5	57.1	4												
				W2/F01	21.2	20.3	0.9	4.2															
				W3/F01	21.1	21.0	0.1	0.5															
F02	R1	RESIDENTIAL	LKD	W1/F02	25.5	23.4	2.1	8.2	78.8	72.7	7.8												
19 VACHEL ROAD																							
B01	R1	RESIDENTIAL	LD	W1/B01	8.9	8.9	0.0	0.0	31.6	31.6	0.3												
				W2/B01	13.5	13.5	0.0	0.0															
				W3/B01	9.0	9.0	0.0	0.0															
F00	R2	RESIDENTIAL	LKD	W2/F00	14.9	14.4	0.5	3.4	40.1	38.9	3.1												
				W3/F00	18.2	17.9	0.3	1.6															
				W4/F00	19.4	19.4	0.0	0.0															
F01	R1	RESIDENTIAL	LKD	W1/F01	18.4	17.2	1.2	6.5	61.8	58.3	5.7												
				W2/F01	21.7	20.9	0.8	3.7															
				W3/F01	22.1	22.0	0.1	0.5															
F02	R1	RESIDENTIAL	LKD	W1/F02	25.9	23.9	2.0	7.7	78.4	71.6	8.6												
21-23 VACHEL ROAD																							
B01	R1	RESIDENTIAL	LD	W1/B01	16.1	16.1	0.0	0.0	48.2	48.2	0												
	R2	RESIDENTIAL	LD	W2/B01	16.8	16.7	0.1	0.6	35.1	34.0	2.9												
F00	R2	RESIDENTIAL	LKD	W2/F00	19.5	19.2	0.3	1.5	37.8	36.6	3.1												
	R4	RESIDENTIAL	LD	W4/F00	20.2	19.7	0.5	2.5	48.4	47.1	2.7												
F01	R1	RESIDENTIAL	LD	W1/F01	23.3	22.1	1.2	5.2	47.6	47.5	0.4												
	R2	RESIDENTIAL	LKD	W2/F01	23.9	22.9	1.0	4.2	56.1	54.3	3.1												

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm

					VSC (WINDOW)				NSL			APSH (WINDOW)						APSH (ROOM)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX %	PR %	LOSS	LOSS %	EX %	PR %	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
21-23 VACHEL ROAD (CONTINUED)																							
F02	R1	RESIDENTIAL	LD	W1/F02	26.7	24.7	2.0	7.5	42.0	41.7	0.6												
	R2	RESIDENTIAL	LKD	W2/F02	27.2	25.2	2.0	7.4	49.3	45.8	7.1												
25 VACHEL ROAD																							
B01	R1	RESIDENTIAL	LD	W1/B01	17.1	17.1	0.0	0.0	38.7	38.1	1.4												
F00	R1	RESIDENTIAL	LD	W1/F00	20.8	20.5	0.3	1.4	44.1	43.8	0.7												
F01	R1	RESIDENTIAL	LKD	W1/F01	24.7	23.5	1.2	4.9	60.2	59.4	1.3												
F02	R1	RESIDENTIAL	LKD	W1/F02	27.7	25.8	1.9	6.9	51.8	49.6	4.2												
27-31 VACHEL ROAD																							
B01	R1	RESIDENTIAL	BEDROOM	W1/B01	16.8	16.8	0.0	0.0	26.1	25.9	0.8												
	R2	RESIDENTIAL	BEDROOM	W2/B01	17.1	17.0	0.1	0.6	25.3	25.0	1.1												
	R3	RESIDENTIAL	BEDROOM	W3/B01	19.9	19.8	0.1	0.5	27.6	27.5	0.5												
F00	R1	RESIDENTIAL	BEDROOM	W1/F00	22.8	22.3	0.5	2.2	36.2	35.7	1.4												
	R2	RESIDENTIAL	BEDROOM	W2/F00	21.9	21.4	0.5	2.3	33.7	33.1	1.8												
	R3	RESIDENTIAL	BEDROOM	W3/F00	23.7	23.2	0.5	2.1	38.0	37.6	1												
F01	R1	RESIDENTIAL	BEDROOM	W1/F01	25.8	24.8	1.0	3.9	49.1	48.4	1.3												
	R2	RESIDENTIAL	BEDROOM	W2/F01	25.0	24.0	1.0	4.0	46.1	45.1	2.1												
	R3	RESIDENTIAL	BEDROOM	W3/F01	26.6	25.6	1.0	3.8	52.1	51.6	0.9												
F02	R1	RESIDENTIAL	BEDROOM	W1/F02	28.8	27.1	1.7	5.9	69.7	68.9	1.2												
	R2	RESIDENTIAL	BEDROOM	W2/F02	28.0	26.3	1.7	6.1	64.1	62.9	1.9												
	R3	RESIDENTIAL	BEDROOM	W3/F02	29.4	27.9	1.5	5.1	74.4	74.3	0.2												
18-29 REGENT COURT																							
B01	R1	RESIDENTIAL	BEDROOM	W1/B01	27.0	25.3	1.7	6.3	85.0	85.0	0	44	10	39	9	11.4	10.0	44.0	10.0	39.0	9.0	11.4	10.0
	R2	RESIDENTIAL	BEDROOM	W2/B01	21.3	20.3	1.0	4.7	81.2	81.2	0	32	1	29	1	9.4	0.0	32.0	1.0	29.0	1.0	9.4	0.0
	R3	RESIDENTIAL	BEDROOM	W3/B01	23.6	22.7	0.9	3.8	85.8	85.8	0	32	1	30	1	6.2	0.0	32.0	1.0	30.0	1.0	6.2	0.0
	R4	RESIDENTIAL	BEDROOM	W4/B01	24.3	23.3	1.0	4.1	85.9	85.9	0	46	14	44	14	4.3	0.0	46.0	14.0	44.0	14.0	4.3	0.0
	R5	RESIDENTIAL	BEDROOM	W5/B01	20.3	19.3	1.0	4.9	81.4	81.4	0	33	1	30	1	9.1	0.0	33.0	1.0	30.0	1.0	9.1	0.0
	R6	RESIDENTIAL	BEDROOM	W6/B01	25.3	24.2	1.1	4.3	84.9	84.9	0	44	9	42	9	4.5	0.0	44.0	9.0	42.0	9.0	4.5	0.0
F00	R1	RESIDENTIAL	LIVING ROOM	W1/F00	30.6	28.4	2.2	7.2	98.5	98.5	0	50	14	44	13	12.0	7.1	50.0	14.0	44.0	13.0	12.0	7.1
	R2	RESIDENTIAL	LIVING ROOM	W2/F00	30.3	28.5	1.8	5.9	98.7	98.7	0	48	14	44	14	8.3	0.0	48.0	14.0	44.0	14.0	8.3	0.0
	R3	RESIDENTIAL	LIVING ROOM	W3/F00	30.1	28.5	1.6	5.3	98.7	98.7	0	51	16	48	16	5.9	0.0	51.0	16.0	48.0	16.0	5.9	0.0
	R4	RESIDENTIAL	LIVING ROOM	W4/F00	29.9	28.4	1.5	5.0	98.7	98.7	0	52	16	49	16	5.8	0.0	52.0	16.0	49.0	16.0	5.8	0.0
	R5	RESIDENTIAL	LIVING ROOM	W5/F00	29.6	28.1	1.5	5.1	99.0	99.0	0	53	17	50	17	5.7	0.0	53.0	17.0	50.0	17.0	5.7	0.0
	R6	RESIDENTIAL	LIVING ROOM	W6/F00	29.3	27.6	1.7	5.8	98.5	98.5	0	54	17	51	17	5.6	0.0	54.0	17.0	51.0	17.0	5.6	0.0
F01	R1	RESIDENTIAL	BEDROOM	W1/F01	32.4	29.8	2.6	8.0	93.9	93.9	0	56	18	49	17	12.5	5.6	56.0	18.0	49.0	17.0	12.5	5.6
	R2	RESIDENTIAL	BEDROOM	W2/F01	32.4	29.8	2.6	8.0	96.9	96.9	0	56	18	49	17	12.5	5.6	56.0	18.0	49.0	17.0	12.5	5.6
	R3	RESIDENTIAL	BEDROOM	W3/F01	32.3	29.9	2.4	7.4	96.9	96.9	0	56	18	50	17	10.7	5.6	56.0	18.0	50.0	17.0	10.7	5.6
	R4	RESIDENTIAL	BEDROOM	W4/F01	32.2	29.9	2.3	7.1	96.9	96.9	0	56	17	51	17	8.9	0.0	56.0	17.0	51.0	17.0	8.9	0.0
	R5	RESIDENTIAL	BEDROOM	W5/F01	31.9	29.6	2.3	7.2	97.1	97.1	0	55	17	50	17	9.1	0.0	55.0	17.0	50.0	17.0	9.1	0.0
	R6	RESIDENTIAL	BEDROOM	W6/F01	31.6	29.3	2.3	7.3	93.7	93.7	0	55	17	51	17	7.3	0.0	55.0	17.0	51.0	17.0	7.3	0.0
F02	R1	RESIDENTIAL	LIVING ROOM	W1/F02	33.2	30.5	2.7	8.1	94.0	93.8	0.3	56	18	49	17	12.5	5.6	56.0	18.0	49.0	17.0	12.5	5.6
	R2	RESIDENTIAL	LIVING ROOM	W2/F02	33.2	30.4	2.8	8.4	92.6	92.2	0.5	56	18	48	16	14.3	11.1	56.0	18.0	48.0	16.0	14.3	11.1
	R3	RESIDENTIAL	LIVING ROOM	W3/F02	33.2	30.4	2.8	8.4	96.8	96.4	0.4	56	18	50	17	10.7	5.6	56.0	18.0	50.0	17.0	10.7	5.6
	R4	RESIDENTIAL	LIVING ROOM	W4/F02	33.2	30.4	2.8	8.4	97.0	96.9	0.1	56	18	50	17	10.7	5.6	56.0	18.0	50.0	17.0	10.7	5.6
	R5	RESIDENTIAL	LIVING ROOM	W5/F02	33.0	30.3	2.7	8.2	92.8	90.9	2	56	18	50	17	10.7	5.6	56.0	18.0	50.0	17.0	10.7	5.6
	R6	RESIDENTIAL	LIVING ROOM	W6/F02	32.8	30.0	2.8	8.5	94.1	93.9	0.2	56	18	51	17	8.9	5.6	56.0	18.0	51.0	17.0	8.9	5.6

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm

					VSC (WINDOW)				NSL			APSH (WINDOW)						APSH (ROOM)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX %	PR %	LOSS	LOSS %	EX %	PR %	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
20-24 VACHEL ROAD																							
F01	R1	RESIDENTIAL	BEDROOM	W1/F01	30.1	25.8	4.3	14.3	92.7	90.2	2.6												
	R2	RESIDENTIAL	LD	W2/F01	21.7	17.6	4.1	18.9	99.2	98.8	0.3												
				W3/F01	20.1	16.3	3.8	18.9															
	R3	RESIDENTIAL	BEDROOM	W4/F01	24.2	21.0	3.2	13.2	92.3	88.7	3.9												
F02	R1	RESIDENTIAL	BEDROOM	W1/F02	31.7	27.2	4.5	14.2	93.6	91.5	2.2												
	R2	RESIDENTIAL	LD	W2/F02	23.3	19.0	4.3	18.5	99.3	99.1	0.3												
				W3/F02	22.3	18.3	4.0	17.9															
	R3	RESIDENTIAL	BEDROOM	W4/F02	26.7	23.4	3.3	12.4	94.4	91.1	3.5												
F03	R1	RESIDENTIAL	BEDROOM	W1/F03	33.6	29.0	4.6	13.7	94.2	92.4	1.9												
	R2	RESIDENTIAL	LD	W2/F03	24.6	20.2	4.4	17.9	99.5	99.3	0.2												
				W3/F03	24.5	20.4	4.1	16.7															
	R3	RESIDENTIAL	BEDROOM	W4/F03	32.3	28.9	3.4	10.5	96.8	93.8	3.1												
F04	R1	RESIDENTIAL	BEDROOM	W1/F04	36.2	31.5	4.7	13.0	95.1	94.8	0.3												
	R2	RESIDENTIAL	LD	W2/F04	36.2	31.8	4.4	12.2	99.4	99.4	0												
				W3/F04	36.2	31.9	4.3	11.9															
	R3	RESIDENTIAL	BEDROOM	W4/F04	36.2	32.1	4.1	11.3	97.4	94.1	3.5												
BELMONT COURT																							
F00	R1	RESIDENTIAL	UNKNOWN	W1/F00	26.1	23.1	3.0	11.5	89.7	89.7	0												
	R2	RESIDENTIAL	UNKNOWN	W2/F00	24.7	21.8	2.9	11.7	88.9	88.9	0												
	R3	RESIDENTIAL	UNKNOWN	W3/F00	19.7	17.0	2.7	13.7	90.7	89.1	1.7												
F01	R1	RESIDENTIAL	UNKNOWN	W1/F01	28.1	24.6	3.5	12.5	98.5	98.5	0												
	R2	RESIDENTIAL	UNKNOWN	W2/F01	30.4	27.0	3.4	11.2	98.5	98.3	0.2												
	R3	RESIDENTIAL	UNKNOWN	W3/F01	30.3	27.1	3.2	10.6	98.5	98.5	0												
	R4	RESIDENTIAL	UNKNOWN	W4/F01	29.5	26.4	3.1	10.5	98.4	98.4	0												
	R5	RESIDENTIAL	UNKNOWN	W5/F01	28.1	25.2	2.9	10.3	98.3	98.2	0												
	R6	RESIDENTIAL	UNKNOWN	W6/F01	23.0	20.2	2.8	12.2	97.5	96.3	1.3												
F02	R1	RESIDENTIAL	UNKNOWN	W1/F02	33.4	29.8	3.6	10.8	98.5	98.5	0												
	R2	RESIDENTIAL	UNKNOWN	W2/F02	33.4	30.0	3.4	10.2	98.6	98.6	0												
	R3	RESIDENTIAL	UNKNOWN	W3/F02	32.9	29.6	3.3	10.0	98.5	98.5	0												
	R4	RESIDENTIAL	UNKNOWN	W4/F02	32.3	29.1	3.2	9.9	98.5	98.5	0												
	R5	RESIDENTIAL	UNKNOWN	W5/F02	31.3	28.3	3.0	9.6	98.6	98.6	0												
	R6	RESIDENTIAL	UNKNOWN	W6/F02	29.4	26.5	2.9	9.9	98.4	97.6	0.8												
F03	R1	RESIDENTIAL	UNKNOWN	W1/F03	35.2	31.5	3.7	10.5	92.7	92.0	0.8												
	R2	RESIDENTIAL	UNKNOWN	W2/F03	34.9	31.4	3.5	10.0	95.8	94.7	1.2												
	R3	RESIDENTIAL	UNKNOWN	W3/F03	34.6	31.3	3.3	9.5	95.0	93.7	1.4												
	R4	RESIDENTIAL	UNKNOWN	W4/F03	34.1	31.0	3.1	9.1	94.9	94.0	1												
	R5	RESIDENTIAL	UNKNOWN	W5/F03	33.5	30.5	3.0	9.0	95.5	94.9	0.6												
	R6	RESIDENTIAL	UNKNOWN	W6/F03	32.5	29.6	2.9	8.9	92.8	89.9	3.2												
30 GARRARD STREET																							
209	R1	RESIDENTIAL	BEDROOM	W1/209	1.2	0.7	0.5	41.7	43.5	42.6	2												
	R2	RESIDENTIAL	BEDROOM	W2/209	1.0	0.2	0.8	80.0	16.1	0.0	100												
	R3	RESIDENTIAL	BEDROOM	W3/209	1.2	0.1	1.1	91.7	58.7	30.5	48	3	0	0	0	100.0	0.0	9.0	1.0	5.0	1.0	44.4	0.0
				W4/209	0.9	0.1	0.8	88.9				6	0	1	0	83.3	0.0						
				W5/209	6.8	2.7	4.1	60.3				8	0	3	0	62.5	0.0						
				W6/209	8.8	4.7	4.1	46.6				9	1	5	1	44.4	0.0						

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm

					VSC (WINDOW)				NSL			APSH (WINDOW)						APSH (ROOM)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX %	PR %	LOSS	LOSS %	EX %	PR %	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
30 GARRARD STREET (CONTINUED)																							
209	R4	RESIDENTIAL	BEDROOM	W7/209	6.4	2.8	3.6	56.3	87.2	57.8	33.7	8	3	5	3	37.5	0.0	8.0	3.0	5.0	3.0	37.5	0.0
	R5	RESIDENTIAL	BEDROOM	W8/209	4.3	2.2	2.1	48.8	49.0	9.4	80.9	5	2	4	2	20.0	0.0	5.0	2.0	4.0	2.0	20.0	0.0
210	R1**	RESIDENTIAL	RECEPTION	W1/210	3.3	3.1	0.2	6.1	76.1	75.5	0.9												
	R2	RESIDENTIAL	BEDROOM	W2/210	2.3	2.1	0.2	8.7	26.2	26.2	0												
	R3**	RESIDENTIAL	LIVING ROOM	W3/210	2.9	2.7	0.2	6.9	68.5	68.5	0												
	R4	RESIDENTIAL	BEDROOM	W4/210	2.5	2.3	0.2	8.0	17.7	17.7	0												
	R5**	RESIDENTIAL	LIVING ROOM	W5/210	4.4	4.1	0.3	6.8	98.4	98.4	0												
	R6	RESIDENTIAL	LIVING ROOM	W6/210	6.8	6.5	0.3	4.4	97.9	97.5	0.4												
	R7	RESIDENTIAL	LIVING ROOM	W7/210	7.3	7.0	0.3	4.1	99.9	99.9	0												
	R8	RESIDENTIAL	LIVING ROOM	W8/210	7.6	7.2	0.4	5.3	97.4	97.0	0.4												
	R9	RESIDENTIAL	BEDROOM	W9/210	8.0	7.5	0.5	6.3	100.0	100.0	0												
	R10	RESIDENTIAL	LIVING ROOM	W10/210	7.7	7.1	0.6	7.8	23.6	23.6	0	6	0	2	0	66.7	0.0	8.0	0.0	4.0	0.0	50.0	0.0
				W11/210	2.8	1.7	1.1	39.3				1	0	0	0	100.0	0.0						
				W12/210	4.6	4.6	0.0	0.0				2	0	2	0	0.0	0.0						
				W13/210	1.7	1.7	0.0	0.0				0	0	0	0	0.0	0.0						
	R11	RESIDENTIAL	LIVING ROOM	W14/210	4.5	3.6	0.9	20.0	61.1	60.7	0.6												
	R12	RESIDENTIAL	LIVING ROOM	W15/210	4.4	3.3	1.1	25.0	24.0	21.2	11.8												
	R13	RESIDENTIAL	LIVING ROOM	W16/210	4.7	3.3	1.4	29.8	38.0	27.5	27.6	8	0	4	0	50.0	0.0	10.0	0.0	5.0	0.0	50.0	0.0
				W17/210	4.4	2.9	1.5	34.1				7	0	3	0	57.1	0.0						
				W18/210	10.3	6.2	4.1	39.8				8	0	3	0	62.5	0.0						
	R15	RESIDENTIAL	LIVING ROOM	W21/210	6.3	5.2	1.1	17.5	23.1	21.5	6.9	15	4	15	4	0.0	0.0	15.0	4.0	15.0	4.0	0.0	0.0
	R16	RESIDENTIAL	BEDROOM	W22/210	5.5	5.1	0.4	7.3	14.6	14.6	0	16	2	16	2	0.0	0.0	17.0	2.0	17.0	2.0	0.0	0.0
				W23/210	5.3	5.3	0.0	0.0				11	1	11	1	0.0	0.0						
211	R1	RESIDENTIAL	BEDROOM	W1/211	9.3	9.3	0.0	0.0	44.9	44.9	0												
				W2/211	3.1	3.1	0.0	0.0															
				W3/211	3.6	3.5	0.1	2.8															
	R2	RESIDENTIAL	LIVING ROOM	W4/211	3.6	3.4	0.2	5.6	8.2	7.7	5.9												
				W5/211	3.4	3.3	0.1	2.9															
	R3	RESIDENTIAL	BEDROOM	W6/211	3.1	3.0	0.1	3.2	8.8	8.8	0												
	R4	RESIDENTIAL	LIVING ROOM	W7/211	3.1	2.9	0.2	6.5	5.1	5.1	0												
				W8/211	3.3	3.1	0.2	6.1															
	R5**	RESIDENTIAL	LIVING ROOM	W9/211	3.3	3.1	0.2	6.1	7.2	7.2	0												
				W10/211	3.0	2.9	0.1	3.3															
	R6	RESIDENTIAL	BEDROOM	W11/211	3.2	2.9	0.3	9.4	10.2	10.2	0												
	R7	RESIDENTIAL	BEDROOM	W12/211	3.7	3.4	0.3	8.1	14.3	14.3	0												
	R8**	RESIDENTIAL	LIVING ROOM	W13/211	4.9	4.6	0.3	6.1	84.0	84.0	0												
				W14/211	6.5	6.3	0.2	3.1															
	R9**	RESIDENTIAL	LIVING ROOM	W15/211	6.8	6.4	0.4	5.9	98.1	98.1	0												
				W16/211	7.6	7.3	0.3	3.9															
	R10	RESIDENTIAL	BEDROOM	W17/211	7.9	7.5	0.4	5.1	70.7	70.7	0												
	R11**	RESIDENTIAL	LIVING ROOM	W18/211	7.1	7.1	0.0	0.0	98.3	98.3	0												
				W19/211	7.7	7.3	0.4	5.2															
	R12	RESIDENTIAL	BEDROOM	W20/211	8.5	8.0	0.5	5.9	71.4	71.4	0												
	R13	RESIDENTIAL	BEDROOM	W21/211	8.7	8.2	0.5	5.7	82.5	82.5	0												
	R14	RESIDENTIAL	LIVING ROOM	W22/211	7.7	7.7	0.0	0.0	72.6	71.8	1.1	2	0	2	0	0.0	0.0	8.0	0.0	4.0	0.0	50.0	0.0

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm

					VSC (WINDOW)				NSL			APSH (WINDOW)						APSH (ROOM)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX %	PR %	LOSS	LOSS %	EX %	PR %	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
30 GARRARD STREET (CONTINUED)																							
211	R14	RESIDENTIAL	LIVING ROOM	W23/211	8.3	7.7	0.6	7.2	72.6	71.8	1.1	6	0	2	0	66.7	0.0	8.0	0.0	4.0	0.0	50.0	0.0
				W24/211	3.1	2.1	1.0	32.3				1	0	0	0	100.0	0.0						
	R15	RESIDENTIAL	BEDROOM	W25/211	5.8	5.4	0.4	6.9	34.9	34.9	0												
				W26/211	1.8	1.8	0.0	0.0															
	R16**	RESIDENTIAL	LIVING ROOM	W27/211	5.0	4.1	0.9	18.0	46.5	46.5	0												
				W28/211	3.6	3.3	0.3	8.3															
	R17	RESIDENTIAL	LIVING ROOM	W29/211	4.5	3.5	1.0	22.2	15.6	14.0	9.8												
				W30/211	4.9	3.8	1.1	22.4															
	R18	RESIDENTIAL	BEDROOM	W31/211	5.1	3.8	1.3	25.5	99.3	98.7	0.6	9	0	5	0	44.4	0.0	24.0	4.0	20.0	4.0	16.7	0.0
				W32/211	4.1	3.3	0.8	19.5				3	0	2	0	33.3	0.0						
				W33/211	5.4	3.9	1.5	27.8				10	0	6	0	40.0	0.0						
				W34/211	12.5	8.4	4.1	32.8				20	4	15	4	25.0	0.0						
				W35/211	12.3	8.2	4.1	33.3				21	4	17	4	19.0	0.0						
	R20	RESIDENTIAL	BEDROOM	W37/211	9.2	6.1	3.1	33.7	51.8	30.5	41.2	17	5	15	5	11.8	0.0	17.0	5.0	15.0	5.0	11.8	0.0
	R21	RESIDENTIAL	LIVING ROOM	W38/211	7.1	5.0	2.1	29.6	54.9	31.7	42.2	8	2	7	2	12.5	0.0	18.0	6.0	17.0	6.0	5.6	0.0
				W39/211	7.2	5.9	1.3	18.1				17	6	17	6	0.0	0.0						
	R22	RESIDENTIAL	LIVING ROOM	W40/211	6.5	5.6	0.9	13.8	28.3	17.2	39.3	16	5	16	5	0.0	0.0	22.0	6.0	22.0	6.0	0.0	0.0
				W41/211	6.7	6.2	0.5	7.5				21	6	21	6	0.0	0.0						
				W42/211	6.5	6.5	0.0	0.0				14	3	14	3	0.0	0.0						
	R23	RESIDENTIAL	BEDROOM	W43/211	5.7	5.7	0.0	0.0	11.0	11.0	0	12	1	12	1	0.0	0.0	12.0	1.0	12.0	1.0	0.0	0.0
	R24	RESIDENTIAL	LIVING ROOM	W45/211	7.0	7.0	0.0	0.0	23.0	23.0	0	8	0	8	0	0.0	0.0	8.0	0.0	8.0	0.0	0.0	0.0
	R25	RESIDENTIAL	BEDROOM	W46/211	7.8	7.8	0.0	0.0	57.4	57.4	0	9	0	9	0	0.0	0.0	9.0	0.0	9.0	0.0	0.0	0.0
	R26	RESIDENTIAL	LIVING ROOM	W47/211	8.3	8.3	0.0	0.0	41.8	41.8	0	8	0	8	0	0.0	0.0	8.0	0.0	8.0	0.0	0.0	0.0
				W48/211	8.5	8.5	0.0	0.0				6	0	6	0	0.0	0.0						
	R27	RESIDENTIAL	BEDROOM	W49/211	8.3	8.2	0.1	1.2	60.0	60.0	0	5	0	5	0	0.0	0.0	7.0	0.0	7.0	0.0	0.0	0.0
				W50/211	6.4	6.4	0.0	0.0				3	0	3	0	0.0	0.0						
				W51/211	1.7	1.7	0.0	0.0				5	0	5	0	0.0	0.0						
212	R1	RESIDENTIAL	BEDROOM	W1/212	11.0	11.0	0.0	0.0	40.2	40.2	0												
				W2/212	3.2	3.2	0.0	0.0															
				W3/212	3.8	3.7	0.1	2.6															
	R2	RESIDENTIAL	BEDROOM	W4/212	3.8	3.6	0.2	5.3	5.4	5.4	0												
				W5/212	3.7	3.5	0.2	5.4															
	R3	RESIDENTIAL	BEDROOM	W6/212	3.3	3.2	0.1	3.0	3.8	3.8	0												
	R4	RESIDENTIAL	BEDROOM	W7/212	3.3	3.1	0.2	6.1	5.4	5.4	0												
				W8/212	3.5	3.3	0.2	5.7															
	R5**	RESIDENTIAL	BEDROOM	W9/212	3.5	3.3	0.2	5.7	7.3	7.3	0												
				W10/212	3.3	3.2	0.1	3.0															
	R6	RESIDENTIAL	BEDROOM	W11/212	3.4	3.2	0.2	5.9	10.2	10.2	0												
	R7	RESIDENTIAL	BEDROOM	W12/212	4.0	3.8	0.2	5.0	14.3	14.3	0												
	R8**	RESIDENTIAL	BEDROOM	W13/212	5.2	5.0	0.2	3.8	83.8	83.8	0												
				W14/212	6.9	6.7	0.2	2.9															
	R9**	RESIDENTIAL	BEDROOM	W15/212	7.2	6.9	0.3	4.2	98.1	98.1	0												
				W16/212	8.1	7.7	0.4	4.9															
	R10	RESIDENTIAL	BEDROOM	W17/212	8.3	8.0	0.3	3.6	70.7	70.7	0												
	R11**	RESIDENTIAL	BEDROOM	W18/212	7.5	7.5	0.0	0.0	98.0	98.0	0												

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm

					VSC (WINDOW)				NSL			APSH (WINDOW)						APSH (ROOM)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX %	PR %	LOSS	LOSS %	EX %	PR %	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
30 GARRARD STREET (CONTINUED)																							
212	R11**	RESIDENTIAL	BEDROOM	W19/212	8.2	7.8	0.4	4.9	98.0	98.0	0												
	R12	RESIDENTIAL	BEDROOM	W20/212	9.0	8.5	0.5	5.6	71.5	71.5	0												
	R13	RESIDENTIAL	BEDROOM	W21/212	9.2	8.7	0.5	5.4	82.5	82.5	0												
	R14	RESIDENTIAL	BEDROOM	W22/212	8.2	8.2	0.0	0.0	73.3	72.1	15	2	0	2	0	0.0	0.0	8.0	0.0	4.0	0.0	50.0	0.0
				W23/212	8.5	7.9	0.6	7.1				6	0	2	0	66.7	0.0						
				W24/212	3.5	2.4	1.1	31.4				1	0	0	0	100.0	0.0						
	R15	RESIDENTIAL	BEDROOM	W25/212	4.9	4.9	0.0	0.0	34.1	34.1	0												
				W26/212	2.0	2.0	0.0	0.0															
	R16**	RESIDENTIAL	BEDROOM	W27/212	5.4	4.6	0.8	14.8	43.5	43.5	0												
				W28/212	4.1	3.8	0.3	7.3															
	R17	RESIDENTIAL	BEDROOM	W29/212	5.0	4.0	1.0	20.0	15.7	14.3	9.4												
				W30/212	5.5	4.4	1.1	20.0															
	R18	RESIDENTIAL	BEDROOM	W31/212	5.6	4.4	1.2	21.4	99.1	98.0	1.1	9	0	5	0	44.4	0.0	27.0	6.0	23.0	6.0	14.8	0.0
				W32/212	4.6	3.8	0.8	17.4				3	0	2	0	33.3	0.0						
				W33/212	5.9	4.5	1.4	23.7				11	0	7	0	36.4	0.0						
				W34/212	13.1	9.0	4.1	31.3				21	5	16	5	23.8	0.0						
				W35/212	12.8	8.7	4.1	32.0				23	6	19	6	17.4	0.0						
	R19	RESIDENTIAL	BEDROOM	W36/212	11.4	7.2	4.2	36.8	69.3	69.3	0	20	6	17	6	15.0	0.0	20.0	6.0	17.0	6.0	15.0	0.0
	R20	RESIDENTIAL	BEDROOM	W37/212	9.8	6.7	3.1	31.6	51.8	30.4	41.4	18	6	16	6	11.1	0.0	18.0	6.0	16.0	6.0	11.1	0.0
	R21	RESIDENTIAL	BEDROOM	W38/212	7.6	5.5	2.1	27.6	53.2	29.9	43.9	9	3	8	3	11.1	0.0	19.0	7.0	18.0	7.0	5.3	0.0
				W39/212	7.8	6.5	1.3	16.7				17	6	17	6	0.0	0.0						
	R22	RESIDENTIAL	BEDROOM	W40/212	7.2	6.2	1.0	13.9	28.5	17.3	39.3	16	5	16	5	0.0	0.0	24.0	6.0	24.0	6.0	0.0	0.0
				W41/212	7.4	6.9	0.5	6.8				22	6	22	6	0.0	0.0						
				W42/212	7.6	7.6	0.0	0.0				14	3	14	3	0.0	0.0						
	R23	RESIDENTIAL	BEDROOM	W43/212	8.8	8.8	0.0	0.0	16.9	16.9	0	21	2	21	2	0.0	0.0	21.0	2.0	21.0	2.0	0.0	0.0
	R24	RESIDENTIAL	BEDROOM	W45/212	10.8	10.8	0.0	0.0	44.6	44.6	0	17	0	17	0	0.0	0.0	17.0	0.0	17.0	0.0	0.0	0.0
	R25	RESIDENTIAL	BEDROOM	W46/212	11.9	11.9	0.0	0.0	84.3	84.3	0	17	0	17	0	0.0	0.0	17.0	0.0	17.0	0.0	0.0	0.0
	R26	RESIDENTIAL	BEDROOM	W47/212	12.6	12.6	0.0	0.0	60.7	60.7	0	16	0	16	0	0.0	0.0	16.0	0.0	16.0	0.0	0.0	0.0
				W48/212	12.7	12.6	0.1	0.8				13	0	13	0	0.0	0.0						
	R27	RESIDENTIAL	BEDROOM	W49/212	12.4	12.1	0.3	2.4	80.9	80.1	1	11	1	11	1	0.0	0.0	11.0	1.0	11.0	1.0	0.0	0.0
				W50/212	9.7	9.7	0.0	0.0				7	0	7	0	0.0	0.0						
				W51/212	2.0	2.0	0.0	0.0				7	0	7	0	0.0	0.0						
213	R1	RESIDENTIAL	BEDROOM	W1/213	13.6	13.6	0.0	0.0	40.8	40.8	0												
				W2/213	3.4	3.4	0.0	0.0															
				W3/213	4.0	3.9	0.1	2.5															
	R2	RESIDENTIAL	LIVING ROOM	W4/213	4.0	3.9	0.1	2.5	6.7	6.7	0												
				W5/213	3.9	3.8	0.1	2.6															
	R3	RESIDENTIAL	BEDROOM	W6/213	3.6	3.5	0.1	2.8	4.6	4.6	0												
	R4	RESIDENTIAL	LIVING ROOM	W7/213	3.5	3.4	0.1	2.9	6.8	6.8	0												
				W8/213	3.8	3.6	0.2	5.3															
	R5**	RESIDENTIAL	LIVING ROOM	W9/213	3.8	3.6	0.2	5.3	8.6	8.6	0												
				W10/213	3.6	3.5	0.1	2.8															
	R6	RESIDENTIAL	BEDROOM	W11/213	3.8	3.5	0.3	7.9	11.4	11.4	0												
	R7	RESIDENTIAL	BEDROOM	W12/213	4.4	4.1	0.3	6.8	16.1	16.1	0												
	R8**	RESIDENTIAL	LIVING ROOM	W13/213	5.7	5.4	0.3	5.3	84.0	84.0	0												

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm

					VSC (WINDOW)				NSL			APSH (WINDOW)						APSH (ROOM)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX %	PR %	LOSS	LOSS %	EX %	PR %	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
30 GARRARD STREET (CONTINUED)																							
213	R8**	RESIDENTIAL	LIVING ROOM	W14/213	7.4	7.2	0.2	2.7	84.0	84.0	0												
	R9**	RESIDENTIAL	LIVING ROOM	W15/213	7.6	7.3	0.3	3.9	98.0	98.0	0												
				W16/213	8.6	8.2	0.4	4.7															
	R10	RESIDENTIAL	BEDROOM	W17/213	8.8	8.5	0.3	3.4	71.3	71.3	0												
	R11**	RESIDENTIAL	LIVING ROOM	W18/213	8.0	8.0	0.0	0.0	98.1	98.1	0												
				W19/213	8.8	8.3	0.5	5.7															
	R12	RESIDENTIAL	BEDROOM	W20/213	9.6	9.1	0.5	5.2	71.6	71.6	0												
	R13	RESIDENTIAL	BEDROOM	W21/213	9.8	9.3	0.5	5.1	82.5	82.5	0												
	R14	RESIDENTIAL	LIVING ROOM	W22/213	8.8	8.8	0.0	0.0	73.5	72.4	14	2	0	2	0	0.0	0.0	8.0	0.0	4.0	0.0	50.0	0.0
				W23/213	9.1	8.5	0.6	6.6				6	0	2	0	66.7	0.0						
				W24/213	4.9	3.7	1.2	24.5				1	0	0	0	100.0	0.0						
	R15	RESIDENTIAL	BEDROOM	W25/213	5.4	5.4	0.0	0.0	34.5	34.5	0												
				W26/213	2.4	2.4	0.0	0.0															
	R16**	RESIDENTIAL	LIVING ROOM	W27/213	6.1	5.3	0.8	13.1	45.0	45.0	0												
				W28/213	4.8	4.5	0.3	6.3															
	R17	RESIDENTIAL	LIVING ROOM	W29/213	5.6	4.6	1.0	17.9	16.8	15.8	6.1												
				W30/213	6.1	5.1	1.0	16.4															
	R18	RESIDENTIAL	BEDROOM	W31/213	6.3	5.1	1.2	19.0	99.2	97.9	1.3	9	0	5	0	44.4	0.0	28.0	7.0	24.0	7.0	14.3	0.0
				W32/213	5.2	4.4	0.8	15.4				3	0	2	0	33.3	0.0						
				W33/213	6.6	5.1	1.5	22.7				11	0	7	0	36.4	0.0						
				W34/213	13.8	9.7	4.1	29.7				22	6	17	6	22.7	0.0						
				W35/213	13.5	9.3	4.2	31.1				24	7	20	7	16.7	0.0						
	R20	RESIDENTIAL	BEDROOM	W37/213	10.6	7.3	3.3	31.1	51.4	31.7	38.2	21	8	19	8	9.5	0.0	21.0	8.0	19.0	8.0	9.5	0.0
	R21	RESIDENTIAL	LIVING ROOM	W38/213	8.3	6.0	2.3	27.7	53.7	31.4	41.5	9	3	8	3	11.1	0.0	23.0	10.0	22.0	10.0	4.3	0.0
				W39/213	8.6	7.1	1.5	17.4				22	10	22	10	0.0	0.0						
	R22	RESIDENTIAL	LIVING ROOM	W40/213	8.0	6.9	1.1	13.8	29.1	18.1	37.8	20	9	20	9	0.0	0.0	34.0	12.0	34.0	12.0	0.0	0.0
				W41/213	8.3	7.7	0.6	7.2				26	10	26	10	0.0	0.0						
				W42/213	15.8	15.8	0.0	0.0				34	12	34	12	0.0	0.0						
	R23	RESIDENTIAL	BEDROOM	W44/213	11.9	11.9	0.0	0.0	30.5	30.5	0	26	5	26	5	0.0	0.0	26.0	5.0	26.0	5.0	0.0	0.0
	R24	RESIDENTIAL	LIVING ROOM	W45/213	14.0	14.0	0.0	0.0	63.9	63.9	0	21	3	21	3	0.0	0.0	21.0	3.0	21.0	3.0	0.0	0.0
	R25	RESIDENTIAL	BEDROOM	W46/213	15.1	15.1	0.0	0.0	91.7	91.7	0	23	3	23	3	0.0	0.0	23.0	3.0	23.0	3.0	0.0	0.0
	R26	RESIDENTIAL	LIVING ROOM	W47/213	15.7	15.5	0.2	1.3	71.1	71.1	0	22	3	22	3	0.0	0.0	23.0	3.0	23.0	3.0	0.0	0.0
				W48/213	15.7	15.2	0.5	3.2				19	3	19	3	0.0	0.0						
	R27	RESIDENTIAL	BEDROOM	W49/213	15.0	14.5	0.5	3.3	90.4	88.9	1.6	16	1	16	1	0.0	0.0	16.0	1.0	16.0	1.0	0.0	0.0
				W50/213	11.7	11.7	0.0	0.0				11	0	11	0	0.0	0.0						
				W51/213	3.8	3.8	0.0	0.0				8	0	8	0	0.0	0.0						
214	R1	RESIDENTIAL	BEDROOM	W1/214	3.7	3.7	0.0	0.0	40.6	40.6	0												
				W2/214	4.3	4.2	0.1	2.3															
				W35/214	17.4	17.4	0.0	0.0															
	R2	RESIDENTIAL	LIVING ROOM	W3/214	4.3	4.2	0.1	2.3	7.4	7.4	0												
				W4/214	4.2	4.1	0.1	2.4															
	R3	RESIDENTIAL	BEDROOM	W5/214	3.9	3.8	0.1	2.6	4.9	4.9	0												
	R4	RESIDENTIAL	LIVING ROOM	W6/214	3.9	3.7	0.2	5.1	7.2	7.2	0												
				W7/214	4.1	3.9	0.2	4.9															
	R5**	RESIDENTIAL	LIVING ROOM	W8/214	4.2	3.9	0.3	7.1	9.1	9.1	0												

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm

					VSC (WINDOW)				NSL			APSH (WINDOW)						APSH (ROOM)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX %	PR %	LOSS	LOSS %	EX %	PR %	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
30 GARRARD STREET (CONTINUED)																							
214	R5**	RESIDENTIAL	LIVING ROOM	W9/214	4.0	3.8	0.2	5.0	9.1	9.1	0												
	R6	RESIDENTIAL	BEDROOM	W10/214	4.2	3.9	0.3	7.1	12.1	12.1	0												
	R7**	RESIDENTIAL	BEDROOM	W20/214	10.3	9.8	0.5	4.9	86.1	86.1	0												
				W21/214	9.4	9.3	0.1	1.1															
	R8	RESIDENTIAL	BEDROOM	W22/214	6.9	6.9	0.0	0.0	58.4	58.4	0												
	R9**	RESIDENTIAL	LKD	W23/214	6.2	5.7	0.5	8.1	46.8	46.6	0.5												
	R10	RESIDENTIAL	BEDROOM	W24/214	6.8	5.7	1.1	16.2	69.6	68.8	1.2												
	R11	RESIDENTIAL	BEDROOM	W25/214	6.7	5.6	1.1	16.4	88.4	87.0	1.6	4	0	2	0	50.0	0.0	25.0	8.0	22.0	8.0	12.0	0.0
				W26/214	13.6	9.4	4.2	30.9				23	8	20	8	13.0	0.0						
	R12	RESIDENTIAL	BEDROOM	W28/214	9.4	6.7	2.7	28.7	49.8	45.0	9.6	7	3	6	3	14.3	0.0	7.0	3.0	6.0	3.0	14.3	0.0
	R13	RESIDENTIAL	LKD	W30/214	9.3	7.8	1.5	16.1	50.6	44.0	13	14	6	14	6	0.0	0.0	14.0	6.0	14.0	6.0	0.0	0.0
	R14	RESIDENTIAL	BEDROOM	W31/214	23.7	23.7	0.0	0.0	98.8	98.8	0	52	11	52	11	0.0	0.0	52.0	11.0	52.0	11.0	0.0	0.0
	R15	RESIDENTIAL	BEDROOM	W32/214	23.3	23.3	0.0	0.0	96.4	96.4	0	55	12	55	12	0.0	0.0	55.0	12.0	55.0	12.0	0.0	0.0
	R16	RESIDENTIAL	LKD	W33/214	18.8	18.8	0.0	0.0	92.3	92.3	0	43	11	43	11	0.0	0.0	43.0	11.0	43.0	11.0	0.0	0.0
	R17	RESIDENTIAL	BEDROOM	W34/214	7.6	7.6	0.0	0.0	72.3	72.3	0	13	2	13	2	0.0	0.0	13.0	2.0	13.0	2.0	0.0	0.0
	R19	RESIDENTIAL	BEDROOM	W11/214	4.8	4.5	0.3	6.3	16.7	16.7	0												
	R20**	RESIDENTIAL	LIVING ROOM	W12/214	6.1	5.9	0.2	3.3	84.0	84.0	0												
				W13/214	7.9	7.7	0.2	2.5															
	R21	RESIDENTIAL	LIVING ROOM	W14/214	8.1	7.8	0.3	3.7	98.0	98.0	0												
				W15/214	9.0	8.7	0.3	3.3															
	R22	RESIDENTIAL	BEDROOM	W16/214	9.3	8.9	0.4	4.3	68.7	68.7	0												
	R23**	RESIDENTIAL	LIVING ROOM	W17/214	8.5	8.5	0.0	0.0	98.2	98.2	0												
				W18/214	9.3	8.9	0.4	4.3															
	R24	RESIDENTIAL	BEDROOM	W19/214	10.1	9.6	0.5	5.0	70.8	70.8	0												
215	R1	RESIDENTIAL	BEDROOM	W1/215	4.1	3.9	0.2	4.9	18.3	18.1	1												
	R2	RESIDENTIAL	LKD	W2/215	3.9	3.9	0.0	0.0	10.3	10.3	0.1												
	R3	RESIDENTIAL	BEDROOM	W3/215	3.7	3.5	0.2	5.4	12.6	12.6	0												
	R4	RESIDENTIAL	BEDROOM	W4/215	3.9	3.9	0.0	0.0	19.2	19.2	0												
	R5**	RESIDENTIAL	LKD	W5/215	4.3	4.0	0.3	7.0	13.3	13.3	0												
	R6	RESIDENTIAL	BEDROOM	W6/215	6.9	6.8	0.1	1.4	91.6	91.6	0												
	R7**	RESIDENTIAL	LKD	W7/215	9.0	8.6	0.4	4.4	96.0	96.0	0												
	R8	RESIDENTIAL	BEDROOM	W8/215	9.4	9.3	0.1	1.1	96.5	96.5	0												
	R9	RESIDENTIAL	BEDROOM	W9/215	10.3	9.8	0.5	4.9	92.4	92.4	0												
	R10**	RESIDENTIAL	LKD	W10/215	10.5	10.2	0.3	2.9	74.3	74.3	0												
	R11	RESIDENTIAL	UNKNOWN	W11/215	8.1	8.0	0.1	1.2	72.7	72.4	0.4												
	R12**	RESIDENTIAL	LKD	W12/215	7.6	6.9	0.7	9.2	48.5	48.2	0.6												
	R13	RESIDENTIAL	BEDROOM	W13/215	7.8	6.7	1.1	14.1	62.8	62.3	0.7												
	R14	RESIDENTIAL	BEDROOM	W14/215	7.8	6.6	1.2	15.4	96.9	95.4	1.5	4	0	2	0	50.0	0.0	27.0	8.0	23.0	8.0	14.8	0.0
				W15/215	15.0	10.9	4.1	27.3				25	8	21	8	16.0	0.0						
	R15	RESIDENTIAL	BEDROOM	W27/215	12.5	9.2	3.3	26.4	77.0	58.2	24.4	21	8	19	8	9.5	0.0	21.0	8.0	19.0	8.0	9.5	0.0
	R16	RESIDENTIAL	LKD	W29/215	10.5	8.8	1.7	16.2	50.0	37.3	25.5	17	6	17	6	0.0	0.0	17.0	6.0	17.0	6.0	0.0	0.0
	R17	RESIDENTIAL	BEDROOM	W16/215	26.3	26.3	0.0	0.0	99.0	99.0	0	57	16	57	16	0.0	0.0	57.0	16.0	57.0	16.0	0.0	0.0
	R18	RESIDENTIAL	BEDROOM	W17/215	25.9	25.9	0.0	0.0	98.1	98.1	0	59	15	59	15	0.0	0.0	59.0	15.0	59.0	15.0	0.0	0.0
	R19	RESIDENTIAL	LKD	W18/215	21.0	21.0	0.0	0.0	92.3	92.3	0	46	14	46	14	0.0	0.0	46.0	14.0	46.0	14.0	0.0	0.0
	R20	RESIDENTIAL	BEDROOM	W19/215	7.2	7.2	0.0	0.0	63.9	63.9	0	10	1	10	1	0.0	0.0	10.0	1.0	10.0	1.0	0.0	0.0

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm

					VSC (WINDOW)				NSL			APSH (WINDOW)						APSH (ROOM)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX %	PR %	LOSS	LOSS %	EX %	PR %	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
30 GARRARD STREET (CONTINUED)																							
216	R1	RESIDENTIAL	BEDROOM	W1/216	0.9	0.7	0.2	22.2	15.0	11.9	20.4												
	R2	RESIDENTIAL	LKD	W2/216	1.7	1.7	0.0	0.0	10.3	10.3	0.7												
	R3**	RESIDENTIAL	LKD	W3/216	1.6	1.3	0.3	18.8	7.7	7.4	3.5												
	R4	RESIDENTIAL	BEDROOM	W4/216	1.8	1.7	0.1	5.6	13.6	13.6	0												
	R5	RESIDENTIAL	BEDROOM	W5/216	2.2	1.9	0.3	13.6	27.0	27.0	0												
	R6**	RESIDENTIAL	LKD	W6/216	4.8	4.7	0.1	2.1	97.6	97.5	0												
	R7**	RESIDENTIAL	LKD	W7/216	6.9	6.5	0.4	5.8	99.6	99.6	0												
	R8	RESIDENTIAL	BEDROOM	W8/216	7.4	7.3	0.1	1.4	100.0	100.0	0												
	R9	RESIDENTIAL	BEDROOM	W9/216	8.4	7.9	0.5	6.0	98.1	98.1	0												
	R10**	RESIDENTIAL	LKD	W10/216	8.6	8.4	0.2	2.3	76.8	76.8	0												
	R11	RESIDENTIAL	BEDROOM	W11/216	11.2	10.5	0.7	6.3	91.5	91.5	0												
	R12	RESIDENTIAL	BEDROOM	W12/216	10.2	9.3	0.9	8.8	74.2	73.4	1												
	R13	RESIDENTIAL	LKD	W13/216	9.8	8.4	1.4	14.3	94.8	88.4	6.7	11	0	7	0	36.4	0.0	29.0	9.0	25.0	9.0	13.8	0.0
				W14/216	16.0	12.2	3.8	23.8				22	9	18	9	18.2	0.0						
	R14	RESIDENTIAL	BEDROOM	W15/216	14.3	11.4	2.9	20.3	88.7	80.2	9.6	22	10	20	10	9.1	0.0	22.0	10.0	20.0	10.0	9.1	0.0
	R15	RESIDENTIAL	BEDROOM	W16/216	13.7	11.9	1.8	13.1	89.0	85.8	3.6	26	12	26	12	0.0	0.0	26.0	12.0	26.0	12.0	0.0	0.0
	R16	RESIDENTIAL	BEDROOM	W17/216	26.8	26.8	0.0	0.0	98.3	98.3	0	69	20	69	20	0.0	0.0	69.0	20.0	69.0	20.0	0.0	0.0
	R17	RESIDENTIAL	LKD	W18/216	21.6	21.6	0.0	0.0	83.6	83.6	0	49	18	49	18	0.0	0.0	49.0	18.0	49.0	18.0	0.0	0.0
	R18	RESIDENTIAL	BEDROOM	W19/216	7.9	7.9	0.0	0.0	63.6	63.6	0	10	1	10	1	0.0	0.0	10.0	1.0	10.0	1.0	0.0	0.0
MALCOM PLACE																							
F00	R1	RESIDENTIAL	UNKNOWN	W1/F00	13.6	12.1	1.5	11.0	64.0	60.5	5.5	30	15	29	15	3.3	0.0	30.0	15.0	29.0	15.0	3.3	0.0
	R2	RESIDENTIAL	UNKNOWN	W2/F00	26.8	25.2	1.6	6.0	80.7	76.7	4.9	46	12	45	12	2.2	0.0	46.0	12.0	45.0	12.0	2.2	0.0
	R3	RESIDENTIAL	UNKNOWN	W3/F00	13.6	11.9	1.7	12.5	67.8	63.1	7	29	14	27	14	6.9	0.0	29.0	14.0	27.0	14.0	6.9	0.0
	R4	RESIDENTIAL	UNKNOWN	W4/F00	26.9	25.1	1.8	6.7	88.2	82.7	6.3	48	13	46	13	4.2	0.0	48.0	13.0	46.0	13.0	4.2	0.0
	R5	RESIDENTIAL	UNKNOWN	W5/F00	26.7	24.6	2.1	7.9	86.0	79.7	7.4	49	14	47	14	4.1	0.0	49.0	14.0	47.0	14.0	4.1	0.0
	R6	RESIDENTIAL	UNKNOWN	W6/F00	13.3	11.1	2.2	16.5	74.5	64.9	12.9	31	14	28	14	9.7	0.0	31.0	14.0	28.0	14.0	9.7	0.0
	R7	RESIDENTIAL	UNKNOWN	W7/F00	14.2	11.8	2.4	16.9	56.9	38.5	32.4	12	0	9	0	25.0	0.0	12.0	0.0	9.0	0.0	25.0	0.0
	R8	RESIDENTIAL	UNKNOWN	W8/F00	23.8	21.4	2.4	10.1	86.4	54.9	36.4	36	11	32	11	11.1	0.0	36.0	11.0	32.0	11.0	11.1	0.0
F01	R1	RESIDENTIAL	BEDROOM	W1/F01	29.8	27.6	2.2	7.4	94.1	83.0	11.8	52	17	50	17	3.8	0.0	52.0	17.0	50.0	17.0	3.8	0.0
	R2**	RESIDENTIAL	LKD	W2/F01	29.5	27.2	2.3	7.8	73.4	62.6	14.7	52	17	50	17	3.8	0.0	52.0	17.0	50.0	17.0	3.8	0.0
	R3	RESIDENTIAL	BEDROOM	W3/F01	29.6	27.1	2.5	8.4	89.0	77.7	12.8	51	17	49	17	3.9	0.0	51.0	17.0	49.0	17.0	3.9	0.0
	R4**	RESIDENTIAL	LKD	W4/F01	29.3	26.8	2.5	8.5	77.8	65.7	15.6	52	17	49	17	5.8	0.0	52.0	17.0	49.0	17.0	5.8	0.0
	R5**	RESIDENTIAL	LKD	W5/F01	29.0	26.3	2.7	9.3	88.9	77.4	12.9	52	17	49	17	5.8	0.0	52.0	17.0	49.0	17.0	5.8	0.0
	R6	RESIDENTIAL	BEDROOM	W6/F01	28.8	26.0	2.8	9.7	89.4	77.2	13.7	52	17	49	17	5.8	0.0	52.0	17.0	49.0	17.0	5.8	0.0
	R7	RESIDENTIAL	BEDROOM	W7/F01	15.4	12.9	2.5	16.2	66.5	58.7	11.7	15	0	12	0	20.0	0.0	15.0	0.0	12.0	0.0	20.0	0.0
	R8	RESIDENTIAL	BEDROOM	W8/F01	27.2	24.3	2.9	10.7	94.5	74.4	21.2	38	12	34	12	10.5	0.0	38.0	12.0	34.0	12.0	10.5	0.0
F02	R1	RESIDENTIAL	BEDROOM	W1/F02	32.0	29.3	2.7	8.4	94.1	85.2	9.5	56	18	53	17	5.4	5.6	56.0	18.0	53.0	17.0	5.4	5.6
	R2**	RESIDENTIAL	LKD	W2/F02	31.7	28.9	2.8	8.8	92.6	66.7	28	51	17	50	17	2.0	0.0	51.0	17.0	50.0	17.0	2.0	0.0
	R3	RESIDENTIAL	BEDROOM	W3/F02	31.7	28.8	2.9	9.1	93.0	83.2	10.6	52	17	50	17	3.8	0.0	52.0	17.0	50.0	17.0	3.8	0.0
	R4**	RESIDENTIAL	LKD	W4/F02	31.4	28.4	3.0	9.6	94.0	67.4	28.3	52	17	50	17	3.8	0.0	52.0	17.0	50.0	17.0	3.8	0.0
	R5**	RESIDENTIAL	LKD	W5/F02	31.0	28.0	3.0	9.7	95.9	81.1	15.5	52	17	50	17	3.8	0.0	52.0	17.0	50.0	17.0	3.8	0.0
	R6	RESIDENTIAL	BEDROOM	W6/F02	30.8	27.7	3.1	10.1	92.5	82.0	11.4	52	17	50	17	3.8	0.0	52.0	17.0	50.0	17.0	3.8	0.0
	R7	RESIDENTIAL	BEDROOM	W7/F02	16.7	13.9	2.8	16.8	66.5	60.0	9.8	16	0	14	0	12.5	0.0	16.0	0.0	14.0	0.0	12.5	0.0
	R8	RESIDENTIAL	BEDROOM	W8/F02	29.2	26.1	3.1	10.6	94.5	80.0	15.3	41	12	38	12	7.3	0.0	41.0	12.0	38.0	12.0	7.3	0.0
F03	R1	RESIDENTIAL	BEDROOM	W1/F03	33.8	30.8	3.0	8.9	94.1	86.8	7.7	56	18	53	17	5.4	5.6	56.0	18.0	53.0	17.0	5.4	5.6

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm

					VSC (WINDOW)				NSL			APSH (WINDOW)				APSH (ROOM)							
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX %	PR %	LOSS	LOSS %	EX %	PR %	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
MALCOM PLACE (CONTINUED)																							
F03	R2**	RESIDENTIAL	LKD	W2/F03	33.5	30.5	3.0	9.0	97.7	67.9	30.5	55	18	52	17	5.5	5.6	55.0	18.0	52.0	17.0	5.5	5.6
	R3	RESIDENTIAL	BEDROOM	W3/F03	33.4	30.2	3.2	9.6	94.1	85.6	9	55	18	53	17	3.6	5.6	55.0	18.0	53.0	17.0	3.6	5.6
	R4**	RESIDENTIAL	LKD	W4/F03	33.0	29.9	3.1	9.4	98.2	68.1	30.6	53	18	51	17	3.8	5.6	53.0	18.0	51.0	17.0	3.8	5.6
	R5**	RESIDENTIAL	LKD	W5/F03	32.7	29.5	3.2	9.8	98.3	83.7	14.8	52	17	50	17	3.8	0.0	52.0	17.0	50.0	17.0	3.8	0.0
	R6	RESIDENTIAL	BEDROOM	W6/F03	32.4	29.2	3.2	9.9	93.8	84.8	9.7	52	17	50	17	3.8	0.0	52.0	17.0	50.0	17.0	3.8	0.0
	R7	RESIDENTIAL	BEDROOM	W7/F03	17.9	15.1	2.8	15.6	67.2	61.6	8.3	16	0	14	0	12.5	0.0	16.0	0.0	14.0	0.0	12.5	0.0
	R8	RESIDENTIAL	BEDROOM	W8/F03	31.0	27.9	3.1	10.0	94.9	82.8	12.8	48	13	45	13	6.2	0.0	48.0	13.0	45.0	13.0	6.2	0.0
F04	R1	RESIDENTIAL	UNKNOWN	W1/F04	30.6	27.5	3.1	10.1	99.3	99.3	0	48	18	46	17	4.2	5.6	48.0	18.0	46.0	17.0	4.2	5.6
	R2	RESIDENTIAL	UNKNOWN	W2/F04	30.0	26.9	3.1	10.3	97.1	93.0	4.2	43	15	40	14	7.0	6.7	43.0	15.0	40.0	14.0	7.0	6.7
	R3	RESIDENTIAL	UNKNOWN	W3/F04	26.6	23.6	3.0	11.3	93.6	86.1	8.1	39	14	37	13	5.1	7.1	39.0	14.0	37.0	13.0	5.1	7.1
	R4	RESIDENTIAL	BEDROOM	W4/F04	27.3	24.2	3.1	11.4	86.1	84.5	1.8	39	10	36	9	7.7	10.0	39.0	10.0	36.0	9.0	7.7	10.0
	R5	RESIDENTIAL	BEDROOM	W5/F04	32.3	29.2	3.1	9.6	95.1	84.8	10.8	50	17	47	16	6.0	5.9	50.0	17.0	47.0	16.0	6.0	5.9
F05	R1	RESIDENTIAL	BEDROOM	W1/F05	22.4	19.4	3.0	13.4	86.1	84.9	1.4	34	10	32	9	5.9	10.0	34.0	10.0	32.0	9.0	5.9	10.0
	R2	RESIDENTIAL	BEDROOM	W2/F05	25.9	22.9	3.0	11.6	94.3	85.1	9.8	41	15	39	14	4.9	6.7	41.0	15.0	39.0	14.0	4.9	6.7
27 SACKVILLE STREET																							
F00	R1	RESIDENTIAL	KITCHEN***	W1/F00	11.5	11.1	0.4	3.5	100.0	100.0	0	3	0	3	0	0.0	0.0	35.0	1.0	35.0	1.0	0.0	0.0
				W2/F00*	66.8	64.7	2.1	3.1				35	1	35	1	0.0	0.0						
				W3/F00*	58.0	55.8	2.2	3.8				21	0	21	0	0.0	0.0						
	R2	RESIDENTIAL	LIVING ROOM	W4/F00	20.6	20.6	0.0	0.0	72.6	65.5	9.8												
F01	R2	RESIDENTIAL	UNKNOWN	W2/F01	33.9	30.8	3.1	9.1	98.1	98.1	0												
F02	R1	RESIDENTIAL	BEDROOM	W1/F02	35.4	32.0	3.4	9.6	87.9	83.7	4.8												
29 SACKVILLE STREET																							
F00	R1	RESIDENTIAL	KITCHEN***	W1/F00	15.3	13.3	2.0	13.1	55.8	44.7	19.8	2	0	2	0	0.0	0.0	2.0	0.0	2.0	0.0	0.0	0.0
	R2	RESIDENTIAL	LIVING ROOM	W2/F00	22.9	22.9	0.0	0.0	69.2	68.5	1.1												
F01	R1	RESIDENTIAL	UNKNOWN	W1/F01	34.0	31.2	2.8	8.2	98.6	98.6	0												
F02	R1	RESIDENTIAL	BEDROOM	W1/F02*	80.1	77.3	2.8	3.5	82.1	79.0	3.8												
15 SACKVILLE STREET																							
F00	R1	RESIDENTIAL	UNKNOWN	W1/F00	26.1	23.1	3.0	11.5	88.7	64.2	27.6												
	R2	RESIDENTIAL	UNKNOWN	W2/F00	18.0	16.8	1.2	6.7	73.7	73.2	0.7	19	0	19	0	0.0	0.0	19.0	0.0	19.0	0.0	0.0	0.0
F01	R1	RESIDENTIAL	UNKNOWN	W1/F01	33.8	30.3	3.5	10.4	98.8	84.4	14.5												
	R2	RESIDENTIAL	UNKNOWN	W2/F01	33.8	30.3	3.5	10.4	93.9	66.3	29.4												
F02	R1	RESIDENTIAL	UNKNOWN	W1/F02*	76.1	72.6	3.5	4.6	90.5	76.8	15.1												
17 SACKVILLE STREET																							
F00	R1	RESIDENTIAL	LKD	W1/F00	17.4	17.0	0.4	2.3	48.9	41.2	15.7												
	R2	RESIDENTIAL	LKD	W2/F00	5.4	4.6	0.8	14.8	99.8	95.3	4.5	2	0	2	0	0.0	0.0	14.0	1.0	14.0	1.0	0.0	0.0
				W3/F00	30.1	27.1	3.0	10.0				12	1	12	1	0.0	0.0						
F01	R1	RESIDENTIAL	LKD	W1/F01	33.9	30.4	3.5	10.3	98.5	81.5	17.3												
F02	R1	RESIDENTIAL	LKD	W1/F02*	78.5	75.1	3.4	4.3	85.6	71.3	16.7												
19 SACKVILLE STREET																							
F00	R1	RESIDENTIAL	UNKNOWN	W1/F00	20.1	19.8	0.3	1.5	53.3	45.6	14.4												
	R2	RESIDENTIAL	UNKNOWN	W2/F00	7.5	6.2	1.3	17.3	100.0	100.0	0	4	0	4	0	0.0	0.0	50.0	1.0	50.0	1.0	0.0	0.0
				W3/F00*	63.3	61.3	2.0	3.2				21	0	21	0	0.0	0.0						
				W4/F00*	68.7	66.7	2.0	2.9				38	0	38	0	0.0	0.0						
				W5/F00*	73.4	71.5	1.9	2.6				50	1	50	1	0.0	0.0						

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm

					VSC (WINDOW)				NSL			APSH (WINDOW)						APSH (ROOM)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	EX %	PR %	LOSS	LOSS %	EX %	PR %	LOSS %	EX		PR		LOSS %		EX		PR		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
19 SACKVILLE STREET (CONTINUED)																							
F01	R1	RESIDENTIAL	UNKNOWN	W1/F01	34.0	30.5	3.5	10.3	98.5	82.7	16.1												
F02	R1	RESIDENTIAL	UNKNOWN	W1/F02*	79.2	75.8	3.4	4.3	79.0	65.1	17.6												
21 SACKVILLE STREET																							
F00	R1	RESIDENTIAL	UNKNOWN	W1/F00	18.8	18.6	0.2	11	61.8	49.7	19.5												
F01	R1	RESIDENTIAL	UNKNOWN	W1/F01	34.0	30.6	3.4	10.0	94.2	69.9	25.8												
F02	R1	RESIDENTIAL	UNKNOWN	W1/F02*	79.6	76.3	3.3	4.1	77.0	67.8	11.9												
23 SACKVILLE STREET																							
F00	R1	RESIDENTIAL	UNKNOWN	W1/F00	29.8	27.1	2.7	9.1	99.1	88.4	10.7												
F01	R1	RESIDENTIAL	UNKNOWN	W1/F01	34.3	30.9	3.4	9.9	90.5	86.9	4												
	R2	RESIDENTIAL	UNKNOWN	W2/F01	34.0	30.7	3.3	9.7	99.1	93.1	6.1												
F02	R1	RESIDENTIAL	UNKNOWN	W1/F02*	79.9	76.6	3.3	4.1	74.6	60.4	19												
25 SACKVILLE STREET																							
F00	R1	RESIDENTIAL	UNKNOWN	W1/F00	22.0	20.3	1.7	7.7	92.0	91.3	0.8	27	0	27	0	0.0	0.0	27.0	0.0	27.0	0.0	0.0	0.0
				W3/F00	15.5	14.1	1.4	9.0				9	0	9	0	0.0	0.0						
	R2	RESIDENTIAL	UNKNOWN	W2/F00	20.6	20.1	0.5	2.4	77.1	57.6	25.3												
F01	R1	RESIDENTIAL	UNKNOWN	W1/F01	34.0	30.8	3.2	9.4	93.0	93.0	0												
	R2	RESIDENTIAL	UNKNOWN	W2/F01	33.8	30.6	3.2	9.5	98.6	97.6	1												
F02	R1	RESIDENTIAL	UNKNOWN	W1/F02*	79.2	76.1	3.1	3.9	72.4	63.5	12.3												

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm

2020 Consent (as amended) v Proposed Development

					VSC (WINDOW)				NSL			APSH (WINDOW)						APSH (ROOM)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	CONS %	PR %	LOSS	LOSS %	CONS %	PR %	LOSS %	CONS		PR		LOSS %		CONS		PR		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
9 VACHEL ROAD																							
B01	R1	RESIDENTIAL	KITCHEN	W1/B01	14.5	15.1	-0.6	-4.1	31.0	31.7	-2.4												
F00	R1	RESIDENTIAL	LIVING ROOM	W2/F00	16.6	17.7	-1.1	-6.6	26.3	27.8	-5.8												
F01	R1	RESIDENTIAL	BEDROOM	W1/F01	19.0	20.6	-1.6	-8.4	54.8	57.1	-4.2												
F02	R1	RESIDENTIAL	BEDROOM	W1/F02	18.1	19.8	-1.7	-9.4	47.6	49.0	-3												
7 VACHEL ROAD																							
B01	R1	RESIDENTIAL	LIVING ROOM	W1/B01	14.1	14.7	-0.6	-4.3	34.1	34.6	-1.7												
F00	R2	RESIDENTIAL	LIVING ROOM	W2/F00	16.4	17.4	-1.0	-6.1	38.8	40.1	-3.5												
F01	R1	RESIDENTIAL	LIVING ROOM	W1/F01	18.4	19.9	-1.5	-8.2	56.6	58.5	-3.4												
				W2/F01	18.7	20.2	-1.5	-8.0															
F02	R1	RESIDENTIAL	LIVING ROOM	W1/F02	15.7	17.4	-1.7	-10.8	37.3	37.9	-1.5												
				W2/F02	16.0	17.7	-1.7	-10.6															
1-45 PROJECTION WEST																							
100	R1	RESIDENTIAL	UNKNOWN	W5/100	1.1	1.1	0.0	0.0	0.0	0.0	0	2	0	2	0	0.0	0.0	2.0	0.0	2.0	0.0	0.0	0.0
				W6/100	1.4	1.4	0.0	0.0				0	0	0	0	0.0	0.0						
	R2	RESIDENTIAL	UNKNOWN	W7/100	0.9	0.9	0.0	0.0	0.0	0.0	0	3	0	3	0	0.0	0.0	3.0	0.0	3.0	0.0	0.0	0.0
				W8/100	0.7	0.7	0.0	0.0				0	0	0	0	0.0	0.0						
	R3	RESIDENTIAL	UNKNOWN	W9/100	0.6	0.6	0.0	0.0	0.0	0.0	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	R4	RESIDENTIAL	UNKNOWN	W2/100	2.2	2.2	0.0	0.0	19.2	19.3	-0.2	1	0	1	0	0.0	0.0	3.0	1.0	3.0	1.0	0.0	0.0
				W3/100	8.6	8.6	0.0	0.0				2	1	2	1	0.0	0.0						
	R5	RESIDENTIAL	UNKNOWN	W1/100	10.9	10.9	0.0	0.0	33.2	33.2	0	17	4	17	4	0.0	0.0	18.0	5.0	18.0	5.0	0.0	0.0
				W4/100	0.6	0.6	0.0	0.0				5	3	5	3	0.0	0.0						
	R6	RESIDENTIAL	UNKNOWN	W12/100	5.6	5.6	0.0	0.0	12.7	12.7	0												
	R7	RESIDENTIAL	UNKNOWN	W11/100	0.4	0.4	0.0	0.0	8.0	8.0	0												
	R8	RESIDENTIAL	UNKNOWN	W10/100	6.1	6.2	-0.1	-1.6	18.3	18.4	-0.6												
101	R1	RESIDENTIAL	UNKNOWN	W4/101	8.0	8.1	-0.1	-1.3	22.4	22.5	-0.3												
	R2	RESIDENTIAL	UNKNOWN	W15/101	0.8	0.8	0.0	0.0	14.3	14.3	0												
	R3	RESIDENTIAL	UNKNOWN	W16/101	7.6	7.6	0.0	0.0	20.9	20.9	0												
	R4	RESIDENTIAL	UNKNOWN	W6/101	10.5	10.5	0.0	0.0	25.7	25.7	0	8	3	8	3	0.0	0.0	8.0	3.0	8.0	3.0	0.0	0.0
	R5	RESIDENTIAL	UNKNOWN	W1/101	13.3	13.3	0.0	0.0	43.3	43.3	0	20	5	20	5	0.0	0.0	21.0	6.0	21.0	6.0	0.0	0.0
				W7/101	0.7	0.7	0.0	0.0				6	4	6	4	0.0	0.0						
	R6	RESIDENTIAL	UNKNOWN	W8/101	11.8	11.8	0.0	0.0	30.4	30.4	0	13	1	13	1	0.0	0.0	13.0	1.0	13.0	1.0	0.0	0.0
	R7	RESIDENTIAL	UNKNOWN	W5/101	11.4	11.4	0.0	0.0	45.5	45.5	-0.1	14	3	14	3	0.0	0.0	16.0	3.0	16.0	3.0	0.0	0.0
				W14/101	2.1	2.1	0.0	0.0				4	0	4	0	0.0	0.0						
	R8	RESIDENTIAL	UNKNOWN	W2/101	13.3	13.3	0.0	0.0	61.0	61.0	0	20	4	20	4	0.0	0.0	22.0	5.0	22.0	5.0	0.0	0.0
				W3/101	12.5	12.5	0.0	0.0				18	3	18	3	0.0	0.0						
	R9	RESIDENTIAL	UNKNOWN	W9/101	11.1	11.1	0.0	0.0	29.9	29.9	0	9	1	9	1	0.0	0.0	9.0	1.0	9.0	1.0	0.0	0.0
	R10	RESIDENTIAL	UNKNOWN	W10/101	0.7	0.8	-0.1	-14.3	18.8	18.8	0	5	3	5	3	0.0	0.0	5.0	3.0	5.0	3.0	0.0	0.0
	R11	RESIDENTIAL	UNKNOWN	W11/101	10.9	10.9	0.0	0.0	26.5	26.5	0	17	3	17	3	0.0	0.0	17.0	3.0	17.0	3.0	0.0	0.0
	R12	RESIDENTIAL	UNKNOWN	W12/101	10.6	10.6	0.0	0.0	25.0	25.0	0	7	0	7	0	0.0	0.0	7.0	0.0	7.0	0.0	0.0	0.0
	R13	RESIDENTIAL	UNKNOWN	W13/101	0.8	0.9	-0.1	-12.5	18.2	18.4	-1.3	3	0	3	0	0.0	0.0	3.0	0.0	3.0	0.0	0.0	0.0
102	R1	RESIDENTIAL	UNKNOWN	W4/102	8.9	9.0	-0.1	-1.1	27.2	27.3	-0.2												
	R2	RESIDENTIAL	UNKNOWN	W15/102	10.4	10.4	0.0	0.0	37.3	37.3	0												
	R3	RESIDENTIAL	UNKNOWN	W16/102	11.3	11.3	0.0	0.0	31.3	31.3	-0.1												
	R4	RESIDENTIAL	UNKNOWN	W6/102	12.9	12.9	0.0	0.0	31.1	31.1	0	13	3	13	3	0.0	0.0	13.0	3.0	13.0	3.0	0.0	0.0
	R5	RESIDENTIAL	UNKNOWN	W1/102	16.1	16.1	0.0	0.0	49.3	49.3	0	26	7	26	7	0.0	0.0	26.0	7.0	26.0	7.0	0.0	0.0

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm

					VSC (WINDOW)				NSL			APSH (WINDOW)						APSH (ROOM)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	CONS %	PR %	LOSS	LOSS %	CONS %	PR %	LOSS %	CONS		PR		LOSS %		CONS		PR		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
1-45 PROJECTION WEST (CONTINUED)																							
102	R5	RESIDENTIAL	UNKNOWN	W7/102	1.7	1.7	0.0	0.0	49.3	49.3	0	7	4	7	4	0.0	0.0	26.0	7.0	26.0	7.0	0.0	0.0
	R6	RESIDENTIAL	UNKNOWN	W8/102	14.6	14.6	0.0	0.0	36.9	36.9	0	18	2	18	2	0.0	0.0	18.0	2.0	18.0	2.0	0.0	0.0
	R7	RESIDENTIAL	UNKNOWN	W5/102	13.7	13.7	0.0	0.0	51.4	51.5	-0.1	19	3	19	3	0.0	0.0	21.0	3.0	21.0	3.0	0.0	0.0
				W14/102	3.3	3.3	0.0	0.0				7	0	7	0	0.0	0.0						
	R8	RESIDENTIAL	UNKNOWN	W2/102	16.1	16.1	0.0	0.0	68.6	68.6	0	24	6	24	6	0.0	0.0	26.0	6.0	26.0	6.0	0.0	0.0
				W3/102	15.3	15.3	0.0	0.0				23	5	23	5	0.0	0.0						
	R9	RESIDENTIAL	UNKNOWN	W9/102	13.9	13.9	0.0	0.0	36.8	36.8	-0.1	13	1	13	1	0.0	0.0	13.0	1.0	13.0	1.0	0.0	0.0
	R10	RESIDENTIAL	UNKNOWN	W10/102	1.7	1.8	-0.1	-5.9	23.9	23.9	0	6	3	6	3	0.0	0.0	6.0	3.0	6.0	3.0	0.0	0.0
	R11	RESIDENTIAL	UNKNOWN	W11/102	13.8	13.8	0.0	0.0	34.8	34.8	0	22	3	22	3	0.0	0.0	22.0	3.0	22.0	3.0	0.0	0.0
	R12	RESIDENTIAL	UNKNOWN	W12/102	13.2	13.3	-0.1	-0.8	33.8	33.8	0	11	0	11	0	0.0	0.0	11.0	0.0	11.0	0.0	0.0	0.0
	R13	RESIDENTIAL	UNKNOWN	W13/102	2.8	2.9	-0.1	-3.6	30.6	31.6	-3.1	5	2	5	2	0.0	0.0	5.0	2.0	5.0	2.0	0.0	0.0
103	R1	RESIDENTIAL	UNKNOWN	W4/103	9.9	10.1	-0.2	-2.0	34.0	34.5	-1.4												
	R2	RESIDENTIAL	UNKNOWN	W15/103	2.3	2.3	0.0	0.0	25.5	25.5	0												
	R3	RESIDENTIAL	UNKNOWN	W16/103	13.1	13.2	-0.1	-0.8	38.5	38.7	-0.5												
	R4	RESIDENTIAL	UNKNOWN	W6/103	15.4	15.4	0.0	0.0	40.2	40.2	0	18	5	18	5	0.0	0.0	18.0	5.0	18.0	5.0	0.0	0.0
	R5	RESIDENTIAL	UNKNOWN	W1/103	19.7	19.7	0.0	0.0	60.2	60.2	0	33	9	33	9	0.0	0.0	35.0	10.0	35.0	10.0	0.0	0.0
				W7/103	3.0	3.0	0.0	0.0				10	6	10	6	0.0	0.0						
	R6	RESIDENTIAL	UNKNOWN	W8/103	17.9	17.9	0.0	0.0	48.8	48.8	0	25	6	25	6	0.0	0.0	25.0	6.0	25.0	6.0	0.0	0.0
	R7	RESIDENTIAL	UNKNOWN	W5/103	16.2	16.2	0.0	0.0	67.8	67.9	-0.1	26	6	26	6	0.0	0.0	26.0	6.0	26.0	6.0	0.0	0.0
				W14/103	4.7	4.7	0.0	0.0				9	0	9	0	0.0	0.0						
	R8	RESIDENTIAL	UNKNOWN	W2/103	19.7	19.7	0.0	0.0	79.5	79.5	0	34	9	34	9	0.0	0.0	35.0	10.0	35.0	10.0	0.0	0.0
				W3/103	18.8	18.8	0.0	0.0				31	9	31	9	0.0	0.0						
	R9	RESIDENTIAL	UNKNOWN	W9/103	17.2	17.3	-0.1	-0.6	49.7	49.7	0	17	2	17	2	0.0	0.0	17.0	2.0	17.0	2.0	0.0	0.0
	R10	RESIDENTIAL	UNKNOWN	W10/103	5.1	5.2	-0.1	-2.0	33.8	33.8	-0.2	15	7	15	7	0.0	0.0	15.0	7.0	15.0	7.0	0.0	0.0
	R11	RESIDENTIAL	UNKNOWN	W11/103	17.3	17.3	0.0	0.0	48.1	48.1	0	29	6	29	6	0.0	0.0	29.0	6.0	29.0	6.0	0.0	0.0
	R12	RESIDENTIAL	UNKNOWN	W12/103	15.9	16.0	-0.1	-0.6	48.0	48.0	0	15	0	15	0	0.0	0.0	15.0	0.0	15.0	0.0	0.0	0.0
	R13	RESIDENTIAL	UNKNOWN	W13/103	5.8	6.0	-0.2	-3.4	40.4	41.6	-2.8	13	6	13	6	0.0	0.0	13.0	6.0	13.0	6.0	0.0	0.0
104	R1	RESIDENTIAL	UNKNOWN	W4/104	11.2	11.3	-0.1	-0.9	45.1	45.4	-0.7												
	R2	RESIDENTIAL	UNKNOWN	W15/104	3.3	3.3	0.0	0.0	40.3	40.3	0												
	R3	RESIDENTIAL	UNKNOWN	W16/104	14.3	14.4	-0.1	-0.7	48.3	48.5	-0.5												
	R4	RESIDENTIAL	UNKNOWN	W6/104	18.2	18.2	0.0	0.0	53.9	54.0	-0.1	22	5	22	5	0.0	0.0	22.0	5.0	22.0	5.0	0.0	0.0
	R5	RESIDENTIAL	UNKNOWN	W1/104	23.9	23.9	0.0	0.0	78.5	78.5	0	43	12	43	12	0.0	0.0	43.0	12.0	43.0	12.0	0.0	0.0
				W7/104	6.0	6.1	-0.1	-1.7				16	8	16	8	0.0	0.0						
	R6	RESIDENTIAL	UNKNOWN	W8/104	21.1	21.1	0.0	0.0	72.8	72.8	0	32	8	32	8	0.0	0.0	32.0	8.0	32.0	8.0	0.0	0.0
	R7	RESIDENTIAL	UNKNOWN	W5/104	19.2	19.2	0.0	0.0	88.0	88.1	-0.1	29	8	29	8	0.0	0.0	29.0	8.0	29.0	8.0	0.0	0.0
				W14/104	5.9	6.0	-0.1	-1.7				10	1	10	1	0.0	0.0						
	R8	RESIDENTIAL	UNKNOWN	W2/104	23.7	23.7	0.0	0.0	95.4	95.4	0	42	12	42	12	0.0	0.0	42.0	12.0	42.0	12.0	0.0	0.0
				W3/104	22.4	22.4	0.0	0.0				37	9	37	9	0.0	0.0						
	R9	RESIDENTIAL	UNKNOWN	W9/104	20.1	20.2	-0.1	-0.5	74.7	74.7	0	23	3	23	3	0.0	0.0	23.0	3.0	23.0	3.0	0.0	0.0
	R10	RESIDENTIAL	UNKNOWN	W10/104	8.8	8.9	-0.1	-1.1	54.5	54.5	0	22	10	22	10	0.0	0.0	22.0	10.0	22.0	10.0	0.0	0.0
	R11	RESIDENTIAL	UNKNOWN	W11/104	20.6	20.6	0.0	0.0	71.6	71.6	0	37	10	37	10	0.0	0.0	37.0	10.0	37.0	10.0	0.0	0.0
	R12	RESIDENTIAL	UNKNOWN	W12/104	18.4	18.5	-0.1	-0.5	70.7	70.7	0	21	0	21	0	0.0	0.0	21.0	0.0	21.0	0.0	0.0	0.0
	R13	RESIDENTIAL	UNKNOWN	W13/104	9.6	9.8	-0.2	-2.1	53.9	54.0	-0.1	21	9	21	9	0.0	0.0	21.0	9.0	21.0	9.0	0.0	0.0
105	R1	RESIDENTIAL	UNKNOWN	W4/105	12.8	12.9	-0.1	-0.8	59.6	59.8	-0.3												
	R2	RESIDENTIAL	UNKNOWN	W15/105	4.4	4.4	0.0	0.0	67.7	67.7	0												

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm

					VSC (WINDOW)				NSL			APSH (WINDOW)						APSH (ROOM)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	CONS %	PR %	LOSS	LOSS %	CONS %	PR %	LOSS %	CONS		PR		LOSS %		CONS		PR		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
1-45 PROJECTION WEST (CONTINUED)																							
105	R3	RESIDENTIAL	UNKNOWN	W16/105	15.6	15.7	-0.1	-0.6	59.7	59.9	-0.4												
	R4	RESIDENTIAL	UNKNOWN	W6/105	21.5	21.5	0.0	0.0	63.3	63.4	-0.1	28	9	28	9	0.0	0.0	28.0	9.0	28.0	9.0	0.0	0.0
	R5	RESIDENTIAL	UNKNOWN	W1/105	28.6	28.6	0.0	0.0	99.1	99.1	0	52	17	52	17	0.0	0.0	52.0	17.0	52.0	17.0	0.0	0.0
				W7/105	9.6	9.6	0.0	0.0				24	12	24	12	0.0	0.0						
	R6	RESIDENTIAL	UNKNOWN	W8/105	24.5	24.6	-0.1	-0.4	89.4	89.4	0	37	11	37	11	0.0	0.0	37.0	11.0	37.0	11.0	0.0	0.0
	R7	RESIDENTIAL	UNKNOWN	W5/105	22.4	22.4	0.0	0.0	90.8	90.8	0	35	12	35	12	0.0	0.0	36.0	12.0	36.0	12.0	0.0	0.0
				W14/105	7.1	7.2	-0.1	-1.4				14	3	14	3	0.0	0.0						
	R8	RESIDENTIAL	UNKNOWN	W2/105	28.0	28.0	0.0	0.0	98.6	98.6	0	47	14	47	14	0.0	0.0	47.0	14.0	47.0	14.0	0.0	0.0
				W3/105	26.3	26.3	0.0	0.0				42	13	42	13	0.0	0.0						
	R9	RESIDENTIAL	UNKNOWN	W9/105	23.5	23.6	-0.1	-0.4	92.8	92.8	0	26	5	26	5	0.0	0.0	26.0	5.0	26.0	5.0	0.0	0.0
	R10	RESIDENTIAL	UNKNOWN	W10/105	12.2	12.5	-0.3	-2.5	99.9	99.9	0	26	12	26	12	0.0	0.0	26.0	12.0	26.0	12.0	0.0	0.0
	R11	RESIDENTIAL	UNKNOWN	W11/105	24.1	24.1	0.0	0.0	91.7	91.7	0	41	12	41	12	0.0	0.0	41.0	12.0	41.0	12.0	0.0	0.0
	R12	RESIDENTIAL	UNKNOWN	W12/105	21.8	22.0	-0.2	-0.9	95.3	95.3	0	25	3	25	3	0.0	0.0	25.0	3.0	25.0	3.0	0.0	0.0
	R13	RESIDENTIAL	UNKNOWN	W13/105	13.3	13.5	-0.2	-1.5	99.4	99.5	-0.1	28	13	28	13	0.0	0.0	28.0	13.0	28.0	13.0	0.0	0.0
106	R1	RESIDENTIAL	UNKNOWN	W4/106	14.9	15.1	-0.2	-1.3	62.2	62.4	-0.3												
	R2	RESIDENTIAL	UNKNOWN	W15/106	5.6	5.7	-0.1	-1.8	70.8	70.8	0												
	R3	RESIDENTIAL	UNKNOWN	W16/106	17.1	17.2	-0.1	-0.6	61.9	62.2	-0.4												
	R4	RESIDENTIAL	UNKNOWN	W6/106	24.8	24.9	-0.1	-0.4	69.4	69.6	-0.3	31	11	31	11	0.0	0.0	31.0	11.0	31.0	11.0	0.0	0.0
	R5	RESIDENTIAL	UNKNOWN	W1/106	32.9	32.9	0.0	0.0	99.2	99.2	0	61	21	61	21	0.0	0.0	62.0	22.0	62.0	22.0	0.0	0.0
				W7/106	13.3	13.4	-0.1	-0.8				29	16	29	16	0.0	0.0						
	R6	RESIDENTIAL	UNKNOWN	W8/106	27.7	27.9	-0.2	-0.7	92.2	92.2	0	43	14	43	14	0.0	0.0	43.0	14.0	43.0	14.0	0.0	0.0
	R7	RESIDENTIAL	UNKNOWN	W5/106	25.4	25.4	0.0	0.0	94.4	94.4	0	40	14	40	14	0.0	0.0	40.0	14.0	40.0	14.0	0.0	0.0
				W14/106	17.3	17.4	-0.1	-0.6				19	4	19	4	0.0	0.0						
	R8	RESIDENTIAL	UNKNOWN	W2/106	32.0	32.0	0.0	0.0	98.6	98.6	0	54	18	54	18	0.0	0.0	55.0	19.0	55.0	19.0	0.0	0.0
				W3/106	30.1	30.1	0.0	0.0				49	18	49	18	0.0	0.0						
	R9	RESIDENTIAL	UNKNOWN	W9/106	26.9	27.1	-0.2	-0.7	95.4	95.4	0	29	7	29	7	0.0	0.0	29.0	7.0	29.0	7.0	0.0	0.0
	R10	RESIDENTIAL	UNKNOWN	W10/106	15.5	15.8	-0.3	-1.9	99.9	99.9	0	28	13	28	13	0.0	0.0	28.0	13.0	28.0	13.0	0.0	0.0
	R11	RESIDENTIAL	UNKNOWN	W11/106	27.5	27.5	0.0	0.0	95.1	95.1	0	43	13	43	13	0.0	0.0	43.0	13.0	43.0	13.0	0.0	0.0
	R12	RESIDENTIAL	UNKNOWN	W12/106	25.2	25.3	-0.1	-0.4	96.0	96.0	0	27	5	27	5	0.0	0.0	27.0	5.0	27.0	5.0	0.0	0.0
	R13	RESIDENTIAL	UNKNOWN	W13/106	16.7	17.0	-0.3	-1.8	99.6	99.7	-0.1	31	15	31	15	0.0	0.0	31.0	15.0	31.0	15.0	0.0	0.0
107	R1	RESIDENTIAL	UNKNOWN	W4/107	17.9	18.1	-0.2	-1.1	64.0	64.5	-0.9												
	R2	RESIDENTIAL	UNKNOWN	W8/107	6.7	6.8	-0.1	-1.5	70.7	70.7	0												
	R3	RESIDENTIAL	UNKNOWN	W9/107	19.0	19.2	-0.2	-1.1	52.7	53.0	-0.7												
	R5	RESIDENTIAL	UNKNOWN	W1/107	35.1	35.1	0.0	0.0	99.2	99.2	0	65	23	65	23	0.0	0.0	65.0	23.0	65.0	23.0	0.0	0.0
				W6/107	15.2	15.4	-0.2	-1.3				32	17	32	17	0.0	0.0						
	R6	RESIDENTIAL	UNKNOWN	W10/107	30.1	30.3	-0.2	-0.7	94.9	94.9	0	48	17	48	17	0.0	0.0	48.0	17.0	48.0	17.0	0.0	0.0
	R7	RESIDENTIAL	UNKNOWN	W5/107	27.3	27.4	-0.1	-0.4	90.5	90.5	0	41	11	41	11	0.0	0.0	41.0	11.0	41.0	11.0	0.0	0.0
				W7/107	5.6	5.7	-0.1	-1.8				9	4	9	4	0.0	0.0						
	R8	RESIDENTIAL	UNKNOWN	W2/107	34.4	34.4	0.0	0.0	98.6	98.6	0	61	21	61	21	0.0	0.0	61.0	21.0	61.0	21.0	0.0	0.0
				W3/107	32.4	32.5	-0.1	-0.3				52	19	52	19	0.0	0.0						
	R9	RESIDENTIAL	UNKNOWN	W11/107	29.8	30.2	-0.4	-1.3	97.2	97.2	0	40	9	40	9	0.0	0.0	40.0	9.0	40.0	9.0	0.0	0.0
	R10	RESIDENTIAL	UNKNOWN	W12/107	17.9	18.2	-0.3	-1.7	99.9	99.9	0	31	16	31	16	0.0	0.0	31.0	16.0	31.0	16.0	0.0	0.0
	R11	RESIDENTIAL	UNKNOWN	W13/107	30.7	30.8	-0.1	-0.3	97.3	97.3	0	48	17	48	17	0.0	0.0	48.0	17.0	48.0	17.0	0.0	0.0
	R12	RESIDENTIAL	UNKNOWN	W14/107	28.3	28.5	-0.2	-0.7	96.1	96.1	0	37	7	37	7	0.0	0.0	37.0	7.0	37.0	7.0	0.0	0.0
	R13	RESIDENTIAL	UNKNOWN	W15/107	31.0	31.0	0.0	0.0	99.5	99.5	0	54	22	54	22	0.0	0.0	54.0	22.0	54.0	22.0	0.0	0.0

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm

					VSC (WINDOW)				NSL			APSH (WINDOW)						APSH (ROOM)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	CONS %	PR %	LOSS	LOSS %	CONS %	PR %	LOSS %	CONS		PR		LOSS %		CONS		PR		LOSS %	
												ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
1-45 PROJECTION WEST (CONTINUED)																							
108	R1	RESIDENTIAL	UNKNOWN	W4/108	19.3	19.5	-0.2	-1.0	65.9	66.9	-1.5												
	R2	RESIDENTIAL	UNKNOWN	W8/108	20.7	20.9	-0.2	-1.0	75.2	75.7	-0.6												
	R3	RESIDENTIAL	UNKNOWN	W9/108	20.8	21.0	-0.2	-1.0	54.5	55.0	-1												
	R5	RESIDENTIAL	UNKNOWN	W1/108	36.5	36.6	-0.1	-0.3	99.2	99.2	0	69	24	69	24	0.0	0.0	69.0	24.0	69.0	24.0	0.0	0.0
				W6/108	30.0	30.3	-0.3	-1.0				48	17	48	17	0.0	0.0						
	R6	RESIDENTIAL	UNKNOWN	W10/108	31.9	32.4	-0.5	-1.6	97.6	97.6	0	48	17	48	17	0.0	0.0	48.0	17.0	48.0	17.0	0.0	0.0
	R7	RESIDENTIAL	UNKNOWN	W5/108	29.6	29.7	-0.1	-0.3	96.5	96.5	0	47	16	47	16	0.0	0.0	47.0	16.0	47.0	16.0	0.0	0.0
				W7/108	21.0	21.2	-0.2	-1.0				21	4	21	4	0.0	0.0						
	R8	RESIDENTIAL	UNKNOWN	W2/108	36.5	36.5	0.0	0.0	98.7	98.7	0	69	24	69	24	0.0	0.0	69.0	24.0	69.0	24.0	0.0	0.0
				W3/108	35.0	35.0	0.0	0.0				57	20	57	20	0.0	0.0						
	R9	RESIDENTIAL	UNKNOWN	W11/108	32.4	32.8	-0.4	-1.2	98.3	98.3	0	48	17	48	17	0.0	0.0	48.0	17.0	48.0	17.0	0.0	0.0
	R10	RESIDENTIAL	UNKNOWN	W12/108	32.6	33.0	-0.4	-1.2	99.9	99.9	0	48	17	48	17	0.0	0.0	48.0	17.0	48.0	17.0	0.0	0.0
	R11	RESIDENTIAL	UNKNOWN	W13/108	33.1	33.5	-0.4	-1.2	98.9	98.9	0	48	17	48	17	0.0	0.0	48.0	17.0	48.0	17.0	0.0	0.0
	R12	RESIDENTIAL	UNKNOWN	W14/108	32.8	33.0	-0.2	-0.6	96.3	96.3	0	49	17	49	17	0.0	0.0	49.0	17.0	49.0	17.0	0.0	0.0
	R13	RESIDENTIAL	UNKNOWN	W15/108	37.4	37.4	0.0	0.0	99.6	99.6	0	69	24	69	24	0.0	0.0	69.0	24.0	69.0	24.0	0.0	0.0
1-41 ICON HOUSE																							
111	R7	RESIDENTIAL	UNKNOWN	W10/111	1.4	1.4	0.0	0.0	13.2	13.2	0	0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
				W13/111	4.9	4.9	0.0	0.0				0	0	0	0	0.0	0.0						
	R8	RESIDENTIAL	UNKNOWN	W12/111	5.6	5.6	0.0	0.0	10.2	10.2	0												
	R9	RESIDENTIAL	UNKNOWN	W11/111	8.4	8.4	0.0	0.0	33.2	33.3	-0.3	2	0	2	0	0.0	0.0	2.0	0.0	2.0	0.0	0.0	0.0
112	R7	RESIDENTIAL	UNKNOWN	W10/112	1.7	1.7	0.0	0.0	16.8	16.8	-0.2	3	0	3	0	0.0	0.0	3.0	0.0	3.0	0.0	0.0	0.0
				W13/112	7.6	7.6	0.0	0.0				0	0	0	0	0.0	0.0						
	R8	RESIDENTIAL	UNKNOWN	W12/112	8.3	8.4	-0.1	-1.2	13.6	13.6	0												
	R9	RESIDENTIAL	UNKNOWN	W11/112	10.9	11.0	-0.1	-0.9	41.8	42.3	-1.2	2	0	2	0	0.0	0.0	2.0	0.0	2.0	0.0	0.0	0.0
	R10	RESIDENTIAL	UNKNOWN	W14/112	7.0	7.0	0.0	0.0	26.1	26.1	0												
				W15/112	6.8	6.8	0.0	0.0															
113	R7	RESIDENTIAL	UNKNOWN	W10/113	4.0	4.0	0.0	0.0	36.2	36.2	0	6	0	6	0	0.0	0.0	6.0	0.0	6.0	0.0	0.0	0.0
				W13/113	10.1	10.2	-0.1	-1.0				0	0	0	0	0.0	0.0						
	R8	RESIDENTIAL	UNKNOWN	W12/113	10.8	10.9	-0.1	-0.9	24.6	24.6	0												
	R9	RESIDENTIAL	UNKNOWN	W11/113	12.8	13.0	-0.2	-1.6	52.8	53.4	-1.1	5	0	5	0	0.0	0.0	5.0	0.0	5.0	0.0	0.0	0.0
	R10	RESIDENTIAL	UNKNOWN	W14/113	8.3	8.3	0.0	0.0	32.7	32.7	0												
				W15/113	7.9	7.9	0.0	0.0															
114	R7	RESIDENTIAL	UNKNOWN	W10/114	5.8	5.9	-0.1	-1.7	43.1	43.1	-0.1	7	0	7	0	0.0	0.0	9.0	0.0	9.0	0.0	0.0	0.0
				W13/114	12.0	12.1	-0.1	-0.8				2	0	2	0	0.0	0.0						
	R8	RESIDENTIAL	UNKNOWN	W12/114	12.7	13.0	-0.3	-2.4	31.8	31.8	0												
	R9	RESIDENTIAL	UNKNOWN	W11/114	14.0	14.3	-0.3	-2.1	59.1	61.1	-3.4	6	0	6	0	0.0	0.0	6.0	0.0	6.0	0.0	0.0	0.0
	R10	RESIDENTIAL	UNKNOWN	W14/114	9.9	9.9	0.0	0.0	43.6	43.6	0												
				W15/114	9.2	9.2	0.0	0.0															
115	R7	RESIDENTIAL	UNKNOWN	W10/115	6.5	6.6	-0.1	-1.5	44.4	46.0	-3.6	8	0	8	0	0.0	0.0	12.0	0.0	12.0	0.0	0.0	0.0
				W13/115	13.6	13.9	-0.3	-2.2				5	0	5	0	0.0	0.0						
	R8	RESIDENTIAL	UNKNOWN	W12/115	14.5	14.9	-0.4	-2.8	37.7	37.7	0												
	R9	RESIDENTIAL	UNKNOWN	W11/115	15.3	15.8	-0.5	-3.3	64.2	66.9	-4.2	9	0	9	0	0.0	0.0	9.0	0.0	9.0	0.0	0.0	0.0
	R10	RESIDENTIAL	UNKNOWN	W14/115	11.8	11.8	0.0	0.0	52.8	52.8	0												
				W15/115	10.6	10.6	0.0	0.0															
116	R7	RESIDENTIAL	UNKNOWN	W10/116	7.9	8.4	-0.5	-6.3	47.9	62.1	-29.7	9	0	9	0	0.0	0.0	13.0	0.0	13.0	0.0	0.0	0.0

* Inclined Windows, ** Rooms deeper than 5m, *** Kitchens less than 13sqm