

THE
VICTORIAN
AWNING
COMPANY

THE VICTORIAN AWNING

TRADITIONAL & HERITAGE AWNINGS THE FINEST BRITISH CRAFTSMANSHIP

The Victorian Awning Company are specialist manufactures of traditional style shop awnings and blinds. We have a passion for building the finest traditional awnigns and belive our products are superior to those offered by other awning manfuacture.



THE VICTORIAN AWNING

Introduction

Design and Craftsmanship	01
Application and Construction	05
Finishing and Customisation.....	06

Specification Guide

Overview	08
----------------	----

Housing Type

Exterior Fitted	10
Recess Fitted & Roller Fitted.....	12

Arm Type

Pivot Arm	14
Sliding Arm	16

Fixing Specifications

Overview	18
Classic Box	19
Roller Fitted	20
Pivot Arm Shoe Bracket.....	21
Sliding Arm Bracket	22

Options

Operation.....	24
Valance	26
Branding.....	27
Edition Fabric.....	28

Finishes

Fabric Plain	30
Fabric Striped.....	33
Metalwork	34
Metalwork (Non-Standard Finishes	35
Timber	36
Valance Braid Trim	37



Design

The Victorian Awning Company has a highly skilled and experienced design team, accustomed to working closely with architects and contractors, or independently where required, to deliver the most effective awning solution. We can provide detailed 3D modelling on request, alongside a full range of fabric samples to support the design process. Clients also have the option to utilise our innovative RAGS® and Edition® branding systems, which extend and redefine the possibilities of traditional awning design.

Craftsmanship

Our manufacturing team is made up of highly skilled craftspeople who take great pride in upholding The Victorian Awning Company's long-standing reputation for exceptional build quality. With decades of combined experience, each awning is carefully manufactured in our workshop using proven techniques alongside modern production methods. An uncompromising attention to detail runs through every stage of the process, from fabrication to finishing, ensuring that every awning is robust, precise and built to perform reliably over time. This commitment to quality is fundamental to delivering awnings that meet the highest standards of craftsmanship and durability.



Application

The Victorian Awning is an enduring symbol of British craftsmanship, embodying both elegance and authenticity. Hand-built by our skilled artisans, each awning combines a solid hardwood box with drop-forged steel arms and a meticulously finished, weather-resistant fabric. The result is a piece of architectural heritage that offers both beauty and resilience - a design as practical as it is distinguished. Every awning is individually tailored to complement its surroundings, whether restoring the character of a listed facade or enhancing the presence of a contemporary frontage. No two are ever the same: each reflects the tradition, precision, and artistry that define The Victorian Awning Company.



Construction

Each Victorian Awning is a testament to the highest standards of British Craftsmanship. Every stage of its creation demands precision, skill, and a deep respect for traditional methods. The timber housings are constructed from selected high-grade hardwood, each piece hand-treated to ensure lasting strength and stability. Our forged steel arms and bespoke bracketry are individually crafted to mirror the precise curvature and proportion of their intended setting. No detail is overlooked. Every component is made to order - in form, finish, and function - resulting in an awning that is not only structurally exceptional, but perfectly attuned to its architectural environment.



Finishing


The Victorian Awning is offered with an extensive selection of timber stains, fabric hues and metal finishes, enabling each installation to be tailored with complete individuality. Every finish is chosen not solely for its visual refinement, but for its proven durability in external environments. Metalwork is expertly powder-coated for lasting protection, hardwood components are meticulously hand-finished, and the woven fabric is solution-dyed to ensure enduring protection against the elements.

Together, these processes ensure exceptional resilience and a dignified appearance that endures season after season. From traditional deep oak stains to contemporary muted palettes, each component may be harmonised with its architectural setting.

Customisation

Every element of the Victorian Awning can be tailored to the client's precise requirements, ensuring each piece is as individual as the building it adorns. The hardwood housing may be stained or painted to specification, while the metalwork can be finished in RAL colour to achieve perfect harmony with its surrounding. A broad selection of fabrics, including traditional acrylic canvases and specialist weaves, allows for complete creative freedom. Distinctive valance styles and our specialist branding and pattern-printing techniques further expand the design possibilities. With such scope for customisation, no two Victorian Awnings are ever identical - each is a singular expression of craftsmanship and design.


THE VICTORIAN AWNING | OVERVIEW



Maximum width: 6m (up to 7m with sprung operation). Awnings over 5m wide are liable to deflection.

Maximum projection: 3m (subject to suitable fixing height).

HOUSING TYPE




THE VICTORIAN AWNING | HOUSING TYPE | EXTERIOR FITTED

CLASSIC BOX

Dimensions: 230mm x 210mm (d x h).

Maximum width: Up to 6m/7m.

Fixing position: Approximately 100mm from the ends of the box and every 1000mm along the length.




CLASSIC FLAT TOP BOX

Dimensions: 230mm x 210mm (d x h).

Maximum width: Up to 6m/7m.

Fixing position: Approximately 100mm from the ends of the box and every 1000mm along the length.





THE VICTORIAN AWNING | HOUSING TYPE | EXTERIOR FITTED

ORNATE BOX

Dimensions: 237mm x 500mm (d x h).

Maximum width: Up to 6m/7m.

Fixing position: Approximately 100mm from the ends of the box and every 1000mm along the length.




THE VICTORIAN AWNING | HOUSING TYPE | RECESS FITTED & ROLLER FITTED

RECESS FITTED

Dimensions: 170mm x 170mm (d x h).

Maximum width: Up to 6m/7m.

Fixing position: Roller is secured at each end of recess, which should be finished with 50mm treated hardwood.





ROLLER FITTED - (only inside of a recess)

Dimensions: 121mm x 120mm (d x h).

Maximum width: Up to 6m/7m.

Fixing position: Roller is face fixed.




ARM TYPE




THE VICTORIAN AWNING | ARM TYPE | PIVOT ARM


FRONT ELEVATION




CROSS SECTION



FACE FIXED SHOE BRACKET



SIDE FIXED SHOE BRACKET



Minimum head clearance: 2.1m.


Projection: To determine the maximum projection:

Box Height - Head Clearance


If a greater projection is required, a sliding arm solution must be used.

THE VICTORIAN AWNING | ARM TYPE | PIVOT ARM


CHAMFERED SHOE BRACKET




STAR SHOE BRACKET



DOUBLE CHAMFERED SHOE BRACKET




CIRCLE SHOE BRACKET




THE VICTORIAN AWNING | ARM TYPE | SLIDING ARM


FRONT ELEVATION




FACE FIXED SLIDING BRACKET



CROSS SECTION



SIDE FIXED SLIDING BRACKET




Minimum head clearance: 2.1m.
Maximum projection: 3m



FIXING SPECIFICATION

THE VICTORIAN AWNING | FIXING SPECIFICATION | OVERVIEW


FRONT ELEVATION - RETRACTED



FIXING GUIDE


- 1: CSK 12 x 63mm slotted screws. For a more heavy duty fixing, use M8 bolts or M8 thunderbolts (chemfix if necessary).
- 2: CSK 12 x 50mm slotted screws.
- 3: CSK 12 x 38mm slotted screws.
- 4: M6 x 16mm or 25mm blackened hex bolt with double locking nuts (must be tight).
- 5: See page “Fixing Specification - Pivot Arm Shoe Bracket”.
- 6: M8 x 40mm blackened hex bolt with double locking nuts (must be tight).
- 7: See page “Fixing Specification - Classic Box”.
- 8: 30 mm clout nails spaced as shown.
- 9: CSK 8 x 30mm brass slotted screw with red plug.

DOUBLE CHAMFERED SHOE BRACKET



THE VICTORIAN AWNING | FIXING SPECIFICATION | CLASSIC BOX

TIMBER




Hardwood

Fixing: Coach screw
Size: M8 x 65mm
Depth: 50m (min)

Softwood

Fixing: Coach screw
Size: M8 x 80mm
Depth: 75m (min)

STEEL



Fixing: Hex bolt
Size: M8 x 20mm
Depth: 8m (min)

Fixing position:


Face or top fixed.

Approximately 100mm from the ends of the box and every 1000mm along the length.

Fixing position:


The information on this page is for guidance only. All projects to be evaluated after site visit.

CONCRETE/BRICKWORK



Fixing: Anchor bolt
Size: M8 x 100mm
Depth: 100m (min)


FASCIA CLADDING



Fixing: Resin bolt/studding M8
Size: M8 (studding length subject to application)
Depth: 250m (min)

THE VICTORIAN AWNING | FIXING SPECIFICATION | ROLLER FITTED - (only inside of a recess)

TIMBER




Hardwood

Fixing: Coach screw
Size: M8 x 65mm
Depth: 50mm (min)

Softwood

Fixing: Coach screw
Size: M8 x 80mm
Depth: 75mm (min)

STEEL



Fixing position:


Face or top fixed.

Please note:

The information on this page is for guidance only. All projects to be evaluated after site visit.


Fixing: Hex bolt
Size: M8 x 20mm
Depth: 8mm (min)

CONCRETE/BRICKWORK



Fixing: Anchor bolt
Size: M8 x 100mm
Depth: 100mm (min)


FASCIA CLADDING



Fixing: Resin bolt/studding M8
Size: M8 (studding length subject to application)
Depth: 250mm (min)

THE VICTORIAN AWNING | FIXING SPECIFICATION | PIVOT ARM SHOE BRACKET

TIMBER



Hardwood

Fixing: Coach screw
Size: M6 x 65mm
Depth: 50m (min)

Softwood

Fixing: Coach screw
Size: M6 x 80mm
Depth: 75m (min)

STEEL




Fixing: Hex bolt
Size: M6 x 20mm
Depth: 8m (min)

Fixing position:
Face or top fixed.


Please note:
The information on this page is for guidance only. All projects to be evaluated after site visit.

CONCRETE/BRICKWORK



Fixing: Anchor bolt
Size: M6 x 100mm
Depth: 100m (min)


FASCIA CLADDING



Fixing: Resin bolt/studding M6
Size: M6 (studding length subject to application)
Depth: 250m (min)

THE VICTORIAN AWNING | FIXING SPECIFICATION | SLIDING ARM BRACKET

TIMBER




Hardwood

Fixing: Coach screw
Size: M6 x 65mm
Depth: 50m (min)

Softwood

Fixing: Coach screw
Size: M6 x 80mm
Depth: 75m (min)

STEEL




Fixing: Hex bolt
Size: M6 x 20mm
Depth: 8m (min)

Fixing position:
Face or top fixed.


Please note:
The information on this page is for guidance only. All projects to be evaluated after site visit.

CONCRETE/BRICKWORK



Fixing: Anchor bolt
Size: M6 x 100mm
Depth: 100m (min)

FASCIA CLADDING




Fixing: Resin bolt/studding M6
Size: M6 (studding length subject to application)
Depth: 250m (min)




OPTIONS

THE VICTORIAN AWNING | OPTIONS | OPERATION


MANUAL SPRUNG



NON-RETRACTABLE




MANUAL CRANK



THE VICTORIAN AWNING | OPTIONS | OPERATION


ELECTRICAL OPERATION




RTS awning motor - Information

Category	Rating
Power Supply	230 Volt AC
Current	1.5 Amps
Output	320 Watts
Protection Class	IP 44
Max. operating time	Approx. 3 to 4 minutes

WIRING DIAGRAM - HIRSCHMANN PLUG




ELECTRICAL REQUIREMENTS




THE VICTORIAN AWNING | OPTIONS | VALANCE

FRONT ELEVATION



CROSS SECTION



VALANCE STYLES



straight



turreted



castle



wave




scalloped

Please Note: The above valance styles, excluding “straight”, require valance trim to be sewn to the bottom edge (straight valances can also have trim on request). See page “Finishes - Valance Trim”.

THE VICTORIAN AWNING | OPTIONS | BRANDING

COVER

Logo



Full pattern



Text



Gilding



VALANCE

Logo



Full pattern



Text



Gilding



THE VICTORIAN AWNING | OPTIONS | EDITION® FABRIC

EDITION® I FABRIC (single sided)



EDITION® II FABRIC (double sided)



Edition® Fabric is our exclusive state-of-the-art, in-house branding system developed primarily for full cover printing. This process combines sophisticated digital printing technology with specialised fabric to create high-quality, long-lasting awning designs that are both visually stunning and highly functional. Edition Fabric can produce vibrant, durable colours and intricate designs across large areas; impossible to achieve with alternative branding methods.



DIPTYQUE

RARE BOOKS
MAPS & PRINTS














106

106












CAFÉ
DIPTYQUE

FINISHES


THE VICTORIAN AWNING | FABRICS | FABRIC PLAIN

			
RKS-099 white	RKS-317 beech	RKS-122 seashell	RKS-415 marble
			
RKS-117 raw	RKS-217 ivory	RKS-115 cream	RKS-121 wheat
			
RKS-779 beige tweed	RKS-145 tenerife	RKS-180 sand	RKS-222 oak buff
			
RKS-126 linen	RKS-293 argent tweed	RKS-220 argent	RKS-133 cinnamon
			
RKS-300 oat	RKS-314 maple	RKS-139 heather beige	RKS-143 hemp beige
			
RKS-178 toast	RKS-100 beige	RKS-119 duna	RKS-113 cava
			
RKS-107 champagne	RKS-108 vanilla	RKS-148 desert	RKS-188 lemon
			
RKS-237 pineapple	RKS-239 yellow tweed	RKS-554 yellow	RKS-295 honey tweed
			
RKS-240 honey	RKS-149 corn	RKS-111 camel	RKS-158 ochre
			
RKS-101 mandarin	RKS-567 orange	RKS-185 pumpkin	RKS-106 flamingo
			
RKS-241 phoenix	RKS-105 salmon	RKS-176 red	RKS-182 vermillion

THE VICTORIAN AWNING | FABRICS | FABRIC PLAIN

			
RKS-177 burgundy	RKS-104 chestnut	RKS-195 cacao	RKS-243 tapenade
			
RKS-775 linen tweed	RKS-297 brunette	RKS-244 dun	RKS-156 brown
			
RKS-181 coffee	RKS-165 mauve	RKS-110 lilly	RKS-294 ice tweed
			
RKS-193 light blue	RKS-229 sapphire	RKS-169 steel blue	RKS-296 lagoon
			
RKS-911 baltic	RKS-232 denim	RKS-769 baltic tweed	RKS-236 jeans
			
RKS-172 blue	RKS-173 dark blue	RKS-170 admiral blue	RKS-199 atlantic blue
			
RKS-174 navy blue	RKS-175 captain navy	RKS-171 turquoise	RKS-313 iguana tweed
			
RKS-160 pistachio	RKS-187 jade	RKS-162 khaki	RKS-142 emerald
			
RKS-292 teal	RKS-163 green	RKS-248 hunter	RKS-102 forest green
			
RKS-114 pearl	RKS-197 lead tweed	RKS-112 graphite	RKS-186 silver
			
RKS-196 titanium	RKS-123 argenta grey	RKS-138 cadet grey	RKS-161 grey


THE VICTORIAN AWNING | FABRICS | FABRIC PLAIN



RKS-224 dun grey



RKS-152 taupe



RKS-127 moonrock



RKS-776 taupe tweed



RKS-194 ash




RKS-198 nickel



RKS-774 smoke tweed



RKS-164 charcoal grey




RKS-770 charcoal tweed



RKS-298 coal




RKS-150 dark grey



RKS-103 black



RKS-791 beige slub tweed



RKS-794 sand slub tweed



RKS-793 linen slub tweed



RKS-792 taupe slub tweed

THE VICTORIAN AWNING | FABRICS | FABRIC STRIPED



RKS-017 white black



RKS-061 white grey



RKS-056 white brown




KS-206 cabanes



RKS-116 foix



RKS-252 vanilla beige



RKS-223 perelló



RKS-630 zaidín



RKS-211 falset



RKS-014 white green



RKS-058 ochre brown



RKS-055 white yellow



RKS-012 white red



RKS-016 white blue

















RKS-144 maella

Other combinations of colours also available.

THE VICTORIAN AWNING | FABRICS | METALWORK

STANDARD FRAME COLOUR

										
RAL - 1001	RAL - 1003	RAL - 1006	RAL - 1011	RAL - 1013	RAL - 1014	RAL - 1015	RAL - 1016	RAL - 1019	RAL - 1024	RAL - 1032
										
RAL - 1033	RAL - 1034	RAL - 2002	RAL - 2009	RAL - 2011	RAL - 3000	RAL - 3002	RAL - 3003	RAL - 3005	RAL - 3007	RAL - 3012
										
RAL - 3013	RAL - 3017	RAL - 3022	RAL - 4001	RAL - 4003	RAL - 4005	RAL - 4007	RAL - 4009	RAL - 5000	RAL - 5003	RAL - 5004
										
RAL - 5009	RAL - 5011	RAL - 5012	RAL - 5013	RAL - 5017	RAL - 5018	RAL - 5020	RAL - 5022	RAL - 5024	RAL - 6001	RAL - 6005
										
RAL - 6007	RAL - 6009	RAL - 6011	RAL - 6013	RAL - 6016	RAL - 6017	RAL - 6019	RAL - 6025	RAL - 6026	RAL - 6027	RAL - 7000
										
RAL - 7001	RAL - 7003	RAL - 7006	RAL - 7008	RAL - 7010	RAL - 7012	RAL - 7016	RAL - 7021	RAL - 7023	RAL - 7030	RAL - 7031
										
RAL - 7035	RAL - 7036	RAL - 7037	RAL - 7039	RAL - 7042	RAL - 7047	RAL - 8001	RAL - 8007	RAL - 8014	RAL - 8016	RAL - 8019
										
RAL - 8023	RAL - 8024	RAL - 8025	RAL - 8028	RAL - 9001	RAL - 9002	RAL - 9003	RAL - 9004	RAL - 9005	RAL - 9010	RAL - 9011
										
RAL - 9016										

Other combinations of colours also available.


NON-STANDARD FRAME COLOUR




Deore 3060 - Semi




Sonnen Gold - Semi



Marrone 3603 - Matte




Sepia Brown - Matte



Mica 3602 - Matte



Aprox. C34 - Matte




Marrone 611 - Glossy




Brown C34 - Matte




Deore 616 - Matte




Brown C33 - Matte




Marrone 620 - Semi



Antique Copper - Glossy



Antique Gold - Glossy



Antique Silver - Glossy




Ultra Chrome



Gold Lacquer


THE VICTORIAN AWNING | FINISHES | TIMBER

COLOUR








These are a selection of the most popular colours. We are able to match to any RAL colour.

STAINED



THE VICTORIAN AWNING | FINISHES | VALANCE BRAID TRIM

			
00 white	11 beige	15 antique gold	19 black
			
20 cream	25 light brown	27 dark brown	32 yellow
			
42 lilac	44 emerald	45 olive green	52 turquoise
			
53 lime green	62 royal blue	63 mid blue	65 dark grey
			
66 blue	81 orange	82 pepper red	83 russett
			
85 paris rouge	86 burgundy	91 midnight blue	95 forest green
			
143 light blue	146 light pink	147 light grey	148 salmon
			
151 aqua			



Contact Details:

tel: +44 (0)20 8858 8526
info@victorianawnings.co.uk
www.victorianawnings.co.uk

The Victorian Awning Company, Riverisde, Lombard Wall, London SE7 7SG

The Victorian Awning Company are part of the Riverside Works Group

v.120126