Window Schedule

Element ID	WD-01R	WD-01	WD-DD-01	WD-D1-Ex	WD-W01-Ex	WD-01	WD-DD-02	WD-02	WD-D1-Ex
Home Story	Ground Floor	Ground Floor	Ground Floor	Ground Floor	Ground Floor	Ground Floor	Ground Floor	Ground Floor	Ground Floor
Orientation	L	L	L	L	L	R	R	R	R
View from Side Opposite to Opening Side									
Wall Thickness	0.37	0.37	0.37	0.37	0.37	0.37	0.37	0.37	0.37
Wallhole Dimensions	1,022.5×1,350.0	1,022.5×1,350.0	2,710.0×2,100.0	894.0×2,009.0	910.0×650.0	1,022.5×1,350.0	2,485.0×2,100.0	685.0×1,200.0	894.0×2,009.0
U Value	1.2 W/m² K	1.2 W/m² K	1.2 W/m² K	1.0 W/m²K	1.2 W/m² K	1.2 W/m² K	1.2 W/m² K	1.2 W/m² K	1.0 W/m²K
Glazing	Windows to be double glazed with argon filled gap and with a soft coat low-E glass. Window Energy Rating to be Band A or better	Windows to be double glazed with argon filled gap and with a soft coat low-E glass. Window Energy Rating to be Band A or better	Windows/ Doors to be double glazed with argon filled gap and with a soft coat low-E glass. Window Energy Rating to be Band A or better	Windows/ Doors to be double glazed with argon filled gap and with a soft coat low-E glass. Window Energy Rating to be Band A or better	Windows to be double glazed with argon filled gap and with a soft coat low-E glass. Window Energy Rating to be Band A or better	Windows to be double glazed with argon filled gap and with a soft coat low-E glass. Window Energy Rating to be Band A or better	Windows/ Doors to be double glazed with argon filled gap and with a soft coat low-E glass. Window Energy Rating to be Band A or better	Windows to be double glazed with argon filled gap and with a soft coat low-E glass. Window Energy Rating to be Band A or better	Windows/ Doors to be double glazed with argon filled gap and with a soft coat low-E glass. Window Energy Rating to be Band A or better
Certs	PAS24	PAS24	PAS24	PAS24	PAS24	PAS24	PAS24	PAS24	PAS24
Materials- Colour	RAL 7016- uPVC	RAL 7016- uPVC	RAL 7016- uPVC	RAL 7016- uPVC	RAL 7016- uPVC	RAL 7016- uPVC	RAL 7016- uPVC	RAL 7016- uPVC	RAL 7016- uPVC
Quantity	1	3	1	1	1	3	1	2	1

Element ID	WD-W01-Ex	WD-DMFl	WD-DMEn	WD-JB01	WD-03-AOV	WD-04	WD-04F	WD-JB01	WD-03
Home Story	Ground Floor	Ground Floor	Ground Floor	First Floor	First Floor	First Floor	First Floor	First Floor	First Floor
Orientation	R	R	R	L	L	L	L	R	R
View from Side Opposite to Opening Side									
Wall Thickness	0.37	0.37	0.37	0.37	0.40	0.40	0.40	0.37	0.40
Wallhole Dimensions	910.0×650.0	914.0×2,100.0	914.0×2,100.0	1,452.5×2,100.0	1,022.5×1,050.0	1,022.5×1,200.0	1,022.5×1,200.0	1,452.5×2,100.0	1,022.5×1,050.0
U Value	1.2 W/m² K	1.0 W/m²K	1.0 W/m²K	1.2 W/m² K	1.2 W/m² K	1.2 W/m² K	1.2 W/m² K	1.2 W/m² K	1.2 W/m² K
Glazing	Windows to be double glazed with argon filled gap and with a soft coat low-E glass. Window Energy Rating to be Band A or better	Windows/ Doors to be double glazed with argon filled gap and with a soft coat low-E glass. Window Energy Rating to be Band A or better	Windows/ Doors to be double glazed with argon filled gap and with a soft coat low-E glass. Window Energy Rating to be Band A or better	Windows/ Doors to be double glazed with argon filled gap and with a soft coat low-E glass. Window Energy Rating to be Band A or better	Windows to be double glazed with argon filled gap and with a soft coat low-E glass. Window Energy Rating to be Band A or better	Windows to be double glazed with argon filled gap and with a soft coat low-E glass. Window Energy Rating to be Band A or better	Windows to be double glazed with argon filled gap and with a soft coat low-E glass. Window Energy Rating to be Band A or better	Windows/ Doors to be double glazed with argon filled gap and with a soft coat low-E glass. Window Energy Rating to be Band A or better	Windows to be double glazed with argon filled gap and with a soft coat low-E glass. Window Energy Rating to be Band A or better
Certs	PAS24	PAS24	PAS24				Obscured Glazing no.5		
Materials- Colour	RAL 7016- uPVC	RAL 7016- uPVC	RAL 7016- uPVC	RAL 7016- uPVC	RAL 7016- uPVC	RAL 7016- uPVC	RAL 7016- uPVC	RAL 7016- uPVC	RAL 7016- uPVC
Quantity	1	1	1	1	1	1	2	1	2

© This drawing remains the property of The Keen Partnership and shall not be copied without prior written consent.
All dimensions to be checked on site and any discrepancies to be reported before work commences.

Notes:

THE KEEN PARTNERSHIP

The Courtyard
Edinburgh Road
Reading
RG30 2UA
Tel: 0118 9510855
Fax: 0118 951866
Email: info@keenpartnership.co.uk

Client:
Krish Food & Leisure Ltd
Mr. Parihar

Job Title:
New Development rear to
2-4 Church Street, Caversham
Reading RG4 -8AT

Drawing Title:
Windows- Doors Schedule

Status:
Planning Conditions

Date Drawn:	Drawn By:	Scale:
17-11-2025	C.P.	@A2

Job No:	Drg No:	Rev:
8636-16	PLC-NB- 7-REV A	05/05/2026